




2.2.3 6dB BW




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20)_HCH_5825MHz_Ant1_NTN



802.11n(HT40) LCH 5755MHz Ant1 NTN



802.11n(HT40)_HCH_5795MHz_Ant1_NTN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	6.18	<=23.79	Pass
		5200	5.30	<=23.79	Pass
		5240	5.00	<=23.79	Pass
		5260	5.12	<=23.79	Pass
		5300	4.89	<=23.79	Pass
		5320	4.49	<=23.79	Pass
		5500	2.91	<=23.79	Pass
		5580	4.65	<=23.79	Pass
		5700	5.01	<=23.79	Pass
		5745	5.76	<=29.81	Pass
		5785	6.66	<=29.81	Pass
		5825	6.70	<=29.81	Pass
802.11n (HT20)	SISO	5180	5.39	<=23.79	Pass
		5200	4.94	<=23.79	Pass
		5240	5.08	<=23.79	Pass
		5260	5.21	<=23.79	Pass
		5300	4.40	<=23.79	Pass
		5320	4.32	<=23.79	Pass
		5500	2.73	<=23.79	Pass
		5580	4.36	<=23.79	Pass
		5700	5.56	<=23.79	Pass
		5745	5.97	<=29.81	Pass
		5785	6.24	<=29.81	Pass
		5825	5.01	<=29.81	Pass
802.11n (HT40)	SISO	5190	6.15	<=23.79	Pass
		5230	6.32	<=23.79	Pass
		5270	6.11	<=23.79	Pass
		5310	5.52	<=23.79	Pass
		5510	3.62	<=23.79	Pass
		5550	5.08	<=23.79	Pass
		5670	5.35	<=23.79	Pass
		5755	6.89	<=29.81	Pass
		5795	7.22	<=29.81	Pass

The duty factor is already compensated in the result.

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)				Verdict
			ANT1	Duty factor	result	Limit	
802.11a	SISO	5180	-4.83	0.48	-4.35	<=10.81	Pass
		5200	-5.79	1.08	-4.71	<=10.81	Pass
		5240	-5.92	0.72	-5.2	<=10.81	Pass
		5260	-5.86	0.97	-4.89	<=10.81	Pass
		5300	-5.96	1.27	-4.69	<=10.81	Pass
		5320	-6.58	1.34	-5.24	<=10.81	Pass
		5500	-7.95	0.43	-7.52	<=10.81	Pass
		5580	-6.43	1.42	-5.01	<=10.81	Pass
		5700	-5.90	0.73	-5.17	<=10.81	Pass
802.11n (HT20)	SISO	5180	-5.81	1.49	-4.32	<=10.81	Pass
		5200	-6.35	0.76	-5.59	<=10.81	Pass
		5240	-6.17	0.46	-5.71	<=10.81	Pass
		5260	-6.03	1.1	-4.93	<=10.81	Pass
		5300	-6.83	0.76	-6.07	<=10.81	Pass
		5320	-6.77	1.42	-5.35	<=10.81	Pass
		5500	-8.18	1.71	-6.47	<=10.81	Pass
		5580	-6.85	5.16	-1.69	<=10.81	Pass
		5700	-5.84	0.51	-5.33	<=10.81	Pass
802.11n (HT40)	SISO	5190	-8.45	4.69	-3.76	<=10.81	Pass
		5230	-7.96	3.89	-4.07	<=10.81	Pass
		5270	-8.15	5.17	-2.98	<=10.81	Pass
		5310	-8.65	4.39	-4.26	<=10.81	Pass
		5510	-10.16	4.54	-5.62	<=10.81	Pass
		5550	-9.33	4.38	-4.95	<=10.81	Pass
		5670	-9.16	4.15	-5.01	<=10.81	Pass

4.1.2 PSD-Band3


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)				Verdict
			ANT1	Duty factor	result	Limit	
802.11a	SISO	5745	-8.44	0.72	-7.72	<=29.81	Pass
		5785	-7.63	5.41	-2.22	<=29.81	Pass
		5825	-7.65	1.01	-6.64	<=29.81	Pass
802.11n (HT20)	SISO	5745	-8.39	1.18	-7.21	<=29.81	Pass
		5785	-8.11	1.3	-6.81	<=29.81	Pass
		5825	-8.88	0.76	-8.12	<=29.81	Pass
802.11n (HT40)	SISO	5755	-10.32	4.83	-5.49	<=29.81	Pass
		5795	-10.06	4.31	-5.75	<=29.81	Pass

4.2 Test Graph


4.2.1 PSD




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a MCH 5300MHz Ant1 NTN




802.11a_HCH_5320MHz_Ant1_NTN




802.11a LCH 5500MHz Ant1 NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20)_HCH_5240MHz_Ant1_NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20)_MCH_5300MHz_Ant1_NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20)_LCH_5500MHz_Ant1_NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20)_HCH_5700MHz_Ant1_NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40)_HCH_5230MHz_Ant1_NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40)_HCH_5310MHz_Ant1_NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN



802.11n(HT40)_MCH_5550MHz_Ant1_NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




2025-11-11 20:33:34


4.2.2 PSD-Band3




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20)_HCH_5825MHz_Ant1_NTN



802.11n(HT40) LCH 5755MHz Ant1 NTN



802.11n(HT40)_HCH 5795MHz Ant1 NTN



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result


5.1.1 RSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5260	1	Refer To Test Graph		Pass
		5300	1	Refer To Test Graph		Pass
		5320	1	Refer To Test Graph		Pass
		5500	1	Refer To Test Graph		Pass
		5580	1	Refer To Test Graph		Pass
		5700	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5260	1	Refer To Test Graph		Pass
		5300	1	Refer To Test Graph		Pass
		5320	1	Refer To Test Graph		Pass
		5500	1	Refer To Test Graph		Pass
		5580	1	Refer To Test Graph		Pass
		5700	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5270	1	Refer To Test Graph		Pass
		5310	1	Refer To Test Graph		Pass
		5510	1	Refer To Test Graph		Pass
		5550	1	Refer To Test Graph		Pass
		5670	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass


Found the emission level are attenuated 20dB below the limits from 26.5GHz to 40GHz, so it does not recorded in report.

5.2 Test Graph

5.2.1 RSE




802.11a_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21263.15	-37.96	-21.20	16.76	Pass	Peak	7	21263.15	-47.10	-41.20	5.90	Pass	AVG
2	22057.05	-40.26	-21.20	19.06	Pass	Peak	8	22057.05	-49.10	-41.20	7.90	Pass	AVG
3	23547.95	-40.01	-27.00	13.01	Pass	Peak	9	23547.95	/	-27.00	/	/	AVG
4	24369.9	-36.48	-27.00	9.48	Pass	Peak	10	24369.9	/	-27.00	/	/	AVG
5	25415.4	-34.29	-27.00	7.29	Pass	Peak	11	25415.4	/	-27.00	/	/	AVG
6	26369.95	-36.54	-27.00	9.54	Pass	Peak	12	26369.95	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-38.61	-27.00	11.61	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	5771.05	-40.14	-27.00	13.14	Pass	Peak	8	5771.05	/	-27.00	/	/	AVG
3	21386.4	-37.83	-21.20	16.63	Pass	Peak	9	21386.4	-47.22	-41.20	6.02	Pass	AVG
4	23633.8	-38.87	-21.20	17.67	Pass	Peak	10	23633.8	-47.78	-41.20	6.58	Pass	AVG
5	24443	-35.87	-27.00	8.87	Pass	Peak	11	24443	/	-27.00	/	/	AVG
6	25854	-34.26	-27.00	7.26	Pass	Peak	12	25854	/	-27.00	/	/	AVG


802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV




802.11a LCH 5260MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4997.500	-51.56	-21.20	30.36	Pass	Peak	7	4997.500	-58.24	-41.20	17.04	Pass	AVG
2	5028.000	-52.79	-21.20	31.59	Pass	Peak	8	5028.000	-57.96	-41.20	16.76	Pass	AVG
3	5056.000	-50.76	-21.20	29.56	Pass	Peak	9	5056.000	-57.72	-41.20	16.52	Pass	AVG
4	5085.500	-50.96	-21.20	29.76	Pass	Peak	10	5085.500	-57.52	-41.20	16.32	Pass	AVG
5	5109.000	-52.42	-21.20	31.22	Pass	Peak	11	5109.000	-57.41	-41.20	16.21	Pass	AVG
6	5133.000	-50.90	-21.20	29.70	Pass	Peak	12	5133.000	-57.47	-41.20	16.27	Pass	AVG

802.11a_MCH 5300MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21417	-38.02	-27.00	11.02	Pass	Peak	7	21417	/	-27.00	/	/	AVG
2	22665.65	-39.85	-21.20	18.65	Pass	Peak	8	22665.65	-50.10	-41.20	8.90	Pass	AVG
3	23602.35	-39.52	-21.20	18.32	Pass	Peak	9	23602.35	-48.09	-41.20	6.89	Pass	AVG
4	24373.3	-34.80	-27.00	7.80	Pass	Peak	10	24373.3	/	-27.00	/	/	AVG
5	25208.85	-36.31	-27.00	9.31	Pass	Peak	11	25208.85	/	-27.00	/	/	AVG
6	26028.25	-34.28	-27.00	7.28	Pass	Peak	12	26028.25	/	-27.00	/	/	AVG

802.11a_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2465.4	-39.52	-27.00	12.52	Pass	Peak	7	2465.4	/	-27.00	/	/	AVG
2	21277.6	-43.36	-21.20	22.16	Pass	Peak	8	21277.6	-53.17	-41.20	11.97	Pass	AVG
3	23467.2	-45.42	-27.00	18.42	Pass	Peak	9	23467.2	/	-27.00	/	/	AVG
4	24262.8	-42.52	-27.00	15.52	Pass	Peak	10	24262.8	/	-27.00	/	/	AVG
5	25355.05	-40.42	-27.00	13.42	Pass	Peak	11	25355.05	/	-27.00	/	/	AVG
6	26237.35	-42.18	-27.00	15.18	Pass	Peak	12	26237.35	/	-27.00	/	/	AVG

802.11a_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.960	-52.94	-21.20	31.74	Pass	Peak	7	5352.960	-60.32	-41.20	19.12	Pass	AVG
2	5358.400	-53.20	-21.20	32.00	Pass	Peak	8	5358.400	-60.63	-41.20	19.43	Pass	AVG
3	5367.840	-53.56	-21.20	32.36	Pass	Peak	9	5367.840	-61.04	-41.20	19.84	Pass	AVG
4	5376.640	-54.13	-21.20	32.93	Pass	Peak	10	5376.640	-61.36	-41.20	20.16	Pass	AVG
5	5383.520	-55.12	-21.20	33.92	Pass	Peak	11	5383.520	-61.38	-41.20	20.18	Pass	AVG
6	5389.760	-51.48	-21.20	30.28	Pass	Peak	12	5389.760	-61.66	-41.20	20.46	Pass	AVG

802.11a LCH 5500MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-34.82	-27.00	7.82	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	21281	-43.71	-21.20	22.51	Pass	Peak	8	21281	-53.07	-41.20	11.87	Pass	AVG
3	23185.85	-45.64	-27.00	18.64	Pass	Peak	9	23185.85	/	-27.00	/	/	AVG
4	24242.4	-43.52	-27.00	16.52	Pass	Peak	10	24242.4	/	-27.00	/	/	AVG
5	25028.65	-42.39	-27.00	15.39	Pass	Peak	11	25028.65	/	-27.00	/	/	AVG
6	25915.2	-40.31	-27.00	13.31	Pass	Peak	12	25915.2	/	-27.00	/	/	AVG

802.11a LCH 5500MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5418.340	-54.56	-21.20	33.36	Pass	Peak	7	5418.340	-62.68	-41.20	21.48	Pass	AVG
2	5426.670	-55.11	-21.20	33.91	Pass	Peak	8	5426.670	-62.45	-41.20	21.25	Pass	AVG
3	5434.490	-54.81	-21.20	33.61	Pass	Peak	9	5434.490	-62.39	-41.20	21.19	Pass	AVG
4	5440.100	-53.29	-21.20	32.09	Pass	Peak	10	5440.100	-62.33	-41.20	21.13	Pass	AVG
5	5449.110	-54.54	-21.20	33.34	Pass	Peak	11	5449.110	-62.33	-41.20	21.13	Pass	AVG
6	5455.400	-54.44	-21.20	33.24	Pass	Peak	12	5455.400	-61.85	-41.20	20.65	Pass	AVG

802.11a MCH 5580MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21320.95	-38.12	-21.20	16.92	Pass	Peak	7	21320.95	-47.14	-41.20	5.94	Pass	AVG
2	22304.4	-39.93	-21.20	18.73	Pass	Peak	8	22304.4	-49.53	-41.20	8.33	Pass	AVG
3	23229.2	-40.17	-27.00	13.17	Pass	Peak	9	23229.2	/	-27.00	/	/	AVG
4	24277.25	-34.18	-27.00	7.18	Pass	Peak	10	24277.25	/	-27.00	/	/	AVG
5	25060.1	-36.31	-27.00	9.31	Pass	Peak	11	25060.1	/	-27.00	/	/	AVG
6	25872.7	-34.56	-27.00	7.56	Pass	Peak	12	25872.7	/	-27.00	/	/	AVG

802.11a_HCH_5700MHz_Ant1_NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5770.2	-40.79	-27.00	13.79	Pass	Peak	7	5770.2	/	-27.00	/	/	AVG
2	21370.25	-42.55	-21.20	21.35	Pass	Peak	8	21370.25	-52.98	-41.20	11.78	Pass	AVG
3	22149.7	-45.90	-21.20	24.70	Pass	Peak	9	22149.7	-55.22	-41.20	14.02	Pass	AVG
4	24300.2	-41.01	-27.00	14.01	Pass	Peak	10	24300.2	/	-27.00	/	/	AVG
5	25068.6	-42.86	-27.00	15.86	Pass	Peak	11	25068.6	/	-27.00	/	/	AVG
6	25865.05	-40.16	-27.00	13.16	Pass	Peak	12	25865.05	/	-27.00	/	/	AVG


802.11a_HCH_5700MHz_Ant1_NTNV



802.11a_LCH_5745MHz_Ant1_NTNV




802.11a LCH 5745MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2439.9	-45.49	-27.00	18.49	Pass	Peak	7	2439.9	/	-27.00	/	/	AVG
2	21390.65	-43.93	-21.20	22.73	Pass	Peak	8	21390.65	-52.69	-41.20	11.49	Pass	AVG
3	22501.6	-45.01	-21.20	23.81	Pass	Peak	9	22501.6	-55.38	-41.20	14.18	Pass	AVG
4	24318.9	-39.74	-27.00	12.74	Pass	Peak	10	24318.9	/	-27.00	/	/	AVG
5	25085.6	-43.98	-27.00	16.98	Pass	Peak	11	25085.6	/	-27.00	/	/	AVG
6	25856.55	-40.06	-27.00	13.06	Pass	Peak	12	25856.55	/	-27.00	/	/	AVG

802.11a LCH 5745MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-56.42	-27.00	29.42	Pass	Peak	3	5725.000	-50.39	27.00	77.39	Pass	Peak
2	5724.520	-46.87	25.91	72.78	Pass	Peak							

802.11a_MCH_5785MHz_Ant1_NTNV




2025-11-11 18:49:14

802.11a_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2463.7	-36.58	-27.00	9.58	Pass	Peak	7	2463.7	/	-27.00	/	/	AVG
2	21377.9	-37.27	-21.20	16.07	Pass	Peak	8	21377.9	-46.87	-41.20	5.67	Pass	AVG
3	22226.2	-39.26	-21.20	18.06	Pass	Peak	9	22226.2	-49.27	-41.20	8.07	Pass	AVG
4	24290	-35.13	-27.00	8.13	Pass	Peak	10	24290	/	-27.00	/	/	AVG
5	25118.75	-36.09	-27.00	9.09	Pass	Peak	11	25118.75	/	-27.00	/	/	AVG
6	25924.55	-33.88	-27.00	6.88	Pass	Peak	12	25924.55	/	-27.00	/	/	AVG

802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21417	-37.82	-27.00	10.82	Pass	Peak	7	21417	/	-27.00	/	/	AVG
2	22251.7	-40.40	-21.20	19.20	Pass	Peak	8	22251.7	-49.30	-41.20	8.10	Pass	AVG
3	23175.65	-39.13	-27.00	12.13	Pass	Peak	9	23175.65	/	-27.00	/	/	AVG
4	24318.05	-34.76	-27.00	7.76	Pass	Peak	10	24318.05	/	-27.00	/	/	AVG
5	25093.25	-37.39	-27.00	10.39	Pass	Peak	11	25093.25	/	-27.00	/	/	AVG
6	25871.85	-34.06	-27.00	7.06	Pass	Peak	12	25871.85	/	-27.00	/	/	AVG


802.11a HCH 5825MHz Ant1 NTN



802.11n(HT20)_LCH_5180MHz_Ant1_NTN




802.11n(HT20) LCH 5180MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5022.500	-50.73	-21.20	29.53	Pass	Peak	7	5022.500	-57.75	-41.20	16.55	Pass	AVG
2	5048.000	-50.20	-21.20	29.00	Pass	Peak	8	5048.000	-57.47	-41.20	16.27	Pass	AVG
3	5072.000	-50.68	-21.20	29.48	Pass	Peak	9	5072.000	-57.26	-41.20	16.06	Pass	AVG
4	5092.500	-51.33	-21.20	30.13	Pass	Peak	10	5092.500	-56.91	-41.20	15.71	Pass	AVG
5	5128.000	-51.28	-21.20	30.08	Pass	Peak	11	5128.000	-56.94	-41.20	15.74	Pass	AVG
6	5149.500	-50.22	-21.20	29.02	Pass	Peak	12	5149.500	-56.57	-41.20	15.37	Pass	AVG

802.11n(HT20)_MCH_5200MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-37.16	-27.00	10.16	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	21456.95	-38.06	-27.00	11.06	Pass	Peak	8	21456.95	/	-27.00	/	/	AVG
3	23491.85	-40.01	-27.00	13.01	Pass	Peak	9	23491.85	/	-27.00	/	/	AVG
4	24292.55	-36.26	-27.00	9.26	Pass	Peak	10	24292.55	/	-27.00	/	/	AVG
5	25073.7	-36.17	-27.00	9.17	Pass	Peak	11	25073.7	/	-27.00	/	/	AVG
6	25842.95	-34.38	-27.00	7.38	Pass	Peak	12	25842.95	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5240MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21332.85	-37.76	-21.20	16.56	Pass	Peak	7	21332.85	-47.20	-41.20	6.00	Pass	AVG
2	22408.1	-40.56	-21.20	19.36	Pass	Peak	8	22408.1	-49.60	-41.20	8.40	Pass	AVG
3	23564.95	-38.25	-27.00	11.25	Pass	Peak	9	23564.95	/	-27.00	/	/	AVG
4	24334.2	-35.46	-27.00	8.46	Pass	Peak	10	24334.2	/	-27.00	/	/	AVG
5	25110.25	-36.97	-27.00	9.97	Pass	Peak	11	25110.25	/	-27.00	/	/	AVG
6	25964.5	-33.97	-27.00	6.97	Pass	Peak	12	25964.5	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5240MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.240	-51.81	-21.20	30.61	Pass	Peak	7	5352.240	-58.32	-41.20	17.12	Pass	AVG
2	5361.120	-53.17	-21.20	31.97	Pass	Peak	8	5361.120	-58.20	-41.20	17.00	Pass	AVG
3	5371.920	-51.95	-21.20	30.75	Pass	Peak	9	5371.920	-58.47	-41.20	17.27	Pass	AVG
4	5386.800	-50.75	-21.20	29.55	Pass	Peak	10	5386.800	-58.21	-41.20	17.01	Pass	AVG
5	5400.480	-51.43	-21.20	30.23	Pass	Peak	11	5400.480	-58.45	-41.20	17.25	Pass	AVG
6	5417.280	-52.30	-21.20	31.10	Pass	Peak	12	5417.280	-58.50	-41.20	17.30	Pass	AVG

802.11n(HT20) LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2462.85	-37.24	-27.00	10.24	Pass	Peak	7	2462.85	/	-27.00	/	/	AVG
2	21370.25	-37.37	-21.20	16.17	Pass	Peak	8	21370.25	-47.33	-41.20	6.13	Pass	AVG
3	23217.3	-39.83	-27.00	12.83	Pass	Peak	9	23217.3	/	-27.00	/	/	AVG
4	24294.25	-36.26	-27.00	9.26	Pass	Peak	10	24294.25	/	-27.00	/	/	AVG
5	25060.95	-36.75	-27.00	9.75	Pass	Peak	11	25060.95	/	-27.00	/	/	AVG
6	25899.05	-34.60	-27.00	7.60	Pass	Peak	12	25899.05	/	-27.00	/	/	AVG

802.11n(HT20) LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4999.500	-50.38	-21.20	29.18	Pass	Peak	7	4999.500	-58.30	-41.20	17.10	Pass	AVG
2	5022.500	-51.79	-21.20	30.59	Pass	Peak	8	5022.500	-57.90	-41.20	16.70	Pass	AVG
3	5046.500	-51.94	-21.20	30.74	Pass	Peak	9	5046.500	-57.72	-41.20	16.52	Pass	AVG
4	5075.500	-50.92	-21.20	29.72	Pass	Peak	10	5075.500	-57.66	-41.20	16.46	Pass	AVG
5	5102.500	-52.11	-21.20	30.91	Pass	Peak	11	5102.500	-57.53	-41.20	16.33	Pass	AVG
6	5139.000	-51.32	-21.20	30.12	Pass	Peak	12	5139.000	-57.39	-41.20	16.19	Pass	AVG

802.11n(HT20) MCH 5300MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2463.7	-38.36	-27.00	11.36	Pass	Peak	7	2463.7	/	-27.00	/	/	AVG
2	21635.45	-38.08	-27.00	11.08	Pass	Peak	8	21635.45	/	-27.00	/	/	AVG
3	23219	-39.21	-27.00	12.21	Pass	Peak	9	23219	/	-27.00	/	/	AVG
4	24288.3	-35.95	-27.00	8.95	Pass	Peak	10	24288.3	/	-27.00	/	/	AVG
5	25503.8	-33.41	-27.00	6.41	Pass	Peak	11	25503.8	/	-27.00	/	/	AVG
6	26424.35	-36.87	-27.00	9.87	Pass	Peak	12	26424.35	/	-27.00	/	/	AVG

802.11n(HT20)_HCH 5320MHz_Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2462	-35.96	-27.00	8.96	Pass	Peak	7	2462	/	-27.00	/	/	AVG
2	20896.8	-39.84	-21.20	18.64	Pass	Peak	8	20896.8	-48.51	-41.20	7.31	Pass	AVG
3	21668.6	-38.07	-27.00	11.07	Pass	Peak	9	21668.6	/	-27.00	/	/	AVG
4	24277.25	-35.91	-27.00	8.91	Pass	Peak	10	24277.25	/	-27.00	/	/	AVG
5	25180.8	-36.53	-27.00	9.53	Pass	Peak	11	25180.8	/	-27.00	/	/	AVG
6	25951.75	-34.69	-27.00	7.69	Pass	Peak	12	25951.75	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5320MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.600	-48.83	-21.20	27.63	Pass	Peak	7	5353.600	-57.51	-41.20	16.31	Pass	AVG
2	5360.480	-50.78	-21.20	29.58	Pass	Peak	8	5360.480	-57.79	-41.20	16.59	Pass	AVG
3	5365.760	-51.41	-21.20	30.21	Pass	Peak	9	5365.760	-57.90	-41.20	16.70	Pass	AVG
4	5372.480	-50.31	-21.20	29.11	Pass	Peak	10	5372.480	-58.08	-41.20	16.88	Pass	AVG
5	5380.640	-50.39	-21.20	29.19	Pass	Peak	11	5380.640	-58.13	-41.20	16.93	Pass	AVG
6	5389.120	-51.77	-21.20	30.57	Pass	Peak	12	5389.120	-58.07	-41.20	16.87	Pass	AVG

802.11n(HT20) LCH 5500MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2458.6	-39.13	-27.00	12.13	Pass	Peak	7	2458.6	/	-27.00	/	/	AVG
2	21371.1	-43.56	-21.20	22.36	Pass	Peak	8	21371.1	-53.23	-41.20	12.03	Pass	AVG
3	22454	-46.09	-21.20	24.89	Pass	Peak	9	22454	-55.63	-41.20	14.43	Pass	AVG
4	24307	-41.51	-27.00	14.51	Pass	Peak	10	24307	/	-27.00	/	/	AVG
5	25548.85	-39.65	-27.00	12.65	Pass	Peak	11	25548.85	/	-27.00	/	/	AVG
6	26393.75	-42.12	-27.00	15.12	Pass	Peak	12	26393.75	/	-27.00	/	/	AVG

802.11n(HT20) LCH 5500MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5415.110	-56.18	-21.20	34.98	Pass	Peak	7	5415.110	-62.83	-41.20	21.63	Pass	AVG
2	5423.100	-54.38	-21.20	33.18	Pass	Peak	8	5423.100	-62.64	-41.20	21.44	Pass	AVG
3	5432.620	-55.42	-21.20	34.22	Pass	Peak	9	5432.620	-62.52	-41.20	21.32	Pass	AVG
4	5441.800	-56.03	-21.20	34.83	Pass	Peak	10	5441.800	-62.33	-41.20	21.13	Pass	AVG
5	5451.830	-56.01	-21.20	34.81	Pass	Peak	11	5451.830	-62.38	-41.20	21.18	Pass	AVG
6	5457.100	-55.96	-21.20	34.76	Pass	Peak	12	5457.100	-62.06	-41.20	20.86	Pass	AVG

802.11n(HT20)_MCH_5580MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2463.7	-39.98	-27.00	12.98	Pass	Peak	7	2463.7	/	-27.00	/	/	AVG
2	21318.4	-43.30	-21.20	22.10	Pass	Peak	8	21318.4	-52.86	-41.20	11.66	Pass	AVG
3	23175.65	-44.77	-27.00	17.77	Pass	Peak	9	23175.65	/	-27.00	/	/	AVG
4	24285.75	-41.87	-27.00	14.87	Pass	Peak	10	24285.75	/	-27.00	/	/	AVG
5	25060.1	-42.03	-27.00	15.03	Pass	Peak	11	25060.1	/	-27.00	/	/	AVG
6	25856.55	-40.07	-27.00	13.07	Pass	Peak	12	25856.55	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5700MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5771.05	-43.10	-27.00	16.10	Pass	Peak	7	5771.05	/	-27.00	/	/	AVG
2	21444.2	-43.78	-27.00	16.78	Pass	Peak	8	21444.2	/	-27.00	/	/	AVG
3	23520.75	-45.63	-27.00	18.63	Pass	Peak	9	23520.75	/	-27.00	/	/	AVG
4	24307	-41.69	-27.00	14.69	Pass	Peak	10	24307	/	-27.00	/	/	AVG
5	25123.85	-42.32	-27.00	15.32	Pass	Peak	11	25123.85	/	-27.00	/	/	AVG
6	25933.05	-40.45	-27.00	13.45	Pass	Peak	12	25933.05	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5700MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5731.720	-50.97	-27.00	23.97	Pass	Peak	7	5731.720	/	-27.00	/	/	AVG
2	5742.280	-50.74	-27.00	23.74	Pass	Peak	8	5742.280	/	-27.00	/	/	AVG
3	5755.120	-50.99	-27.00	23.99	Pass	Peak	9	5755.120	/	-27.00	/	/	AVG
4	5759.080	-54.16	-27.00	27.16	Pass	Peak	10	5759.080	/	-27.00	/	/	AVG
5	5768.320	-54.18	-27.00	27.18	Pass	Peak	11	5768.320	/	-27.00	/	/	AVG
6	5773.000	-53.91	-27.00	26.91	Pass	Peak	12	5773.000	/	-27.00	/	/	AVG


802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) LCH 5745MHz Ant1 NTN



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20) MCH 5785MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2463.7	-38.81	-27.00	11.81	Pass	Peak	7	2463.7	/	-27.00	/	/	AVG
2	21254.65	-44.07	-21.20	22.87	Pass	Peak	8	21254.65	-52.96	-41.20	11.76	Pass	AVG
3	23511.4	-44.73	-27.00	17.73	Pass	Peak	9	23511.4	/	-27.00	/	/	AVG
4	24310.4	-41.98	-27.00	14.98	Pass	Peak	10	24310.4	/	-27.00	/	/	AVG
5	25123	-42.74	-27.00	15.74	Pass	Peak	11	25123	/	-27.00	/	/	AVG
6	25891.4	-40.22	-27.00	13.22	Pass	Peak	12	25891.4	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5825MHz Ant1 NTN




2025-11-11 20:45:54

802.11n(HT20) HCH 5825MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2462.85	-38.20	-27.00	11.20	Pass	Peak	7	2462.85	/	-27.00	/	/	AVG
2	18934.15	-46.42	-21.20	25.22	Pass	Peak	8	18934.15	-55.87	-41.20	14.67	Pass	AVG
3	21423.8	-44.22	-27.00	17.22	Pass	Peak	9	21423.8	/	-27.00	/	/	AVG
4	23241.1	-45.24	-27.00	18.24	Pass	Peak	10	23241.1	/	-27.00	/	/	AVG
5	24361.4	-41.84	-27.00	14.84	Pass	Peak	11	24361.4	/	-27.00	/	/	AVG
6	25876.95	-38.92	-27.00	11.92	Pass	Peak	12	25876.95	/	-27.00	/	/	AVG

802.11n(HT20) HCH 5825MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-49.47	27.00	76.47	Pass	Peak	3	5925.000	-55.24	-27.00	28.24	Pass	Peak
2	5869.320	-49.05	11.59	60.64	Pass	Peak							

802.11n(HT40) LCH_5190MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2463.7	-36.91	-27.00	9.91	Pass	Peak	7	2463.7	/	-27.00	/	/	AVG
2	21325.2	-38.28	-21.20	17.08	Pass	Peak	8	21325.2	-46.55	-41.20	5.35	Pass	AVG
3	23112.75	-40.10	-21.20	18.90	Pass	Peak	9	23112.75	-48.51	-41.20	7.31	Pass	AVG
4	24301.9	-34.85	-27.00	7.85	Pass	Peak	10	24301.9	/	-27.00	/	/	AVG
5	25082.2	-36.96	-27.00	9.96	Pass	Peak	11	25082.2	/	-27.00	/	/	AVG
6	25928.8	-33.94	-27.00	6.94	Pass	Peak	12	25928.8	/	-27.00	/	/	AVG

802.11n(HT40) LCH_5190MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5029.000	-52.22	-21.20	31.02	Pass	Peak	7	5029.000	-57.47	-41.20	16.27	Pass	AVG
2	5053.500	-52.08	-21.20	30.88	Pass	Peak	8	5053.500	-56.99	-41.20	15.79	Pass	AVG
3	5082.000	-50.69	-21.20	29.49	Pass	Peak	9	5082.000	-56.82	-41.20	15.62	Pass	AVG
4	5106.500	-52.29	-21.20	31.09	Pass	Peak	10	5106.500	-56.24	-41.20	15.04	Pass	AVG
5	5128.500	-53.15	-21.20	31.95	Pass	Peak	11	5128.500	-56.52	-41.20	15.32	Pass	AVG
6	5150.000	-49.83	-21.20	28.63	Pass	Peak	12	5150.000	-54.52	-41.20	13.32	Pass	AVG