





Band17-10MHz-16QAM-23780-1RB#0-30~1000MHz




Band17-10MHz-16QAM-23780-1RB#0-1000~26000MHz



Band17-10MHz-16QAM-23790-1RB#0-30~1000MHz



Band17-10MHz-16QAM-23790-1RB#0-1000~26000MHz



Band17-10MHz-16QAM-23800-1RB#0-30~1000MHz



Band17-10MHz-16QAM-23800-1RB#0-1000~26000MHz

## 8.6 Appendix F: Frequency Stability

### Test Result

| Voltage |           |            |         |                  |               |                  |                |                 |             |         |
|---------|-----------|------------|---------|------------------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Bandwidth | Modulation | Channel | RB Configuration | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2   | 1.4MHz    | QPSK       | 18607   | 6RB#0            | VL            | NT               | -51.01         | -0.027563       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 18607   | 6RB#0            | VN            | NT               | -36.25         | -0.019587       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 18607   | 6RB#0            | VH            | NT               | 15.45          | 0.008348        | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 18900   | 6RB#0            | VL            | NT               | -42.31         | -0.022505       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 18900   | 6RB#0            | VN            | NT               | -46.91         | -0.024952       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 18900   | 6RB#0            | VH            | NT               | -52.87         | -0.028122       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 19193   | 6RB#0            | VL            | NT               | -45.55         | -0.023857       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 19193   | 6RB#0            | VN            | NT               | -43.85         | -0.022967       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | QPSK       | 19193   | 6RB#0            | VH            | NT               | -37.69         | -0.019740       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | VL            | NT               | -44.45         | -0.024018       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | VN            | NT               | -45.53         | -0.024602       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | VH            | NT               | -35.16         | -0.018998       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | VL            | NT               | -33.53         | -0.017835       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | VN            | NT               | -20.46         | -0.010883       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | VH            | NT               | -36.32         | -0.019319       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | VL            | NT               | -41.13         | -0.021542       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | VN            | NT               | -41.53         | -0.021751       | ±2.5        | PASS    |
| Band2   | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | VH            | NT               | -41.03         | -0.021490       | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18615   | 15RB#0           | VL            | NT               | 45.53          | 0.024591        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18615   | 15RB#0           | VN            | NT               | 45.99          | 0.024839        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18615   | 15RB#0           | VH            | NT               | 50.70          | 0.027383        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18900   | 15RB#0           | VL            | NT               | 15.01          | 0.007984        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18900   | 15RB#0           | VN            | NT               | 29.87          | 0.015888        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 18900   | 15RB#0           | VH            | NT               | 11.87          | 0.006314        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 19185   | 15RB#0           | VL            | NT               | 34.99          | 0.018334        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 19185   | 15RB#0           | VN            | NT               | 51.53          | 0.027000        | ±2.5        | PASS    |
| Band2   | 3MHz      | QPSK       | 19185   | 15RB#0           | VH            | NT               | 35.96          | 0.018842        | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18615   | 15RB#0           | VL            | NT               | 16.06          | 0.008674        | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18615   | 15RB#0           | VN            | NT               | 9.40           | 0.005077        | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18615   | 15RB#0           | VH            | NT               | 18.31          | 0.009889        | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18900   | 15RB#0           | VL            | NT               | -21.01         | -0.011176       | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18900   | 15RB#0           | VN            | NT               | -17.72         | -0.009426       | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 18900   | 15RB#0           | VH            | NT               | -24.69         | -0.013133       | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 19185   | 15RB#0           | VL            | NT               | 41.38          | 0.021682        | ±2.5        | PASS    |
| Band2   | 3MHz      | 16QAM      | 19185   | 15RB#0           | VN            | NT               | 37.21          | 0.019497        | ±2.5        | PASS    |

|       |       |       |       |        |    |    |        |           |      |      |
|-------|-------|-------|-------|--------|----|----|--------|-----------|------|------|
| Band2 | 3MHz  | 16QAM | 19185 | 15RB#0 | VH | NT | 35.42  | 0.018559  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 25RB#0 | VL | NT | 33.67  | 0.018175  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 25RB#0 | VN | NT | 35.48  | 0.019152  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 25RB#0 | VH | NT | -10.96 | -0.005916 | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 25RB#0 | VL | NT | 17.11  | 0.009101  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 25RB#0 | VN | NT | 29.05  | 0.015452  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 25RB#0 | VH | NT | -23.36 | -0.012426 | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 25RB#0 | VL | NT | 36.01  | 0.018878  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 25RB#0 | VN | NT | 53.32  | 0.027953  | ±2.5 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 25RB#0 | VH | NT | -63.00 | -0.033028 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | VL | NT | -26.52 | -0.014316 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | VN | NT | 15.81  | 0.008534  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | VH | NT | -36.25 | -0.019568 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | VL | NT | -49.75 | -0.026463 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | VN | NT | -49.40 | -0.026277 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | VH | NT | -48.42 | -0.025755 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | VL | NT | 16.04  | 0.008409  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | VN | NT | -51.57 | -0.027035 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | VH | NT | -22.72 | -0.011911 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | VL | NT | -12.95 | -0.006981 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | VN | NT | -14.46 | -0.007795 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | VH | NT | -14.68 | -0.007914 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | VL | NT | -21.54 | -0.011457 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | VN | NT | -19.88 | -0.010574 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | VH | NT | -23.73 | -0.012622 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | VL | NT | -16.55 | -0.008688 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | VN | NT | -21.74 | -0.011412 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | VH | NT | -20.33 | -0.010672 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | VL | NT | -16.18 | -0.008722 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | VN | NT | -15.72 | -0.008474 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | VH | NT | -18.64 | -0.010049 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | VL | NT | -18.90 | -0.010053 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | VN | NT | -27.55 | -0.014654 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | VH | NT | -26.75 | -0.014229 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | VL | NT | -15.74 | -0.008262 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | VN | NT | -17.98 | -0.009438 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | VH | NT | -16.22 | -0.008514 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | VL | NT | 22.72  | 0.012231  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | VN | NT | 23.93  | 0.012883  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | VH | NT | 10.34  | 0.005567  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | VL | NT | -23.50 | -0.012500 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | VN | NT | 38.44  | 0.020447  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | VH | NT | -47.38 | -0.025202 | ±2.5 | PASS |

|       |        |       |       |         |    |    |        |           |      |      |
|-------|--------|-------|-------|---------|----|----|--------|-----------|------|------|
| Band2 | 15MHz  | QPSK  | 19125 | 75RB#0  | VL | NT | 25.59  | 0.013451  | ±2.5 | PASS |
| Band2 | 15MHz  | QPSK  | 19125 | 75RB#0  | VN | NT | 40.07  | 0.021062  | ±2.5 | PASS |
| Band2 | 15MHz  | QPSK  | 19125 | 75RB#0  | VH | NT | 23.20  | 0.012194  | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18675 | 75RB#0  | VL | NT | -36.21 | -0.019494 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18675 | 75RB#0  | VN | NT | -30.56 | -0.016452 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18675 | 75RB#0  | VH | NT | -43.69 | -0.023521 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18900 | 75RB#0  | VL | NT | -17.90 | -0.009521 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18900 | 75RB#0  | VN | NT | -19.08 | -0.010149 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 18900 | 75RB#0  | VH | NT | -22.92 | -0.012191 | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 19125 | 75RB#0  | VL | NT | 38.28  | 0.020121  | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 19125 | 75RB#0  | VN | NT | 34.39  | 0.018076  | ±2.5 | PASS |
| Band2 | 15MHz  | 16QAM | 19125 | 75RB#0  | VH | NT | 34.30  | 0.018029  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18700 | 100RB#0 | VL | NT | 34.88  | 0.018753  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18700 | 100RB#0 | VN | NT | 43.86  | 0.023581  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18700 | 100RB#0 | VH | NT | 20.63  | 0.011091  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18900 | 100RB#0 | VL | NT | -20.24 | -0.010766 | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18900 | 100RB#0 | VN | NT | -12.03 | -0.006399 | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 18900 | 100RB#0 | VH | NT | -12.63 | -0.006718 | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 19100 | 100RB#0 | VL | NT | 36.45  | 0.019184  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 19100 | 100RB#0 | VN | NT | 37.05  | 0.019500  | ±2.5 | PASS |
| Band2 | 20MHz  | QPSK  | 19100 | 100RB#0 | VH | NT | 41.48  | 0.021832  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18700 | 100RB#0 | VL | NT | 24.63  | 0.013242  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18700 | 100RB#0 | VN | NT | -21.07 | -0.011328 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18700 | 100RB#0 | VH | NT | 32.97  | 0.017726  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | VL | NT | -17.95 | -0.009548 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | VN | NT | 14.99  | 0.007973  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | VH | NT | -25.31 | -0.013463 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | VL | NT | 10.87  | 0.005721  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | VN | NT | 12.56  | 0.006611  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | VH | NT | -15.84 | -0.008337 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | VL | NT | -15.98 | -0.009341 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | VN | NT | -12.66 | -0.007400 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | VH | NT | -11.26 | -0.006582 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | VL | NT | -10.77 | -0.006216 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | VN | NT | -9.41  | -0.005431 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | VH | NT | -10.19 | -0.005882 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | VL | NT | -21.04 | -0.011993 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | VN | NT | -14.51 | -0.008271 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | VH | NT | -23.92 | -0.013635 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | VL | NT | -13.28 | -0.007763 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | VN | NT | -13.20 | -0.007716 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | VH | NT | -12.77 | -0.007465 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0   | VL | NT | -23.27 | -0.013431 | ±2.5 | PASS |

|       |        |       |       |        |    |    |        |           |      |      |
|-------|--------|-------|-------|--------|----|----|--------|-----------|------|------|
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | VN | NT | -24.78 | -0.014303 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | VH | NT | -17.91 | -0.010338 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | VL | NT | -9.77  | -0.005569 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | VN | NT | -53.64 | -0.030576 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | VH | NT | -11.42 | -0.006510 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | VL | NT | -22.47 | -0.013129 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | VN | NT | -44.37 | -0.025925 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | VH | NT | -11.40 | -0.006661 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | VL | NT | 29.75  | 0.017172  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | VN | NT | 43.57  | 0.025149  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | VH | NT | 16.89  | 0.009749  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | VL | NT | 30.17  | 0.017206  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | VN | NT | 50.10  | 0.028571  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | VH | NT | -62.41 | -0.035592 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | VL | NT | -31.93 | -0.018656 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | VN | NT | -18.01 | -0.010523 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | VH | NT | 12.59  | 0.007356  | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | VL | NT | -20.84 | -0.012029 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | VN | NT | -12.97 | -0.007486 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | VH | NT | -18.53 | -0.010696 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 15RB#0 | VL | NT | -41.50 | -0.023667 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 15RB#0 | VN | NT | -54.35 | -0.030995 | ±2.5 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 15RB#0 | VH | NT | -52.71 | -0.030060 | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 25RB#0 | VL | NT | -7.25  | -0.004234 | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 25RB#0 | VN | NT | 13.49  | 0.007877  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 25RB#0 | VH | NT | -10.69 | -0.006242 | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 25RB#0 | VL | NT | 31.03  | 0.017911  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 25RB#0 | VN | NT | 36.02  | 0.020791  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 25RB#0 | VH | NT | 32.72  | 0.018886  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 25RB#0 | VL | NT | 33.40  | 0.019058  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 25RB#0 | VN | NT | 45.32  | 0.025860  | ±2.5 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 25RB#0 | VH | NT | 23.12  | 0.013193  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 25RB#0 | VL | NT | 30.87  | 0.018026  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 25RB#0 | VN | NT | 28.95  | 0.016905  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 25RB#0 | VH | NT | -16.14 | -0.009425 | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 25RB#0 | VL | NT | 35.42  | 0.020444  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 25RB#0 | VN | NT | 32.96  | 0.019025  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 25RB#0 | VH | NT | 41.24  | 0.023804  | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 25RB#0 | VL | NT | -12.66 | -0.007224 | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 25RB#0 | VN | NT | -12.85 | -0.007332 | ±2.5 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 25RB#0 | VH | NT | -11.70 | -0.006676 | ±2.5 | PASS |
| Band4 | 10MHz  | QPSK  | 20000 | 50RB#0 | VL | NT | -20.34 | -0.011860 | ±2.5 | PASS |
| Band4 | 10MHz  | QPSK  | 20000 | 50RB#0 | VN | NT | -18.05 | -0.010525 | ±2.5 | PASS |

|       |       |       |       |         |    |    |        |           |      |      |
|-------|-------|-------|-------|---------|----|----|--------|-----------|------|------|
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0  | VH | NT | -21.39 | -0.012472 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | VL | NT | -13.25 | -0.007648 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | VN | NT | -19.63 | -0.011330 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | VH | NT | -14.81 | -0.008548 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | VL | NT | -15.86 | -0.009063 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | VN | NT | -21.82 | -0.012469 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | VH | NT | -17.52 | -0.010011 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | VL | NT | -17.75 | -0.010350 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | VN | NT | -20.16 | -0.011755 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | VH | NT | -21.69 | -0.012647 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | VL | NT | -16.35 | -0.009437 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | VN | NT | -14.41 | -0.008317 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | VH | NT | 21.06  | 0.012156  | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | VL | NT | -17.21 | -0.009834 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | VN | NT | -18.37 | -0.010497 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | VH | NT | -21.60 | -0.012343 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | VL | NT | 12.19  | 0.007098  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | VN | NT | 23.73  | 0.013817  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | VH | NT | -17.11 | -0.009962 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | VL | NT | -13.49 | -0.007786 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | VN | NT | 36.96  | 0.021333  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | VH | NT | -15.34 | -0.008854 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | VL | NT | 25.49  | 0.014587  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | VN | NT | 33.50  | 0.019170  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | VH | NT | 17.44  | 0.009980  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | VL | NT | -19.68 | -0.011459 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | VN | NT | -23.12 | -0.013461 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | VH | NT | -16.45 | -0.009578 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | VL | NT | -12.29 | -0.007094 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | VN | NT | 40.18  | 0.023192  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | VH | NT | 6.72   | 0.003879  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | VL | NT | 17.81  | 0.010192  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | VN | NT | 17.82  | 0.010197  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | VH | NT | 15.59  | 0.008921  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | VL | NT | 14.16  | 0.008233  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | VN | NT | 27.68  | 0.016093  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | VH | NT | -9.11  | -0.005297 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | VL | NT | 14.06  | 0.008115  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | VN | NT | 24.00  | 0.013853  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | VH | NT | -26.84 | -0.015492 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | VL | NT | 17.22  | 0.009868  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | VN | NT | 24.62  | 0.014109  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | VH | NT | 20.34  | 0.011656  | ±2.5 | PASS |

|       |       |       |       |         |    |    |        |           |      |      |
|-------|-------|-------|-------|---------|----|----|--------|-----------|------|------|
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | VL | NT | 18.58  | 0.010802  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | VN | NT | 10.24  | 0.005953  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | VH | NT | 23.16  | 0.013465  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | VL | NT | 40.68  | 0.023481  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | VN | NT | 31.81  | 0.018361  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | VH | NT | 42.16  | 0.024335  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | VL | NT | 40.63  | 0.023284  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | VN | NT | 30.14  | 0.017272  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | VH | NT | 15.81  | 0.009060  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | VL | NT | 20.13  | 0.008044  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | VN | NT | -16.37 | -0.006541 | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | VH | NT | 28.41  | 0.011353  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | VL | NT | 17.29  | 0.006821  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | VN | NT | 45.99  | 0.018142  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | VH | NT | 19.23  | 0.007586  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | VL | NT | -32.83 | -0.012787 | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | VN | NT | -24.02 | -0.009355 | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | VH | NT | 49.11  | 0.019128  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | VL | NT | 27.05  | 0.010809  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | VN | NT | 33.83  | 0.013518  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | VH | NT | -13.06 | -0.005219 | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | VL | NT | 40.40  | 0.015937  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | VN | NT | 54.03  | 0.021314  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | VH | NT | 15.38  | 0.006067  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | VL | NT | 31.31  | 0.012195  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | VN | NT | 18.73  | 0.007295  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | VH | NT | 33.32  | 0.012978  | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | VL | NT | -22.56 | -0.009006 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | VN | NT | -18.93 | -0.007557 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | VH | NT | -17.75 | -0.007086 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | VL | NT | -20.53 | -0.008099 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | VN | NT | -30.73 | -0.012122 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | VH | NT | -23.05 | -0.009093 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | VL | NT | -24.32 | -0.009481 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | VN | NT | -29.07 | -0.011333 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | VH | NT | -18.81 | -0.007333 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | VL | NT | -19.56 | -0.007808 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | VN | NT | -24.09 | -0.009617 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | VH | NT | -20.91 | -0.008347 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | VL | NT | -25.38 | -0.010012 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | VN | NT | -29.08 | -0.011471 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | VH | NT | -21.83 | -0.008611 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | VL | NT | -22.83 | -0.008901 | ±2.5 | PASS |

|        |       |       |       |         |    |    |        |           |      |      |
|--------|-------|-------|-------|---------|----|----|--------|-----------|------|------|
| Band7  | 10MHz | 16QAM | 21400 | 50RB#0  | VN | NT | 21.17  | 0.008253  | ±2.5 | PASS |
| Band7  | 10MHz | 16QAM | 21400 | 50RB#0  | VH | NT | -24.25 | -0.009454 | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 20825 | 75RB#0  | VL | NT | 18.07  | 0.007206  | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 20825 | 75RB#0  | VN | NT | 25.94  | 0.010345  | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 20825 | 75RB#0  | VH | NT | -16.84 | -0.006716 | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21100 | 75RB#0  | VL | NT | 36.22  | 0.014288  | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21100 | 75RB#0  | VN | NT | 39.40  | 0.015542  | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21100 | 75RB#0  | VH | NT | 43.97  | 0.017345  | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21375 | 75RB#0  | VL | NT | -54.00 | -0.021073 | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21375 | 75RB#0  | VN | NT | -38.45 | -0.015005 | ±2.5 | PASS |
| Band7  | 15MHz | QPSK  | 21375 | 75RB#0  | VH | NT | -13.09 | -0.005108 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 20825 | 75RB#0  | VL | NT | -14.12 | -0.005631 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 20825 | 75RB#0  | VN | NT | -50.85 | -0.020279 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 20825 | 75RB#0  | VH | NT | -14.43 | -0.005755 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21100 | 75RB#0  | VL | NT | -12.65 | -0.004990 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21100 | 75RB#0  | VN | NT | -12.33 | -0.004864 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21100 | 75RB#0  | VH | NT | -10.09 | -0.003980 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21375 | 75RB#0  | VL | NT | -53.19 | -0.020757 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21375 | 75RB#0  | VN | NT | -55.98 | -0.021846 | ±2.5 | PASS |
| Band7  | 15MHz | 16QAM | 21375 | 75RB#0  | VH | NT | -52.87 | -0.020632 | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 20850 | 100RB#0 | VL | NT | 32.11  | 0.012793  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 20850 | 100RB#0 | VN | NT | 42.70  | 0.017012  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 20850 | 100RB#0 | VH | NT | 37.14  | 0.014797  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | VL | NT | 13.09  | 0.005164  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | VN | NT | 25.33  | 0.009992  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | VH | NT | 19.38  | 0.007645  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | VL | NT | -34.26 | -0.013383 | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | VN | NT | 48.14  | 0.018805  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | VH | NT | 24.20  | 0.009453  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | VL | NT | -15.95 | -0.006355 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | VN | NT | 53.30  | 0.021235  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | VH | NT | -23.39 | -0.009319 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | VL | NT | 53.46  | 0.021089  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | VN | NT | 50.48  | 0.019913  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | VH | NT | 29.47  | 0.011625  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | VL | NT | 32.43  | 0.012668  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | VN | NT | 51.78  | 0.020227  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | VH | NT | 46.36  | 0.018109  | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | VL | NT | -12.15 | -0.017197 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | VN | NT | -8.96  | -0.012682 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | VH | NT | -11.73 | -0.016603 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 25RB#0  | VL | NT | 5.59   | 0.007873  | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23790 | 25RB#0  | VN | NT | 10.27  | 0.014465  | ±2.5 | PASS |

|        |       |       |       |        |    |    |        |           |      |      |
|--------|-------|-------|-------|--------|----|----|--------|-----------|------|------|
| Band17 | 5MHz  | QPSK  | 23790 | 25RB#0 | VH | NT | 5.42   | 0.007634  | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 25RB#0 | VL | NT | -5.24  | -0.007344 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 25RB#0 | VN | NT | 5.41   | 0.007582  | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23825 | 25RB#0 | VH | NT | -5.16  | -0.007232 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 25RB#0 | VL | NT | -11.69 | -0.016546 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 25RB#0 | VN | NT | -12.32 | -0.017438 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23755 | 25RB#0 | VH | NT | -11.09 | -0.015697 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 25RB#0 | VL | NT | 12.95  | 0.018239  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 25RB#0 | VN | NT | 13.16  | 0.018535  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23790 | 25RB#0 | VH | NT | 12.60  | 0.017746  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | VL | NT | 8.84   | 0.012390  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | VN | NT | 7.64   | 0.010708  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | VH | NT | 9.04   | 0.012670  | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | VL | NT | -12.09 | -0.017052 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | VN | NT | -15.56 | -0.021946 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | VH | NT | -15.29 | -0.021566 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | VL | NT | -15.96 | -0.022479 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | VN | NT | -14.66 | -0.020648 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | VH | NT | -11.92 | -0.016789 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | VL | NT | -12.16 | -0.017103 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | VN | NT | -14.89 | -0.020942 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | VH | NT | -11.24 | -0.015809 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | VL | NT | -11.97 | -0.016883 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | VN | NT | -12.69 | -0.017898 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | VH | NT | -13.06 | -0.018420 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | VL | NT | -12.93 | -0.018211 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | VN | NT | -12.96 | -0.018254 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | VH | NT | -11.24 | -0.015831 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | VL | NT | -14.43 | -0.020295 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | VN | NT | -12.80 | -0.018003 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | VH | NT | -11.32 | -0.015921 | ±2.5 | PASS |

| Temperature |           |            |         |                  |               |                  |                |                 |             |         |
|-------------|-----------|------------|---------|------------------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Bandwidth | Modulation | Channel | RB Configuration | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | -30              | -21.40         | -0.011563       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | -20              | -28.08         | -0.015173       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | -10              | -28.85         | -0.015589       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | 0                | -33.97         | -0.018355       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | 10               | -32.77         | -0.017707       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | 20               | -33.25         | -0.017966       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | 30               | -34.53         | -0.018658       | ±2.5        | PASS    |
| Band2       | 1.4MHz    | QPSK       | 18607   | 6RB#0            | NV            | 40               | -28.10         | -0.015183       | ±2.5        | PASS    |

|       |        |       |       |       |    |     |        |           |      |      |
|-------|--------|-------|-------|-------|----|-----|--------|-----------|------|------|
| Band2 | 1.4MHz | QPSK  | 18607 | 6RB#0 | NV | 50  | -25.84 | -0.013962 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | -30 | -39.94 | -0.021245 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | -20 | -41.31 | -0.021973 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | -10 | -47.98 | -0.025521 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 0   | -47.36 | -0.025191 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 10  | -44.65 | -0.023750 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 20  | -40.23 | -0.021399 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 30  | -42.69 | -0.022707 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 40  | -44.29 | -0.023559 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 18900 | 6RB#0 | NV | 50  | -40.01 | -0.021282 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | -30 | -53.90 | -0.028230 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | -20 | -50.24 | -0.026313 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | -10 | -44.50 | -0.023307 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 0   | -38.71 | -0.020274 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 10  | -42.16 | -0.022081 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 20  | -36.65 | -0.019196 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 30  | -33.36 | -0.017472 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 40  | -32.54 | -0.017043 | ±2.5 | PASS |
| Band2 | 1.4MHz | QPSK  | 19193 | 6RB#0 | NV | 50  | -38.38 | -0.020102 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | -30 | -28.67 | -0.015491 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | -20 | -30.83 | -0.016659 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | -10 | -26.46 | -0.014297 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 0   | -22.13 | -0.011958 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 10  | -21.03 | -0.011363 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 20  | -14.51 | -0.007840 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 30  | -10.40 | -0.005619 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 40  | -12.50 | -0.006754 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18607 | 6RB#0 | NV | 50  | -14.13 | -0.007635 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | -30 | -34.45 | -0.018324 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | -20 | -34.32 | -0.018255 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | -10 | -41.26 | -0.021947 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 0   | -46.38 | -0.024670 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 10  | -38.07 | -0.020250 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 20  | -41.14 | -0.021883 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 30  | -39.30 | -0.020904 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 40  | -32.69 | -0.017388 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 18900 | 6RB#0 | NV | 50  | -36.13 | -0.019218 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | -30 | -28.98 | -0.015178 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | -20 | -22.26 | -0.011659 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | -10 | -23.39 | -0.012251 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | 0   | -22.52 | -0.011795 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | 10  | -19.61 | -0.010271 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0 | NV | 20  | -23.46 | -0.012287 | ±2.5 | PASS |

|       |        |       |       |        |    |     |        |           |      |      |
|-------|--------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | NV | 30  | -28.50 | -0.014927 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | NV | 40  | -26.12 | -0.013680 | ±2.5 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | NV | 50  | -25.84 | -0.013534 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | -30 | -19.51 | -0.010537 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | -20 | -12.32 | -0.006654 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | -10 | -9.17  | -0.004953 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 0   | 8.44   | 0.004558  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 10  | -9.40  | -0.005077 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 20  | -9.30  | -0.005023 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 30  | -10.66 | -0.005757 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 40  | -11.09 | -0.005990 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | NV | 50  | -16.99 | -0.009176 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | -30 | 0.00   | 0.000000  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | -20 | -26.31 | -0.013995 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | -10 | -16.06 | -0.008543 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 0   | -34.88 | -0.018553 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 10  | -33.50 | -0.017819 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 20  | -41.06 | -0.021840 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 30  | -49.97 | -0.026580 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 40  | -57.31 | -0.030484 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | NV | 50  | -59.91 | -0.031867 | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | -30 | 36.96  | 0.019366  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | -20 | 34.93  | 0.018302  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | -10 | 37.16  | 0.019471  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 0   | 39.41  | 0.020650  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 10  | 38.17  | 0.020000  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 20  | 42.72  | 0.022384  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 30  | 46.55  | 0.024391  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 40  | 44.26  | 0.023191  | ±2.5 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | NV | 50  | 39.67  | 0.020786  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | -30 | 17.14  | 0.009257  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | -20 | 17.25  | 0.009317  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | -10 | 21.39  | 0.011553  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 0   | -9.33  | -0.005039 | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 10  | 13.76  | 0.007432  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 20  | 11.50  | 0.006211  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 30  | 8.87   | 0.004791  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 40  | 9.37   | 0.005061  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | NV | 50  | -29.10 | -0.015717 | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | NV | -30 | 24.99  | 0.013293  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | NV | -20 | 22.80  | 0.012128  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | NV | -10 | 21.07  | 0.011207  | ±2.5 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | NV | 0   | 13.13  | 0.006984  | ±2.5 | PASS |

|       |      |       |       |        |    |     |        |           |      |      |
|-------|------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | NV | 10  | 12.80  | 0.006809  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | NV | 20  | 13.98  | 0.007436  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | NV | 30  | 15.71  | 0.008356  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | NV | 40  | 15.99  | 0.008505  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 18900 | 15RB#0 | NV | 50  | 19.25  | 0.010239  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | -30 | 38.82  | 0.020341  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | -20 | 41.66  | 0.021829  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | -10 | 41.43  | 0.021708  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 0   | 41.91  | 0.021960  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 10  | 35.02  | 0.018349  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 20  | 31.54  | 0.016526  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 30  | 37.62  | 0.019712  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 40  | 39.74  | 0.020823  | ±2.5 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0 | NV | 50  | 38.19  | 0.020010  | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | -30 | 11.10  | 0.005992  | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | -20 | -46.83 | -0.025279 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | -10 | -24.56 | -0.013258 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 0   | -37.24 | -0.020103 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 10  | -21.77 | -0.011752 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 20  | -37.42 | -0.020200 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 30  | -56.48 | -0.030489 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 40  | -37.18 | -0.020070 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0 | NV | 50  | -46.98 | -0.025360 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | -30 | -40.50 | -0.021543 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | -20 | -16.19 | -0.008612 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | -10 | -22.83 | -0.012144 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 0   | -37.29 | -0.019835 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 10  | -45.25 | -0.024069 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 20  | -55.26 | -0.029394 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 30  | -32.82 | -0.017457 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 40  | -35.82 | -0.019053 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0 | NV | 50  | -43.85 | -0.023324 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | -30 | -62.64 | -0.032839 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | -20 | -55.82 | -0.029263 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | -10 | -50.74 | -0.026600 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 0   | -48.22 | -0.025279 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 10  | -20.70 | -0.010852 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 20  | -56.51 | -0.029625 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 30  | -48.39 | -0.025368 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 40  | -58.71 | -0.030779 | ±2.5 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0 | NV | 50  | -48.67 | -0.025515 | ±2.5 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0 | NV | -30 | -50.77 | -0.027406 | ±2.5 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0 | NV | -20 | -20.66 | -0.011152 | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | -10 | 56.08  | 0.030273  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 0   | -37.85 | -0.020432 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 10  | 10.74  | 0.005798  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 20  | -15.25 | -0.008232 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 30  | -21.72 | -0.011725 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 40  | -23.86 | -0.012880 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | NV | 50  | -25.59 | -0.013814 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | -30 | -50.78 | -0.027011 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | -20 | -48.45 | -0.025771 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | -10 | -52.21 | -0.027771 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 0   | 8.33   | 0.004431  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 10  | 8.94   | 0.004755  | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 20  | -9.64  | -0.005128 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 30  | -9.07  | -0.004824 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 40  | -11.29 | -0.006005 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | NV | 50  | -12.97 | -0.006899 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | -30 | -49.07 | -0.025725 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | -20 | -54.29 | -0.028461 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | -10 | -25.11 | -0.013164 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 0   | -40.76 | -0.021368 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 10  | -52.03 | -0.027277 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 20  | -14.08 | -0.007381 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 30  | -29.21 | -0.015313 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 40  | -45.55 | -0.023879 | ±2.5 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | NV | 50  | -10.44 | -0.005473 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | -30 | -19.28 | -0.010394 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | -20 | -15.16 | -0.008173 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | -10 | 13.30  | 0.007170  | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 0   | -18.51 | -0.009978 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 10  | 15.05  | 0.008113  | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 20  | -20.48 | -0.011040 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 30  | 21.39  | 0.011531  | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 40  | -19.66 | -0.010598 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | NV | 50  | -18.14 | -0.009779 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | -30 | 56.82  | 0.030223  | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | -20 | -17.55 | -0.009335 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | -10 | -23.06 | -0.012266 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 0   | -17.17 | -0.009133 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 10  | -21.76 | -0.011574 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 20  | -25.26 | -0.013436 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 30  | -17.05 | -0.009069 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 40  | -20.89 | -0.011112 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | NV | 50  | -20.64 | -0.010979 | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | -30 | -24.40 | -0.012808 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | -20 | -18.24 | -0.009575 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | -10 | -22.07 | -0.011585 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 0   | -19.58 | -0.010278 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 10  | -19.71 | -0.010346 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 20  | -12.96 | -0.006803 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 30  | -20.30 | -0.010656 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 40  | -18.10 | -0.009501 | ±2.5 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | NV | 50  | -19.37 | -0.010168 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | -30 | -19.84 | -0.010695 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | -20 | -15.78 | -0.008507 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | -10 | -19.93 | -0.010744 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 0   | -20.10 | -0.010836 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 10  | -18.83 | -0.010151 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 20  | -15.79 | -0.008512 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 30  | -21.11 | -0.011380 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 40  | -17.78 | -0.009585 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | NV | 50  | -15.72 | -0.008474 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | -30 | -25.48 | -0.013553 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | -20 | -20.61 | -0.010963 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | -10 | -22.22 | -0.011819 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 0   | -23.78 | -0.012649 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 10  | -28.28 | -0.015043 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 20  | -18.78 | -0.009989 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 30  | -17.48 | -0.009298 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 40  | -22.73 | -0.012090 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | NV | 50  | -17.21 | -0.009154 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | -30 | -18.60 | -0.009764 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | -20 | -18.58 | -0.009753 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | -10 | -21.74 | -0.011412 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 0   | -19.90 | -0.010446 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 10  | -20.03 | -0.010514 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 20  | -18.34 | -0.009627 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 30  | -16.72 | -0.008777 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 40  | -18.98 | -0.009963 | ±2.5 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | NV | 50  | -16.97 | -0.008908 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | -30 | -18.47 | -0.009943 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | -20 | -29.93 | -0.016113 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | -10 | -38.47 | -0.020711 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 0   | -49.20 | -0.026487 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 10  | -53.46 | -0.028781 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 20  | -61.66 | -0.033195 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 30  | -18.93 | -0.010191 | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 40  | -25.89 | -0.013938 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | NV | 50  | -29.33 | -0.015790 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | -30 | -13.20 | -0.007021 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | -20 | -13.65 | -0.007261 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | -10 | -14.51 | -0.007718 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 0   | -12.80 | -0.006809 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 10  | -14.66 | -0.007798 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 20  | -17.67 | -0.009399 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 30  | -14.79 | -0.007867 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 40  | -16.04 | -0.008532 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | NV | 50  | -18.57 | -0.009878 | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | -30 | 23.95  | 0.012589  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | -20 | 26.76  | 0.014066  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | -10 | 29.03  | 0.015259  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 0   | 29.07  | 0.015280  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 10  | 33.32  | 0.017514  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 20  | 32.29  | 0.016972  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 30  | 34.59  | 0.018181  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 40  | 35.82  | 0.018828  | ±2.5 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | NV | 50  | 34.85  | 0.018318  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | -30 | 17.80  | 0.009583  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | -20 | 26.44  | 0.014234  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | -10 | 39.70  | 0.021373  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 0   | 49.22  | 0.026498  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 10  | 19.18  | 0.010326  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 20  | 16.32  | 0.008786  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 30  | 24.68  | 0.013287  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 40  | 30.13  | 0.016221  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | NV | 50  | 33.12  | 0.017830  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | -30 | -28.41 | -0.015112 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | -20 | -24.59 | -0.013080 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | -10 | -28.27 | -0.015037 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 0   | -30.64 | -0.016298 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 10  | -30.90 | -0.016436 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 20  | -30.37 | -0.016154 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 30  | -30.97 | -0.016473 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 40  | -31.07 | -0.016527 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | NV | 50  | -35.53 | -0.018899 | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0 | NV | -30 | 33.66  | 0.017693  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0 | NV | -20 | 34.96  | 0.018376  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0 | NV | -10 | 33.32  | 0.017514  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0 | NV | 0   | 34.06  | 0.017903  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0 | NV | 10  | 31.47  | 0.016541  | ±2.5 | PASS |

|       |       |       |       |         |    |     |        |           |      |      |
|-------|-------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | NV | 20  | 35.89  | 0.018865  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | NV | 30  | 38.51  | 0.020242  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | NV | 40  | 37.95  | 0.019947  | ±2.5 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | NV | 50  | 39.18  | 0.020594  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | -30 | -37.04 | -0.019914 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | -20 | -41.70 | -0.022419 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | -10 | -18.31 | -0.009844 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 0   | -26.87 | -0.014446 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 10  | -36.78 | -0.019774 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 20  | -46.33 | -0.024909 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 30  | -57.12 | -0.030710 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 40  | 10.19  | 0.005478  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | NV | 50  | -17.02 | -0.009151 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | -30 | -22.60 | -0.012021 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | -20 | 12.43  | 0.006612  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | -10 | -13.40 | -0.007128 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 0   | -21.97 | -0.011686 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 10  | -22.87 | -0.012165 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 20  | -23.56 | -0.012532 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 30  | -21.60 | -0.011489 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 40  | -12.95 | -0.006888 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | NV | 50  | -12.49 | -0.006644 | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | -30 | 38.92  | 0.020484  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | -20 | 40.08  | 0.021095  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | -10 | 36.84  | 0.019389  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 0   | 31.93  | 0.016805  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 10  | 30.50  | 0.016053  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 20  | 25.49  | 0.013416  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 30  | 22.67  | 0.011932  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 40  | 15.15  | 0.007974  | ±2.5 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | NV | 50  | 15.62  | 0.008221  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | -30 | 36.74  | 0.019753  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | -20 | 37.29  | 0.020048  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | -10 | 38.94  | 0.020935  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 0   | 39.44  | 0.021204  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 10  | 34.56  | 0.018581  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 20  | 24.36  | 0.013097  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 30  | 23.63  | 0.012704  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 40  | 18.84  | 0.010129  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | NV | 50  | 14.20  | 0.007634  | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | NV | -30 | -11.84 | -0.006298 | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | NV | -20 | -16.25 | -0.008644 | ±2.5 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | NV | -10 | 21.24  | 0.011298  | ±2.5 | PASS |

|       |        |       |       |         |    |     |        |           |      |      |
|-------|--------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 0   | -23.85 | -0.012686 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 10  | 13.12  | 0.006979  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 20  | -15.16 | -0.008064 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 30  | -13.28 | -0.007064 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 40  | -14.08 | -0.007489 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | NV | 50  | 15.45  | 0.008218  | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | -30 | -15.41 | -0.008111 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | -20 | -19.64 | -0.010337 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | -10 | -22.16 | -0.011663 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 0   | -26.99 | -0.014205 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 10  | -34.29 | -0.018047 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 20  | -36.09 | -0.018995 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 30  | -39.57 | -0.020826 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 40  | -49.37 | -0.025984 | ±2.5 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | NV | 50  | -47.14 | -0.024811 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | -30 | -13.15 | -0.007687 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | -20 | -9.03  | -0.005279 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | -10 | -8.10  | -0.004735 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 0   | 7.51   | 0.004390  | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 10  | -9.77  | -0.005711 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 20  | -9.47  | -0.005536 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 30  | -8.37  | -0.004893 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 40  | -8.27  | -0.004834 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | NV | 50  | -11.46 | -0.006699 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | -30 | -17.84 | -0.010297 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | -20 | -21.34 | -0.012317 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | -10 | -23.22 | -0.013403 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 0   | -22.10 | -0.012756 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 10  | -22.26 | -0.012848 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 20  | -19.34 | -0.011163 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 30  | -19.30 | -0.011140 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 40  | -28.42 | -0.016404 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | NV | 50  | -24.33 | -0.014043 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | -30 | -28.07 | -0.016001 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | -20 | -33.37 | -0.019022 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | -10 | -36.35 | -0.020721 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 0   | -44.40 | -0.025309 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 10  | -45.96 | -0.026198 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 20  | -46.94 | -0.026757 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 30  | -52.31 | -0.029818 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 40  | -29.24 | -0.016668 | ±2.5 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | NV | 50  | -43.53 | -0.024813 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | NV | -30 | -17.61 | -0.010294 | ±2.5 | PASS |

|       |        |       |       |        |    |     |        |           |      |      |
|-------|--------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | -20 | -19.08 | -0.011153 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | -10 | -23.02 | -0.013456 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 0   | -22.10 | -0.012919 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 10  | -18.37 | -0.010738 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 20  | -19.07 | -0.011147 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 30  | -17.28 | -0.010101 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 40  | -13.73 | -0.008026 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | NV | 50  | -13.68 | -0.007997 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | -30 | -22.09 | -0.012750 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | -20 | -26.69 | -0.015405 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | -10 | -36.46 | -0.021045 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 0   | -44.99 | -0.025968 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 10  | -20.56 | -0.011867 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 20  | -18.74 | -0.010817 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 30  | -15.74 | -0.009085 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 40  | -12.62 | -0.007284 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | NV | 50  | -21.99 | -0.012693 | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | -30 | 12.20  | 0.006954  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | -20 | 17.35  | 0.009890  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | -10 | 18.11  | 0.010323  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 0   | 18.60  | 0.010603  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 10  | 18.55  | 0.010574  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 20  | 17.17  | 0.009787  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 30  | 18.98  | 0.010819  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 40  | 19.11  | 0.010893  | ±2.5 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | NV | 50  | 23.86  | 0.013601  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | -30 | -48.14 | -0.028127 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | -20 | -51.30 | -0.029974 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | -10 | -48.05 | -0.028075 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 0   | -53.30 | -0.031142 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 10  | -53.00 | -0.030967 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 20  | -37.25 | -0.021765 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 30  | -44.93 | -0.026252 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 40  | -51.03 | -0.029816 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | NV | 50  | -22.59 | -0.013199 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | -30 | -42.06 | -0.024277 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | -20 | -12.26 | -0.007076 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | -10 | -20.03 | -0.011561 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | 0   | -36.49 | -0.021062 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | 10  | -25.49 | -0.014713 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | 20  | -40.64 | -0.023457 | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | 30  | 8.21   | 0.004739  | ±2.5 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | NV | 40  | -23.39 | -0.013501 | ±2.5 | PASS |

|       |      |       |       |        |    |     |        |           |      |      |
|-------|------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band4 | 3MHz | QPSK  | 20175 | 15RB#0 | NV | 50  | -24.68 | -0.014245 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | -30 | -17.90 | -0.010208 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | -20 | -40.80 | -0.023268 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | -10 | 977.54 | 0.557479  | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 0   | -45.73 | -0.026079 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 10  | -44.22 | -0.025218 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 20  | -30.07 | -0.017149 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 30  | -39.40 | -0.022469 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 40  | -45.98 | -0.026222 | ±2.5 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | NV | 50  | -48.85 | -0.027859 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | -30 | -34.72 | -0.020286 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | -20 | -33.36 | -0.019492 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | -10 | -32.87 | -0.019205 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 0   | 10.66  | 0.006228  | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 10  | -18.71 | -0.010932 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 20  | -35.68 | -0.020847 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 30  | -40.58 | -0.023710 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 40  | -53.33 | -0.031160 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | NV | 50  | -43.87 | -0.025632 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | -30 | -28.10 | -0.016219 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | -20 | -40.50 | -0.023377 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | -10 | -46.32 | -0.026736 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 0   | -40.08 | -0.023134 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 10  | -33.83 | -0.019527 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 20  | -34.68 | -0.020017 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 30  | -37.78 | -0.021807 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 40  | -25.23 | -0.014563 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | NV | 50  | -52.39 | -0.030240 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | -30 | -47.38 | -0.027020 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | -20 | -58.59 | -0.033413 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | -10 | -49.92 | -0.028469 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 0   | -40.83 | -0.023285 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 10  | -34.45 | -0.019646 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 20  | -51.05 | -0.029113 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 30  | -24.43 | -0.013932 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 40  | -48.94 | -0.027910 | ±2.5 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | NV | 50  | -37.71 | -0.021506 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | -30 | -16.67 | -0.009734 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | -20 | -19.41 | -0.011334 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | -10 | -11.93 | -0.006966 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 0   | 9.06   | 0.005291  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 10  | 14.08  | 0.008222  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 20  | 18.37  | 0.010727  | ±2.5 | PASS |

|       |      |       |       |        |    |     |        |           |      |      |
|-------|------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 30  | 21.01  | 0.012269  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 40  | 21.76  | 0.012707  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | NV | 50  | 32.11  | 0.018750  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | -30 | 30.93  | 0.017853  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | -20 | 30.08  | 0.017362  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | -10 | 30.14  | 0.017397  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 0   | 35.03  | 0.020219  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 10  | 29.50  | 0.017027  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 20  | 29.70  | 0.017143  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 30  | 30.77  | 0.017760  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 40  | 29.94  | 0.017281  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | NV | 50  | 32.22  | 0.018597  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | -30 | 15.32  | 0.008742  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | -20 | 16.02  | 0.009141  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | -10 | 12.43  | 0.007093  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 0   | 8.45   | 0.004822  | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 10  | -7.47  | -0.004262 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 20  | -12.67 | -0.007230 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 30  | -10.74 | -0.006128 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 40  | -12.26 | -0.006996 | ±2.5 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | NV | 50  | -15.02 | -0.008571 | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | -30 | -8.40  | -0.004905 | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | -20 | 10.44  | 0.006096  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | -10 | 14.03  | 0.008193  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 0   | 16.11  | 0.009407  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 10  | 18.74  | 0.010943  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 20  | 20.67  | 0.012070  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 30  | 24.50  | 0.014307  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 40  | 25.45  | 0.014861  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | NV | 50  | 30.57  | 0.017851  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | -30 | 42.49  | 0.024525  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | -20 | 46.92  | 0.027082  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | -10 | 45.66  | 0.026355  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 0   | 48.62  | 0.028063  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 10  | -9.33  | -0.005385 | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 20  | -11.29 | -0.006517 | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 30  | 8.87   | 0.005120  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 40  | 11.29  | 0.006517  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | NV | 50  | 9.14   | 0.005276  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 25RB#0 | NV | -30 | -7.21  | -0.004114 | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 25RB#0 | NV | -20 | 10.13  | 0.005780  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 25RB#0 | NV | -10 | 9.34   | 0.005330  | ±2.5 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 25RB#0 | NV | 0   | 12.40  | 0.007076  | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | NV | 10  | 17.07  | 0.009740  | ±2.5 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | NV | 20  | 15.84  | 0.009039  | ±2.5 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | NV | 30  | 13.89  | 0.007926  | ±2.5 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | NV | 40  | 16.82  | 0.009598  | ±2.5 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | NV | 50  | 16.55  | 0.009444  | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | -30 | -17.71 | -0.010327 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | -20 | -15.65 | -0.009125 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | -10 | -17.98 | -0.010484 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 0   | -18.73 | -0.010921 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 10  | -19.80 | -0.011545 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 20  | -17.74 | -0.010344 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 30  | -17.18 | -0.010017 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 40  | -22.22 | -0.012956 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | NV | 50  | -18.17 | -0.010595 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | -30 | -14.29 | -0.008248 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | -20 | -16.72 | -0.009651 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | -10 | -14.33 | -0.008271 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 0   | -13.63 | -0.007867 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 10  | -18.11 | -0.010453 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 20  | -14.22 | -0.008208 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 30  | 17.19  | 0.009922  | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 40  | -16.79 | -0.009691 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | NV | 50  | -15.61 | -0.009010 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | -30 | -20.67 | -0.011811 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | -20 | -21.39 | -0.012223 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | -10 | -20.36 | -0.011634 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 0   | -20.67 | -0.011811 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 10  | -19.57 | -0.011183 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 20  | -23.78 | -0.013589 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 30  | -16.15 | -0.009229 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 40  | -15.58 | -0.008903 | ±2.5 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | NV | 50  | -18.20 | -0.010400 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | -30 | -17.78 | -0.010367 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | -20 | -19.94 | -0.011627 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | -10 | -15.25 | -0.008892 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 0   | -18.22 | -0.010624 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 10  | -19.38 | -0.011300 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 20  | -22.57 | -0.013160 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 30  | -21.67 | -0.012636 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 40  | -23.30 | -0.013586 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0 | NV | 50  | -20.28 | -0.011825 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | -30 | -14.48 | -0.008358 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | -20 | -12.76 | -0.007365 | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | -10 | -13.33 | -0.007694 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 0   | -14.76 | -0.008519 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 10  | -16.04 | -0.009258 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 20  | -18.45 | -0.010649 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 30  | -15.26 | -0.008808 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 40  | -14.82 | -0.008554 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0 | NV | 50  | -16.97 | -0.009795 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | -30 | -21.29 | -0.012166 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | -20 | -22.23 | -0.012703 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | -10 | -17.11 | -0.009777 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 0   | -16.49 | -0.009423 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 10  | -20.97 | -0.011983 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 20  | -25.19 | -0.014394 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 30  | -24.15 | -0.013800 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 40  | -20.87 | -0.011926 | ±2.5 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0 | NV | 50  | -19.78 | -0.011303 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | -30 | -29.63 | -0.017252 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | -20 | -39.78 | -0.023162 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | -10 | -51.96 | -0.030253 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 0   | -20.47 | -0.011918 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 10  | -25.85 | -0.015051 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 20  | -36.22 | -0.021089 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 30  | -41.80 | -0.024338 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 40  | -49.72 | -0.028949 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | NV | 50  | -20.36 | -0.011854 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | -30 | -17.04 | -0.009835 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | -20 | -17.35 | -0.010014 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | -10 | -22.65 | -0.013074 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 0   | -12.02 | -0.006938 | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 10  | 21.21  | 0.012242  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 20  | 39.21  | 0.022632  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 30  | 14.10  | 0.008139  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 40  | 26.16  | 0.015100  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | NV | 50  | 35.31  | 0.020381  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | -30 | 12.55  | 0.007182  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | -20 | 12.04  | 0.006890  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | -10 | 13.42  | 0.007680  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 0   | 18.08  | 0.010346  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 10  | 16.39  | 0.009379  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 20  | 15.88  | 0.009087  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 30  | 17.75  | 0.010157  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 40  | 16.48  | 0.009431  | ±2.5 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | NV | 50  | 16.49  | 0.009436  | ±2.5 | PASS |

|       |       |       |       |         |    |     |        |           |      |      |
|-------|-------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | -30 | -15.23 | -0.008868 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | -20 | -17.40 | -0.010131 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | -10 | -23.46 | -0.013659 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 0   | -30.83 | -0.017951 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 10  | -27.12 | -0.015790 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 20  | -27.68 | -0.016116 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 30  | -32.40 | -0.018865 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 40  | -40.44 | -0.023546 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | NV | 50  | -39.71 | -0.023121 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | -30 | 15.22  | 0.008785  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | -20 | 20.73  | 0.011965  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | -10 | 28.65  | 0.016537  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 0   | 34.05  | 0.019654  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 10  | 37.77  | 0.021801  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 20  | -12.96 | -0.007481 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 30  | -7.27  | -0.004196 | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 40  | 12.70  | 0.007330  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | NV | 50  | 14.79  | 0.008537  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | -30 | 18.42  | 0.010541  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | -20 | 13.98  | 0.008000  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | -10 | 14.82  | 0.008481  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 0   | 17.98  | 0.010289  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 10  | 14.68  | 0.008401  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 20  | 15.99  | 0.009150  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 30  | 11.42  | 0.006535  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 40  | 15.78  | 0.009030  | ±2.5 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | NV | 50  | 16.42  | 0.009396  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | -30 | -12.75 | -0.007413 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | -20 | 10.51  | 0.006110  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | -10 | 9.76   | 0.005674  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 0   | 10.36  | 0.006023  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 10  | 9.77   | 0.005680  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 20  | 11.00  | 0.006395  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 30  | 10.11  | 0.005878  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 40  | 9.76   | 0.005674  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | NV | 50  | 10.70  | 0.006221  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | -30 | -43.37 | -0.025033 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | -20 | 13.28  | 0.007665  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | -10 | -15.79 | -0.009114 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 0   | -20.23 | -0.011677 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 10  | -23.25 | -0.013420 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 20  | -19.83 | -0.011446 | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 30  | 10.16  | 0.005864  | ±2.5 | PASS |

|       |       |       |       |         |    |     |        |           |      |      |
|-------|-------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 40  | 19.77  | 0.011411  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | NV | 50  | 26.82  | 0.015481  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | -30 | 19.03  | 0.010905  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | -20 | 21.79  | 0.012487  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | -10 | 20.48  | 0.011736  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 0   | 23.80  | 0.013639  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 10  | 21.79  | 0.012487  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 20  | 22.72  | 0.013020  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 30  | 28.20  | 0.016160  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 40  | 28.74  | 0.016470  | ±2.5 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | NV | 50  | 26.36  | 0.015106  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | -30 | 27.81  | 0.016169  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | -20 | 29.54  | 0.017174  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | -10 | 30.77  | 0.017890  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 0   | 32.29  | 0.018773  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 10  | 38.81  | 0.022564  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 20  | 37.72  | 0.021930  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 30  | 38.48  | 0.022372  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 40  | 39.68  | 0.023070  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | NV | 50  | 44.93  | 0.026122  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | -30 | -17.70 | -0.010216 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | -20 | -13.29 | -0.007671 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | -10 | -10.53 | -0.006078 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 0   | -10.04 | -0.005795 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 10  | 7.88   | 0.004548  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 20  | 10.23  | 0.005905  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 30  | 10.19  | 0.005882  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 40  | 13.65  | 0.007879  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | NV | 50  | 13.73  | 0.007925  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | -30 | 27.21  | 0.015593  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | -20 | 32.89  | 0.018848  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | -10 | -22.09 | -0.012659 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 0   | -17.01 | -0.009748 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 10  | -14.42 | -0.008264 | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 20  | 7.82   | 0.004481  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 30  | 15.99  | 0.009163  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 40  | 26.12  | 0.014968  | ±2.5 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 100RB#0 | NV | 50  | 26.32  | 0.015083  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | NV | -30 | 37.14  | 0.014841  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | NV | -20 | 53.77  | 0.021487  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | NV | -10 | -18.48 | -0.007385 | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | NV | 0   | 14.49  | 0.005790  | ±2.5 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | NV | 10  | 25.98  | 0.010382  | ±2.5 | PASS |

|       |      |       |       |        |    |     |        |           |      |      |
|-------|------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band7 | 5MHz | QPSK  | 20775 | 25RB#0 | NV | 20  | 35.31  | 0.014110  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 20775 | 25RB#0 | NV | 30  | 49.40  | 0.019740  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 20775 | 25RB#0 | NV | 40  | 53.64  | 0.021435  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 20775 | 25RB#0 | NV | 50  | 21.16  | 0.008456  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | -30 | 21.97  | 0.008667  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | -20 | 36.21  | 0.014284  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | -10 | 32.11  | 0.012667  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 0   | 36.56  | 0.014422  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 10  | 37.85  | 0.014931  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 20  | 42.30  | 0.016686  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 30  | 41.77  | 0.016477  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 40  | 44.60  | 0.017594  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21100 | 25RB#0 | NV | 50  | 48.72  | 0.019219  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | -30 | 59.82  | 0.023299  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | -20 | 52.74  | 0.020541  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | -10 | 25.32  | 0.009862  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 0   | 18.51  | 0.007209  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 10  | 41.28  | 0.016078  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 20  | 34.35  | 0.013379  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 30  | 54.27  | 0.021137  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 40  | 16.72  | 0.006512  | ±2.5 | PASS |
| Band7 | 5MHz | QPSK  | 21425 | 25RB#0 | NV | 50  | 35.83  | 0.013955  | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | -30 | -27.84 | -0.011125 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | -20 | -30.41 | -0.012152 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | -10 | -34.05 | -0.013606 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 0   | -40.94 | -0.016360 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 10  | -46.45 | -0.018561 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 20  | -45.58 | -0.018214 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 30  | -51.68 | -0.020651 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 40  | -56.89 | -0.022733 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | NV | 50  | -49.48 | -0.019772 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | -30 | -18.67 | -0.007365 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | -20 | -25.02 | -0.009870 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | -10 | -34.68 | -0.013680 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 0   | -40.63 | -0.016028 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 10  | -45.13 | -0.017803 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 20  | -50.73 | -0.020012 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 30  | -53.40 | -0.021065 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 40  | -60.63 | -0.023917 | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | NV | 50  | 16.18  | 0.006383  | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21425 | 25RB#0 | NV | -30 | 31.73  | 0.012358  | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21425 | 25RB#0 | NV | -20 | 38.05  | 0.014820  | ±2.5 | PASS |
| Band7 | 5MHz | 16QAM | 21425 | 25RB#0 | NV | -10 | 37.01  | 0.014415  | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 0   | 43.02  | 0.016756  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 10  | 49.37  | 0.019229  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 20  | -26.94 | -0.010493 | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 30  | -12.07 | -0.004701 | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 40  | 16.12  | 0.006278  | ±2.5 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | NV | 50  | 22.95  | 0.008939  | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | -30 | -19.21 | -0.007669 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | -20 | -19.58 | -0.007816 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | -10 | -20.67 | -0.008251 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 0   | -19.31 | -0.007709 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 10  | 16.69  | 0.006663  | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 20  | -25.06 | -0.010004 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 30  | -11.37 | -0.004539 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 40  | -23.89 | -0.009537 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0 | NV | 50  | -24.91 | -0.009944 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | -30 | -19.66 | -0.007755 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | -20 | -26.98 | -0.010643 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | -10 | -24.91 | -0.009826 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 0   | -26.51 | -0.010458 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 10  | -25.82 | -0.010185 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 20  | -21.29 | -0.008398 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 30  | -23.88 | -0.009420 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 40  | -25.43 | -0.010032 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0 | NV | 50  | -28.35 | -0.011183 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | -30 | -18.21 | -0.007099 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | -20 | -23.69 | -0.009236 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | -10 | -25.21 | -0.009828 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 0   | -24.10 | -0.009396 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 10  | -23.19 | -0.009041 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 20  | -31.47 | -0.012269 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 30  | 20.16  | 0.007860  | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 40  | -21.74 | -0.008476 | ±2.5 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0 | NV | 50  | -19.01 | -0.007411 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | -30 | 19.77  | 0.007892  | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | -20 | -24.46 | -0.009764 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | -10 | -19.84 | -0.007920 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 0   | -12.40 | -0.004950 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 10  | -25.31 | -0.010104 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 20  | -20.56 | -0.008208 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 30  | -21.44 | -0.008559 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 40  | -18.47 | -0.007373 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | NV | 50  | -22.44 | -0.008958 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | -30 | -21.64 | -0.008536 | ±2.5 | PASS |

|       |       |       |       |        |    |     |        |           |      |      |
|-------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | -20 | -20.79 | -0.008201 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | -10 | -22.93 | -0.009045 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 0   | -24.55 | -0.009684 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 10  | -22.85 | -0.009014 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 20  | -27.15 | -0.010710 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 30  | -19.23 | -0.007586 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 40  | -20.28 | -0.008000 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | NV | 50  | -27.71 | -0.010931 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | -30 | -22.77 | -0.008877 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | -20 | -21.14 | -0.008242 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | -10 | -26.66 | -0.010394 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 0   | -21.19 | -0.008261 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 10  | -21.54 | -0.008398 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 20  | -22.03 | -0.008589 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 30  | 17.88  | 0.006971  | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 40  | -23.73 | -0.009251 | ±2.5 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | NV | 50  | -24.53 | -0.009563 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | -30 | -39.88 | -0.015904 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | -20 | -27.08 | -0.010800 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | -10 | -48.32 | -0.019270 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 0   | -15.71 | -0.006265 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 10  | -34.96 | -0.013942 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 20  | -44.60 | -0.017787 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 30  | -52.20 | -0.020818 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 40  | -35.85 | -0.014297 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0 | NV | 50  | -47.06 | -0.018768 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | -30 | 40.40  | 0.015937  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | -20 | 39.27  | 0.015491  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | -10 | 37.99  | 0.014986  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 0   | 29.85  | 0.011775  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 10  | 28.81  | 0.011365  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 20  | 24.02  | 0.009475  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 30  | 21.99  | 0.008675  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 40  | 17.87  | 0.007049  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0 | NV | 50  | 13.55  | 0.005345  | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | -30 | -33.06 | -0.012901 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | -20 | -40.13 | -0.015660 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | -10 | -55.95 | -0.021834 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | 0   | -18.87 | -0.007364 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | 10  | -28.27 | -0.011032 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | 20  | -30.38 | -0.011856 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | 30  | -35.68 | -0.013924 | ±2.5 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0 | NV | 40  | -42.04 | -0.016406 | ±2.5 | PASS |

|       |       |       |       |         |    |     |        |           |      |      |
|-------|-------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | NV | 50  | -55.10 | -0.021502 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | -30 | -12.76 | -0.005089 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | -20 | -14.12 | -0.005631 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | -10 | -23.47 | -0.009360 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 0   | -29.20 | -0.011645 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 10  | -30.60 | -0.012203 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 20  | -35.76 | -0.014261 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 30  | -41.37 | -0.016499 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 40  | -42.90 | -0.017109 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | NV | 50  | -51.13 | -0.020391 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | -30 | -20.53 | -0.008099 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | -20 | -17.85 | -0.007041 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | -10 | -23.07 | -0.009101 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 0   | -27.65 | -0.010907 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 10  | -26.78 | -0.010564 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 20  | -27.27 | -0.010757 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 30  | -29.17 | -0.011507 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 40  | -27.88 | -0.010998 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | NV | 50  | -28.40 | -0.011203 | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | -30 | 25.49  | 0.009947  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | -20 | 23.59  | 0.009206  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | -10 | 19.41  | 0.007575  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 0   | 19.23  | 0.007504  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 10  | 20.63  | 0.008051  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 20  | 13.53  | 0.005280  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 30  | 15.91  | 0.006209  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 40  | 13.05  | 0.005093  | ±2.5 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | NV | 50  | 14.92  | 0.005822  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | -30 | 36.51  | 0.014546  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | -20 | 44.05  | 0.017550  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | -10 | 18.81  | 0.007494  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 0   | 22.96  | 0.009147  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 10  | 24.70  | 0.009841  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 20  | 30.78  | 0.012263  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 30  | 37.04  | 0.014757  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 40  | 40.35  | 0.016076  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | NV | 50  | 47.22  | 0.018813  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | -30 | 22.87  | 0.009022  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | -20 | 24.72  | 0.009751  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | -10 | 26.01  | 0.010260  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 0   | 26.06  | 0.010280  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 10  | 27.12  | 0.010698  | ±2.5 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 20  | 31.47  | 0.012414  | ±2.5 | PASS |

|        |       |       |       |         |    |     |        |           |      |      |
|--------|-------|-------|-------|---------|----|-----|--------|-----------|------|------|
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 30  | 40.28  | 0.015890  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 40  | 41.07  | 0.016201  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21100 | 100RB#0 | NV | 50  | 44.98  | 0.017744  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | -30 | 47.36  | 0.018500  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | -20 | 26.44  | 0.010328  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | -10 | 48.35  | 0.018887  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 0   | 55.79  | 0.021793  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 10  | 47.09  | 0.018395  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 20  | 54.39  | 0.021246  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 30  | 16.51  | 0.006449  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 40  | 33.97  | 0.013270  | ±2.5 | PASS |
| Band7  | 20MHz | QPSK  | 21350 | 100RB#0 | NV | 50  | 39.02  | 0.015242  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | -30 | -26.16 | -0.010422 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | -20 | -26.48 | -0.010550 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | -10 | -23.89 | -0.009518 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 0   | -26.97 | -0.010745 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 10  | -22.43 | -0.008936 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 20  | -14.35 | -0.005717 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 30  | 13.83  | 0.005510  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 40  | 21.87  | 0.008713  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 20850 | 100RB#0 | NV | 50  | 25.68  | 0.010231  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | -30 | 28.77  | 0.011349  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | -20 | 29.65  | 0.011696  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | -10 | 34.66  | 0.013673  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 0   | 41.60  | 0.016410  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 10  | 43.96  | 0.017341  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 20  | 45.03  | 0.017763  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 30  | 51.26  | 0.020221  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 40  | 50.73  | 0.020012  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21100 | 100RB#0 | NV | 50  | -12.59 | -0.004966 | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | -30 | 51.51  | 0.020121  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | -20 | 33.22  | 0.012977  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | -10 | 49.11  | 0.019184  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 0   | 55.25  | 0.021582  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 10  | 66.40  | 0.025938  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 20  | 39.17  | 0.015301  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 30  | 52.57  | 0.020535  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 40  | 59.87  | 0.023387  | ±2.5 | PASS |
| Band7  | 20MHz | 16QAM | 21350 | 100RB#0 | NV | 50  | -14.85 | -0.005801 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | NV | -30 | -12.12 | -0.017155 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | NV | -20 | -12.07 | -0.017084 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | NV | -10 | -12.72 | -0.018004 | ±2.5 | PASS |
| Band17 | 5MHz  | QPSK  | 23755 | 25RB#0  | NV | 0   | -11.92 | -0.016872 | ±2.5 | PASS |

|        |      |       |       |        |    |     |        |           |      |      |
|--------|------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band17 | 5MHz | QPSK  | 23755 | 25RB#0 | NV | 10  | -11.46 | -0.016221 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23755 | 25RB#0 | NV | 20  | -11.19 | -0.015839 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23755 | 25RB#0 | NV | 30  | -13.45 | -0.019038 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23755 | 25RB#0 | NV | 40  | -11.73 | -0.016603 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23755 | 25RB#0 | NV | 50  | -12.47 | -0.017650 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | -30 | 5.09   | 0.007169  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | -20 | 6.75   | 0.009507  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | -10 | 8.17   | 0.011507  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 0   | 8.40   | 0.011831  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 10  | 9.96   | 0.014028  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 20  | 10.23  | 0.014408  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 30  | 9.96   | 0.014028  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 40  | 10.79  | 0.015197  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23790 | 25RB#0 | NV | 50  | 12.06  | 0.016986  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | -30 | -4.85  | -0.006797 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | -20 | -3.86  | -0.005410 | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | -10 | 3.40   | 0.004765  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 0   | 4.69   | 0.006573  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 10  | 5.35   | 0.007498  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 20  | 8.11   | 0.011367  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 30  | 6.02   | 0.008437  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 40  | 6.58   | 0.009222  | ±2.5 | PASS |
| Band17 | 5MHz | QPSK  | 23825 | 25RB#0 | NV | 50  | 7.72   | 0.010820  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | -30 | -14.20 | -0.020099 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | -20 | -13.76 | -0.019476 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | -10 | -13.69 | -0.019377 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 0   | -16.91 | -0.023935 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 10  | -16.71 | -0.023652 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 20  | -19.17 | -0.027134 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 30  | -17.25 | -0.024416 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 40  | -18.27 | -0.025860 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23755 | 25RB#0 | NV | 50  | -17.62 | -0.024940 | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | -30 | 11.96  | 0.016845  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | -20 | 11.44  | 0.016113  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | -10 | 10.74  | 0.015127  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 0   | 10.10  | 0.014225  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 10  | 10.39  | 0.014634  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 20  | 9.56   | 0.013465  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 30  | 8.98   | 0.012648  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 40  | 8.30   | 0.011690  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23790 | 25RB#0 | NV | 50  | 9.26   | 0.013042  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23825 | 25RB#0 | NV | -30 | 6.98   | 0.009783  | ±2.5 | PASS |
| Band17 | 5MHz | 16QAM | 23825 | 25RB#0 | NV | -20 | 6.65   | 0.009320  | ±2.5 | PASS |

|        |       |       |       |        |    |     |        |           |      |      |
|--------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | -10 | 5.62   | 0.007877  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 0   | 4.05   | 0.005676  | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 10  | -3.66  | -0.005130 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 20  | -4.51  | -0.006321 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 30  | -2.98  | -0.004177 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 40  | -3.59  | -0.005032 | ±2.5 | PASS |
| Band17 | 5MHz  | 16QAM | 23825 | 25RB#0 | NV | 50  | -4.13  | -0.005788 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | -30 | -13.69 | -0.019309 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | -20 | -12.32 | -0.017377 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | -10 | -12.65 | -0.017842 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 0   | -12.53 | -0.017673 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 10  | -12.30 | -0.017348 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 20  | -13.88 | -0.019577 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 30  | -11.46 | -0.016164 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 40  | -9.66  | -0.013625 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23780 | 50RB#0 | NV | 50  | -12.22 | -0.017236 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | -30 | -15.38 | -0.021662 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | -20 | -15.09 | -0.021254 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | -10 | -10.40 | -0.014648 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 0   | -11.70 | -0.016479 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 10  | -14.49 | -0.020408 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 20  | -10.23 | -0.014408 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 30  | -13.02 | -0.018338 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 40  | -11.54 | -0.016254 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23790 | 50RB#0 | NV | 50  | -13.79 | -0.019423 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | -30 | -10.60 | -0.014909 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | -20 | -9.18  | -0.012911 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | -10 | -12.12 | -0.017046 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 0   | -10.23 | -0.014388 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 10  | -13.02 | -0.018312 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 20  | -14.82 | -0.020844 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 30  | -12.87 | -0.018101 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 40  | -14.23 | -0.020014 | ±2.5 | PASS |
| Band17 | 10MHz | QPSK  | 23800 | 50RB#0 | NV | 50  | -13.98 | -0.019662 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | -30 | -12.53 | -0.017673 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | -20 | -14.25 | -0.020099 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | -10 | -13.69 | -0.019309 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 0   | -13.42 | -0.018928 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 10  | -12.26 | -0.017292 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 20  | -13.02 | -0.018364 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 30  | -13.58 | -0.019154 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 40  | -13.75 | -0.019394 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23780 | 50RB#0 | NV | 50  | -15.22 | -0.021467 | ±2.5 | PASS |

|        |       |       |       |        |    |     |        |           |      |      |
|--------|-------|-------|-------|--------|----|-----|--------|-----------|------|------|
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | -30 | -15.09 | -0.021254 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | -20 | -13.12 | -0.018479 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | -10 | -12.93 | -0.018211 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 0   | -13.52 | -0.019042 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 10  | -14.49 | -0.020408 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 20  | -13.59 | -0.019141 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 30  | -14.81 | -0.020859 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 40  | -13.92 | -0.019606 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23790 | 50RB#0 | NV | 50  | -12.39 | -0.017451 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | -30 | -8.97  | -0.012616 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | -20 | -9.63  | -0.013544 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | -10 | -7.27  | -0.010225 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 0   | -11.54 | -0.016231 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 10  | -11.34 | -0.015949 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 20  | -10.56 | -0.014852 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 30  | -12.82 | -0.018031 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 40  | -11.20 | -0.015752 | ±2.5 | PASS |
| Band17 | 10MHz | 16QAM | 23800 | 50RB#0 | NV | 50  | -9.01  | -0.012672 | ±2.5 | PASS |

## 8.7 Appendix G: ERP and EIRP

### Test Result

| Band   | Bandwidth | Mode  | Conducted Power (dBm) | Antenna Gain (dBi) | EIRP  |        | Limit (W) | Verdict |
|--------|-----------|-------|-----------------------|--------------------|-------|--------|-----------|---------|
|        |           |       |                       |                    | (dBm) | (W)    |           |         |
| Band 2 | 1.4MHz    | QPSK  | 22.29                 | -0.76              | 21.53 | 0.1422 | 2         | PASS    |
|        |           | 16QAM | 21.28                 | -0.76              | 20.52 | 0.1127 | 2         | PASS    |
|        | 3MHz      | QPSK  | 22.35                 | -0.76              | 21.59 | 0.1442 | 2         | PASS    |
|        |           | 16QAM | 21.61                 | -0.76              | 20.85 | 0.1216 | 2         | PASS    |
|        | 5MHz      | QPSK  | 22.53                 | -0.76              | 21.77 | 0.1503 | 2         | PASS    |
|        |           | 16QAM | 21.53                 | -0.76              | 20.77 | 0.1194 | 2         | PASS    |
|        | 10MHz     | QPSK  | 21.62                 | -0.76              | 20.86 | 0.1219 | 2         | PASS    |
|        |           | 16QAM | 20.82                 | -0.76              | 20.06 | 0.1014 | 2         | PASS    |
|        | 15MHz     | QPSK  | 22.41                 | -0.76              | 21.65 | 0.1462 | 2         | PASS    |
|        |           | 16QAM | 21.55                 | -0.76              | 20.79 | 0.1199 | 2         | PASS    |
| Band 4 | 1.4MHz    | QPSK  | 22.97                 | -0.83              | 22.14 | 0.1637 | 1         | PASS    |
|        |           | 16QAM | 21.85                 | -0.83              | 21.02 | 0.1265 | 1         | PASS    |
|        | 3MHz      | QPSK  | 22.56                 | -0.83              | 21.73 | 0.1489 | 1         | PASS    |
|        |           | 16QAM | 22.12                 | -0.83              | 21.29 | 0.1346 | 1         | PASS    |
|        | 5MHz      | QPSK  | 23.20                 | -0.83              | 22.37 | 0.1726 | 1         | PASS    |
|        |           | 16QAM | 22.22                 | -0.83              | 21.39 | 0.1377 | 1         | PASS    |
|        | 10MHz     | QPSK  | 22.09                 | -0.83              | 21.26 | 0.1337 | 1         | PASS    |
|        |           | 16QAM | 21.19                 | -0.83              | 20.36 | 0.1086 | 1         | PASS    |
|        | 15MHz     | QPSK  | 22.98                 | -0.83              | 22.15 | 0.1641 | 1         | PASS    |
|        |           | 16QAM | 22.42                 | -0.83              | 21.59 | 0.1442 | 1         | PASS    |
|        | 20MHz     | QPSK  | 23.31                 | -0.83              | 22.48 | 0.1770 | 1         | PASS    |
|        |           | 16QAM | 22.49                 | -0.83              | 21.66 | 0.1466 | 1         | PASS    |

|        |       |       |       |       |       |        |   |      |
|--------|-------|-------|-------|-------|-------|--------|---|------|
| Band 7 | 5MHz  | QPSK  | 23.00 | -0.64 | 22.36 | 0.1722 | 2 | PASS |
|        |       | 16QAM | 22.20 | -0.64 | 21.56 | 0.1432 | 2 | PASS |
|        | 10MHz | QPSK  | 22.05 | -0.64 | 21.41 | 0.1384 | 2 | PASS |
|        |       | 16QAM | 21.18 | -0.64 | 20.54 | 0.1132 | 2 | PASS |
|        | 15MHz | QPSK  | 23.04 | -0.64 | 22.40 | 0.1738 | 2 | PASS |
|        |       | 16QAM | 22.36 | -0.64 | 21.72 | 0.1486 | 2 | PASS |
|        | 20MHz | QPSK  | 23.28 | -0.64 | 22.64 | 0.1837 | 2 | PASS |
|        |       | 16QAM | 22.42 | -0.64 | 21.78 | 0.1507 | 2 | PASS |

| Band    | Bandwidth | Mode  | Conducted Power (dBm) | Antenna Gain (dBi) | ERP   |        | Limit (W) | Verdict |
|---------|-----------|-------|-----------------------|--------------------|-------|--------|-----------|---------|
|         |           |       |                       |                    | (dBm) | (W)    |           |         |
| Band 17 | 5MHz      | QPSK  | 24.89                 | -2.13              | 20.61 | 0.1151 | 3         | PASS    |
|         |           | 16QAM | 24.95                 | -2.13              | 20.67 | 0.1167 | 3         | PASS    |
|         | 10MHz     | QPSK  | 22.47                 | -2.13              | 18.19 | 0.0659 | 3         | PASS    |
|         |           | 16QAM | 21.64                 | -2.13              | 17.36 | 0.0545 | 3         | PASS    |

-----End of the Report -----