

1. Conducted Output Power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n71	30	10	133600	24@0	DFT_BPSK	21.91	PASS
n71	30	10	133600	12@6	DFT_BPSK	22.45	PASS
n71	30	10	133600	1@1	DFT_BPSK	22.54	PASS
n71	30	10	133600	1@22	DFT_BPSK	22.54	PASS
n71	30	10	133600	24@0	DFT_QPSK	22.02	PASS
n71	30	10	133600	12@6	DFT_QPSK	22.61	PASS
n71	30	10	133600	1@1	DFT_QPSK	22.50	PASS
n71	30	10	133600	1@22	DFT_QPSK	22.51	PASS
n71	30	10	133600	24@0	DFT_16QAM	21.18	PASS
n71	30	10	133600	12@6	DFT_16QAM	21.59	PASS
n71	30	10	133600	1@1	DFT_16QAM	21.94	PASS
n71	30	10	133600	1@22	DFT_16QAM	21.76	PASS
n71	30	10	133600	24@0	DFT_64QAM	20.64	PASS
n71	30	10	133600	12@6	DFT_64QAM	20.67	PASS
n71	30	10	133600	1@1	DFT_64QAM	20.18	PASS
n71	30	10	133600	1@22	DFT_64QAM	20.12	PASS
n71	30	10	133600	24@0	DFT_256QAM	19.19	PASS
n71	30	10	133600	12@6	DFT_256QAM	19.19	PASS
n71	30	10	133600	1@1	DFT_256QAM	19.12	PASS
n71	30	10	133600	1@22	DFT_256QAM	19.28	PASS
n71	30	10	133600	24@0	CP_QPSK	20.83	PASS
n71	30	10	133600	12@6	CP_QPSK	21.43	PASS
n71	30	10	133600	1@1	CP_QPSK	21.66	PASS
n71	30	10	133600	1@22	CP_QPSK	21.56	PASS
n71	30	10	133600	24@0	CP_16QAM	20.19	PASS
n71	30	10	133600	12@6	CP_16QAM	20.68	PASS
n71	30	10	133600	1@1	CP_16QAM	20.80	PASS
n71	30	10	133600	1@22	CP_16QAM	20.82	PASS
n71	30	10	133600	24@0	CP_64QAM	19.62	PASS
n71	30	10	133600	12@6	CP_64QAM	20.90	PASS
n71	30	10	133600	1@1	CP_64QAM	20.57	PASS
n71	30	10	133600	1@22	CP_64QAM	20.54	PASS
n71	30	10	133600	24@0	CP_256QAM	17.16	PASS
n71	30	10	133600	12@6	CP_256QAM	17.19	PASS
n71	30	10	133600	1@1	CP_256QAM	17.21	PASS
n71	30	10	133600	1@22	CP_256QAM	17.40	PASS
n71	30	10	136100	24@0	DFT_BPSK	21.97	PASS
n71	30	10	136100	12@6	DFT_BPSK	22.52	PASS
n71	30	10	136100	1@1	DFT_BPSK	22.54	PASS
n71	30	10	136100	1@22	DFT_BPSK	22.59	PASS
n71	30	10	136100	24@0	DFT_QPSK	21.99	PASS

n71	30	10	136100	12@6	DFT_QPSK	22.55	PASS
n71	30	10	136100	1@1	DFT_QPSK	22.51	PASS
n71	30	10	136100	1@22	DFT_QPSK	22.54	PASS
n71	30	10	136100	24@0	DFT_16QAM	21.19	PASS
n71	30	10	136100	12@6	DFT_16QAM	21.55	PASS
n71	30	10	136100	1@1	DFT_16QAM	21.67	PASS
n71	30	10	136100	1@22	DFT_16QAM	21.83	PASS
n71	30	10	136100	24@0	DFT_64QAM	20.69	PASS
n71	30	10	136100	12@6	DFT_64QAM	20.61	PASS
n71	30	10	136100	1@1	DFT_64QAM	20.09	PASS
n71	30	10	136100	1@22	DFT_64QAM	20.14	PASS
n71	30	10	136100	24@0	DFT_256QAM	19.32	PASS
n71	30	10	136100	12@6	DFT_256QAM	19.30	PASS
n71	30	10	136100	1@1	DFT_256QAM	19.45	PASS
n71	30	10	136100	1@22	DFT_256QAM	19.30	PASS
n71	30	10	136100	24@0	CP_QPSK	20.87	PASS
n71	30	10	136100	12@6	CP_QPSK	21.41	PASS
n71	30	10	136100	1@1	CP_QPSK	21.54	PASS
n71	30	10	136100	1@22	CP_QPSK	21.64	PASS
n71	30	10	136100	24@0	CP_16QAM	20.42	PASS
n71	30	10	136100	12@6	CP_16QAM	20.64	PASS
n71	30	10	136100	1@1	CP_16QAM	20.77	PASS
n71	30	10	136100	1@22	CP_16QAM	20.81	PASS
n71	30	10	136100	24@0	CP_64QAM	19.80	PASS
n71	30	10	136100	12@6	CP_64QAM	20.89	PASS
n71	30	10	136100	1@1	CP_64QAM	20.41	PASS
n71	30	10	136100	1@22	CP_64QAM	20.47	PASS
n71	30	10	136100	24@0	CP_256QAM	17.31	PASS
n71	30	10	136100	12@6	CP_256QAM	17.32	PASS
n71	30	10	136100	1@1	CP_256QAM	17.57	PASS
n71	30	10	136100	1@22	CP_256QAM	17.44	PASS
n71	30	10	138600	24@0	DFT_BPSK	22.08	PASS
n71	30	10	138600	12@6	DFT_BPSK	22.68	PASS
n71	30	10	138600	1@1	DFT_BPSK	22.73	PASS
n71	30	10	138600	1@22	DFT_BPSK	22.70	PASS
n71	30	10	138600	24@0	DFT_QPSK	22.17	PASS
n71	30	10	138600	12@6	DFT_QPSK	22.77	PASS
n71	30	10	138600	1@1	DFT_QPSK	22.70	PASS
n71	30	10	138600	1@22	DFT_QPSK	22.73	PASS
n71	30	10	138600	24@0	DFT_16QAM	21.28	PASS
n71	30	10	138600	12@6	DFT_16QAM	21.67	PASS
n71	30	10	138600	1@1	DFT_16QAM	21.91	PASS
n71	30	10	138600	1@22	DFT_16QAM	22.02	PASS
n71	30	10	138600	24@0	DFT_64QAM	20.75	PASS

n71	30	10	138600	12@6	DFT_64QAM	20.73	PASS
n71	30	10	138600	1@1	DFT_64QAM	20.22	PASS
n71	30	10	138600	1@22	DFT_64QAM	20.30	PASS
n71	30	10	138600	24@0	DFT_256QAM	19.08	PASS
n71	30	10	138600	12@6	DFT_256QAM	19.07	PASS
n71	30	10	138600	1@1	DFT_256QAM	19.33	PASS
n71	30	10	138600	1@22	DFT_256QAM	19.04	PASS
n71	30	10	138600	24@0	CP_QPSK	20.90	PASS
n71	30	10	138600	12@6	CP_QPSK	21.51	PASS
n71	30	10	138600	1@1	CP_QPSK	21.67	PASS
n71	30	10	138600	1@22	CP_QPSK	21.73	PASS
n71	30	10	138600	24@0	CP_16QAM	20.02	PASS
n71	30	10	138600	12@6	CP_16QAM	20.70	PASS
n71	30	10	138600	1@1	CP_16QAM	21.01	PASS
n71	30	10	138600	1@22	CP_16QAM	20.91	PASS
n71	30	10	138600	24@0	CP_64QAM	19.58	PASS
n71	30	10	138600	12@6	CP_64QAM	20.98	PASS
n71	30	10	138600	1@1	CP_64QAM	20.61	PASS
n71	30	10	138600	1@22	CP_64QAM	20.56	PASS
n71	30	10	138600	24@0	CP_256QAM	17.05	PASS
n71	30	10	138600	12@6	CP_256QAM	17.07	PASS
n71	30	10	138600	1@1	CP_256QAM	17.45	PASS
n71	30	10	138600	1@22	CP_256QAM	17.05	PASS
n71	30	15	134100	36@0	DFT_BPSK	22.08	PASS
n71	30	15	134100	18@9	DFT_BPSK	22.71	PASS
n71	30	15	134100	1@1	DFT_BPSK	22.76	PASS
n71	30	15	134100	1@36	DFT_BPSK	22.65	PASS
n71	30	15	134100	36@0	DFT_QPSK	22.12	PASS
n71	30	15	134100	18@9	DFT_QPSK	22.78	PASS
n71	30	15	134100	1@1	DFT_QPSK	22.65	PASS
n71	30	15	134100	1@36	DFT_QPSK	22.55	PASS
n71	30	15	134100	36@0	DFT_16QAM	21.26	PASS
n71	30	15	134100	18@9	DFT_16QAM	21.85	PASS
n71	30	15	134100	1@1	DFT_16QAM	21.93	PASS
n71	30	15	134100	1@36	DFT_16QAM	21.79	PASS
n71	30	15	134100	36@0	DFT_64QAM	20.78	PASS
n71	30	15	134100	18@9	DFT_64QAM	20.96	PASS
n71	30	15	134100	1@1	DFT_64QAM	20.26	PASS
n71	30	15	134100	1@36	DFT_64QAM	20.12	PASS
n71	30	15	134100	36@0	DFT_256QAM	19.07	PASS
n71	30	15	134100	18@9	DFT_256QAM	19.01	PASS
n71	30	15	134100	1@1	DFT_256QAM	19.18	PASS
n71	30	15	134100	1@36	DFT_256QAM	19.54	PASS
n71	30	15	134100	38@0	CP_QPSK	20.96	PASS

n71	30	15	134100	19@9	CP_QPSK	21.39	PASS
n71	30	15	134100	1@1	CP_QPSK	21.69	PASS
n71	30	15	134100	1@36	CP_QPSK	21.55	PASS
n71	30	15	134100	38@0	CP_16QAM	20.13	PASS
n71	30	15	134100	19@9	CP_16QAM	20.97	PASS
n71	30	15	134100	1@1	CP_16QAM	20.90	PASS
n71	30	15	134100	1@36	CP_16QAM	20.75	PASS
n71	30	15	134100	38@0	CP_64QAM	19.60	PASS
n71	30	15	134100	19@9	CP_64QAM	21.05	PASS
n71	30	15	134100	1@1	CP_64QAM	20.56	PASS
n71	30	15	134100	1@36	CP_64QAM	20.42	PASS
n71	30	15	134100	38@0	CP_256QAM	17.08	PASS
n71	30	15	134100	19@9	CP_256QAM	17.01	PASS
n71	30	15	134100	1@1	CP_256QAM	17.29	PASS
n71	30	15	134100	1@36	CP_256QAM	17.68	PASS
n71	30	15	136100	36@0	DFT_BPSK	21.92	PASS
n71	30	15	136100	18@9	DFT_BPSK	22.53	PASS
n71	30	15	136100	1@1	DFT_BPSK	22.67	PASS
n71	30	15	136100	1@36	DFT_BPSK	22.65	PASS
n71	30	15	136100	36@0	DFT_QPSK	22.02	PASS
n71	30	15	136100	18@9	DFT_QPSK	22.56	PASS
n71	30	15	136100	1@1	DFT_QPSK	22.63	PASS
n71	30	15	136100	1@36	DFT_QPSK	22.58	PASS
n71	30	15	136100	36@0	DFT_16QAM	21.10	PASS
n71	30	15	136100	18@9	DFT_16QAM	21.72	PASS
n71	30	15	136100	1@1	DFT_16QAM	21.88	PASS
n71	30	15	136100	1@36	DFT_16QAM	21.85	PASS
n71	30	15	136100	36@0	DFT_64QAM	20.67	PASS
n71	30	15	136100	18@9	DFT_64QAM	20.83	PASS
n71	30	15	136100	1@1	DFT_64QAM	20.21	PASS
n71	30	15	136100	1@36	DFT_64QAM	20.17	PASS
n71	30	15	136100	36@0	DFT_256QAM	19.26	PASS
n71	30	15	136100	18@9	DFT_256QAM	19.28	PASS
n71	30	15	136100	1@1	DFT_256QAM	19.39	PASS
n71	30	15	136100	1@36	DFT_256QAM	19.08	PASS
n71	30	15	136100	38@0	CP_QPSK	20.84	PASS
n71	30	15	136100	19@9	CP_QPSK	21.29	PASS
n71	30	15	136100	1@1	CP_QPSK	21.64	PASS
n71	30	15	136100	1@36	CP_QPSK	21.56	PASS
n71	30	15	136100	38@0	CP_16QAM	19.98	PASS
n71	30	15	136100	19@9	CP_16QAM	20.86	PASS
n71	30	15	136100	1@1	CP_16QAM	20.88	PASS
n71	30	15	136100	1@36	CP_16QAM	20.79	PASS
n71	30	15	136100	38@0	CP_64QAM	19.39	PASS

n71	30	15	136100	19@9	CP_64QAM	20.95	PASS
n71	30	15	136100	1@1	CP_64QAM	20.54	PASS
n71	30	15	136100	1@36	CP_64QAM	20.49	PASS
n71	30	15	136100	38@0	CP_256QAM	17.20	PASS
n71	30	15	136100	19@9	CP_256QAM	17.27	PASS
n71	30	15	136100	1@1	CP_256QAM	17.60	PASS
n71	30	15	136100	1@36	CP_256QAM	17.20	PASS
n71	30	15	138100	36@0	DFT_BPSK	22.11	PASS
n71	30	15	138100	18@9	DFT_BPSK	22.70	PASS
n71	30	15	138100	1@1	DFT_BPSK	22.65	PASS
n71	30	15	138100	1@36	DFT_BPSK	22.78	PASS
n71	30	15	138100	36@0	DFT_QPSK	22.14	PASS
n71	30	15	138100	18@9	DFT_QPSK	22.78	PASS
n71	30	15	138100	1@1	DFT_QPSK	22.56	PASS
n71	30	15	138100	1@36	DFT_QPSK	22.68	PASS
n71	30	15	138100	36@0	DFT_16QAM	21.24	PASS
n71	30	15	138100	18@9	DFT_16QAM	21.79	PASS
n71	30	15	138100	1@1	DFT_16QAM	21.90	PASS
n71	30	15	138100	1@36	DFT_16QAM	22.01	PASS
n71	30	15	138100	36@0	DFT_64QAM	20.81	PASS
n71	30	15	138100	18@9	DFT_64QAM	20.89	PASS
n71	30	15	138100	1@1	DFT_64QAM	20.19	PASS
n71	30	15	138100	1@36	DFT_64QAM	20.27	PASS
n71	30	15	138100	36@0	DFT_256QAM	19.08	PASS
n71	30	15	138100	18@9	DFT_256QAM	19.10	PASS
n71	30	15	138100	1@1	DFT_256QAM	19.24	PASS
n71	30	15	138100	1@36	DFT_256QAM	19.26	PASS
n71	30	15	138100	38@0	CP_QPSK	20.99	PASS
n71	30	15	138100	19@9	CP_QPSK	21.41	PASS
n71	30	15	138100	1@1	CP_QPSK	21.71	PASS
n71	30	15	138100	1@36	CP_QPSK	21.70	PASS
n71	30	15	138100	38@0	CP_16QAM	20.11	PASS
n71	30	15	138100	19@9	CP_16QAM	20.98	PASS
n71	30	15	138100	1@1	CP_16QAM	20.92	PASS
n71	30	15	138100	1@36	CP_16QAM	20.95	PASS
n71	30	15	138100	38@0	CP_64QAM	19.60	PASS
n71	30	15	138100	19@9	CP_64QAM	21.02	PASS
n71	30	15	138100	1@1	CP_64QAM	20.59	PASS
n71	30	15	138100	1@36	CP_64QAM	20.63	PASS
n71	30	15	138100	38@0	CP_256QAM	17.21	PASS
n71	30	15	138100	19@9	CP_256QAM	17.27	PASS
n71	30	15	138100	1@1	CP_256QAM	17.48	PASS
n71	30	15	138100	1@36	CP_256QAM	17.54	PASS
n71	30	20	134600	50@0	DFT_BPSK	22.01	PASS

n71	30	20	134600	25@12	DFT_BPSK	22.55	PASS
n71	30	20	134600	1@1	DFT_BPSK	22.71	PASS
n71	30	20	134600	1@49	DFT_BPSK	22.55	PASS
n71	30	20	134600	50@0	DFT_QPSK	22.08	PASS
n71	30	20	134600	25@12	DFT_QPSK	22.65	PASS
n71	30	20	134600	1@1	DFT_QPSK	22.60	PASS
n71	30	20	134600	1@49	DFT_QPSK	22.46	PASS
n71	30	20	134600	50@0	DFT_16QAM	21.24	PASS
n71	30	20	134600	25@12	DFT_16QAM	21.78	PASS
n71	30	20	134600	1@1	DFT_16QAM	21.90	PASS
n71	30	20	134600	1@49	DFT_16QAM	21.73	PASS
n71	30	20	134600	50@0	DFT_64QAM	20.79	PASS
n71	30	20	134600	25@12	DFT_64QAM	20.84	PASS
n71	30	20	134600	1@1	DFT_64QAM	20.24	PASS
n71	30	20	134600	1@49	DFT_64QAM	20.07	PASS
n71	30	20	134600	50@0	DFT_256QAM	19.34	PASS
n71	30	20	134600	25@12	DFT_256QAM	19.13	PASS
n71	30	20	134600	1@1	DFT_256QAM	19.60	PASS
n71	30	20	134600	1@49	DFT_256QAM	19.89	PASS
n71	30	20	134600	51@0	CP_QPSK	20.90	PASS
n71	30	20	134600	25@12	CP_QPSK	21.46	PASS
n71	30	20	134600	1@1	CP_QPSK	21.73	PASS
n71	30	20	134600	1@49	CP_QPSK	21.62	PASS
n71	30	20	134600	51@0	CP_16QAM	20.32	PASS
n71	30	20	134600	25@12	CP_16QAM	21.03	PASS
n71	30	20	134600	1@1	CP_16QAM	20.93	PASS
n71	30	20	134600	1@49	CP_16QAM	20.74	PASS
n71	30	20	134600	51@0	CP_64QAM	19.86	PASS
n71	30	20	134600	25@12	CP_64QAM	21.04	PASS
n71	30	20	134600	1@1	CP_64QAM	20.60	PASS
n71	30	20	134600	1@49	CP_64QAM	20.41	PASS
n71	30	20	134600	51@0	CP_256QAM	17.33	PASS
n71	30	20	134600	25@12	CP_256QAM	17.16	PASS
n71	30	20	134600	1@1	CP_256QAM	17.71	PASS
n71	30	20	134600	1@49	CP_256QAM	18.02	PASS
n71	30	20	136100	50@0	DFT_BPSK	22.08	PASS
n71	30	20	136100	25@12	DFT_BPSK	22.50	PASS
n71	30	20	136100	1@1	DFT_BPSK	22.70	PASS
n71	30	20	136100	1@49	DFT_BPSK	22.80	PASS
n71	30	20	136100	50@0	DFT_QPSK	22.12	PASS
n71	30	20	136100	25@12	DFT_QPSK	22.55	PASS
n71	30	20	136100	1@1	DFT_QPSK	22.60	PASS
n71	30	20	136100	1@49	DFT_QPSK	22.72	PASS
n71	30	20	136100	50@0	DFT_16QAM	21.24	PASS

n71	30	20	136100	25@12	DFT_16QAM	21.75	PASS
n71	30	20	136100	1@1	DFT_16QAM	21.94	PASS
n71	30	20	136100	1@49	DFT_16QAM	21.94	PASS
n71	30	20	136100	50@0	DFT_64QAM	20.84	PASS
n71	30	20	136100	25@12	DFT_64QAM	20.76	PASS
n71	30	20	136100	1@1	DFT_64QAM	20.25	PASS
n71	30	20	136100	1@49	DFT_64QAM	20.26	PASS
n71	30	20	136100	50@0	DFT_256QAM	18.93	PASS
n71	30	20	136100	25@12	DFT_256QAM	18.80	PASS
n71	30	20	136100	1@1	DFT_256QAM	19.26	PASS
n71	30	20	136100	1@49	DFT_256QAM	19.53	PASS
n71	30	20	136100	51@0	CP_QPSK	20.88	PASS
n71	30	20	136100	25@12	CP_QPSK	21.42	PASS
n71	30	20	136100	1@1	CP_QPSK	21.64	PASS
n71	30	20	136100	1@49	CP_QPSK	21.55	PASS
n71	30	20	136100	51@0	CP_16QAM	20.02	PASS
n71	30	20	136100	25@12	CP_16QAM	20.90	PASS
n71	30	20	136100	1@1	CP_16QAM	20.87	PASS
n71	30	20	136100	1@49	CP_16QAM	20.91	PASS
n71	30	20	136100	51@0	CP_64QAM	19.44	PASS
n71	30	20	136100	25@12	CP_64QAM	20.98	PASS
n71	30	20	136100	1@1	CP_64QAM	20.57	PASS
n71	30	20	136100	1@49	CP_64QAM	20.58	PASS
n71	30	20	136100	51@0	CP_256QAM	16.89	PASS
n71	30	20	136100	25@12	CP_256QAM	16.76	PASS
n71	30	20	136100	1@1	CP_256QAM	17.32	PASS
n71	30	20	136100	1@49	CP_256QAM	17.63	PASS
n71	30	20	137600	50@0	DFT_BPSK	21.80	PASS
n71	30	20	137600	25@12	DFT_BPSK	22.25	PASS
n71	30	20	137600	1@1	DFT_BPSK	22.35	PASS
n71	30	20	137600	1@49	DFT_BPSK	22.45	PASS
n71	30	20	137600	50@0	DFT_QPSK	21.85	PASS
n71	30	20	137600	25@12	DFT_QPSK	22.39	PASS
n71	30	20	137600	1@1	DFT_QPSK	22.29	PASS
n71	30	20	137600	1@49	DFT_QPSK	22.47	PASS
n71	30	20	137600	50@0	DFT_16QAM	21.00	PASS
n71	30	20	137600	25@12	DFT_16QAM	21.53	PASS
n71	30	20	137600	1@1	DFT_16QAM	21.61	PASS
n71	30	20	137600	1@49	DFT_16QAM	21.80	PASS
n71	30	20	137600	50@0	DFT_64QAM	20.52	PASS
n71	30	20	137600	25@12	DFT_64QAM	20.57	PASS
n71	30	20	137600	1@1	DFT_64QAM	19.99	PASS
n71	30	20	137600	1@49	DFT_64QAM	20.08	PASS
n71	30	20	137600	50@0	DFT_256QAM	19.29	PASS


n71	30	20	137600	25@12	DFT_256QAM	19.16	PASS
n71	30	20	137600	1@1	DFT_256QAM	19.87	PASS
n71	30	20	137600	1@49	DFT_256QAM	18.62	PASS
n71	30	20	137600	51@0	CP_QPSK	20.70	PASS
n71	30	20	137600	25@12	CP_QPSK	21.25	PASS
n71	30	20	137600	1@1	CP_QPSK	21.49	PASS
n71	30	20	137600	1@49	CP_QPSK	21.57	PASS
n71	30	20	137600	51@0	CP_16QAM	20.35	PASS
n71	30	20	137600	25@12	CP_16QAM	20.80	PASS
n71	30	20	137600	1@1	CP_16QAM	20.74	PASS
n71	30	20	137600	1@49	CP_16QAM	20.77	PASS
n71	30	20	137600	51@0	CP_64QAM	19.73	PASS
n71	30	20	137600	25@12	CP_64QAM	20.87	PASS
n71	30	20	137600	1@1	CP_64QAM	20.35	PASS
n71	30	20	137600	1@49	CP_64QAM	20.49	PASS
n71	30	20	137600	51@0	CP_256QAM	17.31	PASS
n71	30	20	137600	25@12	CP_256QAM	17.25	PASS
n71	30	20	137600	1@1	CP_256QAM	18.04	PASS
n71	30	20	137600	1@49	CP_256QAM	16.72	PASS

3. Peak-to-average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n71	30	10	136100	24@0	DFT_BPSK	4.15	13	PASS
n71	30	10	136100	24@0	DFT_QPSK	5.19	13	PASS
n71	30	10	136100	24@0	DFT_16QAM	6.00	13	PASS
n71	30	10	136100	24@0	DFT_64QAM	6.13	13	PASS
n71	30	10	136100	24@0	DFT_256QAM	6.43	13	PASS
n71	30	15	136100	36@0	DFT_BPSK	4.23	13	PASS
n71	30	15	136100	36@0	DFT_QPSK	5.33	13	PASS
n71	30	15	136100	36@0	DFT_16QAM	6.14	13	PASS
n71	30	15	136100	36@0	DFT_64QAM	6.13	13	PASS
n71	30	15	136100	36@0	DFT_256QAM	6.63	13	PASS
n71	30	20	136100	50@0	DFT_BPSK	4.44	13	PASS
n71	30	20	136100	50@0	DFT_QPSK	5.31	13	PASS
n71	30	20	136100	50@0	DFT_16QAM	6.18	13	PASS
n71	30	20	136100	50@0	DFT_64QAM	6.18	13	PASS
n71	30	20	136100	50@0	DFT_256QAM	6.62	13	PASS




n71 SCS=30kHz DFT_16QAM BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_256QAM BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_64QAM BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_16QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_16QAM BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_256QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_256QAM BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_64QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_64QAM BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




4. Occupied Bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	30	10	136100	680.5	24@0	DFT_BPSK	8.657	9.974	PASS
n71	30	10	136100	680.5	24@0	CP_QPSK	8.658	10.225	PASS
n71	30	10	136100	680.5	24@0	CP_16QAM	8.668	9.783	PASS
n71	30	10	136100	680.5	24@0	CP_64QAM	8.684	9.840	PASS
n71	30	10	136100	680.5	24@0	CP_256QAM	8.665	9.844	PASS
n71	30	15	136100	680.5	36@0	DFT_BPSK	13.019	14.511	PASS
n71	30	15	136100	680.5	38@0	CP_QPSK	13.714	15.879	PASS
n71	30	15	136100	680.5	38@0	CP_16QAM	13.621	14.884	PASS
n71	30	15	136100	680.5	38@0	CP_64QAM	13.669	14.891	PASS
n71	30	15	136100	680.5	38@0	CP_256QAM	13.682	14.953	PASS
n71	30	20	136100	680.5	50@0	DFT_BPSK	18.089	19.675	PASS
n71	30	20	136100	680.5	51@0	CP_QPSK	18.323	19.751	PASS
n71	30	20	136100	680.5	51@0	CP_16QAM	18.351	19.920	PASS
n71	30	20	136100	680.5	51@0	CP_64QAM	18.372	19.812	PASS
n71	30	20	136100	680.5	51@0	CP_256QAM	18.368	19.915	PASS


n71 SCS=30kHz CP_16QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_16QAM BW=15MHz Channel=136100 RB=38@0




n71 SCS=30kHz CP_16QAM BW=20MHz Channel=136100 RB=51@0




n71 SCS=30kHz CP_256QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_256QAM BW=15MHz Channel=136100 RB=38@0




n71 SCS=30kHz CP_256QAM BW=20MHz Channel=136100 RB=51@0




n71 SCS=30kHz CP_64QAM BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_64QAM BW=15MHz Channel=136100 RB=38@0




n71 SCS=30kHz CP_64QAM BW=20MHz Channel=136100 RB=51@0




n71 SCS=30kHz CP_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_QPSK BW=15MHz Channel=136100 RB=38@0




n71 SCS=30kHz CP_QPSK BW=20MHz Channel=136100 RB=51@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




5. Conducted Band Edge for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	30	10	133600	1@0	DFT_BPSK	663.78	12.61	30	PASS
n71	30	10	133600	24@0	DFT_BPSK	662.99	-40.67	-13	PASS
n71	30	10	133600	1@0	DFT_QPSK	663.00	-30.36	-13	PASS
n71	30	10	133600	24@0	DFT_QPSK	662.88	-38.94	-13	PASS
n71	30	10	133600	1@0	DFT_16QAM	663.80	12.00	30	PASS
n71	30	10	133600	24@0	DFT_16QAM	662.71	-40.01	-13	PASS
n71	30	10	133600	1@0	DFT_64QAM	663.00	-32.33	-13	PASS
n71	30	10	133600	24@0	DFT_64QAM	662.66	-41.22	-13	PASS
n71	30	10	133600	1@0	DFT_256QAM	663.75	9.07	30	PASS
n71	30	10	133600	24@0	DFT_256QAM	661.75	-43.88	-13	PASS
n71	30	10	133600	24@0	CP_QPSK	662.45	-33.39	-13	PASS
n71	30	10	138600	1@23	DFT_BPSK	697.06	13.35	30	PASS
n71	30	10	138600	24@0	DFT_BPSK	698.00	-40.50	-13	PASS
n71	30	10	138600	1@23	DFT_QPSK	698.00	-29.53	-13	PASS
n71	30	10	138600	24@0	DFT_QPSK	698.19	-38.46	-13	PASS
n71	30	10	138600	1@23	DFT_16QAM	698.00	-30.09	-13	PASS
n71	30	10	138600	24@0	DFT_16QAM	698.11	-40.28	-13	PASS
n71	30	10	138600	1@23	DFT_64QAM	698.01	-31.75	-13	PASS
n71	30	10	138600	24@0	DFT_64QAM	698.01	-41.89	-13	PASS
n71	30	10	138600	1@23	DFT_256QAM	698.01	-33.45	-13	PASS
n71	30	10	138600	24@0	DFT_256QAM	698.01	-44.85	-13	PASS
n71	30	10	138600	24@0	CP_QPSK	698.17	-35.29	-13	PASS
n71	30	15	134100	1@0	DFT_BPSK	662.99	-28.24	-13	PASS
n71	30	15	134100	36@0	DFT_BPSK	662.96	-41.22	-13	PASS
n71	30	15	134100	1@0	DFT_QPSK	663.00	-27.11	-13	PASS
n71	30	15	134100	36@0	DFT_QPSK	662.86	-39.08	-13	PASS
n71	30	15	134100	1@0	DFT_16QAM	663.00	-27.62	-13	PASS
n71	30	15	134100	36@0	DFT_16QAM	662.86	-40.69	-13	PASS
n71	30	15	134100	1@0	DFT_64QAM	663.00	-28.91	-13	PASS
n71	30	15	134100	36@0	DFT_64QAM	662.88	-41.08	-13	PASS
n71	30	15	134100	1@0	DFT_256QAM	662.99	-29.34	-13	PASS
n71	30	15	134100	36@0	DFT_256QAM	662.99	-44.03	-13	PASS
n71	30	15	134100	38@0	CP_QPSK	662.66	-35.81	-13	PASS
n71	30	15	138100	1@37	DFT_BPSK	698.01	-27.98	-13	PASS
n71	30	15	138100	36@0	DFT_BPSK	698.00	-45.33	-13	PASS
n71	30	15	138100	1@37	DFT_QPSK	698.00	-27.31	-13	PASS
n71	30	15	138100	36@0	DFT_QPSK	698.38	-40.44	-13	PASS
n71	30	15	138100	1@37	DFT_16QAM	698.00	-28.68	-13	PASS
n71	30	15	138100	36@0	DFT_16QAM	698.94	-42.48	-13	PASS
n71	30	15	138100	1@37	DFT_64QAM	698.02	-29.25	-13	PASS
n71	30	15	138100	36@0	DFT_64QAM	698.14	-44.74	-13	PASS
n71	30	15	138100	1@37	DFT_256QAM	698.00	-30.91	-13	PASS

n71	30	15	138100	36@0	DFT_256QAM	698.00	-49.10	-13	PASS
n71	30	15	138100	38@0	CP_QPSK	698.85	-35.69	-13	PASS
n71	30	20	134600	1@0	DFT_BPSK	663.93	10.52	30	PASS
n71	30	20	134600	50@0	DFT_BPSK	662.99	-43.15	-13	PASS
n71	30	20	134600	1@0	DFT_QPSK	664.05	10.57	30	PASS
n71	30	20	134600	50@0	DFT_QPSK	661.38	-43.31	-13	PASS
n71	30	20	134600	1@0	DFT_16QAM	663.93	10.11	30	PASS
n71	30	20	134600	50@0	DFT_16QAM	661.21	-43.62	-13	PASS
n71	30	20	134600	1@0	DFT_64QAM	664.00	8.79	30	PASS
n71	30	20	134600	50@0	DFT_64QAM	662.99	-42.47	-13	PASS
n71	30	20	134600	1@0	DFT_256QAM	663.83	7.27	30	PASS
n71	30	20	134600	50@0	DFT_256QAM	662.88	-45.91	-13	PASS
n71	30	20	134600	51@0	CP_QPSK	662.83	-38.24	-13	PASS
n71	30	20	137600	1@50	DFT_BPSK	698.00	-32.67	-13	PASS
n71	30	20	137600	50@0	DFT_BPSK	698.65	-46.58	-13	PASS
n71	30	20	137600	1@50	DFT_QPSK	698.00	-31.90	-13	PASS
n71	30	20	137600	50@0	DFT_QPSK	698.67	-42.88	-13	PASS
n71	30	20	137600	1@50	DFT_16QAM	698.01	-32.29	-13	PASS
n71	30	20	137600	50@0	DFT_16QAM	698.20	-43.89	-13	PASS
n71	30	20	137600	1@50	DFT_64QAM	698.01	-33.36	-13	PASS
n71	30	20	137600	50@0	DFT_64QAM	698.17	-46.27	-13	PASS
n71	30	20	137600	1@50	DFT_256QAM	698.01	-35.90	-13	PASS
n71	30	20	137600	50@0	DFT_256QAM	698.12	-50.65	-13	PASS
n71	30	20	137600	51@0	CP_QPSK	698.82	-38.63	-13	PASS


n71 SCS=30kHz CP_QPSK BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz CP_QPSK BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz CP_QPSK BW=15MHz HighChannel=138100 RB=38@0




n71 SCS=30kHz CP_QPSK BW=15MHz LowChannel=134100 RB=38@0




n71 SCS=30kHz CP_QPSK BW=20MHz HighChannel=137600 RB=51@0




n71 SCS=30kHz CP_QPSK BW=20MHz LowChannel=134600 RB=51@0




n71 SCS=30kHz DFT_16QAM BW=10MHz HighChannel=138600 RB=1@23




n71 SCS=30kHz DFT_16QAM BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz DFT_16QAM BW=10MHz LowChannel=133600 RB=1@0




n71 SCS=30kHz DFT_16QAM BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz DFT_16QAM BW=15MHz HighChannel=138100 RB=1@37




n71 SCS=30kHz DFT_16QAM BW=15MHz HighChannel=138100 RB=36@0




n71 SCS=30kHz DFT_16QAM BW=15MHz LowChannel=134100 RB=1@0




n71 SCS=30kHz DFT_16QAM BW=15MHz LowChannel=134100 RB=36@0




n71 SCS=30kHz DFT_16QAM BW=20MHz HighChannel=137600 RB=1@50




n71 SCS=30kHz DFT_16QAM BW=20MHz HighChannel=137600 RB=50@0




n71 SCS=30kHz DFT_16QAM BW=20MHz LowChannel=134600 RB=1@0




n71 SCS=30kHz DFT_16QAM BW=20MHz LowChannel=134600 RB=50@0




n71 SCS=30kHz DFT_256QAM BW=10MHz HighChannel=138600 RB=1@23




n71 SCS=30kHz DFT_256QAM BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz DFT_256QAM BW=10MHz LowChannel=133600 RB=1@0



n71 SCS=30kHz DFT_256QAM BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz DFT_256QAM BW=15MHz HighChannel=138100 RB=1@37




n71 SCS=30kHz DFT_256QAM BW=15MHz HighChannel=138100 RB=36@0




n71 SCS=30kHz DFT_256QAM BW=15MHz LowChannel=134100 RB=1@0




n71 SCS=30kHz DFT_256QAM BW=15MHz LowChannel=134100 RB=36@0




n71 SCS=30kHz DFT_256QAM BW=20MHz HighChannel=137600 RB=1@50




n71 SCS=30kHz DFT_256QAM BW=20MHz HighChannel=137600 RB=50@0




n71 SCS=30kHz DFT_256QAM BW=20MHz LowChannel=134600 RB=1@0




n71 SCS=30kHz DFT_256QAM BW=20MHz LowChannel=134600 RB=50@0




n71 SCS=30kHz DFT_64QAM BW=10MHz HighChannel=138600 RB=1@23




n71 SCS=30kHz DFT_64QAM BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz DFT_64QAM BW=10MHz LowChannel=133600 RB=1@0




n71 SCS=30kHz DFT_64QAM BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz DFT_64QAM BW=15MHz HighChannel=138100 RB=1@37




n71 SCS=30kHz DFT_64QAM BW=15MHz HighChannel=138100 RB=36@0




n71 SCS=30kHz DFT_64QAM BW=15MHz LowChannel=134100 RB=1@0




n71 SCS=30kHz DFT_64QAM BW=15MHz LowChannel=134100 RB=36@0




n71 SCS=30kHz DFT_64QAM BW=20MHz HighChannel=137600 RB=1@50




n71 SCS=30kHz DFT_64QAM BW=20MHz HighChannel=137600 RB=50@0




n71 SCS=30kHz DFT_64QAM BW=20MHz LowChannel=134600 RB=1@0




n71 SCS=30kHz DFT_64QAM BW=20MHz LowChannel=134600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=10MHz HighChannel=138600 RB=1@23




n71 SCS=30kHz DFT_BPSK BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz LowChannel=133600 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=15MHz HighChannel=138100 RB=1@37




n71 SCS=30kHz DFT_BPSK BW=15MHz HighChannel=138100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=15MHz LowChannel=134100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=15MHz LowChannel=134100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=20MHz HighChannel=137600 RB=1@50



n71 SCS=30kHz DFT_BPSK BW=20MHz HighChannel=137600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz LowChannel=134600 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=20MHz LowChannel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=10MHz HighChannel=138600 RB=1@23




n71 SCS=30kHz DFT_QPSK BW=10MHz HighChannel=138600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz LowChannel=133600 RB=1@0



n71 SCS=30kHz DFT_QPSK BW=10MHz LowChannel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=15MHz HighChannel=138100 RB=1@37




n71 SCS=30kHz DFT_QPSK BW=15MHz HighChannel=138100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz LowChannel=134100 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=15MHz LowChannel=134100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=20MHz HighChannel=137600 RB=1@50




n71 SCS=30kHz DFT_QPSK BW=20MHz HighChannel=137600 RB=50@0



n71 SCS=30kHz DFT_QPSK BW=20MHz LowChannel=134600 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=20MHz LowChannel=134600 RB=50@0




6. Conducted Spurious Emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	30	10	133600	1@0	DFT_BPSK	3372.10	-42.19	-13	PASS
n71	30	10	133600	1@23	DFT_BPSK	3192.10	-42.62	-13	PASS
n71	30	10	133600	24@0	DFT_BPSK	6482.80	-42.49	-13	PASS
n71	30	10	136100	1@0	DFT_BPSK	2781.40	-42.23	-13	PASS
n71	30	10	136100	1@23	DFT_BPSK	2054.20	-41.60	-13	PASS
n71	30	10	136100	24@0	DFT_BPSK	3104.80	-41.88	-13	PASS
n71	30	10	138600	1@0	DFT_BPSK	3505.30	-42.47	-13	PASS
n71	30	10	138600	1@23	DFT_BPSK	1394.50	-42.01	-13	PASS
n71	30	10	138600	24@0	DFT_BPSK	3030.10	-42.04	-13	PASS
n71	30	15	134100	1@0	DFT_BPSK	2658.10	-42.48	-13	PASS
n71	30	15	134100	1@37	DFT_BPSK	3207.40	-42.42	-13	PASS
n71	30	15	134100	36@0	DFT_BPSK	3290.50	-41.70	-13	PASS
n71	30	15	136100	1@0	DFT_BPSK	6882.40	-41.84	-13	PASS
n71	30	15	136100	1@37	DFT_BPSK	3004.30	-42.45	-13	PASS
n71	30	15	136100	36@0	DFT_BPSK	3074.20	-42.18	-13	PASS
n71	30	15	138100	1@0	DFT_BPSK	1367.80	-42.51	-13	PASS
n71	30	15	138100	1@37	DFT_BPSK	2092.30	-41.85	-13	PASS
n71	30	15	138100	36@0	DFT_BPSK	3134.80	-42.12	-13	PASS
n71	30	20	134600	1@0	DFT_BPSK	3270.10	-42.38	-13	PASS
n71	30	20	134600	1@50	DFT_BPSK	1364.50	-41.60	-13	PASS
n71	30	20	134600	50@0	DFT_BPSK	3578.80	-41.74	-13	PASS
n71	30	20	136100	1@0	DFT_BPSK	3461.20	-41.72	-13	PASS
n71	30	20	136100	1@50	DFT_BPSK	3098.20	-42.27	-13	PASS
n71	30	20	136100	50@0	DFT_BPSK	3267.10	-42.24	-13	PASS
n71	30	20	137600	1@0	DFT_BPSK	3122.80	-42.11	-13	PASS
n71	30	20	137600	1@50	DFT_BPSK	3250.60	-42.07	-13	PASS
n71	30	20	137600	50@0	DFT_BPSK	3089.80	-41.64	-13	PASS


n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=1@23




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=1@23




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=138600 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=138600 RB=1@23




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=138600 RB=24@0



n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	941.57	-54.44	-13
2	1000	10000	1000	3207.40	-42.42	-13

n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	811.59	-54.75	-13
2	1000	10000	1000	3290.50	-41.70	-13


n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=1@37




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=1@37




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=1@50




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=1@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=1@50



n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	488.52	-54.89	-13
2	1000	10000	1000	3122.80	-42.11	-13

n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=1@50



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	842.18	-53.89	-13
2	1000	10000	1000	3250.60	-42.07	-13

n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=50@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	817.32	-55.06	-13
2	1000	10000	1000	3089.80	-41.64	-13