# Appendix H: Test Data for E-UTRA Band 5

**Product Name: SMARTPHONE**

**Test Model: SP-7275**

**Environmental Conditions**

| | |
|---|---|
| Temperature: | 23.8°C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Paddi Chen |
| Supervised by: | Nick Peng |

# H.1 Conducted Output Power Data

## Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 23.54 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 22.67 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#2 | 23.51 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#2 | 22.62 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#5 | 23.78 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#5 | 23.11 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 3RB#0 | 23.54 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#0 | 23.20 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 3RB#1 | 23.53 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#1 | 23.34 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 3RB#3 | 23.58 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#3 | 23.22 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 6RB#0 | 22.82 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0 | 22.32 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 23.73 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 23.47 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#2 | 23.86 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#2 | 23.39 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#5 | 23.85 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#5 | 23.52 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 3RB#0 | 23.77 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#0 | 23.26 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 3RB#1 | 23.79 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#1 | 23.02 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 3RB#3 | 23.77 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#3 | 23.05 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 6RB#0 | 23.00 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0 | 22.35 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 23.11 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 23.14 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#2 | 22.39 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#2 | 22.32 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#5 | 21.42 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#5 | 21.40 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 3RB#0 | 23.13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#0 | 22.58 | PASS |

| | | | | | | |
|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20643 | 3RB#1 | 23.17 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#1 | 22.57 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 3RB#3 | 21.80 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#3 | 21.64 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 6RB#0 | 22.47 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0 | 22.12 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 23.30 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 22.77 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#8 | 23.39 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#8 | 22.78 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#14 | 23.36 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#14 | 22.85 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 8RB#0 | 22.57 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#0 | 22.20 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 8RB#4 | 22.58 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#4 | 22.21 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 8RB#7 | 22.64 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 8RB#7 | 22.11 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 15RB#0 | 22.55 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 15RB#0 | 21.95 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 23.46 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 22.30 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#8 | 23.55 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#8 | 22.33 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#14 | 23.77 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#14 | 23.17 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 8RB#0 | 22.76 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#0 | 22.35 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 8RB#4 | 22.75 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#4 | 22.24 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 8RB#7 | 22.85 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 8RB#7 | 22.39 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 15RB#0 | 22.72 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 15RB#0 | 21.98 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 23.35 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 23.45 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#8 | 23.25 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#8 | 23.20 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#14 | 21.27 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#14 | 21.15 | PASS |

| | | | | | | |
|---|---|---|---|---|---|---|
| Band5 | 3MHz | QPSK | 20635 | 8RB#0 | 22.72 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#0 | 22.26 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 8RB#4 | 22.80 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#4 | 22.26 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 8RB#7 | 22.49 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#7 | 22.05 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 15RB#0 | 22.61 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0 | 22.12 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 23.39 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 22.26 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#12 | 23.46 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#12 | 22.27 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#24 | 23.57 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#24 | 22.19 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 12RB#0 | 22.55 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#0 | 22.01 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 12RB#6 | 22.55 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#6 | 21.85 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 12RB#13 | 22.70 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#13 | 21.99 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 25RB#0 | 22.65 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0 | 22.16 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 23.30 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 23.47 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#12 | 23.32 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#12 | 23.47 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#24 | 23.49 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#24 | 23.54 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 12RB#0 | 22.71 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#0 | 22.25 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 12RB#6 | 22.74 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#6 | 22.13 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 12RB#13 | 22.69 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#13 | 22.11 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 25RB#0 | 22.89 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0 | 22.04 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 23.57 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 22.95 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#12 | 23.44 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#12 | 22.88 | PASS |

| | | | | | | |
|---|---|---|---|---|---|---|
| Band5 | 5MHz | QPSK | 20625 | 1RB#24 | 21.90 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#24 | 21.60 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 12RB#0 | 22.77 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 12RB#0 | 22.24 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 12RB#6 | 22.91 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 12RB#6 | 22.10 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 12RB#13 | 22.68 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 12RB#13 | 22.02 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 25RB#0 | 22.72 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 25RB#0 | 22.34 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 23.38 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 22.92 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#24 | 23.44 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#24 | 22.95 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#49 | 23.42 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#49 | 23.02 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 25RB#0 | 22.58 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#0 | 21.96 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 25RB#12 | 22.54 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#12 | 21.96 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 25RB#25 | 22.56 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#25 | 21.94 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 50RB#0 | 22.55 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0 | 22.00 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 23.53 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 23.06 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#24 | 23.66 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#24 | 23.16 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#49 | 23.69 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#49 | 23.21 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 25RB#0 | 22.68 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#0 | 22.26 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 25RB#12 | 22.65 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#12 | 22.35 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 25RB#25 | 22.88 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#25 | 22.34 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 50RB#0 | 22.77 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0 | 22.09 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 23.63 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 23.69 | PASS |

| | | | | | | |
|---|---|---|---|---|---|---|
| Band5 | 10MHz | QPSK | 20600 | 1RB#24 | 23.56 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#24 | 23.59 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#49 | 22.60 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#49 | 22.30 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 25RB#0 | 23.01 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#0 | 22.39 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 25RB#12 | 22.75 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#12 | 22.37 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 25RB#25 | 22.83 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#25 | 22.36 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 50RB#0 | 22.78 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0 | 22.34 | PASS |

# H.2 Peak-to-Average Ratio(CCDF)

## Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|---|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 4.80 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 5.17 | 13 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 6RB#0 | 5.62 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0 | 6.22 | 13 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 4.57 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 5.52 | 13 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 6RB#0 | 5.46 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0 | 5.98 | 13 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 3.37 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 3.14 | 13 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 6RB#0 | 3.29 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0 | 4.42 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 4.91 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 5.61 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 15RB#0 | 5.73 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 15RB#0 | 6.39 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 4.62 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 5.11 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 15RB#0 | 5.50 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 15RB#0 | 6.14 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 3.63 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 3.58 | 13 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 15RB#0 | 4.44 | 13 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0 | 5.12 | 13 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 5.03 | 13 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 5.76 | 13 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 25RB#0 | 5.75 | 13 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0 | 6.34 | 13 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 4.85 | 13 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 5.27 | 13 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 25RB#0 | 5.60 | 13 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0 | 6.19 | 13 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 3.93 | 13 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 4.33 | 13 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 2.32 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 3.33 | 13 | PASS |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Band5 | 10MHz | QPSK | 20450 | 50RB#0 | 5.32 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0 | 6.08 | 13 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 3.83 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 4.85 | 13 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 50RB#0 | 4.77 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0 | 5.49 | 13 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 3.04 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 4.15 | 13 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 50RB#0 | 4.82 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0 | 5.69 | 13 | PASS |

## Test Graphs




Band5-1.4MHz-QPSK-20407-1RB#0-PASS




Band5-1.4MHz-16QAM-20407-1RB#0-PASS




Band5-1.4MHz-QPSK-20407-6RB#0-PASS




Band5-1.4MHz-16QAM-20407-6RB#0-PASS




Band5-1.4MHz-QPSK-20525-1RB#0-PASS




Band5-1.4MHz-16QAM-20525-1RB#0-PASS




Band5-1.4MHz-QPSK-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-1RB#0-PASS




Band5-1.4MHz-16QAM-20643-1RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Band5-3MHz-QPSK-20415-1RB#0-PASS




Band5-3MHz-16QAM-20415-1RB#0-PASS




Band5-3MHz-QPSK-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-1RB#0-PASS




Band5-3MHz-16QAM-20525-1RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS




Band5-3MHz-QPSK-20635-1RB#0-PASS




Band5-3MHz-16QAM-20635-1RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-5MHz-QPSK-20425-1RB#0-PASS




Band5-5MHz-16QAM-20425-1RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-1RB#0-PASS




Band5-5MHz-16QAM-20525-1RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-QPSK-20625-1RB#0-PASS




Band5-5MHz-16QAM-20625-1RB#0-PASS




Band5-10MHz-QPSK-20450-1RB#0-PASS




Band5-10MHz-16QAM-20450-1RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-QPSK-20525-1RB#0-PASS




Band5-10MHz-16QAM-20525-1RB#0-PASS




Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-1RB#0-PASS




Band5-10MHz-16QAM-20600-1RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS

# H.3 26dB Bandwidth and Occupied Bandwidth

## Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|---|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20407 | 6RB#0 | 1.0941 | 1.298 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0 | 1.0967 | 1.325 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 6RB#0 | 1.0939 | 1.284 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0 | 1.1003 | 1.351 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 6RB#0 | 1.1013 | 1.336 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0 | 1.0943 | 1.292 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 15RB#0 | 2.7098 | 3.160 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 15RB#0 | 2.7031 | 3.068 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 15RB#0 | 2.7093 | 3.184 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 15RB#0 | 2.7089 | 3.238 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 15RB#0 | 2.7073 | 3.122 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0 | 2.7111 | 3.242 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 25RB#0 | 4.5163 | 5.318 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0 | 4.5188 | 5.234 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 25RB#0 | 4.5183 | 5.411 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0 | 4.5265 | 5.463 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 25RB#0 | 4.5272 | 5.443 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 25RB#0 | 4.5545 | 5.371 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 50RB#0 | 8.9841 | 9.990 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0 | 8.9858 | 10.07 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 50RB#0 | 9.0092 | 10.14 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0 | 9.0094 | 10.56 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 50RB#0 | 8.9732 | 9.785 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0 | 8.9958 | 10.09 | PASS |

## Test Graphs




Band5-1.4MHz-QPSK-20407-6RB#0-PASS




Band5-1.4MHz-16QAM-20407-6RB#0-PASS




Band5-1.4MHz-QPSK-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Band5-3MHz-QPSK-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS

# H.4 Band Edge

## Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Peak Frenquency | Result(dBm) | Verdict |
|---|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20407 | 6RB#0 | 823.85 | -29.10 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0 | 823.96 | -30.63 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 6RB#0 | 849.03 | -24.19 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0 | 849.14 | -25.12 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 15RB#0 | 824.00 | -24.93 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 15RB#0 | 824.00 | -24.28 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 15RB#0 | 849.00 | -24.67 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0 | 849.01 | -24.37 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 25RB#0 | 823.98 | -29.39 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0 | 823.97 | -30.35 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 25RB#0 | 849.06 | -29.42 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 25RB#0 | 849.03 | -28.11 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 50RB#0 | 823.99 | -32.76 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0 | 823.99 | -33.60 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 50RB#0 | 849.02 | -32.53 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0 | 849.09 | -32.42 | PASS |

## Test Graphs




Band5_1.4MHz_QPSK_20407_6RB#0




Band5_1.4MHz_16QAM_20407_6RB#0




Band5_1.4MHz_QPSK_20643_6RB#0




Band5_1.4MHz_16QAM_20643_6RB#0




Band5_3MHz_QPSK_20415_15RB#0




Band5_3MHz_16QAM_20415_15RB#0




Band5_3MHz_QPSK_20635_15RB#0




Band5_3MHz_16QAM_20635_15RB#0




Band5_5MHz_QPSK_20425_25RB#0




Band5_5MHz_16QAM_20425_25RB#0




Band5_5MHz_QPSK_20625_25RB#0




Band5_5MHz_16QAM_20625_25RB#0




Band5_10MHz_QPSK_20450_50RB#0




Band5_10MHz_16QAM_20450_50RB#0




Band5_10MHz_QPSK_20600_50RB#0




Band5_10MHz_16QAM_20600_50RB#0

# H.5 Conducted Spurious Emission

## Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range | Result (dBm) | Verdict |
|---|---|---|---|---|---|---|---|
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 0.009~0.15 | -56.25 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 0.15~30 | -53.19 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 30~1000 | -44.53 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 1000~3000 | -42.70 | PASS |
| Band5 | 1.4MHz | QPSK | 20407 | 1RB#0 | 3000~10000 | -44.11 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 0.009~0.15 | -56.14 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 0.15~30 | -50.02 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 30~1000 | -44.25 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 1000~3000 | -41.41 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0 | 3000~10000 | -43.72 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 0.009~0.15 | -58.88 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 0.15~30 | -51.94 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 30~1000 | -47.05 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 1000~3000 | -43.79 | PASS |
| Band5 | 1.4MHz | QPSK | 20525 | 1RB#0 | 3000~10000 | -44.18 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 0.009~0.15 | -60.25 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 0.15~30 | -52.24 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 30~1000 | -46.76 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 1000~3000 | -42.55 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0 | 3000~10000 | -43.43 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 0.009~0.15 | -57.03 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 0.15~30 | -50.81 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 30~1000 | -43.56 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 1000~3000 | -43.40 | PASS |
| Band5 | 1.4MHz | QPSK | 20643 | 1RB#0 | 3000~10000 | -44.42 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 0.009~0.15 | -59.15 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 0.15~30 | -51.35 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 30~1000 | -43.00 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 1000~3000 | -41.67 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0 | 3000~10000 | -44.46 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 0.009~0.15 | -57.69 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 0.15~30 | -53.16 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 30~1000 | -49.73 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 1000~3000 | -40.87 | PASS |
| Band5 | 3MHz | QPSK | 20415 | 1RB#0 | 3000~10000 | -43.64 | PASS |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 0.009~0.15 | -57.92 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 0.15~30 | -52.47 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 30~1000 | -48.14 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 1000~3000 | -41.35 | PASS |
| Band5 | 3MHz | 16QAM | 20415 | 1RB#0 | 3000~10000 | -43.97 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 0.009~0.15 | -57.07 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 0.15~30 | -50.12 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 30~1000 | -51.10 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 1000~3000 | -43.04 | PASS |
| Band5 | 3MHz | QPSK | 20525 | 1RB#0 | 3000~10000 | -43.71 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 0.009~0.15 | -56.08 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 0.15~30 | -52.45 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 30~1000 | -47.97 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 1000~3000 | -42.75 | PASS |
| Band5 | 3MHz | 16QAM | 20525 | 1RB#0 | 3000~10000 | -43.43 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 0.009~0.15 | -58.16 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 0.15~30 | -50.67 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 30~1000 | -46.63 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 1000~3000 | -41.32 | PASS |
| Band5 | 3MHz | QPSK | 20635 | 1RB#0 | 3000~10000 | -44.17 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 0.009~0.15 | -57.35 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 0.15~30 | -50.25 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 30~1000 | -48.68 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 1000~3000 | -40.53 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#0 | 3000~10000 | -44.13 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 0.009~0.15 | -56.75 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 0.15~30 | -52.02 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 30~1000 | -57.51 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 1000~3000 | -42.14 | PASS |
| Band5 | 5MHz | QPSK | 20425 | 1RB#0 | 3000~10000 | -44.12 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 0.009~0.15 | -58.44 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 0.15~30 | -51.78 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 30~1000 | -56.83 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 1000~3000 | -42.62 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0 | 3000~10000 | -43.98 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 0.009~0.15 | -55.02 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 0.15~30 | -52.33 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 30~1000 | -57.32 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 1000~3000 | -43.08 | PASS |
| Band5 | 5MHz | QPSK | 20525 | 1RB#0 | 3000~10000 | -44.07 | PASS |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 0.009~0.15 | -59.69 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 0.15~30 | -52.78 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 30~1000 | -60.15 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 1000~3000 | -43.59 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0 | 3000~10000 | -44.01 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 0.009~0.15 | -58.07 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 0.15~30 | -52.05 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 30~1000 | -58.68 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 1000~3000 | -42.66 | PASS |
| Band5 | 5MHz | QPSK | 20625 | 1RB#0 | 3000~10000 | -44.01 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 0.009~0.15 | -58.15 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 0.15~30 | -52.12 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 30~1000 | -57.16 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 1000~3000 | -42.48 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0 | 3000~10000 | -44.15 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 0.009~0.15 | -55.81 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 0.15~30 | -51.35 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 30~1000 | -62.04 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 1000~3000 | -41.97 | PASS |
| Band5 | 10MHz | QPSK | 20450 | 1RB#0 | 3000~10000 | -44.26 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 0.009~0.15 | -57.12 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 0.15~30 | -50.51 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 30~1000 | -61.50 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 1000~3000 | -40.77 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0 | 3000~10000 | -43.76 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 0.009~0.15 | -56.19 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 0.15~30 | -53.22 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 30~1000 | -61.92 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 1000~3000 | -43.00 | PASS |
| Band5 | 10MHz | QPSK | 20525 | 1RB#0 | 3000~10000 | -43.86 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 0.009~0.15 | -56.37 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 0.15~30 | -52.79 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 30~1000 | -61.87 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 1000~3000 | -41.91 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0 | 3000~10000 | -43.65 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 0.009~0.15 | -59.07 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 0.15~30 | -51.60 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 30~1000 | -61.81 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 1000~3000 | -44.54 | PASS |
| Band5 | 10MHz | QPSK | 20600 | 1RB#0 | 3000~10000 | -44.00 | PASS |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 0.009~0.15 | -58.65 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 0.15~30 | -51.07 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 30~1000 | -61.83 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 1000~3000 | -43.87 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0 | 3000~10000 | -44.05 | PASS |

## Test Graphs




Band5_1.4MHz_QPSK_20407_1RB#0_0.009~0.15_0.009~0.15




Band5_1.4MHz_QPSK_20407_1RB#0_0.15~30_0.15~30




Band5_1.4MHz_QPSK_20407_1RB#0_30~1000_30~1000




Band5_1.4MHz_QPSK_20407_1RB#0_1000~3000_1000~3000




Band5_1.4MHz_QPSK_20407_1RB#0_3000~10000_3000~10000




Band5_1.4MHz_16QAM_20407_1RB#0_0.009~0.15_0.009~0.15




Band5_1.4MHz_16QAM_20407_1RB#0_0.15~30_0.15~30




Band5_1.4MHz_16QAM_20407_1RB#0_30~1000_30~1000




Band5_1.4MHz_16QAM_20407_1RB#0_1000~3000_1000~3000




Band5_1.4MHz_16QAM_20407_1RB#0_3000~10000_3000~10000




Band5_1.4MHz_QPSK_20525_1RB#0_0.009~0.15_0.009~0.15




Band5_1.4MHz_QPSK_20525_1RB#0_0.15~30_0.15~30




Band5_1.4MHz_QPSK_20525_1RB#0_30~1000_30~1000




Band5_1.4MHz_QPSK_20525_1RB#0_1000~3000_1000~3000




Band5_1.4MHz_QPSK_20525_1RB#0_3000~10000_3000~10000




Band5_1.4MHz_16QAM_20525_1RB#0_0.009~0.15_0.009~0.15




Band5_1.4MHz_16QAM_20525_1RB#0_0.15~30_0.15~30




Band5_1.4MHz_16QAM_20525_1RB#0_30~1000_30~1000




Band5_1.4MHz_16QAM_20525_1RB#0_1000~3000_1000~3000




Band5_1.4MHz_16QAM_20525_1RB#0_3000~10000_3000~10000




Band5_1.4MHz_QPSK_20643_1RB#0_0.009~0.15_0.009~0.15




Band5_1.4MHz_QPSK_20643_1RB#0_0.15~30_0.15~30




Band5_1.4MHz_QPSK_20643_1RB#0_30~1000_30~1000