

01 Conducted output power

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
NVNT	Band5	1.4	20407	1	#0	QPSK	22.11	3.36	23.32	38.5	PASS
NVNT	Band5	1.4	20407	1	#Mid	QPSK	22.04	3.36	23.25	38.5	PASS
NVNT	Band5	1.4	20407	1	#Max	QPSK	21.96	3.36	23.17	38.5	PASS
NVNT	Band5	1.4	20407	3	#0	QPSK	21.83	3.36	23.04	38.5	PASS
NVNT	Band5	1.4	20407	3	#Mid	QPSK	21.88	3.36	23.09	38.5	PASS
NVNT	Band5	1.4	20407	3	#Max	QPSK	21.85	3.36	23.06	38.5	PASS
NVNT	Band5	1.4	20407	6	#0	QPSK	20.98	3.36	22.19	38.5	PASS
NVNT	Band5	1.4	20407	1	#0	QAM16	21.26	3.36	22.47	38.5	PASS
NVNT	Band5	1.4	20407	1	#Mid	QAM16	21.19	3.36	22.4	38.5	PASS
NVNT	Band5	1.4	20407	1	#Max	QAM16	21.23	3.36	22.44	38.5	PASS
NVNT	Band5	1.4	20407	3	#0	QAM16	21.24	3.36	22.45	38.5	PASS
NVNT	Band5	1.4	20407	3	#Mid	QAM16	21.25	3.36	22.46	38.5	PASS
NVNT	Band5	1.4	20407	3	#Max	QAM16	21.24	3.36	22.45	38.5	PASS
NVNT	Band5	1.4	20407	6	#0	QAM16	20.4	3.36	21.61	38.5	PASS
NVNT	Band5	1.4	20525	1	#0	QPSK	22.17	3.36	23.38	38.5	PASS
NVNT	Band5	1.4	20525	1	#Mid	QPSK	22.17	3.36	23.38	38.5	PASS
NVNT	Band5	1.4	20525	1	#Max	QPSK	22.05	3.36	23.26	38.5	PASS
NVNT	Band5	1.4	20525	3	#0	QPSK	22.17	3.36	23.38	38.5	PASS
NVNT	Band5	1.4	20525	3	#Mid	QPSK	22.14	3.36	23.35	38.5	PASS
NVNT	Band5	1.4	20525	3	#Max	QPSK	22.02	3.36	23.23	38.5	PASS
NVNT	Band5	1.4	20525	6	#0	QPSK	21.23	3.36	22.44	38.5	PASS
NVNT	Band5	1.4	20525	1	#0	QAM16	21.53	3.36	22.74	38.5	PASS
NVNT	Band5	1.4	20525	1	#Mid	QAM16	21.45	3.36	22.66	38.5	PASS
NVNT	Band5	1.4	20525	1	#Max	QAM16	21.48	3.36	22.69	38.5	PASS
NVNT	Band5	1.4	20525	3	#0	QAM16	21.57	3.36	22.78	38.5	PASS
NVNT	Band5	1.4	20525	3	#Mid	QAM16	21.54	3.36	22.75	38.5	PASS
NVNT	Band5	1.4	20525	3	#Max	QAM16	21.5	3.36	22.71	38.5	PASS
NVNT	Band5	1.4	20525	6	#0	QAM16	20.53	3.36	21.74	38.5	PASS
NVNT	Band5	1.4	20643	1	#0	QPSK	22.34	3.36	23.55	38.5	PASS
NVNT	Band5	1.4	20643	1	#Mid	QPSK	22.35	3.36	23.56	38.5	PASS
NVNT	Band5	1.4	20643	1	#Max	QPSK	22.32	3.36	23.53	38.5	PASS
NVNT	Band5	1.4	20643	3	#0	QPSK	22.27	3.36	23.48	38.5	PASS
NVNT	Band5	1.4	20643	3	#Mid	QPSK	22.27	3.36	23.48	38.5	PASS
NVNT	Band5	1.4	20643	3	#Max	QPSK	22.29	3.36	23.5	38.5	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	21.49	3.36	22.7	38.5	PASS
NVNT	Band5	1.4	20643	1	#0	QAM16	21.35	3.36	22.56	38.5	PASS
NVNT	Band5	1.4	20643	1	#Mid	QAM16	21.41	3.36	22.62	38.5	PASS
NVNT	Band5	1.4	20643	1	#Max	QAM16	21.43	3.36	22.64	38.5	PASS
NVNT	Band5	1.4	20643	3	#0	QAM16	21.62	3.36	22.83	38.5	PASS

NVNT	Band5	1.4	20643	3	#Mid	QAM16	21.63	3.36	22.84	38.5	PASS
NVNT	Band5	1.4	20643	3	#Max	QAM16	21.67	3.36	22.88	38.5	PASS
NVNT	Band5	1.4	20643	6	#0	QAM16	20.69	3.36	21.9	38.5	PASS
NVNT	Band5	3	20415	1	#0	QPSK	21.69	3.36	22.9	38.5	PASS
NVNT	Band5	3	20415	1	#Mid	QPSK	21.72	3.36	22.93	38.5	PASS
NVNT	Band5	3	20415	1	#Max	QPSK	21.8	3.36	23.01	38.5	PASS
NVNT	Band5	3	20415	8	#0	QPSK	20.9	3.36	22.11	38.5	PASS
NVNT	Band5	3	20415	8	#Mid	QPSK	20.99	3.36	22.2	38.5	PASS
NVNT	Band5	3	20415	8	#Max	QPSK	21.05	3.36	22.26	38.5	PASS
NVNT	Band5	3	20415	15	#0	QPSK	20.95	3.36	22.16	38.5	PASS
NVNT	Band5	3	20415	1	#0	QAM16	21.24	3.36	22.45	38.5	PASS
NVNT	Band5	3	20415	1	#Mid	QAM16	21.41	3.36	22.62	38.5	PASS
NVNT	Band5	3	20415	1	#Max	QAM16	21.47	3.36	22.68	38.5	PASS
NVNT	Band5	3	20415	8	#0	QAM16	20.11	3.36	21.32	38.5	PASS
NVNT	Band5	3	20415	8	#Mid	QAM16	20.21	3.36	21.42	38.5	PASS
NVNT	Band5	3	20415	8	#Max	QAM16	20.24	3.36	21.45	38.5	PASS
NVNT	Band5	3	20415	15	#0	QAM16	20.18	3.36	21.39	38.5	PASS
NVNT	Band5	3	20525	1	#0	QPSK	22.07	3.36	23.28	38.5	PASS
NVNT	Band5	3	20525	1	#Mid	QPSK	22	3.36	23.21	38.5	PASS
NVNT	Band5	3	20525	1	#Max	QPSK	21.76	3.36	22.97	38.5	PASS
NVNT	Band5	3	20525	8	#0	QPSK	21.19	3.36	22.4	38.5	PASS
NVNT	Band5	3	20525	8	#Mid	QPSK	21.15	3.36	22.36	38.5	PASS
NVNT	Band5	3	20525	8	#Max	QPSK	21.08	3.36	22.29	38.5	PASS
NVNT	Band5	3	20525	15	#0	QPSK	21.1	3.36	22.31	38.5	PASS
NVNT	Band5	3	20525	1	#0	QAM16	21.45	3.36	22.66	38.5	PASS
NVNT	Band5	3	20525	1	#Mid	QAM16	21.38	3.36	22.59	38.5	PASS
NVNT	Band5	3	20525	1	#Max	QAM16	21.14	3.36	22.35	38.5	PASS
NVNT	Band5	3	20525	8	#0	QAM16	20.27	3.36	21.48	38.5	PASS
NVNT	Band5	3	20525	8	#Mid	QAM16	20.31	3.36	21.52	38.5	PASS
NVNT	Band5	3	20525	8	#Max	QAM16	20.18	3.36	21.39	38.5	PASS
NVNT	Band5	3	20525	15	#0	QAM16	20.19	3.36	21.4	38.5	PASS
NVNT	Band5	3	20635	1	#0	QPSK	21.93	3.36	23.14	38.5	PASS
NVNT	Band5	3	20635	1	#Mid	QPSK	22.16	3.36	23.37	38.5	PASS
NVNT	Band5	3	20635	1	#Max	QPSK	22.19	3.36	23.4	38.5	PASS
NVNT	Band5	3	20635	8	#0	QPSK	21.27	3.36	22.48	38.5	PASS
NVNT	Band5	3	20635	8	#Mid	QPSK	21.36	3.36	22.57	38.5	PASS
NVNT	Band5	3	20635	8	#Max	QPSK	21.41	3.36	22.62	38.5	PASS
NVNT	Band5	3	20635	15	#0	QPSK	21.34	3.36	22.55	38.5	PASS
NVNT	Band5	3	20635	1	#0	QAM16	21.03	3.36	22.24	38.5	PASS
NVNT	Band5	3	20635	1	#Mid	QAM16	21.28	3.36	22.49	38.5	PASS
NVNT	Band5	3	20635	1	#Max	QAM16	21.26	3.36	22.47	38.5	PASS
NVNT	Band5	3	20635	8	#0	QAM16	21.26	3.36	22.47	38.5	PASS
NVNT	Band5	3	20635	8	#Mid	QAM16	21.26	3.36	22.47	38.5	PASS
NVNT	Band5	3	20635	8	#Max	QAM16	21.26	3.36	22.47	38.5	PASS

NVNT	Band5	3	20635	15	#0	QAM16	21.26	3.36	22.47	38.5	PASS
NVNT	Band5	5	20425	1	#0	QPSK	22.1	3.36	23.31	38.5	PASS
NVNT	Band5	5	20425	1	#Mid	QPSK	22.06	3.36	23.27	38.5	PASS
NVNT	Band5	5	20425	1	#Max	QPSK	22.18	3.36	23.39	38.5	PASS
NVNT	Band5	5	20425	12	#0	QPSK	21.04	3.36	22.25	38.5	PASS
NVNT	Band5	5	20425	12	#Mid	QPSK	21.22	3.36	22.43	38.5	PASS
NVNT	Band5	5	20425	12	#Max	QPSK	21.19	3.36	22.4	38.5	PASS
NVNT	Band5	5	20425	25	#0	QPSK	21.13	3.36	22.34	38.5	PASS
NVNT	Band5	5	20425	1	#0	QAM16	21.45	3.36	22.66	38.5	PASS
NVNT	Band5	5	20425	1	#Mid	QAM16	21.53	3.36	22.74	38.5	PASS
NVNT	Band5	5	20425	1	#Max	QAM16	21.59	3.36	22.8	38.5	PASS
NVNT	Band5	5	20425	12	#0	QAM16	20.18	3.36	21.39	38.5	PASS
NVNT	Band5	5	20425	12	#Mid	QAM16	20.38	3.36	21.59	38.5	PASS
NVNT	Band5	5	20425	12	#Max	QAM16	20.4	3.36	21.61	38.5	PASS
NVNT	Band5	5	20425	25	#0	QAM16	20.22	3.36	21.43	38.5	PASS
NVNT	Band5	5	20525	1	#0	QPSK	22.39	3.36	23.6	38.5	PASS
NVNT	Band5	5	20525	1	#Mid	QPSK	22.14	3.36	23.35	38.5	PASS
NVNT	Band5	5	20525	1	#Max	QPSK	21.95	3.36	23.16	38.5	PASS
NVNT	Band5	5	20525	12	#0	QPSK	21.35	3.36	22.56	38.5	PASS
NVNT	Band5	5	20525	12	#Mid	QPSK	21.31	3.36	22.52	38.5	PASS
NVNT	Band5	5	20525	12	#Max	QPSK	21.13	3.36	22.34	38.5	PASS
NVNT	Band5	5	20525	25	#0	QPSK	21.19	3.36	22.4	38.5	PASS
NVNT	Band5	5	20525	1	#0	QAM16	22.05	3.36	23.26	38.5	PASS
NVNT	Band5	5	20525	1	#Mid	QAM16	21.85	3.36	23.06	38.5	PASS
NVNT	Band5	5	20525	1	#Max	QAM16	21.64	3.36	22.85	38.5	PASS
NVNT	Band5	5	20525	12	#0	QAM16	20.44	3.36	21.65	38.5	PASS
NVNT	Band5	5	20525	12	#Mid	QAM16	20.46	3.36	21.67	38.5	PASS
NVNT	Band5	5	20525	12	#Max	QAM16	20.24	3.36	21.45	38.5	PASS
NVNT	Band5	5	20525	25	#0	QAM16	20.26	3.36	21.47	38.5	PASS
NVNT	Band5	5	20625	1	#0	QPSK	21.72	3.36	22.93	38.5	PASS
NVNT	Band5	5	20625	1	#Mid	QPSK	22.04	3.36	23.25	38.5	PASS
NVNT	Band5	5	20625	1	#Max	QPSK	22.29	3.36	23.5	38.5	PASS
NVNT	Band5	5	20625	12	#0	QPSK	20.9	3.36	22.11	38.5	PASS
NVNT	Band5	5	20625	12	#Mid	QPSK	21.23	3.36	22.44	38.5	PASS
NVNT	Band5	5	20625	12	#Max	QPSK	21.34	3.36	22.55	38.5	PASS
NVNT	Band5	5	20625	25	#0	QPSK	21.18	3.36	22.39	38.5	PASS
NVNT	Band5	5	20625	1	#0	QAM16	21.18	3.36	22.39	38.5	PASS
NVNT	Band5	5	20625	1	#Mid	QAM16	21.54	3.36	22.75	38.5	PASS
NVNT	Band5	5	20625	1	#Max	QAM16	21.74	3.36	22.95	38.5	PASS
NVNT	Band5	5	20625	12	#0	QAM16	19.99	3.36	21.2	38.5	PASS
NVNT	Band5	5	20625	12	#Mid	QAM16	20.33	3.36	21.54	38.5	PASS
NVNT	Band5	5	20625	12	#Max	QAM16	20.44	3.36	21.65	38.5	PASS
NVNT	Band5	5	20625	25	#0	QAM16	20.31	3.36	21.52	38.5	PASS
NVNT	Band5	10	20450	1	#0	QPSK	21.76	3.36	22.97	38.5	PASS

NVNT	Band5	10	20450	1	#Mid	QPSK	22	3.36	23.21	38.5	PASS
NVNT	Band5	10	20450	1	#Max	QPSK	22.12	3.36	23.33	38.5	PASS
NVNT	Band5	10	20450	25	#0	QPSK	20.96	3.36	22.17	38.5	PASS
NVNT	Band5	10	20450	25	#Mid	QPSK	21.14	3.36	22.35	38.5	PASS
NVNT	Band5	10	20450	25	#Max	QPSK	21.16	3.36	22.37	38.5	PASS
NVNT	Band5	10	20450	50	#0	QPSK	21.02	3.36	22.23	38.5	PASS
NVNT	Band5	10	20450	1	#0	QAM16	21.32	3.36	22.53	38.5	PASS
NVNT	Band5	10	20450	1	#Mid	QAM16	21.6	3.36	22.81	38.5	PASS
NVNT	Band5	10	20450	1	#Max	QAM16	21.76	3.36	22.97	38.5	PASS
NVNT	Band5	10	20450	25	#0	QAM16	20.09	3.36	21.3	38.5	PASS
NVNT	Band5	10	20450	25	#Mid	QAM16	20.35	3.36	21.56	38.5	PASS
NVNT	Band5	10	20450	25	#Max	QAM16	20.31	3.36	21.52	38.5	PASS
NVNT	Band5	10	20450	27	#0	QAM16	20.11	3.36	21.32	38.5	PASS
NVNT	Band5	10	20525	1	#0	QPSK	22.23	3.36	23.44	38.5	PASS
NVNT	Band5	10	20525	1	#Mid	QPSK	22.01	3.36	23.22	38.5	PASS
NVNT	Band5	10	20525	1	#Max	QPSK	21.43	3.36	22.64	38.5	PASS
NVNT	Band5	10	20525	25	#0	QPSK	21.16	3.36	22.37	38.5	PASS
NVNT	Band5	10	20525	25	#Mid	QPSK	21.04	3.36	22.25	38.5	PASS
NVNT	Band5	10	20525	25	#Max	QPSK	20.69	3.36	21.9	38.5	PASS
NVNT	Band5	10	20525	50	#0	QPSK	20.82	3.36	22.03	38.5	PASS
NVNT	Band5	10	20525	1	#0	QAM16	21.59	3.36	22.8	38.5	PASS
NVNT	Band5	10	20525	1	#Mid	QAM16	21.32	3.36	22.53	38.5	PASS
NVNT	Band5	10	20525	1	#Max	QAM16	20.81	3.36	22.02	38.5	PASS
NVNT	Band5	10	20525	25	#0	QAM16	20.29	3.36	21.5	38.5	PASS
NVNT	Band5	10	20525	25	#Mid	QAM16	20.18	3.36	21.39	38.5	PASS
NVNT	Band5	10	20525	25	#Max	QAM16	19.8	3.36	21.01	38.5	PASS
NVNT	Band5	10	20525	27	#0	QAM16	20.29	3.36	21.5	38.5	PASS
NVNT	Band5	10	20600	1	#0	QPSK	21.61	3.36	22.82	38.5	PASS
NVNT	Band5	10	20600	1	#Mid	QPSK	21.56	3.36	22.77	38.5	PASS
NVNT	Band5	10	20600	1	#Max	QPSK	22.19	3.36	23.4	38.5	PASS
NVNT	Band5	10	20600	25	#0	QPSK	20.44	3.36	21.65	38.5	PASS
NVNT	Band5	10	20600	25	#Mid	QPSK	20.66	3.36	21.87	38.5	PASS
NVNT	Band5	10	20600	25	#Max	QPSK	20.86	3.36	22.07	38.5	PASS
NVNT	Band5	10	20600	50	#0	QPSK	20.64	3.36	21.85	38.5	PASS
NVNT	Band5	10	20600	1	#0	QAM16	20.6	3.36	21.81	38.5	PASS
NVNT	Band5	10	20600	1	#Mid	QAM16	20.64	3.36	21.85	38.5	PASS
NVNT	Band5	10	20600	1	#Max	QAM16	21.21	3.36	22.42	38.5	PASS
NVNT	Band5	10	20600	25	#0	QAM16	19.58	3.36	20.79	38.5	PASS
NVNT	Band5	10	20600	25	#Mid	QAM16	19.81	3.36	21.02	38.5	PASS
NVNT	Band5	10	20600	25	#Max	QAM16	20.09	3.36	21.3	38.5	PASS
NVNT	Band5	10	20600	27	#0	QAM16	19.59	3.36	20.8	38.5	PASS
Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict

NVNT	Band7	5	20775	1	#0	QPSK	20.68	2.01	22.69	33	PASS
NVNT	Band7	5	20775	1	#Mid	QPSK	20.69	2.01	22.70	33	PASS
NVNT	Band7	5	20775	1	#Max	QPSK	20.64	2.01	22.65	33	PASS
NVNT	Band7	5	20775	12	#0	QPSK	19.75	2.01	21.76	33	PASS
NVNT	Band7	5	20775	12	#Mid	QPSK	19.81	2.01	21.82	33	PASS
NVNT	Band7	5	20775	12	#Max	QPSK	19.66	2.01	21.67	33	PASS
NVNT	Band7	5	20775	25	#0	QPSK	19.75	2.01	21.76	33	PASS
NVNT	Band7	5	20775	1	#0	QAM16	20.02	2.01	22.03	33	PASS
NVNT	Band7	5	20775	1	#Mid	QAM16	20.05	2.01	22.06	33	PASS
NVNT	Band7	5	20775	1	#Max	QAM16	19.96	2.01	21.97	33	PASS
NVNT	Band7	5	20775	12	#0	QAM16	18.77	2.01	20.78	33	PASS
NVNT	Band7	5	20775	12	#Mid	QAM16	18.84	2.01	20.85	33	PASS
NVNT	Band7	5	20775	12	#Max	QAM16	18.74	2.01	20.75	33	PASS
NVNT	Band7	5	20775	25	#0	QAM16	18.81	2.01	20.82	33	PASS
NVNT	Band7	5	21100	1	#0	QPSK	18.70	2.01	20.71	33	PASS
NVNT	Band7	5	21100	1	#Mid	QPSK	19.04	2.01	21.05	33	PASS
NVNT	Band7	5	21100	1	#Max	QPSK	19.64	2.01	21.65	33	PASS
NVNT	Band7	5	21100	12	#0	QPSK	17.91	2.01	19.92	33	PASS
NVNT	Band7	5	21100	12	#Mid	QPSK	18.18	2.01	20.19	33	PASS
NVNT	Band7	5	21100	12	#Max	QPSK	18.41	2.01	20.42	33	PASS
NVNT	Band7	5	21100	25	#0	QPSK	18.11	2.01	20.12	33	PASS
NVNT	Band7	5	21100	1	#0	QAM16	18.17	2.01	20.18	33	PASS
NVNT	Band7	5	21100	1	#Mid	QAM16	18.50	2.01	20.51	33	PASS
NVNT	Band7	5	21100	1	#Max	QAM16	19.13	2.01	21.14	33	PASS
NVNT	Band7	5	21100	12	#0	QAM16	17.16	2.01	19.17	33	PASS
NVNT	Band7	5	21100	12	#Mid	QAM16	17.41	2.01	19.42	33	PASS
NVNT	Band7	5	21100	12	#Max	QAM16	17.70	2.01	19.71	33	PASS
NVNT	Band7	5	21100	25	#0	QAM16	17.34	2.01	19.35	33	PASS
NVNT	Band7	5	21425	1	#0	QPSK	18.68	2.01	20.69	33	PASS
NVNT	Band7	5	21425	1	#Mid	QPSK	18.85	2.01	20.86	33	PASS
NVNT	Band7	5	21425	1	#Max	QPSK	19.39	2.01	21.40	33	PASS
NVNT	Band7	5	21425	12	#0	QPSK	17.89	2.01	19.90	33	PASS
NVNT	Band7	5	21425	12	#Mid	QPSK	18.05	2.01	20.06	33	PASS
NVNT	Band7	5	21425	12	#Max	QPSK	18.23	2.01	20.24	33	PASS
NVNT	Band7	5	21425	25	#0	QPSK	18.13	2.01	20.14	33	PASS
NVNT	Band7	5	21425	1	#0	QAM16	18.46	2.01	20.47	33	PASS
NVNT	Band7	5	21425	1	#Mid	QAM16	18.62	2.01	20.63	33	PASS
NVNT	Band7	5	21425	1	#Max	QAM16	19.13	2.01	21.14	33	PASS
NVNT	Band7	5	21425	12	#0	QAM16	17.06	2.01	19.07	33	PASS
NVNT	Band7	5	21425	12	#Mid	QAM16	17.24	2.01	19.25	33	PASS
NVNT	Band7	5	21425	12	#Max	QAM16	17.44	2.01	19.45	33	PASS
NVNT	Band7	5	21425	25	#0	QAM16	17.24	2.01	19.25	33	PASS
NVNT	Band7	10	20800	1	#0	QPSK	20.53	2.01	22.54	33	PASS
NVNT	Band7	10	20800	1	#Mid	QPSK	20.32	2.01	22.33	33	PASS

NVNT	Band7	10	20800	1	#Max	QPSK	19.71	2.01	21.72	33	PASS
NVNT	Band7	10	20800	25	#0	QPSK	19.49	2.01	21.50	33	PASS
NVNT	Band7	10	20800	25	#Mid	QPSK	19.45	2.01	21.46	33	PASS
NVNT	Band7	10	20800	25	#Max	QPSK	19.11	2.01	21.12	33	PASS
NVNT	Band7	10	20800	50	#0	QPSK	19.25	2.01	21.26	33	PASS
NVNT	Band7	10	20800	1	#0	QAM16	20.12	2.01	22.13	33	PASS
NVNT	Band7	10	20800	1	#Mid	QAM16	19.79	2.01	21.80	33	PASS
NVNT	Band7	10	20800	1	#Max	QAM16	19.34	2.01	21.35	33	PASS
NVNT	Band7	10	20800	25	#0	QAM16	18.59	2.01	20.60	33	PASS
NVNT	Band7	10	20800	25	#Mid	QAM16	18.56	2.01	20.57	33	PASS
NVNT	Band7	10	20800	25	#Max	QAM16	18.23	2.01	20.24	33	PASS
NVNT	Band7	10	20800	27	#0	QAM16	18.60	2.01	20.61	33	PASS
NVNT	Band7	10	21100	1	#0	QPSK	18.30	2.01	20.31	33	PASS
NVNT	Band7	10	21100	1	#Mid	QPSK	18.97	2.01	20.98	33	PASS
NVNT	Band7	10	21100	1	#Max	QPSK	20.20	2.01	22.21	33	PASS
NVNT	Band7	10	21100	25	#0	QPSK	17.63	2.01	19.64	33	PASS
NVNT	Band7	10	21100	25	#Mid	QPSK	18.15	2.01	20.16	33	PASS
NVNT	Band7	10	21100	25	#Max	QPSK	18.58	2.01	20.59	33	PASS
NVNT	Band7	10	21100	50	#0	QPSK	18.16	2.01	20.17	33	PASS
NVNT	Band7	10	21100	1	#0	QAM16	17.71	2.01	19.72	33	PASS
NVNT	Band7	10	21100	1	#Mid	QAM16	18.27	2.01	20.28	33	PASS
NVNT	Band7	10	21100	1	#Max	QAM16	19.48	2.01	21.49	33	PASS
NVNT	Band7	10	21100	25	#0	QAM16	16.83	2.01	18.84	33	PASS
NVNT	Band7	10	21100	25	#Mid	QAM16	17.36	2.01	19.37	33	PASS
NVNT	Band7	10	21100	25	#Max	QAM16	17.76	2.01	19.77	33	PASS
NVNT	Band7	10	21100	27	#0	QAM16	16.90	2.01	18.91	33	PASS
NVNT	Band7	10	21400	1	#0	QPSK	18.84	2.01	20.85	33	PASS
NVNT	Band7	10	21400	1	#Mid	QPSK	18.57	2.01	20.58	33	PASS
NVNT	Band7	10	21400	1	#Max	QPSK	19.29	2.01	21.30	33	PASS
NVNT	Band7	10	21400	25	#0	QPSK	17.70	2.01	19.71	33	PASS
NVNT	Band7	10	21400	25	#Mid	QPSK	17.87	2.01	19.88	33	PASS
NVNT	Band7	10	21400	25	#Max	QPSK	17.92	2.01	19.93	33	PASS
NVNT	Band7	10	21400	50	#0	QPSK	17.88	2.01	19.89	33	PASS
NVNT	Band7	10	21400	1	#0	QAM16	17.92	2.01	19.93	33	PASS
NVNT	Band7	10	21400	1	#Mid	QAM16	17.76	2.01	19.77	33	PASS
NVNT	Band7	10	21400	1	#Max	QAM16	18.40	2.01	20.41	33	PASS
NVNT	Band7	10	21400	25	#0	QAM16	16.83	2.01	18.84	33	PASS
NVNT	Band7	10	21400	25	#Mid	QAM16	16.99	2.01	19.00	33	PASS
NVNT	Band7	10	21400	25	#Max	QAM16	17.04	2.01	19.05	33	PASS
NVNT	Band7	10	21400	27	#0	QAM16	16.85	2.01	18.86	33	PASS
NVNT	Band7	15	20825	1	#0	QPSK	20.98	2.01	22.99	33	PASS
NVNT	Band7	15	20825	1	#Mid	QPSK	20.70	2.01	22.71	33	PASS
NVNT	Band7	15	20825	1	#Max	QPSK	19.68	2.01	21.69	33	PASS
NVNT	Band7	15	20825	36	#0	QPSK	19.62	2.01	21.63	33	PASS

NVNT	Band7	15	20825	36	#Mid	QPSK	19.65	2.01	21.66	33	PASS
NVNT	Band7	15	20825	36	#Max	QPSK	19.10	2.01	21.11	33	PASS
NVNT	Band7	15	20825	75	#0	QPSK	20.11	2.01	22.12	33	PASS
NVNT	Band7	15	20825	1	#0	QAM16	19.98	2.01	21.99	33	PASS
NVNT	Band7	15	20825	1	#Mid	QAM16	19.66	2.01	21.67	33	PASS
NVNT	Band7	15	20825	1	#Max	QAM16	18.77	2.01	20.78	33	PASS
NVNT	Band7	15	20825	27	#0	QAM16	18.77	2.01	20.78	33	PASS
NVNT	Band7	15	21100	1	#0	QPSK	18.31	2.01	20.32	33	PASS
NVNT	Band7	15	21100	1	#Mid	QPSK	19.13	2.01	21.14	33	PASS
NVNT	Band7	15	21100	1	#Max	QPSK	20.84	2.01	22.85	33	PASS
NVNT	Band7	15	21100	36	#0	QPSK	17.77	2.01	19.78	33	PASS
NVNT	Band7	15	21100	36	#Mid	QPSK	18.31	2.01	20.32	33	PASS
NVNT	Band7	15	21100	36	#Max	QPSK	19.05	2.01	21.06	33	PASS
NVNT	Band7	15	21100	75	#0	QPSK	19.85	2.01	21.86	33	PASS
NVNT	Band7	15	21100	1	#0	QAM16	17.84	2.01	19.85	33	PASS
NVNT	Band7	15	21100	1	#Mid	QAM16	18.62	2.01	20.63	33	PASS
NVNT	Band7	15	21100	1	#Max	QAM16	20.27	2.01	22.28	33	PASS
NVNT	Band7	15	21100	27	#0	QAM16	16.84	2.01	18.85	33	PASS
NVNT	Band7	15	21375	1	#0	QPSK	19.99	2.01	22.00	33	PASS
NVNT	Band7	15	21375	1	#Mid	QPSK	19.01	2.01	21.02	33	PASS
NVNT	Band7	15	21375	1	#Max	QPSK	19.27	2.01	21.28	33	PASS
NVNT	Band7	15	21375	36	#0	QPSK	18.41	2.01	20.42	33	PASS
NVNT	Band7	15	21375	36	#Mid	QPSK	18.15	2.01	20.16	33	PASS
NVNT	Band7	15	21375	36	#Max	QPSK	18.12	2.01	20.13	33	PASS
NVNT	Band7	15	21375	75	#0	QPSK	19.57	2.01	21.58	33	PASS
NVNT	Band7	15	21375	1	#0	QAM16	19.15	2.01	21.16	33	PASS
NVNT	Band7	15	21375	1	#Mid	QAM16	18.36	2.01	20.37	33	PASS
NVNT	Band7	15	21375	1	#Max	QAM16	18.64	2.01	20.65	33	PASS
NVNT	Band7	15	21375	27	#0	QAM16	17.53	2.01	19.54	33	PASS
NVNT	Band7	20	20850	1	#0	QPSK	20.69	2.01	22.70	33	PASS
NVNT	Band7	20	20850	1	#Mid	QPSK	19.97	2.01	21.98	33	PASS
NVNT	Band7	20	20850	1	#Max	QPSK	18.47	2.01	20.48	33	PASS
NVNT	Band7	20	20850	50	#0	QPSK	19.35	2.01	21.36	33	PASS
NVNT	Band7	20	20850	50	#Mid	QPSK	18.97	2.01	20.98	33	PASS
NVNT	Band7	20	20850	50	#Max	QPSK	18.22	2.01	20.23	33	PASS
NVNT	Band7	20	20850	100	#0	QPSK	19.39	2.01	21.40	33	PASS
NVNT	Band7	20	20850	1	#0	QAM16	20.00	2.01	22.01	33	PASS
NVNT	Band7	20	20850	1	#Mid	QAM16	19.22	2.01	21.23	33	PASS
NVNT	Band7	20	20850	1	#Max	QAM16	17.94	2.01	19.95	33	PASS
NVNT	Band7	20	20850	27	#0	QAM16	18.54	2.01	20.55	33	PASS
NVNT	Band7	20	21100	1	#0	QPSK	18.04	2.01	20.05	33	PASS
NVNT	Band7	20	21100	1	#Mid	QPSK	19.12	2.01	21.13	33	PASS
NVNT	Band7	20	21100	1	#Max	QPSK	20.99	2.01	23.00	33	PASS
NVNT	Band7	20	21100	50	#0	QPSK	17.58	2.01	19.59	33	PASS

NVNT	Band7	20	21100	50	#Mid	QPSK	18.29	2.01	20.30	33	PASS
NVNT	Band7	20	21100	50	#Max	QPSK	19.10	2.01	21.11	33	PASS
NVNT	Band7	20	21100	100	#0	QPSK	19.27	2.01	21.28	33	PASS
NVNT	Band7	20	21100	1	#0	QAM16	17.49	2.01	19.50	33	PASS
NVNT	Band7	20	21100	1	#Mid	QAM16	18.48	2.01	20.49	33	PASS
NVNT	Band7	20	21100	1	#Max	QAM16	20.14	2.01	22.15	33	PASS
NVNT	Band7	20	21100	27	#0	QAM16	16.42	2.01	18.43	33	PASS
NVNT	Band7	20	21350	1	#0	QPSK	20.55	2.01	22.56	33	PASS
NVNT	Band7	20	21350	1	#Mid	QPSK	19.17	2.01	21.18	33	PASS
NVNT	Band7	20	21350	1	#Max	QPSK	19.14	2.01	21.15	33	PASS
NVNT	Band7	20	21350	50	#0	QPSK	18.66	2.01	20.67	33	PASS
NVNT	Band7	20	21350	50	#Mid	QPSK	18.25	2.01	20.26	33	PASS
NVNT	Band7	20	21350	50	#Max	QPSK	18.05	2.01	20.06	33	PASS
NVNT	Band7	20	21350	100	#0	QPSK	19.91	2.01	21.92	33	PASS
NVNT	Band7	20	21350	1	#0	QAM16	19.69	2.01	21.70	33	PASS
NVNT	Band7	20	21350	1	#Mid	QAM16	18.49	2.01	20.50	33	PASS
NVNT	Band7	20	21350	1	#Max	QAM16	18.58	2.01	20.59	33	PASS
NVNT	Band7	20	21350	27	#0	QAM16	18.06	2.01	20.07	33	PASS

02 Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
NVNT	Band 5	10	20450	50	#0	QPSK	VL	NT	-5.86	-0.007	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	VN	NT	-12.06	-0.015	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	VH	NT	-10.69	-0.013	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	50	-8.57	-0.010	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	40	-5.87	-0.007	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	30	-4.19	-0.005	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	20	-3.64	-0.004	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	10	-4.37	-0.005	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	0	-11.39	-0.014	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	-10	-13.59	-0.016	±2.5	PASS

NVNT	Band 5	10	20450	50	#0	QPSK	NV	-20	-17.01	-0.02 1	±2.5	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	-30	-18.93	-0.02 3	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	VL	NT	-21.62	-0.02 6	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	VN	NT	-18.61	-0.02 2	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	VH	NT	-19.15	-0.02 3	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	50	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	40	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	30	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	20	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	10	-18.42	-0.02 2	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	0	-12.99	-0.01 6	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	-10	-16.54	-0.02 0	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	-20	-16.50	-0.02 0	±2.5	PASS
NVNT	Band 5	10	20450	27	#0	QAM16	NV	-30	-15.92	-0.01 9	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	VL	NT	-17.14	-0.02 0	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	VN	NT	-22.80	-0.02 7	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	VH	NT	-21.14	-0.02 5	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	50	-23.55	-0.02 8	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	40	-20.82	-0.02 5	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	30	-20.53	-0.02 5	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	20	-13.59	-0.01 6	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	10	-6.18	-0.00 7	±2.5	PASS

NVNT	Band 5	10	20525	50	#0	QPSK	NV	0	-22.53	-0.02 7	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	-10	-12.33	-0.01 5	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	-20	-21.35	-0.02 6	±2.5	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	-30	-13.05	-0.01 6	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	VL	NT	-5.07	-0.00 6	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	VN	NT	-7.83	-0.00 9	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	VH	NT	-12.29	-0.01 5	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	50	-17.35	-0.02 1	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	40	-24.32	-0.02 9	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	30	-5.89	-0.00 7	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	20	-12.05	-0.01 4	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	10	-17.08	-0.02 0	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	0	-21.98	-0.02 6	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	-10	-22.05	-0.02 6	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	-20	-8.17	-0.01 0	±2.5	PASS
NVNT	Band 5	10	20525	27	#0	QAM16	NV	-30	-12.82	-0.01 5	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	VL	NT	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	VN	NT	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	VH	NT	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	50	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	40	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	30	0.00	0.000	±2.5	PASS

NVNT	Band 5	10	20600	50	#0	QPSK	NV	20	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	10	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	0	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	-10	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	-20	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	-30	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	VL	NT	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	VN	NT	0.00	0.000	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	VH	NT	-21.22	-0.025	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	50	-14.96	-0.018	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	40	-14.92	-0.018	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	30	-15.57	-0.018	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	20	-19.68	-0.023	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	10	-14.18	-0.017	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	0	-19.00	-0.023	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	-10	-21.53	-0.026	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	-20	-14.55	-0.017	±2.5	PASS
NVNT	Band 5	10	20600	27	#0	QAM16	NV	-30	-17.65	-0.021	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	VL	NT	-11.23	-0.004	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	VN	NT	-11.48	-0.005	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	VH	NT	-7.02	-0.003	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	50	-7.40	-0.003	±2.5	PASS

NVNT	Band 7	20	20850	100	#0	QPSK	NV	40	0.07	0.000	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	30	9.52	0.004	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	20	24.24	0.010	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	10	15.49	0.006	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	0	25.11	0.010	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	-10	11.51	0.005	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	-20	6.99	0.003	±2.5	PASS
NVNT	Band 7	20	20850	100	#0	QPSK	NV	-30	19.15	0.008	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	VL	NT	20.32	0.008	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	VN	NT	14.92	0.006	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	VH	NT	1.56	0.001	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	50	-13.87	-0.00 6	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	40	-11.61	-0.00 5	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	30	-20.54	-0.00 8	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	20	-11.03	-0.00 4	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	10	-22.75	-0.00 9	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	0	-4.31	-0.00 2	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	-10	-11.59	-0.00 5	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	-20	-23.68	-0.00 9	±2.5	PASS
NVNT	Band 7	20	20850	27	#0	QAM16	NV	-30	-4.24	-0.00 2	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	VL	NT	-8.88	-0.00 4	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	VN	NT	12.06	0.005	±2.5	PASS

NVNT	Band 7	20	21100	100	#0	QPSK	VH	NT	16.83	0.007	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	50	22.04	0.009	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	40	13.30	0.005	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	30	24.38	0.010	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	20	12.47	0.005	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	10	21.57	0.009	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	0	3.95	0.002	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	-10	17.80	0.007	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	-20	10.49	0.004	±2.5	PASS
NVNT	Band 7	20	21100	100	#0	QPSK	NV	-30	23.50	0.009	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	VL	NT	23.05	0.009	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	VN	NT	16.86	0.007	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	VH	NT	4.14	0.002	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	50	19.41	0.008	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	40	25.53	0.010	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	30	8.24	0.003	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	20	21.56	0.009	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	10	5.87	0.002	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	0	13.72	0.005	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	-10	20.79	0.008	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	-20	11.14	0.004	±2.5	PASS
NVNT	Band 7	20	21100	27	#0	QAM16	NV	-30	23.87	0.009	±2.5	PASS


NVNT	Band 7	20	21350	100	#0	QPSK	VL	NT	-33.07	-0.01 3	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	VN	NT	-32.10	-0.01 3	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	VH	NT	-22.25	-0.00 9	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	50	-27.20	-0.01 1	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	40	-21.99	-0.00 9	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	30	-24.01	-0.00 9	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	20	-23.41	-0.00 9	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	10	-24.67	-0.01 0	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	0	-21.43	-0.00 8	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	-10	-19.65	-0.00 8	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	-20	-19.99	-0.00 8	±2.5	PASS
NVNT	Band 7	20	21350	100	#0	QPSK	NV	-30	-23.15	-0.00 9	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	VL	NT	-21.05	-0.00 8	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	VN	NT	-15.01	-0.00 6	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	VH	NT	-16.95	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	50	-14.13	-0.00 6	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	40	-19.09	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	30	-18.61	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	20	-18.32	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	10	-17.34	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	0	-19.46	-0.00 8	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	-10	-18.92	-0.00 7	±2.5	PASS

NVNT	Band 7	20	21350	27	#0	QAM16	NV	-20	-18.05	-0.00 7	±2.5	PASS
NVNT	Band 7	20	21350	27	#0	QAM16	NV	-30	-15.54	-0.00 6	±2.5	PASS


03 Peak-to-Average Ratio

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band5	1.4	20525	1	#0	QPSK	4.95	13	PASS
NVNT	Band5	1.4	20525	1	#0	QAM16	5.68	13	PASS
NVNT	Band5	3	20525	1	#0	QPSK	4.69	13	PASS
NVNT	Band5	3	20525	1	#0	QAM16	5.51	13	PASS
NVNT	Band5	5	20525	1	#0	QPSK	4.83	13	PASS
NVNT	Band5	5	20525	1	#0	QAM16	5.33	13	PASS
NVNT	Band5	10	20525	1	#0	QPSK	5.13	13	PASS
NVNT	Band5	10	20525	1	#0	QAM16	5.87	13	PASS
NVNT	Band7	5	21100	1	#0	QPSK	5.54	13	PASS
NVNT	Band7	5	21100	1	#0	QAM16	5.89	13	PASS
NVNT	Band7	10	21100	1	#0	QPSK	5.37	13	PASS
NVNT	Band7	10	21100	1	#0	QAM16	5.99	13	PASS
NVNT	Band7	15	21100	1	#0	QPSK	5.31	13	PASS
NVNT	Band7	15	21100	1	#0	QAM16	6.30	13	PASS
NVNT	Band7	20	21100	1	#0	QPSK	5.10	13	PASS
NVNT	Band7	20	21100	1	#0	QAM16	5.62	13	PASS


Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




04 Occupied bandwidth

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band5	1.4	20525	6	#0	QPSK	1.096	1.274	PASS
NVNT	Band5	1.4	20525	6	#0	QAM16	1.096	1.252	PASS
NVNT	Band5	3	20525	15	#0	QPSK	2.697	2.907	PASS
NVNT	Band5	3	20525	15	#0	QAM16	2.694	2.962	PASS
NVNT	Band5	5	20525	25	#0	QPSK	4.535	4.968	PASS
NVNT	Band5	5	20525	25	#0	QAM16	4.505	4.970	PASS
NVNT	Band5	10	20525	50	#0	QPSK	8.963	9.638	PASS
NVNT	Band5	10	20525	27	#0	QAM16	4.965	5.562	PASS
NVNT	Band7	5	21100	25	#0	QPSK	4.533	4.926	PASS
NVNT	Band7	5	21100	25	#0	QAM16	4.511	4.878	PASS
NVNT	Band7	10	21100	50	#0	QPSK	8.969	9.730	PASS
NVNT	Band7	10	21100	27	#0	QAM16	4.957	5.572	PASS
NVNT	Band7	15	21100	75	#0	QPSK	13.463	14.407	PASS
NVNT	Band7	15	21100	27	#0	QAM16	5.067	5.821	PASS
NVNT	Band7	20	21100	100	#0	QPSK	17.887	18.964	PASS
NVNT	Band7	20	21100	27	#0	QAM16	5.207	6.085	PASS


Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=27 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=27 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=27 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=27 Position=#0



05 Band edge


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band5	1.4	20407	6	#0	QPSK	823.98	-33.12	-13	PASS
NVNT	Band5	1.4	20407	6	#0	QAM16	824.00	-32.90	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	849.01	-31.07	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QAM16	849.00	-32.52	-13	PASS
NVNT	Band5	3	20415	15	#0	QPSK	824.00	-31.08	-13	PASS
NVNT	Band5	3	20415	15	#0	QAM16	824.00	-32.11	-13	PASS
NVNT	Band5	3	20635	15	#0	QPSK	849.00	-30.84	-13	PASS
NVNT	Band5	3	20635	15	#0	QAM16	849.00	-32.38	-13	PASS
NVNT	Band5	5	20425	25	#0	QPSK	824.00	-30.22	-13	PASS
NVNT	Band5	5	20425	25	#0	QAM16	823.96	-32.08	-13	PASS
NVNT	Band5	5	20625	25	#0	QPSK	849.00	-32.51	-13	PASS
NVNT	Band5	5	20625	25	#0	QAM16	849.00	-32.59	-13	PASS
NVNT	Band5	10	20450	50	#0	QPSK	823.98	-31.79	-13	PASS
NVNT	Band5	10	20450	27	#0	QAM16	823.58	-30.43	-13	PASS
NVNT	Band5	10	20600	50	#0	QPSK	849.68	-36.25	-13	PASS
NVNT	Band5	10	20600	27	#0	QAM16	849.04	-39.10	-13	PASS
NVNT	Band7	5	20775	25	#0	QPSK	2499.00	-14.63	-10	PASS
NVNT	Band7	5	20775	25	#0	QAM16	2498.99	-16.37	-10	PASS
NVNT	Band7	5	21425	25	#0	QPSK	2571.00	-16.55	-10	PASS
NVNT	Band7	5	21425	25	#0	QAM16	2571.00	-17.67	-10	PASS

NVNT	Band7	10	20800	50	#0	QPSK	2498.96	-24.71	-10	PASS
NVNT	Band7	10	20800	27	#0	QAM16	2498.96	-23.33	-10	PASS
NVNT	Band7	10	21400	50	#0	QPSK	2571.02	-25.26	-10	PASS
NVNT	Band7	10	21400	27	#0	QAM16	2594.39	-42.99	-25	PASS
NVNT	Band7	15	20825	75	#0	QPSK	2484.86	-40.50	-25	PASS
NVNT	Band7	15	20825	27	#0	QAM16	2498.99	-23.79	-10	PASS
NVNT	Band7	15	21375	75	#0	QPSK	2585.18	-42.24	-25	PASS
NVNT	Band7	15	21375	27	#0	QAM16	2589.48	-42.95	-25	PASS
NVNT	Band7	20	20850	100	#0	QPSK	2478.10	-42.96	-25	PASS
NVNT	Band7	20	20850	27	#0	QAM16	2498.86	-24.67	-10	PASS
NVNT	Band7	20	21350	100	#0	QPSK	2594.49	-42.51	-25	PASS
NVNT	Band7	20	21350	27	#0	QAM16	2590.14	-42.81	-25	PASS

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=27 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=27 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=27 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=27 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=27 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=27 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=27 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=27 Position=#0




06 Out-of-band emissions


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band5	1.4	20407	6	#0	QPSK	2474.75	-33.95	-13	PASS
NVNT	Band5	1.4	20407	6	#0	QAM16	26069.90	-33.60	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	25807.25	-34.64	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QAM16	25715.45	-34.02	-13	PASS
NVNT	Band5	3	20415	15	#0	QPSK	26053.75	-33.69	-13	PASS
NVNT	Band5	3	20415	15	#0	QAM16	26250.95	-33.88	-13	PASS
NVNT	Band5	3	20635	15	#0	QPSK	26351.25	-34.16	-13	PASS
NVNT	Band5	3	20635	15	#0	QAM16	25896.50	-33.72	-13	PASS
NVNT	Band5	5	20425	25	#0	QPSK	25768.15	-34.37	-13	PASS
NVNT	Band5	5	20425	25	#0	QAM16	26074.15	-34.10	-13	PASS
NVNT	Band5	5	20625	25	#0	QPSK	26136.20	-33.78	-13	PASS
NVNT	Band5	5	20625	25	#0	QAM16	26039.30	-34.33	-13	PASS
NVNT	Band5	10	20450	50	#0	QPSK	26462.60	-34.08	-13	PASS
NVNT	Band5	10	20450	27	#0	QAM16	26352.95	-32.21	-13	PASS
NVNT	Band5	10	20600	50	#0	QPSK	26137.05	-33.72	-13	PASS
NVNT	Band5	10	20600	27	#0	QAM16	26109.00	-32.84	-13	PASS
NVNT	Band7	5	20775	25	#0	QPSK	26080.95	-32.76	-25	PASS
NVNT	Band7	5	20775	25	#0	QAM16	25950.90	-32.83	-25	PASS
NVNT	Band7	5	21425	25	#0	QPSK	25970.45	-32.69	-25	PASS
NVNT	Band7	5	21425	25	#0	QAM16	25883.75	-31.98	-25	PASS

NVNT	Band7	10	20800	50	#0	QPSK	26193.15	-33.02	-25	PASS
NVNT	Band7	10	20800	27	#0	QAM16	26007.85	-32.90	-25	PASS
NVNT	Band7	10	21400	50	#0	QPSK	25962.80	-32.12	-25	PASS
NVNT	Band7	10	21400	27	#0	QAM16	25999.35	-32.50	-25	PASS
NVNT	Band7	15	20825	75	#0	QPSK	26063.95	-32.65	-25	PASS
NVNT	Band7	15	20825	27	#0	QAM16	26475.35	-32.94	-25	PASS
NVNT	Band7	15	21375	75	#0	QPSK	26092.85	-32.16	-25	PASS
NVNT	Band7	15	21375	27	#0	QAM16	26135.35	-32.70	-25	PASS
NVNT	Band7	20	20850	100	#0	QPSK	25287.05	-32.47	-25	PASS
NVNT	Band7	20	20850	27	#0	QAM16	26060.55	-33.19	-25	PASS
NVNT	Band7	20	21350	100	#0	QPSK	26035.90	-32.52	-25	PASS
NVNT	Band7	20	21350	27	#0	QAM16	25814.90	-33.13	-25	PASS


Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=27 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=27 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=27 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=27 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=27 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=27 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=27 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=27 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095828	-53.94	-25
2	0.15	30	10	0.15	-56.59	-25
3	30	1000	100	998.9976667	-58.05	-25
4	1000	26500	1000	25814.9	-33.13	-25