

## Appendix B : Test Result - n5-n26

### 1. Conducted Output Power

| Band | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Power<br>(dBm) | GT -<br>Lc<br>(dB) | ERP<br>(dBm) | ERP<br>(mW) | ERP<br>Limit<br>(mW) | Verdict |
|------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|--------------|-------------|----------------------|---------|
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_BPSK   | 22.75          | -4.25              | 18.5         | 70.79       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_BPSK   | 23.29          | -4.25              | 19.04        | 80.17       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_BPSK   | 23.17          | -4.25              | 18.92        | 77.98       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_BPSK   | 23.07          | -4.25              | 18.82        | 76.21       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_QPSK   | 22.29          | -4.25              | 18.04        | 63.68       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_QPSK   | 23.29          | -4.25              | 19.04        | 80.17       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_QPSK   | 23.16          | -4.25              | 18.91        | 77.8        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_QPSK   | 23.06          | -4.25              | 18.81        | 76.03       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_16QAM  | 21.26          | -4.25              | 17.01        | 50.23       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_16QAM  | 22.24          | -4.25              | 17.99        | 62.95       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_16QAM  | 22.27          | -4.25              | 18.02        | 63.39       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_16QAM  | 22.23          | -4.25              | 17.98        | 62.81       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_64QAM  | 20.75          | -4.25              | 16.5         | 44.67       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_64QAM  | 20.83          | -4.25              | 16.58        | 45.5        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_64QAM  | 20.62          | -4.25              | 16.37        | 43.35       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_64QAM  | 20.58          | -4.25              | 16.33        | 42.95       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | DFT_256QAM | 18.73          | -4.25              | 14.48        | 28.05       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 12@6             | DFT_256QAM | 18.74          | -4.25              | 14.49        | 28.12       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | DFT_256QAM | 18.95          | -4.25              | 14.7         | 29.51       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | DFT_256QAM | 18.87          | -4.25              | 14.62        | 28.97       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_QPSK    | 20.15          | -4.25              | 15.9         | 38.9        | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_QPSK    | 21.78          | -4.25              | 17.53        | 56.62       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_QPSK    | 21.82          | -4.25              | 17.57        | 57.15       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_QPSK    | 21.77          | -4.25              | 17.52        | 56.49       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_16QAM   | 20.25          | -4.25              | 16           | 39.81       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_16QAM   | 21.31          | -4.25              | 17.06        | 50.82       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_16QAM   | 21.13          | -4.25              | 16.88        | 48.75       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_16QAM   | 21.06          | -4.25              | 16.81        | 47.97       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_64QAM   | 19.67          | -4.25              | 15.42        | 34.83       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_64QAM   | 19.63          | -4.25              | 15.38        | 34.51       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@1              | CP_64QAM   | 19.7           | -4.25              | 15.45        | 35.08       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 1@23             | CP_64QAM   | 19.64          | -4.25              | 15.39        | 34.59       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 25@0             | CP_256QAM  | 16.82          | -4.25              | 12.57        | 18.07       | 7000                 | PASS    |
| n5   | 15           | 5                  | 165300        | 13@6             | CP_256QAM  | 16.87          | -4.25              | 12.62        | 18.28       | 7000                 | PASS    |

|    |    |   |        |      |            |       |       |       |       |      |      |
|----|----|---|--------|------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 5 | 165300 | 1@1  | CP_256QAM  | 16.99 | -4.25 | 12.74 | 18.79 | 7000 | PASS |
| n5 | 15 | 5 | 165300 | 1@23 | CP_256QAM  | 16.95 | -4.25 | 12.7  | 18.62 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_BPSK   | 22.55 | -4.25 | 18.3  | 67.61 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_BPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_BPSK   | 22.95 | -4.25 | 18.7  | 74.13 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_BPSK   | 22.91 | -4.25 | 18.66 | 73.45 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_QPSK   | 22.06 | -4.25 | 17.81 | 60.39 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_QPSK   | 23.13 | -4.25 | 18.88 | 77.27 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_QPSK   | 22.97 | -4.25 | 18.72 | 74.47 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_QPSK   | 22.91 | -4.25 | 18.66 | 73.45 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_16QAM  | 21.05 | -4.25 | 16.8  | 47.86 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_16QAM  | 21.99 | -4.25 | 17.74 | 59.43 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_16QAM  | 21.85 | -4.25 | 17.6  | 57.54 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_16QAM  | 21.82 | -4.25 | 17.57 | 57.15 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_64QAM  | 20.54 | -4.25 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_64QAM  | 20.68 | -4.25 | 16.43 | 43.95 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_64QAM  | 20.51 | -4.25 | 16.26 | 42.27 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | DFT_256QAM | 18.54 | -4.25 | 14.29 | 26.85 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 12@6 | DFT_256QAM | 18.56 | -4.25 | 14.31 | 26.98 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | DFT_256QAM | 18.78 | -4.25 | 14.53 | 28.38 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | DFT_256QAM | 18.69 | -4.25 | 14.44 | 27.8  | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_QPSK    | 19.99 | -4.25 | 15.74 | 37.5  | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_QPSK    | 21.6  | -4.25 | 17.35 | 54.33 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_QPSK    | 21.62 | -4.25 | 17.37 | 54.58 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_QPSK    | 21.55 | -4.25 | 17.3  | 53.7  | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_16QAM   | 20.04 | -4.25 | 15.79 | 37.93 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_16QAM   | 21.1  | -4.25 | 16.85 | 48.42 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_16QAM   | 20.91 | -4.25 | 16.66 | 46.34 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_16QAM   | 20.89 | -4.25 | 16.64 | 46.13 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_64QAM   | 19.42 | -4.25 | 15.17 | 32.89 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 25@0 | CP_256QAM  | 16.56 | -4.25 | 12.31 | 17.02 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 13@6 | CP_256QAM  | 16.69 | -4.25 | 12.44 | 17.54 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@1  | CP_256QAM  | 16.89 | -4.25 | 12.64 | 18.37 | 7000 | PASS |
| n5 | 15 | 5 | 167300 | 1@23 | CP_256QAM  | 16.8  | -4.25 | 12.55 | 17.99 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 25@0 | DFT_BPSK   | 22.56 | -4.25 | 18.31 | 67.76 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 12@6 | DFT_BPSK   | 23.15 | -4.25 | 18.9  | 77.62 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 1@1  | DFT_BPSK   | 22.94 | -4.25 | 18.69 | 73.96 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 1@23 | DFT_BPSK   | 23.03 | -4.25 | 18.78 | 75.51 | 7000 | PASS |
| n5 | 15 | 5 | 169300 | 25@0 | DFT_QPSK   | 22.11 | -4.25 | 17.86 | 61.09 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 5  | 169300 | 12@6  | DFT_QPSK   | 23.18 | -4.25 | 18.93 | 78.16 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_QPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_QPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_16QAM  | 21.07 | -4.25 | 16.82 | 48.08 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_16QAM  | 22.1  | -4.25 | 17.85 | 60.95 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_16QAM  | 21.88 | -4.25 | 17.63 | 57.94 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_16QAM  | 21.95 | -4.25 | 17.7  | 58.88 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_64QAM  | 20.59 | -4.25 | 16.34 | 43.05 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_64QAM  | 20.7  | -4.25 | 16.45 | 44.16 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_64QAM  | 20.54 | -4.25 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_64QAM  | 20.65 | -4.25 | 16.4  | 43.65 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | DFT_256QAM | 18.56 | -4.25 | 14.31 | 26.98 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 12@6  | DFT_256QAM | 18.64 | -4.25 | 14.39 | 27.48 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | DFT_256QAM | 18.75 | -4.25 | 14.5  | 28.18 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_QPSK    | 19.98 | -4.25 | 15.73 | 37.41 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_QPSK    | 21.65 | -4.25 | 17.4  | 54.95 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_QPSK    | 21.72 | -4.25 | 17.47 | 55.85 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_QPSK    | 21.79 | -4.25 | 17.54 | 56.75 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_16QAM   | 20.08 | -4.25 | 15.83 | 38.28 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_16QAM   | 21.17 | -4.25 | 16.92 | 49.2  | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_16QAM   | 20.9  | -4.25 | 16.65 | 46.24 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_16QAM   | 21.05 | -4.25 | 16.8  | 47.86 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_64QAM   | 19.51 | -4.25 | 15.26 | 33.57 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_64QAM   | 19.6  | -4.25 | 15.35 | 34.28 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 25@0  | CP_256QAM  | 16.62 | -4.25 | 12.37 | 17.26 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 13@6  | CP_256QAM  | 16.75 | -4.25 | 12.5  | 17.78 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@1   | CP_256QAM  | 16.84 | -4.25 | 12.59 | 18.16 | 7000 | PASS |
| n5 | 15 | 5  | 169300 | 1@23  | CP_256QAM  | 16.99 | -4.25 | 12.74 | 18.79 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_BPSK   | 22.71 | -4.25 | 18.46 | 70.15 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_BPSK   | 23.2  | -4.25 | 18.95 | 78.52 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_BPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_BPSK   | 22.94 | -4.25 | 18.69 | 73.96 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_QPSK   | 22.31 | -4.25 | 18.06 | 63.97 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_QPSK   | 23.25 | -4.25 | 19    | 79.43 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_QPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_QPSK   | 23.03 | -4.25 | 18.78 | 75.51 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_16QAM  | 21.32 | -4.25 | 17.07 | 50.93 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_16QAM  | 22.23 | -4.25 | 17.98 | 62.81 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_16QAM  | 22.05 | -4.25 | 17.8  | 60.26 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_16QAM  | 21.87 | -4.25 | 17.62 | 57.81 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 165800 | 50@0  | DFT_64QAM  | 20.75 | -4.25 | 16.5  | 44.67 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_64QAM  | 20.75 | -4.25 | 16.5  | 44.67 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_64QAM  | 20.8  | -4.25 | 16.55 | 45.19 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_64QAM  | 20.68 | -4.25 | 16.43 | 43.95 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 50@0  | DFT_256QAM | 18.76 | -4.25 | 14.51 | 28.25 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 25@12 | DFT_256QAM | 18.67 | -4.25 | 14.42 | 27.67 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | DFT_256QAM | 18.93 | -4.25 | 14.68 | 29.38 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | DFT_256QAM | 18.8  | -4.25 | 14.55 | 28.51 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_QPSK    | 20.28 | -4.25 | 16.03 | 40.09 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_QPSK    | 21.72 | -4.25 | 17.47 | 55.85 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_QPSK    | 21.79 | -4.25 | 17.54 | 56.75 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_QPSK    | 21.7  | -4.25 | 17.45 | 55.59 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_16QAM   | 20.32 | -4.25 | 16.07 | 40.46 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_16QAM   | 21.24 | -4.25 | 16.99 | 50    | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_16QAM   | 21.06 | -4.25 | 16.81 | 47.97 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_16QAM   | 20.9  | -4.25 | 16.65 | 46.24 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_64QAM   | 19.77 | -4.25 | 15.52 | 35.65 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_64QAM   | 19.71 | -4.25 | 15.46 | 35.16 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_64QAM   | 19.69 | -4.25 | 15.44 | 34.99 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_64QAM   | 19.55 | -4.25 | 15.3  | 33.88 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 52@0  | CP_256QAM  | 16.87 | -4.25 | 12.62 | 18.28 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 26@13 | CP_256QAM  | 16.78 | -4.25 | 12.53 | 17.91 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@1   | CP_256QAM  | 16.98 | -4.25 | 12.73 | 18.75 | 7000 | PASS |
| n5 | 15 | 10 | 165800 | 1@50  | CP_256QAM  | 16.87 | -4.25 | 12.62 | 18.28 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_BPSK   | 22.48 | -4.25 | 18.23 | 66.53 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_BPSK   | 23.05 | -4.25 | 18.8  | 75.86 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_BPSK   | 23.02 | -4.25 | 18.77 | 75.34 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_BPSK   | 22.85 | -4.25 | 18.6  | 72.44 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_QPSK   | 21.98 | -4.25 | 17.73 | 59.29 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_QPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_QPSK   | 23.02 | -4.25 | 18.77 | 75.34 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_QPSK   | 22.89 | -4.25 | 18.64 | 73.11 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_16QAM  | 20.97 | -4.25 | 16.72 | 46.99 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_16QAM  | 22.04 | -4.25 | 17.79 | 60.12 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_16QAM  | 21.86 | -4.25 | 17.61 | 57.68 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_16QAM  | 21.76 | -4.25 | 17.51 | 56.36 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_64QAM  | 20.43 | -4.25 | 16.18 | 41.5  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_64QAM  | 20.59 | -4.25 | 16.34 | 43.05 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_64QAM  | 20.71 | -4.25 | 16.46 | 44.26 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | DFT_64QAM  | 20.5  | -4.25 | 16.25 | 42.17 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 50@0  | DFT_256QAM | 18.45 | -4.25 | 14.2  | 26.3  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 25@12 | DFT_256QAM | 18.52 | -4.25 | 14.27 | 26.73 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 167300 | 1@50  | DFT_256QAM | 18.68 | -4.25 | 14.43 | 27.73 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_QPSK    | 19.96 | -4.25 | 15.71 | 37.24 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_QPSK    | 21.6  | -4.25 | 17.35 | 54.33 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_QPSK    | 21.71 | -4.25 | 17.46 | 55.72 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_QPSK    | 21.57 | -4.25 | 17.32 | 53.95 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_16QAM   | 19.99 | -4.25 | 15.74 | 37.5  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_16QAM   | 21.02 | -4.25 | 16.77 | 47.53 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_16QAM   | 20.85 | -4.25 | 16.6  | 45.71 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_16QAM   | 20.85 | -4.25 | 16.6  | 45.71 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_64QAM   | 19.58 | -4.25 | 15.33 | 34.12 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 52@0  | CP_256QAM  | 16.57 | -4.25 | 12.32 | 17.06 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 26@13 | CP_256QAM  | 16.68 | -4.25 | 12.43 | 17.5  | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@1   | CP_256QAM  | 16.89 | -4.25 | 12.64 | 18.37 | 7000 | PASS |
| n5 | 15 | 10 | 167300 | 1@50  | CP_256QAM  | 16.78 | -4.25 | 12.53 | 17.91 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_BPSK   | 22.54 | -4.25 | 18.29 | 67.45 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_BPSK   | 23.09 | -4.25 | 18.84 | 76.56 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_BPSK   | 22.85 | -4.25 | 18.6  | 72.44 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_BPSK   | 23.03 | -4.25 | 18.78 | 75.51 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_QPSK   | 22.07 | -4.25 | 17.82 | 60.53 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_QPSK   | 22.93 | -4.25 | 18.68 | 73.79 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_QPSK   | 23.09 | -4.25 | 18.84 | 76.56 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_16QAM  | 21.02 | -4.25 | 16.77 | 47.53 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_16QAM  | 22.08 | -4.25 | 17.83 | 60.67 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_16QAM  | 21.8  | -4.25 | 17.55 | 56.89 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_16QAM  | 21.99 | -4.25 | 17.74 | 59.43 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_64QAM  | 20.53 | -4.25 | 16.28 | 42.46 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_64QAM  | 20.55 | -4.25 | 16.3  | 42.66 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_64QAM  | 20.54 | -4.25 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_64QAM  | 20.72 | -4.25 | 16.47 | 44.36 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 50@0  | DFT_256QAM | 18.49 | -4.25 | 14.24 | 26.55 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 25@12 | DFT_256QAM | 18.53 | -4.25 | 14.28 | 26.79 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | DFT_256QAM | 18.71 | -4.25 | 14.46 | 27.93 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | DFT_256QAM | 18.85 | -4.25 | 14.6  | 28.84 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_QPSK    | 20    | -4.25 | 15.75 | 37.58 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_QPSK    | 21.62 | -4.25 | 17.37 | 54.58 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_QPSK    | 21.61 | -4.25 | 17.36 | 54.45 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_QPSK    | 21.83 | -4.25 | 17.58 | 57.28 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_16QAM   | 19.98 | -4.25 | 15.73 | 37.41 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_16QAM   | 21.09 | -4.25 | 16.84 | 48.31 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 10 | 168800 | 1@1   | CP_16QAM   | 20.82 | -4.25 | 16.57 | 45.39 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_16QAM   | 21.01 | -4.25 | 16.76 | 47.42 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_64QAM   | 19.52 | -4.25 | 15.27 | 33.65 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_64QAM   | 19.51 | -4.25 | 15.26 | 33.57 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_64QAM   | 19.43 | -4.25 | 15.18 | 32.96 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 52@0  | CP_256QAM  | 16.58 | -4.25 | 12.33 | 17.1  | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 26@13 | CP_256QAM  | 16.67 | -4.25 | 12.42 | 17.46 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@1   | CP_256QAM  | 16.79 | -4.25 | 12.54 | 17.95 | 7000 | PASS |
| n5 | 15 | 10 | 168800 | 1@50  | CP_256QAM  | 16.94 | -4.25 | 12.69 | 18.58 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_BPSK   | 22.67 | -4.25 | 18.42 | 69.5  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_BPSK   | 23.21 | -4.25 | 18.96 | 78.7  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_BPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_BPSK   | 22.91 | -4.25 | 18.66 | 73.45 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_QPSK   | 22.22 | -4.25 | 17.97 | 62.66 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_QPSK   | 23.23 | -4.25 | 18.98 | 79.07 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_QPSK   | 23.14 | -4.25 | 18.89 | 77.45 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_QPSK   | 22.94 | -4.25 | 18.69 | 73.96 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_16QAM  | 21.25 | -4.25 | 17    | 50.12 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_16QAM  | 22.2  | -4.25 | 17.95 | 62.37 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_16QAM  | 22.1  | -4.25 | 17.85 | 60.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_16QAM  | 21.81 | -4.25 | 17.56 | 57.02 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_64QAM  | 20.69 | -4.25 | 16.44 | 44.06 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_64QAM  | 20.7  | -4.25 | 16.45 | 44.16 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_64QAM  | 20.81 | -4.25 | 16.56 | 45.29 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 75@0  | DFT_256QAM | 18.69 | -4.25 | 14.44 | 27.8  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 36@18 | DFT_256QAM | 18.58 | -4.25 | 14.33 | 27.1  | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | DFT_256QAM | 18.98 | -4.25 | 14.73 | 29.72 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | DFT_256QAM | 18.73 | -4.25 | 14.48 | 28.05 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_QPSK    | 20.21 | -4.25 | 15.96 | 39.45 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_QPSK    | 21.69 | -4.25 | 17.44 | 55.46 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_QPSK    | 21.77 | -4.25 | 17.52 | 56.49 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_QPSK    | 21.57 | -4.25 | 17.32 | 53.95 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_16QAM   | 20.25 | -4.25 | 16    | 39.81 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_16QAM   | 21.24 | -4.25 | 16.99 | 50    | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_16QAM   | 21.14 | -4.25 | 16.89 | 48.87 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_16QAM   | 20.96 | -4.25 | 16.71 | 46.88 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_64QAM   | 19.67 | -4.25 | 15.42 | 34.83 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 39@19 | CP_64QAM   | 19.68 | -4.25 | 15.43 | 34.91 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_64QAM   | 19.68 | -4.25 | 15.43 | 34.91 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 79@0  | CP_256QAM  | 16.82 | -4.25 | 12.57 | 18.07 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 15 | 166300 | 39@19 | CP_256QAM  | 16.75 | -4.25 | 12.5  | 17.78 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@1   | CP_256QAM  | 17.03 | -4.25 | 12.78 | 18.97 | 7000 | PASS |
| n5 | 15 | 15 | 166300 | 1@77  | CP_256QAM  | 16.79 | -4.25 | 12.54 | 17.95 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_BPSK   | 22.49 | -4.25 | 18.24 | 66.68 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_BPSK   | 23.07 | -4.25 | 18.82 | 76.21 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_BPSK   | 23.01 | -4.25 | 18.76 | 75.16 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_BPSK   | 22.9  | -4.25 | 18.65 | 73.28 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_QPSK   | 22.04 | -4.25 | 17.79 | 60.12 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_QPSK   | 23.06 | -4.25 | 18.81 | 76.03 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_QPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_QPSK   | 22.97 | -4.25 | 18.72 | 74.47 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_16QAM  | 21.04 | -4.25 | 16.79 | 47.75 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_16QAM  | 22.11 | -4.25 | 17.86 | 61.09 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_16QAM  | 21.92 | -4.25 | 17.67 | 58.48 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_16QAM  | 21.88 | -4.25 | 17.63 | 57.94 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_64QAM  | 20.49 | -4.25 | 16.24 | 42.07 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_64QAM  | 20.61 | -4.25 | 16.36 | 43.25 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_64QAM  | 20.67 | -4.25 | 16.42 | 43.85 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_64QAM  | 20.61 | -4.25 | 16.36 | 43.25 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 75@0  | DFT_256QAM | 18.5  | -4.25 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 36@18 | DFT_256QAM | 18.5  | -4.25 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | DFT_256QAM | 18.86 | -4.25 | 14.61 | 28.91 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | DFT_256QAM | 18.77 | -4.25 | 14.52 | 28.31 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_QPSK    | 19.97 | -4.25 | 15.72 | 37.33 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_QPSK    | 21.58 | -4.25 | 17.33 | 54.08 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_QPSK    | 21.72 | -4.25 | 17.47 | 55.85 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_QPSK    | 21.67 | -4.25 | 17.42 | 55.21 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_16QAM   | 19.98 | -4.25 | 15.73 | 37.41 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_16QAM   | 21.12 | -4.25 | 16.87 | 48.64 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_16QAM   | 20.98 | -4.25 | 16.73 | 47.1  | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_16QAM   | 20.87 | -4.25 | 16.62 | 45.92 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_64QAM   | 19.46 | -4.25 | 15.21 | 33.19 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_64QAM   | 19.51 | -4.25 | 15.26 | 33.57 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_64QAM   | 19.43 | -4.25 | 15.18 | 32.96 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 79@0  | CP_256QAM  | 16.62 | -4.25 | 12.37 | 17.26 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 39@19 | CP_256QAM  | 16.63 | -4.25 | 12.38 | 17.3  | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@1   | CP_256QAM  | 16.9  | -4.25 | 12.65 | 18.41 | 7000 | PASS |
| n5 | 15 | 15 | 167300 | 1@77  | CP_256QAM  | 16.84 | -4.25 | 12.59 | 18.16 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_BPSK   | 22.56 | -4.25 | 18.31 | 67.76 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_BPSK   | 23.04 | -4.25 | 18.79 | 75.68 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_BPSK   | 22.93 | -4.25 | 18.68 | 73.79 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_BPSK   | 23.03 | -4.25 | 18.78 | 75.51 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 15 | 168300 | 75@0  | DFT_QPSK   | 22.03 | -4.25 | 17.78 | 59.98 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_QPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_QPSK   | 23.05 | -4.25 | 18.8  | 75.86 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_QPSK   | 23.18 | -4.25 | 18.93 | 78.16 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_16QAM  | 21.04 | -4.25 | 16.79 | 47.75 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_16QAM  | 22.1  | -4.25 | 17.85 | 60.95 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_16QAM  | 22.09 | -4.25 | 17.84 | 60.81 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_16QAM  | 22.24 | -4.25 | 17.99 | 62.95 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_64QAM  | 20.54 | -4.25 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_64QAM  | 20.56 | -4.25 | 16.31 | 42.76 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_64QAM  | 20.48 | -4.25 | 16.23 | 41.98 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_64QAM  | 20.55 | -4.25 | 16.3  | 42.66 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 75@0  | DFT_256QAM | 18.5  | -4.25 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 36@18 | DFT_256QAM | 18.51 | -4.25 | 14.26 | 26.67 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | DFT_256QAM | 18.6  | -4.25 | 14.35 | 27.23 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_QPSK    | 20.05 | -4.25 | 15.8  | 38.02 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_QPSK    | 21.55 | -4.25 | 17.3  | 53.7  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_QPSK    | 21.63 | -4.25 | 17.38 | 54.7  | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_QPSK    | 21.69 | -4.25 | 17.44 | 55.46 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_16QAM   | 20.09 | -4.25 | 15.84 | 38.37 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_16QAM   | 21.11 | -4.25 | 16.86 | 48.53 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_16QAM   | 21    | -4.25 | 16.75 | 47.32 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_16QAM   | 21.15 | -4.25 | 16.9  | 48.98 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_64QAM   | 19.56 | -4.25 | 15.31 | 33.96 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_64QAM   | 19.51 | -4.25 | 15.26 | 33.57 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_64QAM   | 19.54 | -4.25 | 15.29 | 33.81 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_64QAM   | 19.63 | -4.25 | 15.38 | 34.51 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 79@0  | CP_256QAM  | 16.5  | -4.25 | 12.25 | 16.79 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 39@19 | CP_256QAM  | 16.59 | -4.25 | 12.34 | 17.14 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@1   | CP_256QAM  | 16.6  | -4.25 | 12.35 | 17.18 | 7000 | PASS |
| n5 | 15 | 15 | 168300 | 1@77  | CP_256QAM  | 16.98 | -4.25 | 12.73 | 18.75 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_BPSK   | 22.52 | -4.25 | 18.27 | 67.14 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_BPSK   | 23.15 | -4.25 | 18.9  | 77.62 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_BPSK   | 23.02 | -4.25 | 18.77 | 75.34 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_BPSK   | 22.86 | -4.25 | 18.61 | 72.61 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_QPSK   | 22.05 | -4.25 | 17.8  | 60.26 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_QPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_QPSK   | 23.14 | -4.25 | 18.89 | 77.45 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_QPSK   | 22.98 | -4.25 | 18.73 | 74.64 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_16QAM  | 21.08 | -4.25 | 16.83 | 48.19 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_16QAM  | 22.19 | -4.25 | 17.94 | 62.23 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_16QAM  | 21.97 | -4.25 | 17.72 | 59.16 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 166800 | 1@104 | DFT_16QAM  | 21.86 | -4.25 | 17.61 | 57.68 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_64QAM  | 20.52 | -4.25 | 16.27 | 42.36 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_64QAM  | 20.75 | -4.25 | 16.5  | 44.67 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_64QAM  | 20.61 | -4.25 | 16.36 | 43.25 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 100@0 | DFT_256QAM | 18.5  | -4.25 | 14.25 | 26.61 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 50@25 | DFT_256QAM | 18.55 | -4.25 | 14.3  | 26.92 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | DFT_256QAM | 18.6  | -4.25 | 14.35 | 27.23 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | DFT_256QAM | 18.71 | -4.25 | 14.46 | 27.93 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_QPSK    | 20.07 | -4.25 | 15.82 | 38.19 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_QPSK    | 21.58 | -4.25 | 17.33 | 54.08 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_QPSK    | 21.73 | -4.25 | 17.48 | 55.98 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_QPSK    | 21.61 | -4.25 | 17.36 | 54.45 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_16QAM   | 20.05 | -4.25 | 15.8  | 38.02 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_16QAM   | 21.1  | -4.25 | 16.85 | 48.42 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_16QAM   | 21.04 | -4.25 | 16.79 | 47.75 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_16QAM   | 20.82 | -4.25 | 16.57 | 45.39 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_64QAM   | 19.69 | -4.25 | 15.44 | 34.99 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_64QAM   | 19.47 | -4.25 | 15.22 | 33.27 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 106@0 | CP_256QAM  | 16.69 | -4.25 | 12.44 | 17.54 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 53@26 | CP_256QAM  | 16.67 | -4.25 | 12.42 | 17.46 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@1   | CP_256QAM  | 16.55 | -4.25 | 12.3  | 16.98 | 7000 | PASS |
| n5 | 15 | 20 | 166800 | 1@104 | CP_256QAM  | 16.77 | -4.25 | 12.52 | 17.86 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_BPSK   | 22.44 | -4.25 | 18.19 | 65.92 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_BPSK   | 23.13 | -4.25 | 18.88 | 77.27 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_BPSK   | 23.06 | -4.25 | 18.81 | 76.03 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_BPSK   | 22.95 | -4.25 | 18.7  | 74.13 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_QPSK   | 21.99 | -4.25 | 17.74 | 59.43 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_QPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_QPSK   | 23.07 | -4.25 | 18.82 | 76.21 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_QPSK   | 22.94 | -4.25 | 18.69 | 73.96 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_16QAM  | 20.92 | -4.25 | 16.67 | 46.45 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_16QAM  | 22.12 | -4.25 | 17.87 | 61.24 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_16QAM  | 22.24 | -4.25 | 17.99 | 62.95 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_16QAM  | 22.07 | -4.25 | 17.82 | 60.53 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_64QAM  | 20.51 | -4.25 | 16.26 | 42.27 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_64QAM  | 20.54 | -4.25 | 16.29 | 42.56 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_64QAM  | 20.46 | -4.25 | 16.21 | 41.78 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 100@0 | DFT_256QAM | 18.43 | -4.25 | 14.18 | 26.18 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 50@25 | DFT_256QAM | 18.75 | -4.25 | 14.5  | 28.18 | 7000 | PASS |

|    |    |    |        |       |            |       |       |       |       |      |      |
|----|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 167300 | 1@1   | DFT_256QAM | 18.88 | -4.25 | 14.63 | 29.04 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | DFT_256QAM | 18.6  | -4.25 | 14.35 | 27.23 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_QPSK    | 18.7  | -4.25 | 14.45 | 27.86 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_QPSK    | 21.61 | -4.25 | 17.36 | 54.45 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_QPSK    | 22.11 | -4.25 | 17.86 | 61.09 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_QPSK    | 22.09 | -4.25 | 17.84 | 60.81 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_16QAM   | 20.03 | -4.25 | 15.78 | 37.84 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_16QAM   | 21.04 | -4.25 | 16.79 | 47.75 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_16QAM   | 21.12 | -4.25 | 16.87 | 48.64 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_16QAM   | 21    | -4.25 | 16.75 | 47.32 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_64QAM   | 19.48 | -4.25 | 15.23 | 33.34 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_64QAM   | 19.52 | -4.25 | 15.27 | 33.65 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_64QAM   | 19.72 | -4.25 | 15.47 | 35.24 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_64QAM   | 19.55 | -4.25 | 15.3  | 33.88 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 106@0 | CP_256QAM  | 16.6  | -4.25 | 12.35 | 17.18 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 53@26 | CP_256QAM  | 16.64 | -4.25 | 12.39 | 17.34 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@1   | CP_256QAM  | 16.35 | -4.25 | 12.1  | 16.22 | 7000 | PASS |
| n5 | 15 | 20 | 167300 | 1@104 | CP_256QAM  | 16.83 | -4.25 | 12.58 | 18.11 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_BPSK   | 22.49 | -4.25 | 18.24 | 66.68 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_BPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_BPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_BPSK   | 22.99 | -4.25 | 18.74 | 74.82 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_QPSK   | 22.02 | -4.25 | 17.77 | 59.84 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_QPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_QPSK   | 23.05 | -4.25 | 18.8  | 75.86 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_QPSK   | 23.01 | -4.25 | 18.76 | 75.16 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_16QAM  | 20.94 | -4.25 | 16.69 | 46.67 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_16QAM  | 22.04 | -4.25 | 17.79 | 60.12 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_16QAM  | 21.9  | -4.25 | 17.65 | 58.21 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_16QAM  | 21.94 | -4.25 | 17.69 | 58.75 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_64QAM  | 20.42 | -4.25 | 16.17 | 41.4  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_64QAM  | 20.52 | -4.25 | 16.27 | 42.36 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_64QAM  | 20.65 | -4.25 | 16.4  | 43.65 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_64QAM  | 20.65 | -4.25 | 16.4  | 43.65 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 100@0 | DFT_256QAM | 18.4  | -4.25 | 14.15 | 26    | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 50@25 | DFT_256QAM | 18.49 | -4.25 | 14.24 | 26.55 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | DFT_256QAM | 18.78 | -4.25 | 14.53 | 28.38 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | DFT_256QAM | 18.81 | -4.25 | 14.56 | 28.58 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_QPSK    | 19.97 | -4.25 | 15.72 | 37.33 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_QPSK    | 21.59 | -4.25 | 17.34 | 54.2  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_QPSK    | 21.68 | -4.25 | 17.43 | 55.34 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_QPSK    | 21.62 | -4.25 | 17.37 | 54.58 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_16QAM   | 19.95 | -4.25 | 15.7  | 37.15 | 7000 | PASS |

|    |    |    |        |       |           |       |       |       |       |      |      |
|----|----|----|--------|-------|-----------|-------|-------|-------|-------|------|------|
| n5 | 15 | 20 | 167800 | 53@26 | CP_16QAM  | 21.06 | -4.25 | 16.81 | 47.97 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_16QAM  | 20.9  | -4.25 | 16.65 | 46.24 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_16QAM  | 20.97 | -4.25 | 16.72 | 46.99 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_64QAM  | 19.5  | -4.25 | 15.25 | 33.5  | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_64QAM  | 19.56 | -4.25 | 15.31 | 33.96 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_64QAM  | 19.51 | -4.25 | 15.26 | 33.57 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_64QAM  | 19.56 | -4.25 | 15.31 | 33.96 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 106@0 | CP_256QAM | 16.57 | -4.25 | 12.32 | 17.06 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 53@26 | CP_256QAM | 16.64 | -4.25 | 12.39 | 17.34 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@1   | CP_256QAM | 16.84 | -4.25 | 12.59 | 18.16 | 7000 | PASS |
| n5 | 15 | 20 | 167800 | 1@104 | CP_256QAM | 16.9  | -4.25 | 12.65 | 18.41 | 7000 | PASS |

| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Power<br>(dBm) | GT -<br>Lc<br>(dB) | ERP<br>(dBm) | ERP<br>(mW) | ERP<br>Limit<br>(mW) | Verdict |
|--------------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|--------------|-------------|----------------------|---------|
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_BPSK   | 22.77          | -4.25              | 18.52        | 71.12       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_BPSK   | 23.29          | -4.25              | 19.04        | 80.17       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_BPSK   | 23.15          | -4.25              | 18.9         | 77.62       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_BPSK   | 23.14          | -4.25              | 18.89        | 77.45       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_QPSK   | 22.3           | -4.25              | 18.05        | 63.83       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_QPSK   | 23.32          | -4.25              | 19.07        | 80.72       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_QPSK   | 23.21          | -4.25              | 18.96        | 78.7        | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_QPSK   | 23.21          | -4.25              | 18.96        | 78.7        | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_16QAM  | 21.3           | -4.25              | 17.05        | 50.7        | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_16QAM  | 22.26          | -4.25              | 18.01        | 63.24       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_16QAM  | 22.09          | -4.25              | 17.84        | 60.81       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_16QAM  | 22.1           | -4.25              | 17.85        | 60.95       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_64QAM  | 20.8           | -4.25              | 16.55        | 45.19       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_64QAM  | 20.86          | -4.25              | 16.61        | 45.81       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_64QAM  | 20.76          | -4.25              | 16.51        | 44.77       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_64QAM  | 20.8           | -4.25              | 16.55        | 45.19       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | DFT_256QAM | 18.75          | -4.25              | 14.5         | 28.18       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 12@6             | DFT_256QAM | 18.79          | -4.25              | 14.54        | 28.44       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | DFT_256QAM | 18.95          | -4.25              | 14.7         | 29.51       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | DFT_256QAM | 18.97          | -4.25              | 14.72        | 29.65       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | CP_QPSK    | 20.22          | -4.25              | 15.97        | 39.54       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 13@6             | CP_QPSK    | 21.83          | -4.25              | 17.58        | 57.28       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | CP_QPSK    | 21.85          | -4.25              | 17.6         | 57.54       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | CP_QPSK    | 21.85          | -4.25              | 17.6         | 57.54       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 25@0             | CP_16QAM   | 20.29          | -4.25              | 16.04        | 40.18       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 13@6             | CP_16QAM   | 21.32          | -4.25              | 17.07        | 50.93       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@1              | CP_16QAM   | 21.16          | -4.25              | 16.91        | 49.09       | 7000                 | PASS    |
| n26(824-849) | 15           | 5                  | 165300        | 1@23             | CP_16QAM   | 21.16          | -4.25              | 16.91        | 49.09       | 7000                 | PASS    |

|              |    |   |        |      |            |       |       |       |       |      |      |
|--------------|----|---|--------|------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 5 | 165300 | 25@0 | CP_64QAM   | 19.74 | -4.25 | 15.49 | 35.4  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 13@6 | CP_64QAM   | 19.67 | -4.25 | 15.42 | 34.83 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@1  | CP_64QAM   | 19.71 | -4.25 | 15.46 | 35.16 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@23 | CP_64QAM   | 19.77 | -4.25 | 15.52 | 35.65 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 25@0 | CP_256QAM  | 16.84 | -4.25 | 12.59 | 18.16 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 13@6 | CP_256QAM  | 16.9  | -4.25 | 12.65 | 18.41 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@1  | CP_256QAM  | 17.02 | -4.25 | 12.77 | 18.92 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 165300 | 1@23 | CP_256QAM  | 17.06 | -4.25 | 12.81 | 19.1  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_BPSK   | 22.58 | -4.25 | 18.33 | 68.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_BPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_BPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_BPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_QPSK   | 22.11 | -4.25 | 17.86 | 61.09 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_QPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_QPSK   | 23.05 | -4.25 | 18.8  | 75.86 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_QPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_16QAM  | 21.03 | -4.25 | 16.78 | 47.64 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_16QAM  | 22.1  | -4.25 | 17.85 | 60.95 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_16QAM  | 21.89 | -4.25 | 17.64 | 58.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_16QAM  | 21.87 | -4.25 | 17.62 | 57.81 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_64QAM  | 20.61 | -4.25 | 16.36 | 43.25 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_64QAM  | 20.67 | -4.25 | 16.42 | 43.85 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_64QAM  | 20.67 | -4.25 | 16.42 | 43.85 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_64QAM  | 20.53 | -4.25 | 16.28 | 42.46 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | DFT_256QAM | 18.52 | -4.25 | 14.27 | 26.73 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 12@6 | DFT_256QAM | 18.56 | -4.25 | 14.31 | 26.98 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | DFT_256QAM | 18.74 | -4.25 | 14.49 | 28.12 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_QPSK    | 20.01 | -4.25 | 15.76 | 37.67 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_QPSK    | 21.66 | -4.25 | 17.41 | 55.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_QPSK    | 21.66 | -4.25 | 17.41 | 55.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_QPSK    | 21.58 | -4.25 | 17.33 | 54.08 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_16QAM   | 20.09 | -4.25 | 15.84 | 38.37 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_16QAM   | 21.16 | -4.25 | 16.91 | 49.09 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_16QAM   | 20.94 | -4.25 | 16.69 | 46.67 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_16QAM   | 20.92 | -4.25 | 16.67 | 46.45 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_64QAM   | 19.48 | -4.25 | 15.23 | 33.34 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_64QAM   | 19.54 | -4.25 | 15.29 | 33.81 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_64QAM   | 19.53 | -4.25 | 15.28 | 33.73 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@23 | CP_64QAM   | 19.5  | -4.25 | 15.25 | 33.5  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 25@0 | CP_256QAM  | 16.63 | -4.25 | 12.38 | 17.3  | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 13@6 | CP_256QAM  | 16.76 | -4.25 | 12.51 | 17.82 | 7000 | PASS |
| n26(824-849) | 15 | 5 | 167300 | 1@1  | CP_256QAM  | 16.9  | -4.25 | 12.65 | 18.41 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 5  | 167300 | 1@23  | CP_256QAM  | 16.8  | -4.25 | 12.55 | 17.99 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_BPSK   | 22.59 | -4.25 | 18.34 | 68.23 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_BPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_BPSK   | 22.97 | -4.25 | 18.72 | 74.47 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_BPSK   | 23.04 | -4.25 | 18.79 | 75.68 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_QPSK   | 22.09 | -4.25 | 17.84 | 60.81 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_QPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_QPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_QPSK   | 23.14 | -4.25 | 18.89 | 77.45 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_16QAM  | 21.08 | -4.25 | 16.83 | 48.19 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_16QAM  | 22.06 | -4.25 | 17.81 | 60.39 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_16QAM  | 21.91 | -4.25 | 17.66 | 58.34 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_16QAM  | 21.99 | -4.25 | 17.74 | 59.43 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_64QAM  | 20.63 | -4.25 | 16.38 | 43.45 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_64QAM  | 20.65 | -4.25 | 16.4  | 43.65 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_64QAM  | 20.57 | -4.25 | 16.32 | 42.85 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_64QAM  | 20.66 | -4.25 | 16.41 | 43.75 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | DFT_256QAM | 18.51 | -4.25 | 14.26 | 26.67 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 12@6  | DFT_256QAM | 18.58 | -4.25 | 14.33 | 27.1  | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | DFT_256QAM | 18.75 | -4.25 | 14.5  | 28.18 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | DFT_256QAM | 18.87 | -4.25 | 14.62 | 28.97 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_QPSK    | 20    | -4.25 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_QPSK    | 21.7  | -4.25 | 17.45 | 55.59 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_QPSK    | 21.68 | -4.25 | 17.43 | 55.34 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_QPSK    | 21.75 | -4.25 | 17.5  | 56.23 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_16QAM   | 20.07 | -4.25 | 15.82 | 38.19 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_16QAM   | 21.19 | -4.25 | 16.94 | 49.43 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_16QAM   | 20.94 | -4.25 | 16.69 | 46.67 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_16QAM   | 21.03 | -4.25 | 16.78 | 47.64 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_64QAM   | 19.49 | -4.25 | 15.24 | 33.42 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_64QAM   | 19.47 | -4.25 | 15.22 | 33.27 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_64QAM   | 19.58 | -4.25 | 15.33 | 34.12 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 25@0  | CP_256QAM  | 16.64 | -4.25 | 12.39 | 17.34 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 13@6  | CP_256QAM  | 16.74 | -4.25 | 12.49 | 17.74 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@1   | CP_256QAM  | 16.84 | -4.25 | 12.59 | 18.16 | 7000 | PASS |
| n26(824-849) | 15 | 5  | 169300 | 1@23  | CP_256QAM  | 16.98 | -4.25 | 12.73 | 18.75 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_BPSK   | 22.74 | -4.25 | 18.49 | 70.63 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_BPSK   | 23.26 | -4.25 | 19.01 | 79.62 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_BPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_BPSK   | 23    | -4.25 | 18.75 | 74.99 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_QPSK   | 22.32 | -4.25 | 18.07 | 64.12 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_QPSK   | 23.32 | -4.25 | 19.07 | 80.72 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_QPSK   | 23.14 | -4.25 | 18.89 | 77.45 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_16QAM  | 21.33 | -4.25 | 17.08 | 51.05 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_16QAM  | 22.32 | -4.25 | 18.07 | 64.12 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_16QAM  | 22.04 | -4.25 | 17.79 | 60.12 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_16QAM  | 21.92 | -4.25 | 17.67 | 58.48 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_64QAM  | 20.79 | -4.25 | 16.54 | 45.08 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_64QAM  | 20.77 | -4.25 | 16.52 | 44.87 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_64QAM  | 20.84 | -4.25 | 16.59 | 45.6  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_64QAM  | 20.69 | -4.25 | 16.44 | 44.06 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 50@0  | DFT_256QAM | 18.81 | -4.25 | 14.56 | 28.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 25@12 | DFT_256QAM | 18.76 | -4.25 | 14.51 | 28.25 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | DFT_256QAM | 18.95 | -4.25 | 14.7  | 29.51 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | DFT_256QAM | 18.91 | -4.25 | 14.66 | 29.24 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_QPSK    | 20.27 | -4.25 | 16.02 | 39.99 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_QPSK    | 21.78 | -4.25 | 17.53 | 56.62 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_QPSK    | 21.82 | -4.25 | 17.57 | 57.15 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_QPSK    | 21.76 | -4.25 | 17.51 | 56.36 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_16QAM   | 20.32 | -4.25 | 16.07 | 40.46 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_16QAM   | 21.3  | -4.25 | 17.05 | 50.7  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_16QAM   | 21.11 | -4.25 | 16.86 | 48.53 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_16QAM   | 20.94 | -4.25 | 16.69 | 46.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_64QAM   | 19.81 | -4.25 | 15.56 | 35.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_64QAM   | 19.77 | -4.25 | 15.52 | 35.65 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_64QAM   | 19.7  | -4.25 | 15.45 | 35.08 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_64QAM   | 19.6  | -4.25 | 15.35 | 34.28 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 52@0  | CP_256QAM  | 16.89 | -4.25 | 12.64 | 18.37 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 26@13 | CP_256QAM  | 16.93 | -4.25 | 12.68 | 18.54 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@1   | CP_256QAM  | 17.01 | -4.25 | 12.76 | 18.88 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 165800 | 1@50  | CP_256QAM  | 16.94 | -4.25 | 12.69 | 18.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_BPSK   | 22.5  | -4.25 | 18.25 | 66.83 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_BPSK   | 23.13 | -4.25 | 18.88 | 77.27 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_BPSK   | 22.97 | -4.25 | 18.72 | 74.47 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_BPSK   | 22.92 | -4.25 | 18.67 | 73.62 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_QPSK   | 22.01 | -4.25 | 17.76 | 59.7  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_QPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_QPSK   | 23.04 | -4.25 | 18.79 | 75.68 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_QPSK   | 22.91 | -4.25 | 18.66 | 73.45 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_16QAM  | 21.03 | -4.25 | 16.78 | 47.64 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_16QAM  | 22.14 | -4.25 | 17.89 | 61.52 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_16QAM  | 21.98 | -4.25 | 17.73 | 59.29 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_16QAM  | 21.83 | -4.25 | 17.58 | 57.28 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_64QAM  | 20.5  | -4.25 | 16.25 | 42.17 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_64QAM  | 20.64 | -4.25 | 16.39 | 43.55 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_64QAM  | 20.72 | -4.25 | 16.47 | 44.36 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_64QAM  | 20.57 | -4.25 | 16.32 | 42.85 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 50@0  | DFT_256QAM | 18.49 | -4.25 | 14.24 | 26.55 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 25@12 | DFT_256QAM | 18.59 | -4.25 | 14.34 | 27.16 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | DFT_256QAM | 18.67 | -4.25 | 14.42 | 27.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_QPSK    | 20.04 | -4.25 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_QPSK    | 21.63 | -4.25 | 17.38 | 54.7  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_QPSK    | 21.76 | -4.25 | 17.51 | 56.36 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_QPSK    | 21.61 | -4.25 | 17.36 | 54.45 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_16QAM   | 20    | -4.25 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_16QAM   | 21.06 | -4.25 | 16.81 | 47.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_16QAM   | 20.9  | -4.25 | 16.65 | 46.24 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_16QAM   | 20.88 | -4.25 | 16.63 | 46.03 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_64QAM   | 19.53 | -4.25 | 15.28 | 33.73 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_64QAM   | 19.54 | -4.25 | 15.29 | 33.81 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_64QAM   | 19.58 | -4.25 | 15.33 | 34.12 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_64QAM   | 19.54 | -4.25 | 15.29 | 33.81 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 52@0  | CP_256QAM  | 16.61 | -4.25 | 12.36 | 17.22 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 26@13 | CP_256QAM  | 16.75 | -4.25 | 12.5  | 17.78 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@1   | CP_256QAM  | 16.92 | -4.25 | 12.67 | 18.49 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 167300 | 1@50  | CP_256QAM  | 16.86 | -4.25 | 12.61 | 18.24 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_BPSK   | 22.51 | -4.25 | 18.26 | 66.99 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_BPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_BPSK   | 22.87 | -4.25 | 18.62 | 72.78 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_BPSK   | 23.02 | -4.25 | 18.77 | 75.34 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_QPSK   | 22.03 | -4.25 | 17.78 | 59.98 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_QPSK   | 22.92 | -4.25 | 18.67 | 73.62 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_16QAM  | 21.06 | -4.25 | 16.81 | 47.97 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_16QAM  | 22.03 | -4.25 | 17.78 | 59.98 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_16QAM  | 21.8  | -4.25 | 17.55 | 56.89 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_16QAM  | 21.97 | -4.25 | 17.72 | 59.16 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_64QAM  | 20.56 | -4.25 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_64QAM  | 20.58 | -4.25 | 16.33 | 42.95 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_64QAM  | 20.69 | -4.25 | 16.44 | 44.06 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 50@0  | DFT_256QAM | 18.49 | -4.25 | 14.24 | 26.55 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 25@12 | DFT_256QAM | 18.51 | -4.25 | 14.26 | 26.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | DFT_256QAM | 18.7  | -4.25 | 14.45 | 27.86 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | DFT_256QAM | 18.81 | -4.25 | 14.56 | 28.58 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_QPSK    | 20.01 | -4.25 | 15.76 | 37.67 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_QPSK    | 21.59 | -4.25 | 17.34 | 54.2  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_QPSK    | 21.59 | -4.25 | 17.34 | 54.2  | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_QPSK    | 21.78 | -4.25 | 17.53 | 56.62 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_16QAM   | 20.04 | -4.25 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_16QAM   | 21.11 | -4.25 | 16.86 | 48.53 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_16QAM   | 20.89 | -4.25 | 16.64 | 46.13 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_16QAM   | 21.02 | -4.25 | 16.77 | 47.53 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_64QAM   | 19.52 | -4.25 | 15.27 | 33.65 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_64QAM   | 19.52 | -4.25 | 15.27 | 33.65 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_64QAM   | 19.47 | -4.25 | 15.22 | 33.27 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_64QAM   | 19.62 | -4.25 | 15.37 | 34.43 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 52@0  | CP_256QAM  | 16.65 | -4.25 | 12.4  | 17.38 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 26@13 | CP_256QAM  | 16.66 | -4.25 | 12.41 | 17.42 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@1   | CP_256QAM  | 16.79 | -4.25 | 12.54 | 17.95 | 7000 | PASS |
| n26(824-849) | 15 | 10 | 168800 | 1@50  | CP_256QAM  | 16.98 | -4.25 | 12.73 | 18.75 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_BPSK   | 22.75 | -4.25 | 18.5  | 70.79 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_BPSK   | 23.21 | -4.25 | 18.96 | 78.7  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_BPSK   | 23.13 | -4.25 | 18.88 | 77.27 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_BPSK   | 22.96 | -4.25 | 18.71 | 74.3  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_QPSK   | 22.31 | -4.25 | 18.06 | 63.97 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_QPSK   | 23.25 | -4.25 | 19    | 79.43 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_QPSK   | 23.24 | -4.25 | 18.99 | 79.25 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_QPSK   | 23.02 | -4.25 | 18.77 | 75.34 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_16QAM  | 21.32 | -4.25 | 17.07 | 50.93 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_16QAM  | 22.22 | -4.25 | 17.97 | 62.66 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_16QAM  | 22.07 | -4.25 | 17.82 | 60.53 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_16QAM  | 21.88 | -4.25 | 17.63 | 57.94 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_64QAM  | 20.75 | -4.25 | 16.5  | 44.67 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_64QAM  | 20.71 | -4.25 | 16.46 | 44.26 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_64QAM  | 20.86 | -4.25 | 16.61 | 45.81 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_64QAM  | 20.61 | -4.25 | 16.36 | 43.25 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 75@0  | DFT_256QAM | 18.72 | -4.25 | 14.47 | 27.99 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 36@18 | DFT_256QAM | 18.61 | -4.25 | 14.36 | 27.29 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | DFT_256QAM | 18.96 | -4.25 | 14.71 | 29.58 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | DFT_256QAM | 18.76 | -4.25 | 14.51 | 28.25 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_QPSK    | 20.21 | -4.25 | 15.96 | 39.45 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_QPSK    | 21.71 | -4.25 | 17.46 | 55.72 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_QPSK    | 21.81 | -4.25 | 17.56 | 57.02 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_QPSK    | 21.59 | -4.25 | 17.34 | 54.2  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_16QAM   | 20.29 | -4.25 | 16.04 | 40.18 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_16QAM   | 21.26 | -4.25 | 17.01 | 50.23 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_16QAM   | 21.14 | -4.25 | 16.89 | 48.87 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_16QAM   | 20.96 | -4.25 | 16.71 | 46.88 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_64QAM   | 19.73 | -4.25 | 15.48 | 35.32 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_64QAM   | 19.63 | -4.25 | 15.38 | 34.51 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_64QAM   | 19.74 | -4.25 | 15.49 | 35.4  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_64QAM   | 19.55 | -4.25 | 15.3  | 33.88 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 79@0  | CP_256QAM  | 16.83 | -4.25 | 12.58 | 18.11 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 39@19 | CP_256QAM  | 16.81 | -4.25 | 12.56 | 18.03 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@1   | CP_256QAM  | 17.07 | -4.25 | 12.82 | 19.14 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 166300 | 1@77  | CP_256QAM  | 16.88 | -4.25 | 12.63 | 18.32 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_BPSK   | 22.56 | -4.25 | 18.31 | 67.76 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_BPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_BPSK   | 23.06 | -4.25 | 18.81 | 76.03 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_BPSK   | 22.89 | -4.25 | 18.64 | 73.11 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_QPSK   | 22.08 | -4.25 | 17.83 | 60.67 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_QPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_QPSK   | 23.2  | -4.25 | 18.95 | 78.52 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_QPSK   | 23.01 | -4.25 | 18.76 | 75.16 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_16QAM  | 21.08 | -4.25 | 16.83 | 48.19 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_16QAM  | 22.16 | -4.25 | 17.91 | 61.8  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_16QAM  | 22.03 | -4.25 | 17.78 | 59.98 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_16QAM  | 21.86 | -4.25 | 17.61 | 57.68 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_64QAM  | 20.56 | -4.25 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_64QAM  | 20.59 | -4.25 | 16.34 | 43.05 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_64QAM  | 20.77 | -4.25 | 16.52 | 44.87 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_64QAM  | 20.6  | -4.25 | 16.35 | 43.15 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 75@0  | DFT_256QAM | 18.56 | -4.25 | 14.31 | 26.98 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 36@18 | DFT_256QAM | 18.55 | -4.25 | 14.3  | 26.92 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | DFT_256QAM | 18.93 | -4.25 | 14.68 | 29.38 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | DFT_256QAM | 18.76 | -4.25 | 14.51 | 28.25 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_QPSK    | 19.99 | -4.25 | 15.74 | 37.5  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_QPSK    | 21.64 | -4.25 | 17.39 | 54.83 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_QPSK    | 21.8  | -4.25 | 17.55 | 56.89 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_QPSK    | 21.67 | -4.25 | 17.42 | 55.21 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_16QAM   | 20.04 | -4.25 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_16QAM   | 21.1  | -4.25 | 16.85 | 48.42 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_16QAM   | 21.05 | -4.25 | 16.8  | 47.86 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_16QAM   | 20.85 | -4.25 | 16.6  | 45.71 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_64QAM   | 19.5  | -4.25 | 15.25 | 33.5  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_64QAM   | 19.6  | -4.25 | 15.35 | 34.28 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_64QAM   | 19.66 | -4.25 | 15.41 | 34.75 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 79@0  | CP_256QAM  | 16.62 | -4.25 | 12.37 | 17.26 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 39@19 | CP_256QAM  | 16.64 | -4.25 | 12.39 | 17.34 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 15 | 167300 | 1@1   | CP_256QAM  | 17.02 | -4.25 | 12.77 | 18.92 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 167300 | 1@77  | CP_256QAM  | 16.79 | -4.25 | 12.54 | 17.95 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_BPSK   | 22.58 | -4.25 | 18.33 | 68.08 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_BPSK   | 23.08 | -4.25 | 18.83 | 76.38 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_BPSK   | 22.92 | -4.25 | 18.67 | 73.62 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_BPSK   | 23.01 | -4.25 | 18.76 | 75.16 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_QPSK   | 22.07 | -4.25 | 17.82 | 60.53 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_QPSK   | 23.14 | -4.25 | 18.89 | 77.45 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_QPSK   | 23    | -4.25 | 18.75 | 74.99 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_16QAM  | 21.17 | -4.25 | 16.92 | 49.2  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_16QAM  | 22.14 | -4.25 | 17.89 | 61.52 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_16QAM  | 21.9  | -4.25 | 17.65 | 58.21 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_16QAM  | 22.01 | -4.25 | 17.76 | 59.7  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_64QAM  | 20.63 | -4.25 | 16.38 | 43.45 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_64QAM  | 20.56 | -4.25 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_64QAM  | 20.64 | -4.25 | 16.39 | 43.55 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_64QAM  | 20.74 | -4.25 | 16.49 | 44.57 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 75@0  | DFT_256QAM | 18.6  | -4.25 | 14.35 | 27.23 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 36@18 | DFT_256QAM | 18.51 | -4.25 | 14.26 | 26.67 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | DFT_256QAM | 18.79 | -4.25 | 14.54 | 28.44 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | DFT_256QAM | 18.89 | -4.25 | 14.64 | 29.11 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_QPSK    | 20.07 | -4.25 | 15.82 | 38.19 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_QPSK    | 21.58 | -4.25 | 17.33 | 54.08 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_QPSK    | 21.69 | -4.25 | 17.44 | 55.46 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_QPSK    | 21.8  | -4.25 | 17.55 | 56.89 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_16QAM   | 20.1  | -4.25 | 15.85 | 38.46 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_16QAM   | 21.11 | -4.25 | 16.86 | 48.53 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_16QAM   | 20.92 | -4.25 | 16.67 | 46.45 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_16QAM   | 21.02 | -4.25 | 16.77 | 47.53 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_64QAM   | 19.53 | -4.25 | 15.28 | 33.73 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_64QAM   | 19.55 | -4.25 | 15.3  | 33.88 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_64QAM   | 19.62 | -4.25 | 15.37 | 34.43 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 79@0  | CP_256QAM  | 16.66 | -4.25 | 12.41 | 17.42 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 39@19 | CP_256QAM  | 16.63 | -4.25 | 12.38 | 17.3  | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@1   | CP_256QAM  | 16.89 | -4.25 | 12.64 | 18.37 | 7000 | PASS |
| n26(824-849) | 15 | 15 | 168300 | 1@77  | CP_256QAM  | 16.97 | -4.25 | 12.72 | 18.71 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_BPSK   | 22.62 | -4.25 | 18.37 | 68.71 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_BPSK   | 23.19 | -4.25 | 18.94 | 78.34 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_BPSK   | 23.04 | -4.25 | 18.79 | 75.68 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_BPSK   | 22.86 | -4.25 | 18.61 | 72.61 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_QPSK   | 22.06 | -4.25 | 17.81 | 60.39 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_QPSK   | 23.15 | -4.25 | 18.9  | 77.62 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_QPSK   | 23.11 | -4.25 | 18.86 | 76.91 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_QPSK   | 22.95 | -4.25 | 18.7  | 74.13 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_16QAM  | 21.09 | -4.25 | 16.84 | 48.31 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_16QAM  | 22.24 | -4.25 | 17.99 | 62.95 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_16QAM  | 22.03 | -4.25 | 17.78 | 59.98 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_16QAM  | 21.81 | -4.25 | 17.56 | 57.02 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_64QAM  | 20.56 | -4.25 | 16.31 | 42.76 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_64QAM  | 20.63 | -4.25 | 16.38 | 43.45 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_64QAM  | 20.79 | -4.25 | 16.54 | 45.08 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_64QAM  | 20.59 | -4.25 | 16.34 | 43.05 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 100@0 | DFT_256QAM | 18.54 | -4.25 | 14.29 | 26.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 50@25 | DFT_256QAM | 18.6  | -4.25 | 14.35 | 27.23 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | DFT_256QAM | 18.91 | -4.25 | 14.66 | 29.24 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | DFT_256QAM | 18.69 | -4.25 | 14.44 | 27.8  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_QPSK    | 20.04 | -4.25 | 15.79 | 37.93 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_QPSK    | 21.63 | -4.25 | 17.38 | 54.7  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_QPSK    | 21.71 | -4.25 | 17.46 | 55.72 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_QPSK    | 21.5  | -4.25 | 17.25 | 53.09 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_16QAM   | 20.06 | -4.25 | 15.81 | 38.11 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_16QAM   | 21.15 | -4.25 | 16.9  | 48.98 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_16QAM   | 21.09 | -4.25 | 16.84 | 48.31 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_16QAM   | 20.85 | -4.25 | 16.6  | 45.71 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_64QAM   | 19.54 | -4.25 | 15.29 | 33.81 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_64QAM   | 19.61 | -4.25 | 15.36 | 34.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_64QAM   | 19.62 | -4.25 | 15.37 | 34.43 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_64QAM   | 19.39 | -4.25 | 15.14 | 32.66 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 106@0 | CP_256QAM  | 16.65 | -4.25 | 12.4  | 17.38 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 53@26 | CP_256QAM  | 16.7  | -4.25 | 12.45 | 17.58 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@1   | CP_256QAM  | 16.95 | -4.25 | 12.7  | 18.62 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 166800 | 1@104 | CP_256QAM  | 16.73 | -4.25 | 12.48 | 17.7  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_BPSK   | 22.52 | -4.25 | 18.27 | 67.14 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_BPSK   | 23.1  | -4.25 | 18.85 | 76.74 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_BPSK   | 23.05 | -4.25 | 18.8  | 75.86 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_BPSK   | 22.92 | -4.25 | 18.67 | 73.62 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_QPSK   | 22.02 | -4.25 | 17.77 | 59.84 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_QPSK   | 23.09 | -4.25 | 18.84 | 76.56 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_QPSK   | 23.13 | -4.25 | 18.88 | 77.27 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_QPSK   | 22.97 | -4.25 | 18.72 | 74.47 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_16QAM  | 21    | -4.25 | 16.75 | 47.32 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_16QAM  | 22.07 | -4.25 | 17.82 | 60.53 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_16QAM  | 21.98 | -4.25 | 17.73 | 59.29 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_16QAM  | 21.85 | -4.25 | 17.6  | 57.54 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_64QAM  | 20.47 | -4.25 | 16.22 | 41.88 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_64QAM  | 20.59 | -4.25 | 16.34 | 43.05 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_64QAM  | 20.72 | -4.25 | 16.47 | 44.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_64QAM  | 20.57 | -4.25 | 16.32 | 42.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 100@0 | DFT_256QAM | 18.46 | -4.25 | 14.21 | 26.36 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 50@25 | DFT_256QAM | 18.56 | -4.25 | 14.31 | 26.98 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | DFT_256QAM | 18.86 | -4.25 | 14.61 | 28.91 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | DFT_256QAM | 18.73 | -4.25 | 14.48 | 28.05 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_QPSK    | 19.94 | -4.25 | 15.69 | 37.07 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_QPSK    | 21.66 | -4.25 | 17.41 | 55.08 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_QPSK    | 21.75 | -4.25 | 17.5  | 56.23 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_QPSK    | 21.6  | -4.25 | 17.35 | 54.33 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_16QAM   | 20    | -4.25 | 15.75 | 37.58 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_16QAM   | 21.09 | -4.25 | 16.84 | 48.31 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_16QAM   | 21.02 | -4.25 | 16.77 | 47.53 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_16QAM   | 20.88 | -4.25 | 16.63 | 46.03 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_64QAM   | 19.53 | -4.25 | 15.28 | 33.73 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_64QAM   | 19.6  | -4.25 | 15.35 | 34.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_64QAM   | 19.59 | -4.25 | 15.34 | 34.2  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_64QAM   | 19.45 | -4.25 | 15.2  | 33.11 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 106@0 | CP_256QAM  | 16.59 | -4.25 | 12.34 | 17.14 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 53@26 | CP_256QAM  | 16.66 | -4.25 | 12.41 | 17.42 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@1   | CP_256QAM  | 16.96 | -4.25 | 12.71 | 18.66 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167300 | 1@104 | CP_256QAM  | 16.76 | -4.25 | 12.51 | 17.82 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_BPSK   | 22.52 | -4.25 | 18.27 | 67.14 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_BPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_BPSK   | 22.98 | -4.25 | 18.73 | 74.64 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_BPSK   | 22.99 | -4.25 | 18.74 | 74.82 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_QPSK   | 22.04 | -4.25 | 17.79 | 60.12 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_QPSK   | 23.16 | -4.25 | 18.91 | 77.8  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_QPSK   | 23.12 | -4.25 | 18.87 | 77.09 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_QPSK   | 23.06 | -4.25 | 18.81 | 76.03 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_16QAM  | 20.96 | -4.25 | 16.71 | 46.88 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_16QAM  | 22.13 | -4.25 | 17.88 | 61.38 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_16QAM  | 21.97 | -4.25 | 17.72 | 59.16 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_16QAM  | 21.94 | -4.25 | 17.69 | 58.75 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_64QAM  | 20.46 | -4.25 | 16.21 | 41.78 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_64QAM  | 20.55 | -4.25 | 16.3  | 42.66 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_64QAM  | 20.71 | -4.25 | 16.46 | 44.26 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_64QAM  | 20.71 | -4.25 | 16.46 | 44.26 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 100@0 | DFT_256QAM | 18.44 | -4.25 | 14.19 | 26.24 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 50@25 | DFT_256QAM | 18.53 | -4.25 | 14.28 | 26.79 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | DFT_256QAM | 18.83 | -4.25 | 14.58 | 28.71 | 7000 | PASS |

|              |    |    |        |       |            |       |       |       |       |      |      |
|--------------|----|----|--------|-------|------------|-------|-------|-------|-------|------|------|
| n26(824-849) | 15 | 20 | 167800 | 1@104 | DFT_256QAM | 18.8  | -4.25 | 14.55 | 28.51 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_QPSK    | 19.96 | -4.25 | 15.71 | 37.24 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_QPSK    | 21.58 | -4.25 | 17.33 | 54.08 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_QPSK    | 21.72 | -4.25 | 17.47 | 55.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_QPSK    | 21.72 | -4.25 | 17.47 | 55.85 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_16QAM   | 19.94 | -4.25 | 15.69 | 37.07 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_16QAM   | 21.1  | -4.25 | 16.85 | 48.42 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_16QAM   | 20.99 | -4.25 | 16.74 | 47.21 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_16QAM   | 20.95 | -4.25 | 16.7  | 46.77 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_64QAM   | 19.46 | -4.25 | 15.21 | 33.19 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_64QAM   | 19.59 | -4.25 | 15.34 | 34.2  | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_64QAM   | 19.6  | -4.25 | 15.35 | 34.28 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_64QAM   | 19.57 | -4.25 | 15.32 | 34.04 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 106@0 | CP_256QAM  | 16.6  | -4.25 | 12.35 | 17.18 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 53@26 | CP_256QAM  | 16.65 | -4.25 | 12.4  | 17.38 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@1   | CP_256QAM  | 16.96 | -4.25 | 12.71 | 18.66 | 7000 | PASS |
| n26(824-849) | 15 | 20 | 167800 | 1@104 | CP_256QAM  | 16.92 | -4.25 | 12.67 | 18.49 | 7000 | PASS |

## 2. Frequency Stability

| Temperature (°C) | Voltage (V) | Band         | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result(Hz) | Result (ppm) | Low Limit (ppm) | High Limit (ppm) | Verdict |
|------------------|-------------|--------------|-----------|-----------------|------------|---------------|------------|------------|--------------|-----------------|------------------|---------|
| 20(Ref.)         | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -5.7       | -0.00681     | -2.5            | 2.5              | PASS    |
| 20               | 6           | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -3.4       | -0.00406     | -2.5            | 2.5              | PASS    |
| 20               | 9           | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -4.4       | -0.00526     | -2.5            | 2.5              | PASS    |
| -30              | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 7.4        | 0.00885      | -2.5            | 2.5              | PASS    |
| -20              | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -2.2       | -0.00263     | -2.5            | 2.5              | PASS    |
| -10              | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -1.7       | -0.00203     | -2.5            | 2.5              | PASS    |
| 0                | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | 9.6        | 0.01148      | -2.5            | 2.5              | PASS    |
| 10               | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -9.9       | -0.01184     | -2.5            | 2.5              | PASS    |
| 30               | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -6.3       | -0.00753     | -2.5            | 2.5              | PASS    |
| 40               | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -8         | -0.00956     | -2.5            | 2.5              | PASS    |
| 50               | 7.82        | n26(824-849) | 15        | 20              | 167300     | 100@0         | DFT_BP SK  | -9.8       | -0.01172     | -2.5            | 2.5              | PASS    |

**Note:** The frequency fundamental emissions stay within the authorized frequency block.

### 3. Peak-to-average Ratio

| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Allocation | Modulation | Result<br>(dB) | High Limit<br>(dB) | Verdict |
|--------------|--------------|--------------------|---------------|------------------|------------|----------------|--------------------|---------|
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_BPSK   | 4.17           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_QPSK   | 5.40           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_16QAM  | 6.05           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_64QAM  | 6.10           | 13                 | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 100@0            | DFT_256QAM | 6.51           | 13                 | PASS    |



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
Channel=167300 RB=100@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
Channel=167300 RB=100@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
Channel=167300 RB=100@0

## 4. Occupied Bandwidth


| Band         | SCS<br>(kHz) | Bandwidth<br>(MHz) | UL<br>Channel | UL<br>Frequency<br>(MHz) | RB<br>Allocation | Modulation | 99%<br>OBW<br>(MHz) | -26dB<br>EBW<br>(MHz) | Verdict |
|--------------|--------------|--------------------|---------------|--------------------------|------------------|------------|---------------------|-----------------------|---------|
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | DFT_BPSK   | 4.466               | 4.860                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_QPSK    | 4.486               | 4.860                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_16QAM   | 4.496               | 4.870                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_64QAM   | 4.486               | 4.870                 | PASS    |
| n26(824-849) | 15           | 5                  | 167300        | 836.5                    | 25@0             | CP_256QAM  | 4.486               | 4.820                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 50@0             | DFT_BPSK   | 8.931               | 9.480                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_QPSK    | 9.331               | 9.840                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_16QAM   | 9.351               | 9.920                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_64QAM   | 9.351               | 9.900                 | PASS    |
| n26(824-849) | 15           | 10                 | 167300        | 836.5                    | 52@0             | CP_256QAM  | 9.291               | 9.880                 | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 75@0             | DFT_BPSK   | 13.457              | 14.250                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_QPSK    | 14.116              | 15.000                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_16QAM   | 14.176              | 15.000                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_64QAM   | 14.146              | 14.940                | PASS    |
| n26(824-849) | 15           | 15                 | 167300        | 836.5                    | 79@0             | CP_256QAM  | 14.146              | 14.970                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 100@0            | DFT_BPSK   | 18.022              | 19.120                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_QPSK    | 19.021              | 20.200                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_16QAM   | 19.021              | 20.200                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_64QAM   | 19.021              | 20.200                | PASS    |
| n26(824-849) | 15           | 20                 | 167300        | 836.5                    | 106@0            | CP_256QAM  | 18.981              | 20.240                | PASS    |




n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_16QAM BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_64QAM BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz CP\_256QAM BW=5MHz  
Channel=167300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
Channel=167300 RB=50@0




n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_16QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_64QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz CP\_256QAM BW=10MHz  
Channel=167300 RB=52@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
Channel=167300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_16QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_64QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz CP\_256QAM BW=15MHz  
Channel=167300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz  
Channel=167300 RB=106@0




n26(824-849) SCS=15kHz CP\_16QAM BW=20MHz  
Channel=167300 RB=106@0



n26(824-849) SCS=15kHz CP\_64QAM BW=20MHz


Channel=167300 RB=106@0




n26(824-849) SCS=15kHz CP\_256QAM BW=20MHz


Channel=167300 RB=106@0

## 5. Conducted Band Edge







n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
LowChannel=165300 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
LowChannel=165300 RB=1@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
LowChannel=165300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_BPSK BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_QPSK BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_16QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_64QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
HighChannel=169300 RB=1@24




n26(824-849) SCS=15kHz DFT\_256QAM BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz CP\_QPSK BW=5MHz  
HighChannel=169300 RB=25@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
LowChannel=165800 RB=1@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
LowChannel=165800 RB=50@0




n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
LowChannel=165800 RB=52@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
HighChannel=168800 RB=1@51



n26(824-849) SCS=15kHz DFT\_BPSK BW=10MHz  
HighChannel=168800 RB=50@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz  
HighChannel=168800 RB=1@51



Date: 3,NOV,2024 16:39:40

n26(824-849) SCS=15kHz DFT\_QPSK BW=10MHz


HighChannel=168800 RB=50@0



Date: 3,NOV,2024 16:39:50

n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz


HighChannel=168800 RB=1@51



Date: 3,NOV,2024 16:40:01

n26(824-849) SCS=15kHz DFT\_16QAM BW=10MHz


HighChannel=168800 RB=50@0



Date: 3,NOV,2024 16:40:11

n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz


HighChannel=168800 RB=1@51



Date: 3,NOV,2024 16:40:22

n26(824-849) SCS=15kHz DFT\_64QAM BW=10MHz


HighChannel=168800 RB=50@0



Date: 3,NOV,2024 16:40:34


n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz

HighChannel=168800 RB=1@51




Date: 3,NOV,2024 16:40:44

n26(824-849) SCS=15kHz DFT\_256QAM BW=10MHz  
HighChannel=168800 RB=50@0




Date: 3,NOV,2024 16:40:55

n26(824-849) SCS=15kHz CP\_QPSK BW=10MHz  
HighChannel=168800 RB=52@0




Date: 3,NOV,2024 16:41:11

n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
LowChannel=166300 RB=1@0




Date: 3,NOV,2024 16:41:22

n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
LowChannel=166300 RB=75@0




Date: 3,NOV,2024 16:41:33

n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
LowChannel=166300 RB=1@0




Date: 3,NOV,2024 16:41:43

n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
LowChannel=166300 RB=75@0




Date: 4.NOV.2024 16:42:54

n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
LowChannel=166300 RB=1@0




Date: 4.NOV.2024 16:42:04

n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
LowChannel=166300 RB=75@0




Date: 4.NOV.2024 16:42:13

n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
LowChannel=166300 RB=1@0




Date: 4.NOV.2024 16:42:26

n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
LowChannel=166300 RB=75@0




Date: 4.NOV.2024 16:42:39

n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
LowChannel=166300 RB=1@0




Date: 4.NOV.2024 16:42:49


n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
LowChannel=166300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz  
LowChannel=166300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_BPSK BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_QPSK BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_16QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_64QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
HighChannel=168300 RB=1@78




n26(824-849) SCS=15kHz DFT\_256QAM BW=15MHz  
HighChannel=168300 RB=75@0




n26(824-849) SCS=15kHz CP\_QPSK BW=15MHz  
HighChannel=168300 RB=79@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
LowChannel=166800 RB=100@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
LowChannel=166800 RB=100@0



n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
LowChannel=166800 RB=1@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
LowChannel=166800 RB=100@0



Date: 4.NOV.2024 16:46:30

n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz


LowChannel=166800 RB=1@0



Date: 4.NOV.2024 16:46:50

n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz


LowChannel=166800 RB=100@0



Date: 4.NOV.2024 16:47:03

n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz


LowChannel=166800 RB=1@0



Date: 4.NOV.2024 16:47:13

n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz


LowChannel=166800 RB=100@0



Date: 4.NOV.2024 16:47:29

n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz


LowChannel=166800 RB=106@0




Date: 4.NOV.2024 16:48:17

n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz


HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_QPSK BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_16QAM BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_64QAM BW=20MHz  
HighChannel=167800 RB=100@0



n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
HighChannel=167800 RB=1@105




n26(824-849) SCS=15kHz DFT\_256QAM BW=20MHz  
HighChannel=167800 RB=100@0




n26(824-849) SCS=15kHz CP\_QPSK BW=20MHz  
HighChannel=167800 RB=106@0


## 6. Conducted Spurious Emissions




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz Channel=166800  
RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=166800 RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz Channel=166800  
RB=100@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=1@0




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz Channel=167300  
RB=1@105




n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167300 RB=100@0



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz Channel=167800  
RB=1@0



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz  
Channel=167800 RB=1@105



n26(824-849) SCS=15kHz DFT\_BPSK BW=20MHz Channel=167800  
RB=100@0

## 7. Radiated Spurious Emissions

| n5 - DFT-s-OFDM - PI/2 BPSK - 5M - Low Channel   |            |             |             |                    |                  |                 |                    |                    |        |
|--------------------------------------------------|------------|-------------|-------------|--------------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                                  | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA. Reading (dBm) | S.G. Power (dBm) | Cable loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1648                                             | -45.26     | -13         | -32.26      | -50.86             | -52.27           | 2.65            | 9.66               | H                  | Pass   |
| 2472                                             | -45.72     | -13         | -32.72      | -54.21             | -53.11           | 3.32            | 10.71              | H                  | Pass   |
| 5744                                             | -45.38     | -13         | -32.38      | -59.32             | -52.09           | 5.31            | 12.02              | H                  | Pass   |
| 1648                                             | -47.28     | -13         | -34.28      | -53.43             | -54.29           | 2.65            | 9.66               | V                  | Pass   |
| 2448                                             | -43.34     | -13         | -30.34      | -51.59             | -50.8            | 3.31            | 10.77              | V                  | Pass   |
| 5752                                             | -46.29     | -13         | -33.29      | -60.43             | -52.97           | 5.32            | 12                 | V                  | Pass   |
| n26 - DFT-s-OFDM - PI/2 BPSK - 10M - Low Channel |            |             |             |                    |                  |                 |                    |                    |        |
| Frequency (MHz)                                  | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA. Reading (dBm) | S.G. Power (dBm) | Cable loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1648                                             | -48.13     | -13         | -35.13      | -53.53             | -55.14           | 2.65            | 9.66               | H                  | Pass   |
| 2472                                             | -45.28     | -13         | -32.28      | -53.98             | -52.67           | 3.32            | 10.71              | H                  | Pass   |
| 8248                                             | -44.19     | -13         | -31.19      | -63.18             | -49.03           | 6.54            | 11.38              | H                  | Pass   |
| 1648                                             | -46.26     | -13         | -33.26      | -52.07             | -53.27           | 2.65            | 9.66               | V                  | Pass   |
| 2472                                             | -46.18     | -13         | -33.18      | -54.59             | -53.57           | 3.32            | 10.71              | V                  | Pass   |
| 3296                                             | -50.13     | -13         | -37.13      | -57.41             | -57.03           | 3.89            | 10.79              | V                  | Pass   |

**Note:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.