Appendix O: Test Data for E-UTRA Band 71

Product Name: 10.1 inch Tablet PC

Test Model: VT10M1

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Ling Zhu

O.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	23.13	PASS
Band71	5MHz	16QAM	133147	1RB#0	22.17	PASS
Band71	5MHz	QPSK	133147	1RB#12	23.22	PASS
Band71	5MHz	16QAM	133147	1RB#12	22.26	PASS
Band71	5MHz	QPSK	133147	1RB#24	23.09	PASS
Band71	5MHz	16QAM	133147	1RB#24	22.19	PASS
Band71	5MHz	QPSK	133147	12RB#0	22.22	PASS
Band71	5MHz	16QAM	133147	12RB#0	21.21	PASS
Band71	5MHz	QPSK	133147	12RB#6	22.21	PASS
Band71	5MHz	16QAM	133147	12RB#6	21.22	PASS
Band71	5MHz	QPSK	133147	12RB#13	22.19	PASS
Band71	5MHz	16QAM	133147	12RB#13	21.24	PASS
Band71	5MHz	QPSK	133147	25RB#0	22.24	PASS
Band71	5MHz	16QAM	133147	25RB#0	21.23	PASS
Band71	5MHz	QPSK	133297	1RB#0	23.05	PASS
Band71	5MHz	16QAM	133297	1RB#0	22.38	PASS
Band71	5MHz	QPSK	133297	1RB#12	23.18	PASS
Band71	5MHz	16QAM	133297	1RB#12	22.46	PASS
Band71	5MHz	QPSK	133297	1RB#24	23.11	PASS
Band71	5MHz	16QAM	133297	1RB#24	22.34	PASS
Band71	5MHz	QPSK	133297	12RB#0	22.21	PASS
Band71	5MHz	16QAM	133297	12RB#0	21.22	PASS
Band71	5MHz	QPSK	133297	12RB#6	22.19	PASS
Band71	5MHz	16QAM	133297	12RB#6	21.23	PASS
Band71	5MHz	QPSK	133297	12RB#13	22.17	PASS
Band71	5MHz	16QAM	133297	12RB#13	21.21	PASS
Band71	5MHz	QPSK	133297	25RB#0	22.19	PASS
Band71	5MHz	16QAM	133297	25RB#0	21.20	PASS
Band71	5MHz	QPSK	133447	1RB#0	23.23	PASS
Band71	5MHz	16QAM	133447	1RB#0	22.25	PASS
Band71	5MHz	QPSK	133447	1RB#12	23.40	PASS
Band71	5MHz	16QAM	133447	1RB#12	22.42	PASS
Band71	5MHz	QPSK	133447	1RB#24	23.22	PASS
Band71	5MHz	16QAM	133447	1RB#24	22.28	PASS
Band71	5MHz	QPSK	133447	12RB#0	22.34	PASS
Band71	5MHz	16QAM	133447	12RB#0	21.29	PASS

Band71	5MHz	QPSK	133447	12RB#6	22.31	PASS
Band71	5MHz	16QAM	133447	12RB#6	21.29	PASS
Band71	5MHz	QPSK	133447	12RB#13	22.34	PASS
Band71	5MHz	16QAM	133447	12RB#13	21.33	PASS
Band71	5MHz	QPSK	133447	25RB#0	22.34	PASS
Band71	5MHz	16QAM	133447	25RB#0	21.37	PASS
Band71	10MHz	QPSK	133172	1RB#0	23.60	PASS
Band71	10MHz	16QAM	133172	1RB#0	22.41	PASS
Band71	10MHz	QPSK	133172	1RB#24	23.21	PASS
Band71	10MHz	16QAM	133172	1RB#24	22.45	PASS
Band71	10MHz	QPSK	133172	1RB#49	23.03	PASS
Band71	10MHz	16QAM	133172	1RB#49	22.19	PASS
Band71	10MHz	QPSK	133172	25RB#0	22.25	PASS
Band71	10MHz	16QAM	133172	25RB#0	21.25	PASS
Band71	10MHz	QPSK	133172	25RB#12	22.22	PASS
Band71	10MHz	16QAM	133172	25RB#12	21.25	PASS
Band71	10MHz	QPSK	133172	25RB#25	22.27	PASS
Band71	10MHz	16QAM	133172	25RB#25	21.22	PASS
Band71	10MHz	QPSK	133172	50RB#0	22.21	PASS
Band71	10MHz	16QAM	133172	50RB#0	21.24	PASS
Band71	10MHz	QPSK	133297	1RB#0	23.12	PASS
Band71	10MHz	16QAM	133297	1RB#0	22.33	PASS
Band71	10MHz	QPSK	133297	1RB#24	23.23	PASS
Band71	10MHz	16QAM	133297	1RB#24	22.43	PASS
Band71	10MHz	QPSK	133297	1RB#49	23.14	PASS
Band71	10MHz	16QAM	133297	1RB#49	22.29	PASS
Band71	10MHz	QPSK	133297	25RB#0	22.27	PASS
Band71	10MHz	16QAM	133297	25RB#0	21.34	PASS
Band71	10MHz	QPSK	133297	25RB#12	22.29	PASS
Band71	10MHz	16QAM	133297	25RB#12	21.30	PASS
Band71	10MHz	QPSK	133297	25RB#25	22.25	PASS
Band71	10MHz	16QAM	133297	25RB#25	21.26	PASS
Band71	10MHz	QPSK	133297	50RB#0	22.28	PASS
Band71	10MHz	16QAM	133297	50RB#0	21.28	PASS
Band71	10MHz	QPSK	133422	1RB#0	23.17	PASS
Band71	10MHz	16QAM	133422	1RB#0	22.12	PASS
Band71	10MHz	QPSK	133422	1RB#24	23.47	PASS
Band71	10MHz	16QAM	133422	1RB#24	22.28	PASS
Band71	10MHz	QPSK	133422	1RB#49	23.29	PASS
Band71	10MHz	16QAM	133422	1RB#49	22.23	PASS

Band71	10MHz	QPSK	133422	25RB#0	22.45	PASS
Band71	10MHz	16QAM	133422	25RB#0	21.46	PASS
Band71	10MHz	QPSK	133422	25RB#12	22.45	PASS
Band71	10MHz	16QAM	133422	25RB#12	21.44	PASS
Band71	10MHz	QPSK	133422	25RB#25	22.35	PASS
Band71	10MHz	16QAM	133422	25RB#25	21.37	PASS
Band71	10MHz	QPSK	133422	50RB#0	22.34	PASS
Band71	10MHz	16QAM	133422	50RB#0	21.29	PASS
Band71	15MHz	QPSK	133197	1RB#0	23.31	PASS
Band71	15MHz	16QAM	133197	1RB#0	22.42	PASS
Band71	15MHz	QPSK	133197	1RB#38	23.24	PASS
Band71	15MHz	16QAM	133197	1RB#38	22.60	PASS
Band71	15MHz	QPSK	133197	1RB#74	23.19	PASS
Band71	15MHz	16QAM	133197	1RB#74	22.45	PASS
Band71	15MHz	QPSK	133197	38RB#0	22.57	PASS
Band71	15MHz	16QAM	133197	38RB#0	22.57	PASS
Band71	15MHz	QPSK	133197	38RB#18	22.63	PASS
Band71	15MHz	16QAM	133197	38RB#18	22.63	PASS
Band71	15MHz	QPSK	133197	38RB#37	22.44	PASS
Band71	15MHz	16QAM	133197	38RB#37	22.29	PASS
Band71	15MHz	QPSK	133197	75RB#0	22.28	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.23	PASS
Band71	15MHz	QPSK	133297	1RB#0	23.67	PASS
Band71	15MHz	16QAM	133297	1RB#0	22.32	PASS
Band71	15MHz	QPSK	133297	1RB#38	23.47	PASS
Band71	15MHz	16QAM	133297	1RB#38	22.11	PASS
Band71	15MHz	QPSK	133297	1RB#74	23.11	PASS
Band71	15MHz	16QAM	133297	1RB#74	22.10	PASS
Band71	15MHz	QPSK	133297	38RB#0	22.15	PASS
Band71	15MHz	16QAM	133297	38RB#0	22.25	PASS
Band71	15MHz	QPSK	133297	38RB#18	22.22	PASS
Band71	15MHz	16QAM	133297	38RB#18	22.13	PASS
Band71	15MHz	QPSK	133297	38RB#37	22.04	PASS
Band71	15MHz	16QAM	133297	38RB#37	22.37	PASS
Band71	15MHz	QPSK	133297	75RB#0	22.38	PASS
Band71	15MHz	16QAM	133297	75RB#0	21.52	PASS
Band71	15MHz	QPSK	133397	1RB#0	23.61	PASS
Band71	15MHz	16QAM	133397	1RB#0	22.33	PASS
Band71	15MHz	QPSK	133397	1RB#38	23.40	PASS
Band71	15MHz	16QAM	133397	1RB#38	22.41	PASS

Band71	15MHz	QPSK	133397	1RB#74	23.17	PASS
Band71	15MHz	16QAM	133397	1RB#74	22.44	PASS
Band71	15MHz	QPSK	133397	38RB#0	22.30	PASS
Band71	15MHz	16QAM	133397	38RB#0	22.26	PASS
Band71	15MHz	QPSK	133397	38RB#18	22.39	PASS
Band71	15MHz	16QAM	133397	38RB#18	22.42	PASS
Band71	15MHz	QPSK	133397	38RB#37	22.43	PASS
Band71	15MHz	16QAM	133397	38RB#37	22.45	PASS
Band71	15MHz	QPSK	133397	75RB#0	22.31	PASS
Band71	15MHz	16QAM	133397	75RB#0	21.28	PASS
Band71	20MHz	QPSK	133222	1RB#0	23.55	PASS
Band71	20MHz	16QAM	133222	1RB#0	22.75	PASS
Band71	20MHz	QPSK	133222	1RB#49	23.80	PASS
Band71	20MHz	16QAM	133222	1RB#49	22.84	PASS
Band71	20MHz	QPSK	133222	1RB#99	23.34	PASS
Band71	20MHz	16QAM	133222	1RB#99	22.55	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.53	PASS
Band71	20MHz	16QAM	133222	50RB#0	21.64	PASS
Band71	20MHz	QPSK	133222	50RB#25	22.62	PASS
Band71	20MHz	16QAM	133222	50RB#25	21.62	PASS
Band71	20MHz	QPSK	133222	50RB#50	22.55	PASS
Band71	20MHz	16QAM	133222	50RB#50	21.58	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.50	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.58	PASS
Band71	20MHz	QPSK	133322	1RB#0	23.37	PASS
Band71	20MHz	16QAM	133322	1RB#0	22.56	PASS
Band71	20MHz	QPSK	133322	1RB#49	23.68	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.76	PASS
Band71	20MHz	QPSK	133322	1RB#99	23.38	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.16	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.65	PASS
Band71	20MHz	16QAM	133322	50RB#0	21.87	PASS
Band71	20MHz	QPSK	133322	50RB#25	22.73	PASS
Band71	20MHz	16QAM	133322	50RB#25	21.93	PASS
Band71	20MHz	QPSK	133322	50RB#50	22.65	PASS
Band71	20MHz	16QAM	133322	50RB#50	21.70	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.71	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.76	PASS
Band71	20MHz	QPSK	133372	1RB#0	23.55	PASS
Band71	20MHz	16QAM	133372	1RB#0	22.50	PASS

Band71	20MHz	QPSK	133372	1RB#49	23.59	PASS
Band71	20MHz	16QAM	133372	1RB#49	22.68	PASS
Band71	20MHz	QPSK	133372	1RB#99	23.37	PASS
Band71	20MHz	16QAM	133372	1RB#99	22.25	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.21	PASS
Band71	20MHz	16QAM	133372	50RB#0	21.22	PASS
Band71	20MHz	QPSK	133372	50RB#25	22.60	PASS
Band71	20MHz	16QAM	133372	50RB#25	21.52	PASS
Band71	20MHz	QPSK	133372	50RB#50	22.49	PASS
Band71	20MHz	16QAM	133372	50RB#50	21.62	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.38	PASS
Band71	20MHz	16QAM	133372	100RB#0	21.54	PASS

O.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	5.31	13	PASS
Band71	5MHz	16QAM	133147	25RB#0	5.94	13	PASS
Band71	5MHz	QPSK	133297	25RB#0	5.48	13	PASS
Band71	5MHz	16QAM	133297	25RB#0	6.18	13	PASS
Band71	5MHz	QPSK	133447	25RB#0	5.26	13	PASS
Band71	5MHz	16QAM	133447	25RB#0	5.97	13	PASS
Band71	10MHz	QPSK	133172	50RB#0	5.32	13	PASS
Band71	10MHz	16QAM	133172	50RB#0	6.16	13	PASS
Band71	10MHz	QPSK	133297	50RB#0	5.23	13	PASS
Band71	10MHz	16QAM	133297	50RB#0	6.25	13	PASS
Band71	10MHz	QPSK	133422	50RB#0	5.15	13	PASS
Band71	10MHz	16QAM	133422	50RB#0	6.13	13	PASS
Band71	15MHz	QPSK	133197	75RB#0	5.55	13	PASS
Band71	15MHz	16QAM	133197	75RB#0	6.22	13	PASS
Band71	15MHz	QPSK	133297	75RB#0	5.52	13	PASS
Band71	15MHz	16QAM	133297	75RB#0	6.16	13	PASS
Band71	15MHz	QPSK	133397	75RB#0	5.38	13	PASS
Band71	15MHz	16QAM	133397	75RB#0	6.02	13	PASS
Band71	20MHz	QPSK	133222	100RB#0	5.43	13	PASS
Band71	20MHz	16QAM	133222	100RB#0	6.22	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	5.41	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	6.26	13	PASS
Band71	20MHz	QPSK	133372	100RB#0	6.10	13	PASS
Band71	20MHz	16QAM	133372	100RB#0	6.12	13	PASS

Test Graphs



5MHz-133147



5MHz-133147



5MHz-133297



5MHz-133297



5MHz-133447



5MHz-133447



10MHz-133172



10MHz-133172



10MHz-133297



10MHz-133297



10MHz-133422



10MHz-133422



15MHz-133197



15MHz-133197



15MHz-133297



15MHz-133297



15MHz-133397



15MHz-133397



20MHz-133222



20MHz-133222



20MHz-133322



20MHz-133322



20MHz-133372



20MHz-133372

O.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	4.5317	5.197	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.5091	5.112	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.5249	5.186	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5143	5.144	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5324	5.195	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5146	5.159	PASS
Band71	10MHz	QPSK	133172	50RB#0	9.0000	10.21	PASS
Band71	10MHz	16QAM	133172	50RB#0	9.0183	10.03	PASS
Band71	10MHz	QPSK	133297	50RB#0	9.0250	10.22	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9961	10.07	PASS
Band71	10MHz	QPSK	133422	50RB#0	9.0107	10.23	PASS
Band71	10MHz	16QAM	133422	50RB#0	9.0120	10.04	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.492	15.10	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.488	15.01	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.537	15.61	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.517	15.04	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.520	15.06	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.489	14.99	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.986	19.65	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.946	19.68	PASS
Band71	20MHz	QPSK	133322	100RB#0	17.971	19.68	PASS
Band71	20MHz	16QAM	133322	100RB#0	18.015	19.89	PASS
Band71	20MHz	QPSK	133372	100RB#0	17.971	19.67	PASS
Band71	20MHz	16QAM	133372	100RB#0	17.945	19.71	PASS

Test Graphs



5MHz-133147



5MHz-133147



5MHz-133297



5MHz-133297



5MHz-133447



5MHz-133447



10MHz-133172



10MHz-133172



10MHz-133297



10MHz-133297



10MHz-133422



10MHz-133422



15MHz-133197



15MHz-133197



15MHz-133297



15MHz-133297



15MHz-133397



15MHz-133397



20MHz-133222



20MHz-133222



20MHz-133322



20MHz-133322



20MHz-133372



20MHz-133372

O.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frenquency	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	662.89	-32.73	PASS
Band71	5MHz	16QAM	133147	25RB#0	662.88	-34.43	PASS
Band71	5MHz	QPSK	133447	25RB#0	698.11	-30.58	PASS
Band71	5MHz	16QAM	133447	25RB#0	698.10	-33.17	PASS
Band71	10MHz	QPSK	133172	50RB#0	662.89	-36.91	PASS
Band71	10MHz	16QAM	133172	50RB#0	662.89	-38.74	PASS
Band71	10MHz	QPSK	133422	50RB#0	698.11	-38.32	PASS
Band71	10MHz	16QAM	133422	50RB#0	698.13	-39.74	PASS
Band71	15MHz	QPSK	133197	75RB#0	662.62	-38.51	PASS
Band71	15MHz	16QAM	133197	75RB#0	662.80	-40.76	PASS
Band71	15MHz	QPSK	133397	75RB#0	698.22	-39.79	PASS
Band71	15MHz	16QAM	133397	75RB#0	698.10	-42.42	PASS
Band71	20MHz	QPSK	133222	100RB#0	662.88	-42.95	PASS
Band71	20MHz	16QAM	133222	100RB#0	662.85	-43.75	PASS
Band71	20MHz	QPSK	133372	100RB#0	698.20	-43.78	PASS
Band71	20MHz	16QAM	133372	100RB#0	698.15	-44.19	PASS

Test Graphs



Band71_5MHz_QPSK_133147_25RB#0



Band71_5MHz_16QAM_133147_25RB#0



Band71_5MHz_QPSK_133447_25RB#0



Band71_5MHz_16QAM_133447_25RB#0



Band71_10MHz_QPSK_133172_50RB#0



Band71_10MHz_16QAM_133172_50RB#0



Band71_10MHz_QPSK_133422_50RB#0



Band71_10MHz_16QAM_133422_50RB#0



Band71_15MHz_QPSK_133197_75RB#0



Band71_15MHz_16QAM_133197_75RB#0



Band71_15MHz_QPSK_133397_75RB#0



Band71_15MHz_16QAM_133397_75RB#0



Band71_20MHz_QPSK_133222_100RB#0



Band71_20MHz_16QAM_133222_100RB#0



Band71_20MHz_QPSK_133372_100RB#0



Band71_20MHz_16QAM_133372_100RB#0

O.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	0.009~0.15	-56.47	PASS
Band71	5MHz	QPSK	133147	1RB#0	0.15~30	-53.91	PASS
Band71	5MHz	QPSK	133147	1RB#0	30~1000	-62.81	PASS
Band71	5MHz	QPSK	133147	1RB#0	1000~3000	-44.25	PASS
Band71	5MHz	QPSK	133147	1RB#0	3000~10000	-44.36	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.009~0.15	-56.97	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.15~30	-53.64	PASS
Band71	5MHz	16QAM	133147	1RB#0	30~1000	-62.88	PASS
Band71	5MHz	16QAM	133147	1RB#0	1000~3000	-44.02	PASS
Band71	5MHz	16QAM	133147	1RB#0	3000~10000	-43.52	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.009~0.15	-55.66	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.15~30	-52.42	PASS
Band71	5MHz	QPSK	133297	1RB#0	30~1000	-62.54	PASS
Band71	5MHz	QPSK	133297	1RB#0	1000~3000	-42.76	PASS
Band71	5MHz	QPSK	133297	1RB#0	3000~10000	-44.26	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.009~0.15	-56.71	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.15~30	-53.12	PASS
Band71	5MHz	16QAM	133297	1RB#0	30~1000	-62.57	PASS
Band71	5MHz	16QAM	133297	1RB#0	1000~3000	-42.76	PASS
Band71	5MHz	16QAM	133297	1RB#0	3000~10000	-44.10	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.009~0.15	-57.73	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.15~30	-53.22	PASS
Band71	5MHz	QPSK	133447	1RB#0	30~1000	-62.58	PASS
Band71	5MHz	QPSK	133447	1RB#0	1000~3000	-43.99	PASS
Band71	5MHz	QPSK	133447	1RB#0	3000~10000	-44.09	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.009~0.15	-56.59	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.15~30	-53.11	PASS
Band71	5MHz	16QAM	133447	1RB#0	30~1000	-62.32	PASS
Band71	5MHz	16QAM	133447	1RB#0	1000~3000	-44.41	PASS
Band71	5MHz	16QAM	133447	1RB#0	3000~10000	-43.91	PASS
Band71	10MHz	QPSK	133172	1RB#0	0.009~0.15	-52.40	PASS
Band71	10MHz	QPSK	133172	1RB#0	0.15~30	-55.07	PASS
Band71	10MHz	QPSK	133172	1RB#0	30~1000	-56.90	PASS
Band71	10MHz	QPSK	133172	1RB#0	1000~3000	-43.89	PASS
Band71	10MHz	QPSK	133172	1RB#0	3000~10000	-44.21	PASS

Band71	10MHz	16QAM	133172	1RB#0	0.009~0.15	-55.74	PASS
Band71	10MHz	16QAM	133172	1RB#0	0.15~30	-52.48	PASS
Band71	10MHz	16QAM	133172	1RB#0	30~1000	-55.80	PASS
Band71	10MHz	16QAM	133172	1RB#0	1000~3000	-44.70	PASS
Band71	10MHz	16QAM	133172	1RB#0	3000~10000	-44.10	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.009~0.15	-55.89	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.15~30	-52.43	PASS
Band71	10MHz	QPSK	133297	1RB#0	30~1000	-62.81	PASS
Band71	10MHz	QPSK	133297	1RB#0	1000~3000	-43.85	PASS
Band71	10MHz	QPSK	133297	1RB#0	3000~10000	-43.94	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.009~0.15	-56.67	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.15~30	-54.42	PASS
Band71	10MHz	16QAM	133297	1RB#0	30~1000	-62.58	PASS
Band71	10MHz	16QAM	133297	1RB#0	1000~3000	-44.39	PASS
Band71	10MHz	16QAM	133297	1RB#0	3000~10000	-44.02	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.009~0.15	-54.77	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.15~30	-54.20	PASS
Band71	10MHz	QPSK	133422	1RB#0	30~1000	-62.63	PASS
Band71	10MHz	QPSK	133422	1RB#0	1000~3000	-46.39	PASS
Band71	10MHz	QPSK	133422	1RB#0	3000~10000	-44.51	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.009~0.15	-57.17	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.15~30	-52.98	PASS
Band71	10MHz	16QAM	133422	1RB#0	30~1000	-62.81	PASS
Band71	10MHz	16QAM	133422	1RB#0	1000~3000	-46.38	PASS
Band71	10MHz	16QAM	133422	1RB#0	3000~10000	-44.03	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.009~0.15	-54.83	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.15~30	-54.70	PASS
Band71	15MHz	QPSK	133197	1RB#0	30~1000	-62.55	PASS
Band71	15MHz	QPSK	133197	1RB#0	1000~3000	-43.53	PASS
Band71	15MHz	QPSK	133197	1RB#0	3000~10000	-44.10	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.009~0.15	-56.23	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.15~30	-54.66	PASS
Band71	15MHz	16QAM	133197	1RB#0	30~1000	-62.87	PASS
Band71	15MHz	16QAM	133197	1RB#0	1000~3000	-43.12	PASS
Band71	15MHz	16QAM	133197	1RB#0	3000~10000	-44.26	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.009~0.15	-56.59	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.15~30	-53.26	PASS
Band71	15MHz	QPSK	133297	1RB#0	30~1000	-62.59	PASS
Band71	15MHz	QPSK	133297	1RB#0	1000~3000	-44.07	PASS
Band71	15MHz	QPSK	133297	1RB#0	3000~10000	-44.41	PASS

Band71	15MHz	16QAM	133297	1RB#0	0.009~0.15	-56.87	PASS
Band71	15MHz	16QAM	133297	1RB#0	0.15~30	-54.33	PASS
Band71	15MHz	16QAM	133297	1RB#0	30~1000	-63.00	PASS
Band71	15MHz	16QAM	133297	1RB#0	1000~3000	-44.06	PASS
Band71	15MHz	16QAM	133297	1RB#0	3000~10000	-44.33	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.009~0.15	-57.51	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.15~30	-52.34	PASS
Band71	15MHz	QPSK	133397	1RB#0	30~1000	-62.85	PASS
Band71	15MHz	QPSK	133397	1RB#0	1000~3000	-44.06	PASS
Band71	15MHz	QPSK	133397	1RB#0	3000~10000	-43.69	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.009~0.15	-58.23	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.15~30	-51.51	PASS
Band71	15MHz	16QAM	133397	1RB#0	30~1000	-62.64	PASS
Band71	15MHz	16QAM	133397	1RB#0	1000~3000	-43.19	PASS
Band71	15MHz	16QAM	133397	1RB#0	3000~10000	-43.53	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.009~0.15	-54.75	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.15~30	-51.70	PASS
Band71	20MHz	QPSK	133222	1RB#0	30~1000	-62.69	PASS
Band71	20MHz	QPSK	133222	1RB#0	1000~3000	-43.58	PASS
Band71	20MHz	QPSK	133222	1RB#0	3000~10000	-44.36	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.009~0.15	-57.71	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.15~30	-54.76	PASS
Band71	20MHz	16QAM	133222	1RB#0	30~1000	-62.98	PASS
Band71	20MHz	16QAM	133222	1RB#0	1000~3000	-43.49	PASS
Band71	20MHz	16QAM	133222	1RB#0	3000~10000	-44.03	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.009~0.15	-56.22	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.15~30	-51.71	PASS
Band71	20MHz	QPSK	133322	1RB#0	30~1000	-62.60	PASS
Band71	20MHz	QPSK	133322	1RB#0	1000~3000	-43.38	PASS
Band71	20MHz	QPSK	133322	1RB#0	3000~10000	-44.00	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.009~0.15	-55.55	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.15~30	-51.99	PASS
Band71	20MHz	16QAM	133322	1RB#0	30~1000	-62.68	PASS
Band71	20MHz	16QAM	133322	1RB#0	1000~3000	-44.88	PASS
Band71	20MHz	16QAM	133322	1RB#0	3000~10000	-44.09	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.009~0.15	-56.83	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.15~30	-53.55	PASS
Band71	20MHz	QPSK	133372	1RB#0	30~1000	-62.79	PASS
Band71	20MHz	QPSK	133372	1RB#0	1000~3000	-44.04	PASS
Band71	20MHz	QPSK	133372	1RB#0	3000~10000	-43.97	PASS

Band71	20MHz	16QAM	133372	1RB#0	0.009~0.15	-56.88	PASS
Band71	20MHz	16QAM	133372	1RB#0	0.15~30	-53.43	PASS
Band71	20MHz	16QAM	133372	1RB#0	30~1000	-62.74	PASS
Band71	20MHz	16QAM	133372	1RB#0	1000~3000	-43.15	PASS
Band71	20MHz	16QAM	133372	1RB#0	3000~10000	-43.91	PASS

Test Graphs



Band71_5MHz_QPSK_133147_1RB#0_0.009~0.15_0.009~0.15



Band71_5MHz_QPSK_133147_1RB#0_0.15~30_0.15~30