



8.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	19.47	30	10.53	Pass	401
824	824.0375	0.02	RMS	824	-25.45	-20	5.45	Pass	401
824.0375	829	0.1	RMS	824.038	-21.02	-13	8.02	Pass	401




8.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.688	5.73	30	24.27	Pass	401
824	824.0375	0.051	RMS	824	-29.76	-20	9.76	Pass	401
824.0375	829	0.1	RMS	824.038	-29.07	-13	16.07	Pass	401




8.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.688	18.88	30	11.12	Pass	401
824	824.0375	0.02	RMS	824	-26.71	-20	6.71	Pass	401
824.0375	829	0.1	RMS	824.038	-21.75	-13	8.75	Pass	401



8.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.25	4.68	30	25.32	Pass	401
824	824.0375	0.051	RMS	824	-30.26	-20	10.26	Pass	401
824.0375	829	0.1	RMS	824.038	-29.66	-13	16.66	Pass	401



10. LTE_Band19


10.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.8	-40.66	-13	27.66	Pass	401
829	830	0.051	RMS	829.998	-14.31	-13	1.31	Pass*	401
830	835	0.1	RMS	830.338	21.12	30	8.88	Pass	401




10.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-31.42	-13	18.42	Pass	401
829	830	0.051	RMS	829.998	-23.79	-13	10.79	Pass	401
830	835	0.1	RMS	831.75	6.68	30	23.32	Pass	401




10.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.8	-40.93	-13	27.93	Pass	401
829	830	0.051	RMS	829.998	-14.84	-13	1.84	Pass*	401
830	835	0.1	RMS	830.35	20.33	30	9.67	Pass	401




10.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-32.71	-13	19.71	Pass	401
829	830	0.051	RMS	829.993	-25.05	-13	12.05	Pass	401
830	835	0.1	RMS	831.563	5.63	30	24.37	Pass	401



10.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.663	20.7	30	9.3	Pass	401
845	846	0.05	RMS	845	-15.81	-13	2.81	Pass*	21
846	856	0.1	RMS	846.225	-40.31	-13	27.31	Pass	401




10.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.65	6.66	30	23.34	Pass	401
845	846	0.051	RMS	845	-23.28	-13	10.28	Pass	401
846	856	0.1	RMS	846	-31.19	-13	18.19	Pass	401



10.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.663	19.78	30	10.22	Pass	401
845	846	0.05	RMS	845	-15.82	-13	2.82	Pass*	21
846	856	0.1	RMS	846.175	-40.55	-13	27.55	Pass	401




10.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
840	845	0.1	RMS	844.538	5.7	30	24.3	Pass	401
845	846	0.051	RMS	845.003	-24.3	-13	11.3	Pass	401
846	856	0.1	RMS	846	-31.7	-13	18.7	Pass	401




10.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.74	-42.43	-13	29.43	Pass	401
829	830	0.1	RMS	830	-23.37	-13	10.37	Pass	401
830	840	0.1	RMS	830.6	20.96	30	9.04	Pass	401




10.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-34.43	-13	21.43	Pass	401
829	830	0.1	RMS	830	-27.56	-13	14.56	Pass	401
830	840	0.1	RMS	834.3	3.77	30	26.23	Pass	401




10.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.78	-43.31	-13	30.31	Pass	401
829	830	0.1	RMS	830	-23.98	-13	10.98	Pass	401
830	840	0.1	RMS	830.6	19.99	30	10.01	Pass	401




10.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-46.68	-13	33.68	Pass	401
829	830	0.1	RMS	829.868	-35.24	-13	22.24	Pass	401
830	840	0.1	RMS	839.025	17.7	30	12.3	Pass	401




10.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	20.69	30	9.31	Pass	401
845	846	0.1	RMS	845	-22.09	-13	9.09	Pass	401
846	856	0.1	RMS	846.25	-41.31	-13	28.31	Pass	401




10.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	835.775	3.44	30	26.56	Pass	401
845	846	0.1	RMS	845	-27.24	-13	14.24	Pass	401
846	856	0.1	RMS	846	-35.34	-13	22.34	Pass	401




10.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	19.69	30	10.31	Pass	401
845	846	0.1	RMS	845	-22.46	-13	9.46	Pass	401
846	856	0.1	RMS	846.275	-42.2	-13	29.2	Pass	401




10.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.1	RMS	835.975	17.24	30	12.76	Pass	401
845	846	0.1	RMS	845.108	-34.8	-13	21.8	Pass	401
846	856	0.1	RMS	846	-45.21	-13	32.21	Pass	401




10.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.58	-43.8	-13	30.8	Pass	401
829	830	0.1	RMS	830	-32.01	-13	19.01	Pass	401
830	845	0.1	RMS	830.825	20.62	30	9.38	Pass	401




10.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.96	-33.65	-13	20.65	Pass	401
829	830	0.1	RMS	829.998	-29.82	-13	16.82	Pass	401
830	845	0.1	RMS	833.9	1.96	30	28.04	Pass	401




10.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	828.56	-44.42	-13	31.42	Pass	401
829	830	0.1	RMS	830	-32.85	-13	19.85	Pass	401
830	845	0.1	RMS	830.825	19.61	30	10.39	Pass	401




10.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
821	829	0.1	RMS	829	-47.52	-13	34.52	Pass	401
829	830	0.1	RMS	830	-37.74	-13	24.74	Pass	401
830	845	0.1	RMS	831.388	17.21	30	12.79	Pass	401




10.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	844.138	20.41	30	9.59	Pass	401
845	846	0.1	RMS	845	-31.25	-13	18.25	Pass	401
846	856	0.1	RMS	846.425	-42.84	-13	29.84	Pass	401




10.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	833.938	1.97	30	28.03	Pass	401
845	846	0.1	RMS	845.003	-29.48	-13	16.48	Pass	401
846	856	0.1	RMS	846.05	-34.9	-13	21.9	Pass	401




10.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	19.44	30	10.56	Pass	401
845	846	0.1	RMS	845	-31.67	-13	18.67	Pass	401
846	856	0.1	RMS	846.475	-43.58	-13	30.58	Pass	401



10.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
830	845	0.1	RMS	831.388	17	30	13	Pass	401
845	846	0.1	RMS	845.005	-36.98	-13	23.98	Pass	401
846	856	0.1	RMS	846	-46.05	-13	33.05	Pass	401



11. LTE_Band25


11.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.04	-13	29.04	Pass	401
1848	1849	1	RMS	1849	-30.8	-13	17.8	Pass	2
1849	1850	0.02	RMS	1850	-20	-13	7	Pass	401
1850	1852	0.1	RMS	1850.25	20.1	30	9.9	Pass	401




11.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.38	-13	24.38	Pass	401
1848	1849	1	RMS	1849	-29.74	-13	16.74	Pass	2
1849	1850	0.02	RMS	1849.998	-27.42	-13	14.42	Pass	401
1850	1852	0.1	RMS	1850.41	11.8	30	18.2	Pass	401




11.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.79	-13	29.79	Pass	401
1848	1849	1	RMS	1849	-31.52	-13	18.52	Pass	2
1849	1850	0.02	RMS	1850	-20.02	-13	7.02	Pass	401
1850	1852	0.1	RMS	1850.25	19.23	30	10.77	Pass	401




11.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.09	-13	26.09	Pass	401
1848	1849	1	RMS	1849	-30.09	-13	17.09	Pass	2
1849	1850	0.02	RMS	1850	-27.79	-13	14.79	Pass	401
1850	1852	0.1	RMS	1850.61 5	10.83	30	19.17	Pass	401




**11.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.73 5	5.31	30	24.69	Pass	401
1915	1916	0.02	RMS	1915	-34.84	-13	21.84	Pass	401
1916	1917	1	RMS	1916	-47.01	-13	34.01	Pass	2
1917	1925	1	RMS	1917	-52.94	-13	39.94	Pass	401




11.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1913.855	-0.28	30	30.28	Pass	401
1915	1916	0.02	RMS	1915	-42.28	-13	29.28	Pass	401
1916	1917	1	RMS	1916	-42.04	-13	29.04	Pass	2
1917	1925	1	RMS	1917	-51.74	-13	38.74	Pass	401




**11.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.735	4.62	30	25.38	Pass	401
1915	1916	0.02	RMS	1915	-35.71	-13	22.71	Pass	401
1916	1917	1	RMS	1916	-47.53	-13	34.53	Pass	2
1917	1925	1	RMS	1917.04	-53.09	-13	40.09	Pass	401




**11.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1913.88 5	-1.37	30	31.37	Pass	401
1915	1916	0.02	RMS	1915.00 3	-42.74	-13	29.74	Pass	401
1916	1917	1	RMS	1916	-43.82	-13	30.82	Pass	2
1917	1925	1	RMS	1917	-52.02	-13	39.02	Pass	401




11.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.83	-13	26.83	Pass	401
1848	1849	1	RMS	1849	-29.7	-13	16.7	Pass	2
1849	1850	0.03	RMS	1850	-17.25	-13	4.25	Pass*	401
1850	1853	0.1	RMS	1850.233	19.99	30	10.01	Pass	401




11.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.18	-13	21.18	Pass	401
1848	1849	1	RMS	1849	-31.44	-13	18.44	Pass	2
1849	1850	0.03	RMS	1850	-23.61	-13	10.61	Pass	401
1850	1853	0.1	RMS	1850.63	7.98	30	22.02	Pass	401




11.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.26	-13	27.26	Pass	401
1848	1849	1	RMS	1849	-30.39	-13	17.39	Pass	2
1849	1850	0.03	RMS	1850	-17.42	-13	4.42	Pass*	401
1850	1853	0.1	RMS	1850.248	18.88	30	11.12	Pass	401




11.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.94	-13	20.94	Pass	401
1848	1849	1	RMS	1849	-30.95	-13	17.95	Pass	2
1849	1850	0.03	RMS	1849.995	-24.46	-13	11.46	Pass	401
1850	1853	0.1	RMS	1850.675	6.89	30	23.11	Pass	401




11.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	5.42	30	24.58	Pass	401
1915	1916	0.03	RMS	1915	-32.24	-13	19.24	Pass	401
1916	1917	1	RMS	1916	-46.69	-13	33.69	Pass	2
1917	1925	1	RMS	1917	-52.82	-13	39.82	Pass	401




11.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.255	1.09	30	28.91	Pass	401
1915	1916	0.03	RMS	1915.003	-39.14	-13	26.14	Pass	401
1916	1917	1	RMS	1916	-36.26	-13	23.26	Pass	2
1917	1925	1	RMS	1917	-42.91	-13	29.91	Pass	401




11.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	4.43	30	25.57	Pass	401
1915	1916	0.03	RMS	1915	-32.36	-13	19.36	Pass	35
1916	1917	1	RMS	1916	-47.1	-13	34.1	Pass	2
1917	1925	1	RMS	1917	-52.93	-13	39.93	Pass	401




11.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.248	0.25	30	29.75	Pass	401
1915	1916	0.03	RMS	1915	-39.82	-13	26.82	Pass	401
1916	1917	1	RMS	1916	-37.29	-13	24.29	Pass	2
1917	1925	1	RMS	1917	-44.34	-13	31.34	Pass	401




11.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-36.86	-13	23.86	Pass	401
1848	1849	1	RMS	1849	-25.96	-13	12.96	Pass	2
1849	1850	0.051	RMS	1850	-15.34	-13	2.34	Pass*	401
1850	1855	0.1	RMS	1850.338	20.2	30	9.8	Pass	401




11.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.39	-13	18.39	Pass	401
1848	1849	1	RMS	1849	-25.4	-13	12.4	Pass	2
1849	1850	0.051	RMS	1850	-23.93	-13	10.93	Pass	401
1850	1855	0.1	RMS	1850.863	6.08	30	23.92	Pass	401




11.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.09	-13	24.09	Pass	401
1848	1849	1	RMS	1849	-26.43	-13	13.43	Pass	2
1849	1850	0.051	RMS	1850	-15.87	-13	2.87	Pass*	401
1850	1855	0.1	RMS	1850.338	19.31	30	10.69	Pass	401




11.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-32	-13	19	Pass	401
1848	1849	1	RMS	1849	-26.34	-13	13.34	Pass	2
1849	1850	0.051	RMS	1849.998	-25.08	-13	12.08	Pass	401
1850	1855	0.1	RMS	1850.738	5.11	30	24.89	Pass	401




11.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	5.87	30	24.13	Pass	401
1915	1916	0.051	RMS	1915.003	-31.41	-13	18.41	Pass	401
1916	1917	1	RMS	1916	-44.01	-13	31.01	Pass	2
1917	1925	1	RMS	1917	-52.4	-13	39.4	Pass	401




11.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.338	3.29	30	26.71	Pass	401
1915	1916	0.051	RMS	1915	-37.25	-13	24.25	Pass	401
1916	1917	1	RMS	1916	-31.97	-13	18.97	Pass	2
1917	1925	1	RMS	1917	-36.88	-13	23.88	Pass	401




11.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	5.08	30	24.92	Pass	401
1915	1916	0.051	RMS	1915.003	-31.32	-13	18.32	Pass	401
1916	1917	1	RMS	1916	-44.08	-13	31.08	Pass	2
1917	1925	1	RMS	1917	-52.44	-13	39.44	Pass	401




11.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.363	2.52	30	27.48	Pass	401
1915	1916	0.051	RMS	1915	-38.45	-13	25.45	Pass	401
1916	1917	1	RMS	1916	-33.41	-13	20.41	Pass	2
1917	1925	1	RMS	1917	-38.37	-13	25.37	Pass	401




11.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.34	-13	25.34	Pass	401
1848	1849	1	RMS	1849	-28.15	-13	15.15	Pass	2
1849	1850	0.1	RMS	1850	-24.19	-13	11.19	Pass	401
1850	1860	0.1	RMS	1850.6	20.23	30	9.77	Pass	401




11.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.08	-13	14.08	Pass	401
1848	1849	1	RMS	1849	-24.26	-13	11.26	Pass	2
1849	1850	0.1	RMS	1850	-27	-13	14	Pass	401
1850	1860	0.1	RMS	1850.85	3.85	30	26.15	Pass	401




11.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-38.95	-13	25.95	Pass	401
1848	1849	1	RMS	1849	-28.69	-13	15.69	Pass	2
1849	1850	0.1	RMS	1850	-24.55	-13	11.55	Pass	401
1850	1860	0.1	RMS	1850.6	19.37	30	10.63	Pass	401




11.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.38	-13	27.38	Pass	401
1848	1849	1	RMS	1849	-36.29	-13	23.29	Pass	2
1849	1850	0.1	RMS	1849.80 8	-34.39	-13	21.39	Pass	401
1850	1860	0.1	RMS	1850.97 5	16.68	30	13.32	Pass	401




11.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	6.93	30	23.07	Pass	401
1915	1916	0.1	RMS	1915	-38.82	-13	25.82	Pass	401
1916	1917	1	RMS	1916	-45.68	-13	32.68	Pass	2
1917	1925	1	RMS	1917	-52.83	-13	39.83	Pass	401




11.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.45	2.8	30	27.2	Pass	401
1915	1916	0.1	RMS	1915.005	-35.85	-13	22.85	Pass	401
1916	1917	1	RMS	1916	-31.39	-13	18.39	Pass	2
1917	1925	1	RMS	1917	-35.04	-13	22.04	Pass	401



11.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	6.05	30	23.95	Pass	401
1915	1916	0.1	RMS	1915	-38.94	-13	25.94	Pass	401
1916	1917	1	RMS	1916	-45.98	-13	32.98	Pass	2
1917	1925	1	RMS	1917	-52.88	-13	39.88	Pass	401



11.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.95	17.72	30	12.28	Pass	401
1915	1916	0.1	RMS	1915.103	-50.68	-13	37.68	Pass	401
1916	1917	1	RMS	1916	-52.22	-13	39.22	Pass	2
1917	1925	1	RMS	1917.02	-53.46	-13	40.46	Pass	401

