Appendix E

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: HyRead Gaze Mini

Trade Mark: Gaze

Test Model: K06N

Environmental Conditions

Temperature:	25.2℃
Relative Humidity:	51.2%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

Contents

Page

COVER PAGE

1 Duty Cycle....3
1.1 Test Result....3
1.2 Test Graphs....4
2 Maximum Conducted Output Power....11
2.1 Test Result....11
3 -6dB Bandwidth....12
3.1 Test Result....12
3.2 Test Graphs....13
4 Occupied Channel Bandwidth....20
4.1 Test Result....20
4.2 Test Graphs....21
5 Maximum Power Spectral Density Level....28
5.1 Test Result....28
5.2 Test Graphs....29
6 Frequency Stability....36
6.1 Test Result....36
7 Conducted RF Spurious Emission....40
7.1 Test Result....40
7.2 Test Graphs....41

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5745	Ant1	86.57	0.63	4.76
a	5785	Ant1	86.67	0.62	4.76
a	5825	Ant1	84.61	0.73	5
n20	5745	Ant1	87.38	0.59	4.35
n20	5785	Ant1	86.39	0.64	4.35
n20	5825	Ant1	84.57	0.73	4.35
n40	5755	Ant1	76.31	1.17	4.76
n40	5795	Ant1	75.79	1.2	4.76
ac20	5745	Ant1	86.92	0.61	4.55
ac20	5785	Ant1	86.15	0.65	4.55
ac20	5825	Ant1	84.11	0.75	4.76
ac40	5755	Ant1	74.6	1.27	5.26
ac40	5795	Ant1	74.14	1.3	5.26
ac80	5775	Ant1	59.06	2.29	8.33

1.2 Test Graphs

Test Graphs

Duty Cycle a 5745MHz Ant1



Duty Cycle a 5785MHz Ant1



Duty Cycle a 5825MHz Ant1



Duty Cycle n20 5745MHz Ant1



Duty Cycle n20 5785MHz Ant1



Duty Cycle n20 5825MHz Ant1



Duty Cycle n40 5755MHz Ant1



Duty Cycle n40 5795MHz Ant1



Duty Cycle ac20 5745MHz Ant1



Duty Cycle ac20 5785MHz Ant1



Duty Cycle ac20 5825MHz Ant1



Duty Cycle ac40 5755MHz Ant1



Duty Cycle ac40 5795MHz Ant1



Duty Cycle ac80 5775MHz Ant1



2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	-1.83	30	Pass
a	5785	Ant1	-3.52	30	Pass
a	5825	Ant1	-4.2	30	Pass
n20	5745	Ant1	-2.42	30	Pass
n20	5785	Ant1	-4.07	30	Pass
n20	5825	Ant1	-4.88	30	Pass
n40	5755	Ant1	-2.89	30	Pass
n40	5795	Ant1	-4.61	30	Pass
ac20	5745	Ant1	-2.4	30	Pass
ac20	5785	Ant1	-4.08	30	Pass
ac20	5825	Ant1	-4.81	30	Pass
ac40	5755	Ant1	-2.99	30	Pass
ac40	5795	Ant1	-4.56	30	Pass
ac80	5775	Ant1	-3.31	30	Pass

3 -6dB Bandwidth

3.1 Test Result

Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
a	5745	Ant1	13.203	0.5	Pass
a	5785	Ant1	15.117	0.5	Pass
a	5825	Ant1	16.071	0.5	Pass
n20	5745	Ant1	15.117	0.5	Pass
n20	5785	Ant1	15.114	0.5	Pass
n20	5825	Ant1	15.114	0.5	Pass
n40	5755	Ant1	35.088	0.5	Pass
n40	5795	Ant1	35.082	0.5	Pass
ac20	5745	Ant1	15.075	0.5	Pass
ac20	5785	Ant1	15.117	0.5	Pass
ac20	5825	Ant1	15.039	0.5	Pass
ac40	5755	Ant1	35.088	0.5	Pass
ac40	5795	Ant1	35.076	0.5	Pass
ac80	5775	Ant1	62.604	0.5	Pass

3.2 Test Graphs

Test Graphs

-6dB Bandwidth a 5745MHz Ant1



-6dB Bandwidth a 5785MHz Ant1



-6dB Bandwidth a 5825MHz Ant1



-6dB Bandwidth n20 5745MHz Ant1



-6dB Bandwidth n20 5785MHz Ant1



-6dB Bandwidth n20 5825MHz Ant1



-6dB Bandwidth n40 5755MHz Ant1



-6dB Bandwidth n40 5795MHz Ant1



-6dB Bandwidth ac20 5745MHz Ant1



-6dB Bandwidth ac20 5785MHz Ant1



-6dB Bandwidth ac20 5825MHz Ant1



-6dB Bandwidth ac40 5755MHz Ant1



-6dB Bandwidth ac40 5795MHz Ant1



-6dB Bandwidth ac80 5775MHz Ant1



4 Occupied Channel Bandwidth

4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5745	Ant1	16.51
a	5785	Ant1	16.495
a	5825	Ant1	16.519
n20	5745	Ant1	17.593
n20	5785	Ant1	17.596
n20	5825	Ant1	17.686
n40	5755	Ant1	36.068
n40	5795	Ant1	36.086
ac20	5745	Ant1	17.734
ac20	5785	Ant1	17.65
ac20	5825	Ant1	17.752
ac40	5755	Ant1	36.128
ac40	5795	Ant1	36.044
ac80	5775	Ant1	75.448

4.2 Test Graphs

Test Graphs
OBW a 5745MHz Ant1



OBW a 5785MHz Ant1



OBW a 5825MHz Ant1



OBW n20 5745MHz Ant1



OBW n20 5785MHz Ant1



OBW n20 5825MHz Ant1



OBW n40 5755MHz Ant1



OBW n40 5795MHz Ant1



OBW ac20 5745MHz Ant1



OBW ac20 5785MHz Ant1



OBW ac20 5825MHz Ant1



OBW ac40 5755MHz Ant1



OBW ac40 5795MHz Ant1



OBW ac80 5775MHz Ant1



5 Maximum Power Spectral Density Level

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	-11.8	30	Pass
a	5785	Ant1	-12.62	30	Pass
a	5825	Ant1	-14.56	30	Pass
n20	5745	Ant1	-12.5	30	Pass
n20	5785	Ant1	-14.31	30	Pass
n20	5825	Ant1	-15.83	30	Pass
n40	5755	Ant1	-16.19	30	Pass
n40	5795	Ant1	-17.72	30	Pass
ac20	5745	Ant1	-13.15	30	Pass
ac20	5785	Ant1	-14.86	30	Pass
ac20	5825	Ant1	-15.53	30	Pass
ac40	5755	Ant1	-16.04	30	Pass
ac40	5795	Ant1	-17.75	30	Pass
ac80	5775	Ant1	-19.08	30	Pass

5.2 Test Graphs

Test Graphs
PSD a 5745MHz Ant1



PSD a 5785MHz Ant1



PSD a 5825MHz Ant1



PSD n20 5745MHz Ant1



PSD n20 5785MHz Ant1



PSD n20 5825MHz Ant1



PSD n40 5755MHz Ant1



PSD n40 5795MHz Ant1



PSD ac20 5745MHz Ant1



PSD ac20 5785MHz Ant1



PSD ac20 5825MHz Ant1



PSD ac40 5755MHz Ant1



PSD ac40 5795MHz Ant1



PSD ac80 5775MHz Ant1



6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5745	Ant1	5744.9	-100000	-17.41	25	Pass
20C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 138V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
0C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
30C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C 120V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
-10C 120V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
0C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
30C 120V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
40C 120V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
50C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 102V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-20C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
0C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 120V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	n20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
-20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass

0C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	n20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
40C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
-20C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-10C 120V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
0C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
40C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 102V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 138V	n20	5825	Ant1	5824.9	-100000	-17.17	25	Pass
-20C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C 120V	n20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
30C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 102V	n40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
20C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 138V	n40	5755	Ant1	5754.64	-360000	-62.55	25	Pass
-20C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
0C 120V	n40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
10C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
50C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 102V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	n40	5795	Ant1	5794.88	-120000	-20.71	25	Pass
0C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
10C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass

40C 120V	n40	5795	Ant1	5794.88	-120000	-20.71	25	Pass
50C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C 102V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 138V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C 120V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
0C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
30C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
20C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-10C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
0C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
10C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
50C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
20C 102V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
40C 120V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
50C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 138V	ac40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
-20C 120V	ac40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
-10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
50C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant1	5795	0	0	25	Pass

20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-10C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
50C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ac80	5775	Ant1	5774.6	-400000	-69.26	25	Pass
20C 120V	ac80	5775	Ant1	5774.6	-400000	-69.26	25	Pass
20C 138V	ac80	5775	Ant1	5774.76	-240000	-41.56	25	Pass
-20C 120V	ac80	5775	Ant1	5774.04	-960000	-166.23	25	Pass
-10C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
0C 120V	ac80	5775	Ant1	5774.76	-240000	-41.56	25	Pass
10C 120V	ac80	5775	Ant1	5774.6	-400000	-69.26	25	Pass
30C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
40C 120V	ac80	5775	Ant1	5774.76	-240000	-41.56	25	Pass
50C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass

7 Conducted RF Spurious Emission

7.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5745	Ant1	-35.16	-27	Pass
a	5785	Ant1	-34.55	-27	Pass
a	5825	Ant1	-35.4	-27	Pass
n20	5745	Ant1	-34.8	-27	Pass
n20	5785	Ant1	-34.36	-27	Pass
n20	5825	Ant1	-35.14	-27	Pass
n40	5755	Ant1	-35.29	-27	Pass
n40	5795	Ant1	-34.7	-27	Pass
ac20	5745	Ant1	-35.09	-27	Pass
ac20	5785	Ant1	-35.33	-27	Pass
ac20	5825	Ant1	-34.37	-27	Pass
ac40	5755	Ant1	-35.39	-27	Pass
ac40	5795	Ant1	-35.66	-27	Pass
ac80	5775	Ant1	-35.39	-27	Pass

7.2 Test Graphs

Test Graphs

Tx. Spurious a 5745MHz Ant1 Emission



Tx. Spurious a 5785MHz Ant1 Emission



Tx. Spurious a 5825MHz Ant1 Emission



Tx. Spurious n20 5745MHz Ant1 Emission



Tx. Spurious n20 5785MHz Ant1 Emission



Tx. Spurious n20 5825MHz Ant1 Emission



Tx. Spurious n40 5755MHz Ant1 Emission



Tx. Spurious n40 5795MHz Ant1 Emission



Tx. Spurious ac20 5745MHz Ant1 Emission



Tx. Spurious ac20 5785MHz Ant1 Emission



Tx. Spurious ac20 5825MHz Ant1 Emission



Tx. Spurious ac40 5755MHz Ant1 Emission



Tx. Spurious ac40 5795MHz Ant1 Emission



Tx. Spurious ac80 5775MHz Ant1 Emission



8 Restrict Band

8.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5745	Ant1	5650	-43.85	2	-41.85	Peak	-27	Pass
a	5745	Ant1	5650	-50.54	2	-48.54	Average	-27	Pass
a	5745	Ant1	5700	-41.88	2	-39.88	Peak	10	Pass
a	5745	Ant1	5700	-50.42	2	-48.42	Average	10	Pass
a	5745	Ant1	5720	-41.73	2	-39.73	Peak	15.6	Pass
a	5745	Ant1	5720	-50.71	2	-48.71	Average	15.6	Pass
a	5745	Ant1	5725	-41.96	2	-39.96	Peak	27	Pass
a	5745	Ant1	5725	-50.89	2	-48.89	Average	27	Pass
a	5825	Ant1	5850	-42.18	2	-40.18	Peak	27	Pass
a	5825	Ant1	5850	-49.7	2	-47.7	Average	27	Pass
a	5825	Ant1	5855	-41.34	2	-39.34	Peak	15.6	Pass
a	5825	Ant1	5855	-50.11	2	-48.11	Average	15.6	Pass
a	5825	Ant1	5875	-41.97	2	-39.97	Peak	10	Pass
a	5825	Ant1	5875	-49.22	2	-47.22	Average	10	Pass
a	5825	Ant1	5925	-41.79	2	-39.79	Peak	-27	Pass
a	5825	Ant1	5925	-49.69	2	-47.69	Average	-27	Pass
n20	5745	Ant1	5650	-42.85	2	-40.85	Peak	-27	Pass
n20	5745	Ant1	5650	-50.88	2	-48.88	Average	-27	Pass
n20	5745	Ant1	5700	-43.69	2	-41.69	Peak	10	Pass
n20	5745	Ant1	5700	-50.72	2	-48.72	Average	10	Pass
n20	5745	Ant1	5720	-44.27	2	-42.27	Peak	15.6	Pass
n20	5745	Ant1	5720	-50.75	2	-48.75	Average	15.6	Pass
n20	5745	Ant1	5725	-42.36	2	-40.36	Peak	27	Pass
n20	5745	Ant1	5725	-50.42	2	-48.42	Average	27	Pass
n20	5825	Ant1	5850	-41.69	2	-39.69	Peak	27	Pass
n20	5825	Ant1	5850	-50.05	2	-48.05	Average	27	Pass
n20	5825	Ant1	5855	-41.22	2	-39.22	Peak	15.6	Pass
n20	5825	Ant1	5855	-49.56	2	-47.56	Average	15.6	Pass
n20	5825	Ant1	5875	-39.74	2	-37.74	Peak	10	Pass
n20	5825	Ant1	5875	-49.7	2	-47.7	Average	10	Pass
n20	5825	Ant1	5925	-39.77	2	-37.77	Peak	-27	Pass
n20	5825	Ant1	5925	-50	2	-48	Average	-27	Pass
n40	5755	Ant1	5650	-40.8	2	-38.8	Peak	-27	Pass
n40	5755	Ant1	5650	-50.52	2	-48.52	Average	-27	Pass
n40	5755	Ant1	5700	-41.57	2	-39.57	Peak	10	Pass
n40	5755	Ant1	5700	-50.13	2	-48.13	Average	10	Pass

n40	5755	Ant1	5720	-42.75	2	-40.75	Peak	15.6	Pass
n40	5755	Ant1	5720	-50.9	2	-48.9	Average	15.6	Pass
n40	5755	Ant1	5725	-42.42	2	-40.42	Peak	27	Pass
n40	5755	Ant1	5725	-50.71	2	-48.71	Average	27	Pass
n40	5795	Ant1	5850	-42.51	2	-40.51	Peak	27	Pass
n40	5795	Ant1	5850	-50.01	2	-48.01	Average	27	Pass
n40	5795	Ant1	5855	-42.09	2	-40.09	Peak	15.6	Pass
n40	5795	Ant1	5855	-49.99	2	-47.99	Average	15.6	Pass
n40	5795	Ant1	5875	-42.2	2	-40.2	Peak	10	Pass
n40	5795	Ant1	5875	-49.84	2	-47.84	Average	10	Pass
n40	5795	Ant1	5925	-39.63	2	-37.63	Peak	-27	Pass
n40	5795	Ant1	5925	-49.65	2	-47.65	Average	-27	Pass
ac20	5745	Ant1	5650	-41.99	2	-39.99	Peak	-27	Pass
ac20	5745	Ant1	5650	-50.46	2	-48.46	Average	-27	Pass
ac20	5745	Ant1	5700	-42.61	2	-40.61	Peak	10	Pass
ac20	5745	Ant1	5700	-50.46	2	-48.46	Average	10	Pass
ac20	5745	Ant1	5720	-41.67	2	-39.67	Peak	15.6	Pass
ac20	5745	Ant1	5720	-50.8	2	-48.8	Average	15.6	Pass
ac20	5745	Ant1	5725	-43.28	2	-41.28	Peak	27	Pass
ac20	5745	Ant1	5725	-50.54	2	-48.54	Average	27	Pass
ac20	5825	Ant1	5850	-40.79	2	-38.79	Peak	27	Pass
ac20	5825	Ant1	5850	-49.48	2	-47.48	Average	27	Pass
ac20	5825	Ant1	5855	-42.73	2	-40.73	Peak	15.6	Pass
ac20	5825	Ant1	5855	-50.13	2	-48.13	Average	15.6	Pass
ac20	5825	Ant1	5875	-43.7	2	-41.7	Peak	10	Pass
ac20	5825	Ant1	5875	-49.4	2	-47.4	Average	10	Pass
ac20	5825	Ant1	5925	-41.39	2	-39.39	Peak	-27	Pass
ac20	5825	Ant1	5925	-50.26	2	-48.26	Average	-27	Pass
ac40	5755	Ant1	5650	-42.79	2	-40.79	Peak	-27	Pass
ac40	5755	Ant1	5650	-50.18	2	-48.18	Average	-27	Pass
ac40	5755	Ant1	5700	-43.31	2	-41.31	Peak	10	Pass
ac40	5755	Ant1	5700	-50.17	2	-48.17	Average	10	Pass
ac40	5755	Ant1	5720	-44.39	2	-42.39	Peak	15.6	Pass
ac40	5755	Ant1	5720	-50.13	2	-48.13	Average	15.6	Pass
ac40	5755	Ant1	5725	-43.28	2	-41.28	Peak	27	Pass
ac40	5755	Ant1	5725	-50.48	2	-48.48	Average	27	Pass
ac40	5795	Ant1	5850	-40.63	2	-38.63	Peak	27	Pass
ac40	5795	Ant1	5850	-49.35	2	-47.35	Average	27	Pass
ac40	5795	Ant1	5855	-41.93	2	-39.93	Peak	15.6	Pass
ac40	5795	Ant1	5855	-48.77	2	-46.77	Average	15.6	Pass
ac40	5795	Ant1	5875	-40.78	2	-38.78	Peak	10	Pass
ac40	5795	Ant1	5875	-49.25	2	-47.25	Average	10	Pass
ac40	5795	Ant1	5925	-40.62	2	-38.62	Peak	-27	Pass

ac40	5795	Ant1	5925	-49.21	2	-47.21	Average	-27	Pass
ac80	5775	Ant1	5650	-41.52	2	-39.52	Peak	-27	Pass
ac80	5775	Ant1	5650	-49.94	2	-47.94	Average	-27	Pass
ac80	5775	Ant1	5700	-41.06	2	-39.06	Peak	10	Pass
ac80	5775	Ant1	5700	-49.67	2	-47.67	Average	10	Pass
ac80	5775	Ant1	5720	-42.88	2	-40.88	Peak	15.6	Pass
ac80	5775	Ant1	5720	-50.32	2	-48.32	Average	15.6	Pass
ac80	5775	Ant1	5725	-43.23	2	-41.23	Peak	27	Pass
ac80	5775	Ant1	5725	-49.34	2	-47.34	Average	27	Pass
ac80	5775	Ant1	5850	-41.63	2	-39.63	Peak	27	Pass
ac80	5775	Ant1	5850	-48.97	2	-46.97	Average	27	Pass
ac80	5775	Ant1	5855	-42.41	2	-40.41	Peak	15.6	Pass
ac80	5775	Ant1	5855	-49.87	2	-47.87	Average	15.6	Pass
ac80	5775	Ant1	5875	-42.76	2	-40.76	Peak	10	Pass
ac80	5775	Ant1	5875	-48.88	2	-46.88	Average	10	Pass
ac80	5775	Ant1	5925	-43.37	2	-41.37	Peak	-27	Pass
ac80	5775	Ant1	5925	-49.73	2	-47.73	Average	-27	Pass

8.2 Test Graphs

Test Graphs

Restrict Band a 5745MHz Ant1 Peak



Restrict Band a 5745MHz Ant1 Average



Restrict Band a 5825MHz Ant1 Peak



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.82616 GHz	-8.70 dBm		
M2		1	5.85 GHz	-42.19 dBm		
M3		1	5.855 GHz	-41.35 dBm		
M4		1	5.875 GHz	-41.76 dBm		
M5		1	5.925 GHz	-41.79 dBm		

Restrict Band a 5825MHz Ant1 Average



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.82124 GHz	-17.35 dBm		
M2		1	5.85 GHz	-49.70 dBm		
M3		1	5.855 GHz	-50.11 dBm		
M4		1	5.875 GHz	-49.40 dBm		
M5		1	5.925 GHz	-49.69 dBm		

Restrict Band n20 5745MHz Ant1 Peak



Restrict Band n20 5745MHz Ant1 Average



Restrict Band n20 5825MHz Ant1 Peak



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.8204 GHz	-9.91 dBm		
M2		1	5.85 GHz	-41.70 dBm		
M3		1	5.855 GHz	-41.23 dBm		
M4		1	5.875 GHz	-40.16 dBm		
M5		1	5.925 GHz	-39.78 dBm		

Restrict Band n20 5825MHz Ant1 Average



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.8234 GHz	-17.79 dBm		
M2		1	5.85 GHz	-50.06 dBm		
M3		1	5.855 GHz	-49.56 dBm		
M4		1	5.875 GHz	-49.91 dBm		
M5		1	5.925 GHz	-50.00 dBm		

Restrict Band n40 5755MHz Ant1 Peak



Restrict Band n40 5755MHz Ant1 Average



Restrict Band n40 5795MHz Ant1 Peak



Restrict Band n40 5795MHz Ant1 Average



Restrict Band ac20 5745MHz Ant1 Peak



Restrict Band ac20 5745MHz Ant1 Average



Restrict Band ac20 5825MHz Ant1 Peak



Restrict Band ac20 5825MHz Ant1 Average



Restrict Band ac40 5755MHz Ant1 Peak



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.74713 GHz	-10.85 dBm		
M2		1	5.65 GHz	-42.80 dBm		
M3		1	5.7 GHz	-43.32 dBm		
M4		1	5.72 GHz	-44.40 dBm		
M5		1	5.725 GHz	-42.96 dBm		

Restrict Band ac40 5755MHz Ant1 Average



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.74843 GHz	-18.55 dBm		
M2		1	5.65 GHz	-50.19 dBm		
M3		1	5.7 GHz	-50.17 dBm		
M4		1	5.72 GHz	-50.13 dBm		
M5		1	5.725 GHz	-50.39 dBm		

Restrict Band ac40 5795MHz Ant1 Peak



Restrict Band ac40 5795MHz Ant1 Average



Restrict Band ac80 5775MHz Ant1 Peak



Restrict Band ac80 5775MHz Ant1 Average



Restrict Band ac80 5775MHz Ant1 Peak



Restrict Band ac80 5775MHz Ant1 Average



---The End---