




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1



OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1



OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ax20 5180MHz Ant1




OBW NVNT ax20 5200MHz Ant1



OBW NVNT ax20 5240MHz Ant1




OBW NVNT ax40 5190MHz Ant1



OBW NVNT ax40 5230MHz Ant1

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total Conducted PSD (dBm/MHz)	Limit Conducted (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-5.66	9.11	3.45	11	Pass
NVNT	a	5200	Ant1	-5.01	9.13	4.12	11	Pass
NVNT	a	5240	Ant1	-4.24	9.11	4.87	11	Pass
NVNT	n20	5180	Ant1	-1.54	4.76	3.22	11	Pass
NVNT	n20	5200	Ant1	-1.24	4.71	3.47	11	Pass
NVNT	n20	5240	Ant1	-0.68	4.71	4.04	11	Pass
NVNT	n40	5190	Ant1	-6.23	4.84	-1.39	11	Pass
NVNT	n40	5230	Ant1	-5.78	4.83	-0.95	11	Pass
NVNT	ac20	5180	Ant1	-2.57	4.73	2.16	11	Pass
NVNT	ac20	5200	Ant1	-1.96	4.73	2.77	11	Pass
NVNT	ac20	5240	Ant1	-1.87	4.71	2.84	11	Pass
NVNT	ac40	5190	Ant1	-6.23	4.86	-1.37	11	Pass
NVNT	ac40	5230	Ant1	-6	4.84	-1.16	11	Pass
NVNT	ax20	5180	Ant1	-3.17	5.52	2.35	11	Pass
NVNT	ax20	5200	Ant1	-3.07	5.58	2.51	11	Pass
NVNT	ax20	5240	Ant1	-2.54	5.52	2.98	11	Pass
NVNT	ax40	5190	Ant1	-7.1	5.52	-1.58	11	Pass
NVNT	ax40	5230	Ant1	-6.81	5.52	-1.29	11	Pass



PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1



PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1



PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1



PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ax20 5180MHz Ant1



PSD NVNT ax20 5200MHz Ant1



PSD NVNT ax20 5240MHz Ant1



PSD NVNT ax40 5190MHz Ant1



PSD NVNT ax40 5230MHz Ant1

Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&3.70V	ANT1	802.11a	5180.00	5180.082	5171.260	5188.904	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11a	5180.00	5180.074	5171.652	5188.496	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11a	5180.00	5180.028	5171.812	5188.244	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11a	5180.00	5180.050	5171.904	5188.196	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11a	5180.00	5180.036	5171.968	5188.104	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11a	5180.00	5180.046	5172.028	5188.064	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11a	5180.00	5180.032	5172.100	5187.964	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11a	5180.00	5180.064	5172.152	5187.976	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11a	5180.00	5180.074	5172.204	5187.944	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11a	5180.00	5180.060	5172.264	5187.856	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11a	5180.00	5180.022	5172.320	5187.724	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11a	5180.00	5180.076	5172.380	5187.772	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11a	5200.00	5200.032	5191.208	5208.856	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11a	5200.00	5200.032	5191.652	5208.412	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11a	5200.00	5200.008	5191.788	5208.228	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11a	5200.00	5200.030	5191.884	5208.176	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11a	5200.00	5200.030	5191.924	5208.136	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11a	5200.00	5200.008	5191.976	5208.040	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11a	5200.00	5200.010	5192.016	5208.004	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11a	5200.00	5200.012	5192.068	5207.956	5150~5250	Pass

-30degrees C&3.70V	ANT1	802.11a	5200.00	5200.000	5192.116	5207.884	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11a	5200.00	5200.002	5192.180	5207.824	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11a	5200.00	5199.992	5192.232	5207.752	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11a	5200.00	5199.994	5192.284	5207.704	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11a	5240.00	5239.962	5230.984	5248.940	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11a	5240.00	5239.974	5231.568	5248.380	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11a	5240.00	5240.008	5231.744	5248.272	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11a	5240.00	5240.000	5231.832	5248.168	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11a	5240.00	5240.014	5231.904	5248.124	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11a	5240.00	5239.986	5231.960	5248.012	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11a	5240.00	5239.996	5232.008	5247.984	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11a	5240.00	5239.998	5232.064	5247.932	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11a	5240.00	5239.998	5232.120	5247.876	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11a	5240.00	5240.000	5232.180	5247.820	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11a	5240.00	5240.012	5232.228	5247.796	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11a	5240.00	5240.038	5232.284	5247.792	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5179.996	5170.404	5189.588	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.084	5171.016	5189.152	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.042	5171.180	5188.904	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.046	5171.292	5188.800	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.360	5188.748	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.042	5171.440	5188.644	5150~5250	Pass

-10degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.082	5171.524	5188.640	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.070	5171.592	5188.548	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.082	5171.652	5188.512	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5180.00	5180.074	5171.712	5188.436	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5180.00	5180.072	5171.760	5188.384	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5180.00	5180.068	5171.816	5188.320	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.008	5180.196	5219.820	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.132	5180.536	5219.728	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.138	5180.748	5219.528	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.286	5181.064	5219.508	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.232	5181.232	5219.232	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.400	5181.520	5219.280	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.100	5181.676	5218.524	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.372	5181.924	5218.820	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.614	5182.064	5219.164	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5200.00	5200.790	5182.220	5219.360	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5200.00	5200.276	5182.240	5218.312	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5200.00	5200.652	5182.264	5219.040	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.042	5230.356	5249.728	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.012	5230.932	5249.092	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.034	5231.136	5248.932	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.236	5248.784	5150~5250	Pass

10degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.296	5248.724	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.352	5248.668	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5239.994	5231.416	5248.572	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.472	5248.544	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5240.004	5231.528	5248.480	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.588	5248.416	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5240.00	5239.988	5231.628	5248.348	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5240.00	5239.996	5231.684	5248.308	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.070	5170.528	5189.612	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5171.020	5189.036	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.078	5171.184	5188.972	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.268	5188.800	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.336	5188.744	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.400	5188.664	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.464	5188.616	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.048	5171.524	5188.572	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.588	5188.492	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5180.00	5180.056	5171.652	5188.460	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.720	5188.348	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.784	5188.296	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.062	5190.460	5209.664	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5199.988	5190.952	5209.024	5150~5250	Pass

30degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.140	5208.920	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.008	5191.244	5208.772	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.034	5191.308	5208.760	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.004	5191.364	5208.644	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.012	5191.424	5208.600	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.028	5191.496	5208.560	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.548	5208.512	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5200.00	5200.018	5191.616	5208.420	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5200.00	5200.024	5191.668	5208.380	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5200.00	5200.004	5191.724	5208.284	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5239.972	5230.440	5249.504	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5239.998	5230.952	5249.044	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.026	5231.136	5248.916	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.020	5231.236	5248.804	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.304	5248.700	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.012	5231.360	5248.664	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.428	5248.592	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.492	5248.520	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5239.990	5231.532	5248.448	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5240.00	5239.978	5231.584	5248.372	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5240.00	5239.992	5231.664	5248.320	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.724	5248.284	5150~5250	Pass

50degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.036	5170.288	5189.784	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.024	5170.468	5189.580	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.018	5170.556	5189.480	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.022	5170.632	5189.412	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.038	5170.676	5189.400	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.032	5170.748	5189.316	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.018	5170.796	5189.240	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.026	5170.856	5189.196	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.006	5170.960	5189.052	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5180.00	5180.062	5171.044	5189.080	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ax(HE20)	5180.00	5180.030	5171.116	5188.944	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5180.00	5180.098	5171.188	5189.008	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5199.968	5190.240	5209.696	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5199.996	5190.452	5209.540	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.044	5190.552	5209.536	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.040	5190.628	5209.452	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.008	5190.700	5209.316	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.032	5190.780	5209.284	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.048	5190.840	5209.256	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.028	5190.892	5209.164	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.040	5190.932	5209.148	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5200.00	5200.038	5190.992	5209.084	5150~5250	Pass

25degrees C&3.70V	ANT1	802.11ax(HE20)	5200.00	5200.024	5191.056	5208.992	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5200.00	5200.030	5191.128	5208.932	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.036	5230.312	5249.760	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.028	5230.500	5249.556	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.040	5230.592	5249.488	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.042	5230.664	5249.420	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.052	5230.752	5249.352	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.048	5230.824	5249.272	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.052	5230.880	5249.224	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.016	5230.936	5249.096	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.068	5230.972	5249.164	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5240.00	5240.070	5231.040	5249.100	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ax(HE20)	5240.00	5240.052	5231.116	5248.988	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5240.00	5240.052	5231.188	5248.916	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.088	5171.704	5208.472	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.080	5171.936	5208.224	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.048	5172.064	5208.032	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.052	5172.168	5207.936	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.336	5207.864	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.124	5172.464	5207.784	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.080	5172.560	5207.600	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.072	5172.688	5207.456	5150~5250	Pass

-30degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.084	5172.808	5207.360	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.936	5207.264	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11n(HT40)	5190.00	5190.112	5173.048	5207.176	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11n(HT40)	5190.00	5190.172	5173.200	5207.144	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.076	5211.672	5248.480	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.068	5211.920	5248.216	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.052	5212.064	5248.040	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.036	5212.184	5247.888	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.036	5212.296	5247.776	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.072	5212.424	5247.720	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.084	5212.552	5247.616	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.680	5247.400	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.036	5212.800	5247.272	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11n(HT40)	5230.00	5230.080	5212.928	5247.232	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11n(HT40)	5230.00	5230.036	5213.016	5247.056	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11n(HT40)	5230.00	5230.072	5213.120	5247.024	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.104	5171.688	5208.520	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.084	5171.968	5208.200	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.100	5172.120	5208.080	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.120	5172.264	5207.976	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.120	5172.384	5207.856	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.124	5172.536	5207.712	5150~5250	Pass

-10degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.136	5172.648	5207.624	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.096	5172.744	5207.448	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.140	5172.872	5207.408	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT40)	5190.00	5190.116	5172.984	5207.248	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT40)	5190.00	5190.116	5173.096	5207.136	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT40)	5190.00	5190.188	5173.224	5207.152	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.088	5211.688	5248.488	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.084	5211.960	5248.208	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5212.072	5248.040	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.184	5247.864	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.020	5212.288	5247.752	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5212.400	5247.656	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.032	5212.520	5247.544	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.020	5212.632	5247.408	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.720	5247.328	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT40)	5230.00	5229.992	5212.792	5247.192	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT40)	5230.00	5230.012	5212.896	5247.128	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5213.008	5247.104	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.072	5171.024	5209.120	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.088	5171.216	5208.960	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.136	5171.384	5208.888	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.164	5171.544	5208.784	5150~5250	Pass

10degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.144	5171.672	5208.616	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.160	5171.784	5208.536	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.088	5171.848	5208.328	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.140	5171.968	5208.312	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.152	5172.072	5208.232	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ax(HE40)	5190.00	5190.064	5172.216	5207.912	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ax(HE40)	5190.00	5190.216	5172.376	5208.056	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ax(HE40)	5190.00	5190.172	5172.528	5207.816	5150~5250	Pass
50degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.056	5210.936	5249.176	5150~5250	Pass
40degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.052	5211.080	5249.024	5150~5250	Pass
30degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.056	5211.264	5248.848	5150~5250	Pass
20degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.044	5211.400	5248.688	5150~5250	Pass
10degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.036	5211.504	5248.568	5150~5250	Pass
0degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.032	5211.608	5248.456	5150~5250	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.060	5211.752	5248.368	5150~5250	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.032	5211.904	5248.160	5150~5250	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5229.980	5211.984	5247.976	5150~5250	Pass
25degrees C&4.07V	ANT1	802.11ax(HE40)	5230.00	5230.092	5212.112	5248.072	5150~5250	Pass
25degrees C&3.70V	ANT1	802.11ax(HE40)	5230.00	5230.092	5212.248	5247.936	5150~5250	Pass
25degrees C&3.33V	ANT1	802.11ax(HE40)	5230.00	5230.040	5212.384	5247.696	5150~5250	Pass