





OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5785MHz Ant1



OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax40 5755MHz Ant1



OBW NVNT ax40 5795MHz Ant1

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total Conducted PSD (dBm/510kHz)	Limit Conducted(dBm/500 kHz)	Verdict
NVNT	a	5745	Ant1	-7.52	9.27	1.75	30	Pass
NVNT	a	5785	Ant1	-7.41	9.11	1.7	30	Pass
NVNT	a	5825	Ant1	-7.74	9.11	1.37	30	Pass
NVNT	n20	5745	Ant1	-3.74	4.73	0.99	30	Pass
NVNT	n20	5785	Ant1	-3.86	4.73	0.87	30	Pass
NVNT	n20	5825	Ant1	-3.39	4.71	1.32	30	Pass
NVNT	n40	5755	Ant1	-6.82	4.83	-1.99	30	Pass
NVNT	n40	5795	Ant1	-6.51	4.83	-1.68	30	Pass
NVNT	ac20	5745	Ant1	-3.12	4.71	1.59	30	Pass
NVNT	ac20	5785	Ant1	-4.36	4.73	0.37	30	Pass
NVNT	ac20	5825	Ant1	-4.39	4.73	0.34	30	Pass
NVNT	ac40	5755	Ant1	-6.23	4.84	-1.39	30	Pass
NVNT	ac40	5795	Ant1	-7.77	4.84	-2.93	30	Pass
NVNT	ax20	5745	Ant1	-4.71	5.52	0.81	30	Pass
NVNT	ax20	5785	Ant1	-4.93	5.58	0.65	30	Pass
NVNT	ax20	5825	Ant1	-5.45	5.52	0.07	30	Pass
NVNT	ax40	5755	Ant1	-7.76	5.52	-2.24	30	Pass
NVNT	ax40	5795	Ant1	-8.05	5.52	-2.53	30	Pass



PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1

Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&3.70V	ANT1	802.11a	5745.00	5744.990	5736.012	5753.968	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11a	5745.00	5744.984	5736.540	5753.428	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11a	5745.00	5744.994	5736.700	5753.288	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11a	5745.00	5745.004	5736.792	5753.216	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11a	5745.00	5745.004	5736.852	5753.156	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11a	5745.00	5744.990	5736.896	5753.084	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11a	5745.00	5744.994	5736.952	5753.036	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11a	5745.00	5744.982	5736.980	5752.984	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11a	5745.00	5744.996	5737.028	5752.964	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11a	5745.00	5744.996	5737.068	5752.924	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11a	5745.00	5744.994	5737.096	5752.892	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11a	5745.00	5744.966	5737.136	5752.796	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11a	5785.00	5784.984	5776.208	5793.760	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11a	5785.00	5784.982	5776.584	5793.380	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11a	5785.00	5784.976	5776.736	5793.216	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11a	5785.00	5784.970	5776.824	5793.116	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11a	5785.00	5784.984	5776.884	5793.084	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11a	5785.00	5784.986	5776.932	5793.040	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11a	5785.00	5784.962	5776.980	5792.944	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11a	5785.00	5784.970	5777.024	5792.916	5725~5850	Pass

-30degrees C&3.70V	ANT1	802.11a	5785.00	5784.974	5777.068	5792.880	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11a	5785.00	5784.954	5777.108	5792.800	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11a	5785.00	5784.966	5777.136	5792.796	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11a	5785.00	5784.944	5777.164	5792.724	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11a	5825.00	5825.016	5816.064	5833.968	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11a	5825.00	5824.988	5816.580	5833.396	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11a	5825.00	5825.012	5816.740	5833.284	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11a	5825.00	5825.024	5816.824	5833.224	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11a	5825.00	5825.024	5816.892	5833.156	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11a	5825.00	5825.030	5816.920	5833.140	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11a	5825.00	5825.018	5816.964	5833.072	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11a	5825.00	5825.016	5817.016	5833.016	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11a	5825.00	5825.008	5817.064	5832.952	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11a	5825.00	5825.008	5817.116	5832.900	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11a	5825.00	5825.020	5817.168	5832.872	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11a	5825.00	5825.038	5817.224	5832.852	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.928	5735.228	5754.628	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.962	5735.832	5754.092	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.028	5753.904	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.970	5736.132	5753.808	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.982	5736.212	5753.752	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.984	5736.268	5753.700	5725~5850	Pass

-10degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.992	5736.324	5753.660	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.984	5736.364	5753.604	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.976	5736.412	5753.540	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5745.00	5744.964	5736.456	5753.472	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5745.00	5744.962	5736.492	5753.432	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5745.00	5744.948	5736.532	5753.364	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.942	5775.160	5794.724	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.982	5775.832	5794.132	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.060	5793.944	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.172	5793.824	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5785.010	5776.244	5793.776	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.288	5793.716	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5785.000	5776.324	5793.676	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.988	5776.368	5793.608	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.980	5776.408	5793.552	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5785.00	5784.976	5776.444	5793.508	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5785.00	5784.984	5776.488	5793.480	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5785.00	5784.966	5776.520	5793.412	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5825.022	5815.744	5834.300	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.984	5816.028	5833.940	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5825.000	5816.172	5833.828	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.996	5816.248	5833.744	5725~5850	Pass

10degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5825.006	5816.312	5833.700	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5825.002	5816.372	5833.632	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.428	5833.552	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.988	5816.484	5833.492	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.980	5816.524	5833.436	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11n(HT20)	5825.00	5824.952	5816.568	5833.336	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11n(HT20)	5825.00	5824.986	5816.620	5833.352	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11n(HT20)	5825.00	5824.962	5816.668	5833.256	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5744.976	5735.184	5754.768	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5744.976	5735.872	5754.080	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5744.996	5736.052	5753.940	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.172	5753.828	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5736.248	5753.792	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.004	5736.300	5753.708	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.014	5736.356	5753.672	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.010	5736.416	5753.604	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5736.460	5753.580	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5745.00	5744.994	5736.504	5753.484	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.568	5753.444	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5745.00	5745.010	5736.608	5753.412	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.004	5775.208	5794.800	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.018	5775.932	5794.104	5725~5850	Pass

30degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.124	5793.944	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.018	5776.216	5793.820	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.022	5776.272	5793.772	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.332	5793.684	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.012	5776.376	5793.648	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.016	5776.432	5793.600	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5785.018	5776.472	5793.564	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.512	5793.504	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5785.00	5784.996	5776.564	5793.428	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5785.00	5785.006	5776.608	5793.404	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5824.960	5815.256	5834.664	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.042	5815.924	5834.160	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.010	5816.104	5833.916	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.204	5833.848	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.040	5816.280	5833.800	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.336	5833.716	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.032	5816.400	5833.664	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.452	5833.596	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.030	5816.492	5833.568	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT20)	5825.00	5825.020	5816.540	5833.500	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT20)	5825.00	5825.018	5816.600	5833.436	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT20)	5825.00	5825.030	5816.660	5833.400	5725~5850	Pass

50degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.000	5735.156	5754.844	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.002	5735.380	5754.624	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.020	5735.496	5754.544	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.008	5735.556	5754.460	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.010	5735.600	5754.420	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5744.998	5735.644	5754.352	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5745.006	5735.700	5754.312	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5744.944	5735.748	5754.140	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5744.972	5735.792	5754.152	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5745.00	5744.978	5735.836	5754.120	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ax(HE20)	5745.00	5744.972	5735.880	5754.064	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5745.00	5744.938	5735.908	5753.968	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5784.998	5775.212	5794.784	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.034	5775.452	5794.616	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.018	5775.536	5794.500	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.006	5775.584	5794.428	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.026	5775.640	5794.412	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.018	5775.676	5794.360	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5784.990	5775.728	5794.252	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.002	5775.776	5794.228	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5785.026	5775.828	5794.224	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5785.00	5785.016	5775.884	5794.148	5725~5850	Pass

25degrees C&3.70V	ANT1	802.11ax(HE20)	5785.00	5784.986	5775.928	5794.044	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5785.00	5785.006	5775.972	5794.040	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5824.970	5815.120	5834.820	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.018	5815.412	5834.624	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5824.996	5815.496	5834.496	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.024	5815.596	5834.452	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.014	5815.664	5834.364	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.026	5815.708	5834.344	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.030	5815.744	5834.316	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.002	5815.776	5834.228	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5824.994	5815.836	5834.152	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ax(HE20)	5825.00	5824.974	5815.892	5834.056	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ax(HE20)	5825.00	5825.016	5815.944	5834.088	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ax(HE20)	5825.00	5825.028	5816.000	5834.056	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.032	5736.488	5773.576	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.020	5736.824	5773.216	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.024	5736.936	5773.112	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.040	5772.992	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.028	5737.152	5772.904	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.020	5737.240	5772.800	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5754.988	5737.312	5772.664	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5755.032	5737.384	5772.680	5725~5850	Pass

-30degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5754.964	5737.480	5772.448	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11n(HT40)	5755.00	5754.992	5737.568	5772.416	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11n(HT40)	5755.00	5754.992	5737.640	5772.344	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11n(HT40)	5755.00	5754.972	5737.720	5772.224	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.032	5776.480	5813.584	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.008	5776.760	5813.256	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.000	5776.912	5813.088	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.000	5777.000	5813.000	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.012	5777.080	5812.944	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.176	5812.776	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.256	5812.784	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5794.948	5777.336	5812.560	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5794.964	5777.424	5812.504	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.480	5812.472	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11n(HT40)	5795.00	5794.876	5777.544	5812.208	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11n(HT40)	5795.00	5794.924	5777.632	5812.216	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.068	5736.544	5773.592	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.036	5736.848	5773.224	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.064	5737.016	5773.112	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.112	5772.984	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.056	5737.184	5772.928	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.068	5737.288	5772.848	5725~5850	Pass

-10degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.076	5737.408	5772.744	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.076	5737.512	5772.640	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.072	5737.592	5772.552	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT40)	5755.00	5755.072	5737.672	5772.472	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5737.744	5772.304	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT40)	5755.00	5755.052	5737.824	5772.280	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5776.520	5813.512	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.060	5776.840	5813.280	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.040	5776.952	5813.128	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.028	5777.064	5812.992	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.044	5777.136	5812.952	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.040	5777.232	5812.848	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.008	5777.336	5812.680	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5777.424	5812.608	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.028	5777.528	5812.528	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.592	5812.416	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ac(VHT40)	5795.00	5795.028	5777.680	5812.376	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5777.784	5812.128	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.044	5735.920	5774.168	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.072	5774.056	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.200	5773.928	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.024	5736.304	5773.744	5725~5850	Pass

10degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.416	5773.728	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.496	5773.632	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.108	5736.560	5773.656	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.004	5736.616	5773.392	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.032	5736.712	5773.352	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ax(HE40)	5755.00	5754.976	5736.816	5773.136	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ax(HE40)	5755.00	5755.076	5736.928	5773.224	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ax(HE40)	5755.00	5754.956	5737.032	5772.880	5725~5850	Pass
50degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.060	5775.928	5814.192	5725~5850	Pass
40degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.024	5776.088	5813.960	5725~5850	Pass
30degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.060	5776.184	5813.936	5725~5850	Pass
20degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.036	5776.288	5813.784	5725~5850	Pass
10degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.040	5776.392	5813.688	5725~5850	Pass
0degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.024	5776.448	5813.600	5725~5850	Pass
-10degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.032	5776.544	5813.520	5725~5850	Pass
-20degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5795.040	5776.648	5813.432	5725~5850	Pass
-30degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5794.968	5776.712	5813.224	5725~5850	Pass
25degrees C&4.07V	ANT1	802.11ax(HE40)	5795.00	5794.944	5776.752	5813.136	5725~5850	Pass
25degrees C&3.70V	ANT1	802.11ax(HE40)	5795.00	5794.976	5776.816	5813.136	5725~5850	Pass
25degrees C&3.33V	ANT1	802.11ax(HE40)	5795.00	5794.924	5776.856	5812.992	5725~5850	Pass