Appendix Test Data_Module2

Report No.:	1812C50407912503-01	Test Sample No.:	1-2-2
Start Test Date:	2025-8-22	Finish Test Date:	2025-9-8
Test Engineer:	dylan. Ma	Auditor:	Justin Feng
Temperature:	25.5℃	Relative Humidity:	58%
Pressure:	101kPa		

Appendix A: 6dB Bandwidth

Test Result

Test Mode	Antenna	Frequency[MHz]	6dB BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant0	2412	10.36	2406.80	2417.16	0.5	PASS
11B	Ant1	2412	10.44	2406.76	2417.20	0.5	PASS
11B	Ant0	2437	10.40	2431.76	2442.16	0.5	PASS
11B	Ant1	2437	10.40	2431.76	2442.16	0.5	PASS
11B	Ant0	2462	10.40	2456.76	2467.16	0.5	PASS
11B	Ant1	2462	10.40	2456.76	2467.16	0.5	PASS
11G	Ant0	2412	16.32	2403.88	2420.20	0.5	PASS
11G	Ant1	2412	16.28	2403.84	2420.12	0.5	PASS
11G	Ant0	2437	16.16	2428.84	2445.00	0.5	PASS
11G	Ant1	2437	16.12	2428.88	2445.00	0.5	PASS
11G	Ant0	2462	16.24	2453.88	2470.12	0.5	PASS
11G	Ant1	2462	16.04	2453.92	2469.96	0.5	PASS
11N20MIMO	Ant0	2412	17.32	2403.32	2420.64	0.5	PASS
11N20MIMO	Ant1	2412	17.64	2403.16	2420.80	0.5	PASS
11N20MIMO	Ant0	2437	17.52	2428.16	2445.68	0.5	PASS
11N20MIMO	Ant1	2437	17.48	2428.16	2445.64	0.5	PASS
11N20MIMO	Ant0	2462	17.48	2453.28	2470.76	0.5	PASS
11N20MIMO	Ant1	2462	17.32	2453.28	2470.60	0.5	PASS
11N40MIMO	Ant0	2422	36.08	2403.92	2440.00	0.5	PASS
11N40MIMO	Ant1	2422	35.84	2404.00	2439.84	0.5	PASS
11N40MIMO	Ant0	2437	36.00	2419.00	2455.00	0.5	PASS
11N40MIMO	Ant1	2437	35.52	2418.92	2454.44	0.5	PASS
11N40MIMO	Ant0	2452	35.92	2434.00	2469.92	0.5	PASS
11N40MIMO	Ant1	2452	35.36	2433.92	2469.28	0.5	PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs



11B-Ant0-2412-PASS



11B-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2437-PASS



11B-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2462-PASS



11B-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2412-PASS



11G-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2437-PASS



11G-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2462-PASS



11G-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2412-PASS



11N20MIMO-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2437-PASS



11N20MIMO-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2462-PASS



11N20MIMO-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2422-PASS



11N40MIMO-Ant1-2422-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2437-PASS



11N40MIMO-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2452-PASS



11N40MIMO-Ant1-2452-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix B: 99% Occupied Bandwidth

Test Result

Test Mode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant0	2412	14.785	2404.5674	2419.3526	---	---
11B	Ant1	2412	14.865	2404.5275	2419.3926	---	---
11B	Ant0	2437	14.705	2429.6074	2444.3127	---	---
11B	Ant1	2437	14.785	2429.5275	2444.3127	---	---
11B	Ant0	2462	14.705	2454.6074	2469.3127	---	---
11B	Ant1	2462	14.825	2454.4875	2469.3127	---	---
11G	Ant0	2412	17.183	2403.4486	2420.6314	---	---
11G	Ant1	2412	17.263	2403.3686	2420.6314	---	---
11G	Ant0	2437	16.863	2428.3287	2445.1918	---	---
11G	Ant1	2437	16.823	2428.4885	2445.3117	---	---
11G	Ant0	2462	16.583	2453.6484	2470.2318	---	---
11G	Ant1	2462	16.783	2453.4885	2470.2717	---	---
11N20MIMO	Ant0	2412	18.501	2402.7293	2421.2308	---	---
11N20MIMO	Ant1	2412	17.982	2402.9690	2420.9510	---	---
11N20MIMO	Ant0	2437	18.102	2427.9690	2446.0709	---	---
11N20MIMO	Ant1	2437	17.862	2427.9690	2445.8312	---	---
11N20MIMO	Ant0	2462	18.062	2452.8092	2470.8711	---	---
11N20MIMO	Ant1	2462	18.102	2452.8092	2470.9111	---	---
11N40MIMO	Ant0	2422	36.763	2403.3786	2440.1419	---	---
11N40MIMO	Ant1	2422	36.444	2403.6983	2440.1419	---	---
11N40MIMO	Ant0	2437	36.523	2418.7782	2455.3017	---	---
11N40MIMO	Ant1	2437	36.204	2418.7782	2454.9820	---	---
11N40MIMO	Ant0	2452	36.364	2433.6983	2470.0619	---	---
11N40MIMO	Ant1	2452	36.364	2433.6983	2470.0619	---	---

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs



11B-Ant0-2412



11B-Ant1-2412

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2437



11B-Ant1-2437

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2462



11B-Ant1-2462

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2412



11G-Ant1-2412

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2437



11G-Ant1-2437

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2462



11G-Ant1-2462

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2412



11N20MIMO-Ant1-2412

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2437



11N20MIMO-Ant1-2437

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2462



11N20MIMO-Ant1-2462

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2422



11N40MIMO-Ant1-2422

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2437



11N40MIMO-Ant1-2437

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2452



11N40MIMO-Ant1-2452

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix C: Maximum conducted output power

Test Result Average

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant0	2412	13.85	≤30.00	PASS
11B	Ant1	2412	13.86	≤30.00	PASS
11B	Ant0	2437	13.96	≤30.00	PASS
11B	Ant1	2437	14.02	≤30.00	PASS
11B	Ant0	2462	13.87	≤30.00	PASS
11B	Ant1	2462	13.97	≤30.00	PASS
11G	Ant0	2412	13.51	≤30.00	PASS
11G	Ant1	2412	13.53	≤30.00	PASS
11G	Ant0	2437	13.73	≤30.00	PASS
11G	Ant1	2437	13.76	≤30.00	PASS
11G	Ant0	2462	13.95	≤30.00	PASS
11G	Ant1	2462	13.99	≤30.00	PASS
11N20MIMO	Ant1	2412	13.39	≤29.23	PASS
11N20MIMO	Ant0	2412	13.34	≤29.23	PASS
11N20MIMO	total	2412	16.38	≤29.23	PASS
11N20MIMO	Ant1	2437	13.58	≤29.23	PASS
11N20MIMO	total	2437	16.60	≤29.23	PASS
11N20MIMO	Ant0	2437	13.60	≤29.23	PASS
11N20MIMO	Ant1	2462	13.80	≤29.23	PASS
11N20MIMO	total	2462	**16.81**	≤29.23	PASS
11N20MIMO	Ant0	2462	13.80	≤29.23	PASS
11N40MIMO	Ant1	2422	13.18	≤29.23	PASS
11N40MIMO	total	2422	16.21	≤29.23	PASS
11N40MIMO	Ant0	2422	13.21	≤29.23	PASS
11N40MIMO	Ant1	2437	13.49	≤29.23	PASS
11N40MIMO	total	2437	16.52	≤29.23	PASS
11N40MIMO	Ant0	2437	13.53	≤29.23	PASS
11N40MIMO	Ant1	2452	13.49	≤29.23	PASS
11N40MIMO	total	2452	16.50	≤29.23	PASS
11N40MIMO	Ant0	2452	13.48	≤29.23	PASS

Note：1. The cable loss are compensated in the graph

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs Average



11B-Ant0-2412-PASS



11B-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2437-PASS



11B-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2462-PASS



11B-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2412-PASS



11G-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2437-PASS



11G-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2462-PASS



11G-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant1-2412-PASS



11N20MIMO-Ant0-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant1-2437-PASS



11N20MIMO-Ant0-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant1-2462-PASS



11N20MIMO-Ant0-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant1-2422-PASS



11N40MIMO-Ant0-2422-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant1-2437-PASS



11N40MIMO-Ant0-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant1-2452-PASS



11N40MIMO-Ant0-2452-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant0	2412	-16.55	≤8.00	PASS
11B	Ant1	2412	-16.45	≤8.00	PASS
11B	Ant0	2437	-16.49	≤8.00	PASS
11B	Ant1	2437	-16.17	≤8.00	PASS
11B	Ant0	2462	-16.46	≤8.00	PASS
11B	Ant1	2462	-15.43	≤8.00	PASS
11G	Ant0	2412	-15.27	≤8.00	PASS
11G	Ant1	2412	-14.75	≤8.00	PASS
11G	Ant0	2437	-14.54	≤8.00	PASS
11G	Ant1	2437	-14.54	≤8.00	PASS
11G	Ant0	2462	-14.84	≤8.00	PASS
11G	Ant1	2462	-14.54	≤8.00	PASS
11N20MIMO	Ant0	2412	-13.47	≤7.23	PASS
11N20MIMO	Ant1	2412	-13.43	≤7.23	PASS
11N20MIMO	total	2412	-10.44	≤7.23	PASS
11N20MIMO	Ant0	2437	-13.41	≤7.23	PASS
11N20MIMO	Ant1	2437	-13.29	≤7.23	PASS
11N20MIMO	total	2437	-10.34	≤7.23	PASS
11N20MIMO	Ant0	2462	-13.02	≤7.23	PASS
11N20MIMO	Ant1	2462	-12.99	≤7.23	PASS
11N20MIMO	total	2462	-9.99	≤7.23	PASS
11N40MIMO	Ant0	2422	-16.49	≤7.23	PASS
11N40MIMO	Ant1	2422	-16.68	≤7.23	PASS
11N40MIMO	total	2422	-13.57	≤7.23	PASS
11N40MIMO	Ant0	2437	-16.60	≤7.23	PASS
11N40MIMO	Ant1	2437	-16.39	≤7.23	PASS
11N40MIMO	total	2437	-13.48	≤7.23	PASS
11N40MIMO	Ant0	2452	-16.68	≤7.23	PASS
11N40MIMO	Ant1	2452	-16.81	≤7.23	PASS
11N40MIMO	total	2452	-13.73	≤7.23	PASS

Note: 1. The cable loss are compensated in the graph.

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs



11B-Ant0-2412-PASS



11B-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2437-PASS



11B-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2462-PASS



11B-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2412-PASS



11G-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2437-PASS



11G-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2462-PASS



11G-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2412-PASS



11N20MIMO-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2437-PASS



11N20MIMO-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N20MIMO-Ant0-2462-PASS



11N20MIMO-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2422-PASS



11N40MIMO-Ant1-2422-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2437-PASS



11N40MIMO-Ant1-2437-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11N40MIMO-Ant0-2452-PASS



11N40MIMO-Ant1-2452-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix E: Conducted Band edge

Test Result

Test Mode	Antenna	Ch. Name	Frequency[MHz]	Ref. Level[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant0	Low	2412	4.37	-35.25	≤-25.63	PASS
11B	Ant1	Low	2412	5.17	-33.42	≤-24.83	PASS
11B	Ant0	High	2462	3.14	-53.22	≤-26.86	PASS
11B	Ant1	High	2462	2.69	-55.34	≤-27.31	PASS
11G	Ant0	Low	2412	-0.55	-35.06	≤-30.55	PASS
11G	Ant1	Low	2412	0.30	-31.42	≤-29.7	PASS
11G	Ant0	High	2462	2.02	-40.76	≤-27.98	PASS
11G	Ant1	High	2462	2.60	-40.6	≤-27.4	PASS
11N20MIMO	Ant0	Low	2412	-0.12	-35.62	≤-30.12	PASS
11N20MIMO	Ant1	Low	2412	-0.70	-33.06	≤-30.7	PASS
11N20MIMO	Ant0	High	2462	0.03	-41.02	≤-29.97	PASS
11N20MIMO	Ant1	High	2462	4.20	-40.76	≤-25.8	PASS
11N40MIMO	Ant0	Low	2422	-3.70	-41.48	≤-33.7	PASS
11N40MIMO	Ant1	Low	2422	-0.96	-34.42	≤-30.96	PASS
11N40MIMO	Ant0	High	2452	-1.97	-34.22	≤-31.97	PASS
11N40MIMO	Ant1	High	2452	0.09	-33.71	≤-29.91	PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs



11B-Ant0-2412-PASS



11B-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11B-Ant0-2462-PASS



11B-Ant1-2462-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



11G-Ant0-2412-PASS



11G-Ant1-2412-PASS

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.
Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com