

Test Data for E-UTRA Band 25

EUT: <u>Phone</u>	Model: <u>G65</u>
Ambient Condition: <u>25</u> °C, <u>45</u> %RH, <u>101.325</u> kPa	
Test Engineer: <u>Jack Zhou</u>	

Contents

Appendix A: Effective (Isotropic) Radiated Power Output Data.....	3
Test Result.....	3
Appendix B: Peak-to-Average Ratio(CCDF)	10
Test Result.....	10
Test Graphs.....	12
Appendix C: 26dB Bandwidth and Occupied Bandwidth	37
Test Result.....	37
Test Graphs.....	39
Appendix D: Band Edge	52
Test Result.....	52
Test Graphs.....	53
Appendix E: Conducted Spurious Emission.....	78
Test Result.....	78
Test Graphs.....	81
Appendix F: Frequency Stability	106
Test Result.....	106
Appendix G: Modulation Characteristics.....	120
Test Result.....	120
Test Graphs.....	121

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	22.08	23.02	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	22.19	23.13	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	22.07	23.01	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	22.14	23.08	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	22.11	23.05	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.18	23.12	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.14	22.08	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	22.11	23.05	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	22.18	23.12	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	22.07	23.01	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	22.14	23.08	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	22.11	23.05	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	22.14	23.08	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	21.15	22.09	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	22.20	23.14	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.37	23.31	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	22.15	23.09	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.29	23.23	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.24	23.18	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.28	23.22	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	21.24	22.18	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	21.23	22.17	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	21.36	22.30	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	21.20	22.14	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	21.01	21.95	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	21.03	21.97	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	21.07	22.01	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	20.06	21.00	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	20.97	21.91	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	21.14	22.08	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	20.94	21.88	PASS

Band25	1.4MHz	16QAM	26365	3RB#0	20.98	21.92	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	20.96	21.90	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	20.93	21.87	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	20.12	21.06	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.33	22.27	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.55	22.49	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.28	22.22	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.21	22.15	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	21.20	22.14	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	21.20	22.14	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	20.34	21.28	PASS
Band25	3MHz	QPSK	26055	1RB#0	22.14	23.08	PASS
Band25	3MHz	QPSK	26055	1RB#8	22.06	23.00	PASS
Band25	3MHz	QPSK	26055	1RB#14	22.08	23.02	PASS
Band25	3MHz	QPSK	26055	8RB#0	21.12	22.06	PASS
Band25	3MHz	QPSK	26055	8RB#4	21.14	22.08	PASS
Band25	3MHz	QPSK	26055	8RB#7	21.12	22.06	PASS
Band25	3MHz	QPSK	26055	15RB#0	21.13	22.07	PASS
Band25	3MHz	QPSK	26365	1RB#0	22.16	23.10	PASS
Band25	3MHz	QPSK	26365	1RB#8	22.17	23.11	PASS
Band25	3MHz	QPSK	26365	1RB#14	22.13	23.07	PASS
Band25	3MHz	QPSK	26365	8RB#0	21.12	22.06	PASS
Band25	3MHz	QPSK	26365	8RB#4	21.16	22.10	PASS
Band25	3MHz	QPSK	26365	8RB#7	21.12	22.06	PASS
Band25	3MHz	QPSK	26365	15RB#0	21.15	22.09	PASS
Band25	3MHz	QPSK	26675	1RB#0	22.38	23.32	PASS
Band25	3MHz	QPSK	26675	1RB#8	22.33	23.27	PASS
Band25	3MHz	QPSK	26675	1RB#14	22.33	23.27	PASS
Band25	3MHz	QPSK	26675	8RB#0	21.40	22.34	PASS
Band25	3MHz	QPSK	26675	8RB#4	21.36	22.30	PASS
Band25	3MHz	QPSK	26675	8RB#7	21.27	22.21	PASS
Band25	3MHz	QPSK	26675	15RB#0	21.33	22.27	PASS
Band25	3MHz	16QAM	26055	1RB#0	21.37	22.31	PASS
Band25	3MHz	16QAM	26055	1RB#8	21.28	22.22	PASS
Band25	3MHz	16QAM	26055	1RB#14	21.25	22.19	PASS
Band25	3MHz	16QAM	26055	8RB#0	20.17	21.11	PASS
Band25	3MHz	16QAM	26055	8RB#4	20.17	21.11	PASS

Band25	3MHz	16QAM	26055	8RB#7	20.17	21.11	PASS
Band25	3MHz	16QAM	26055	15RB#0	20.11	21.05	PASS
Band25	3MHz	16QAM	26365	1RB#0	21.36	22.30	PASS
Band25	3MHz	16QAM	26365	1RB#8	21.34	22.28	PASS
Band25	3MHz	16QAM	26365	1RB#14	21.27	22.21	PASS
Band25	3MHz	16QAM	26365	8RB#0	20.15	21.09	PASS
Band25	3MHz	16QAM	26365	8RB#4	20.18	21.12	PASS
Band25	3MHz	16QAM	26365	8RB#7	20.14	21.08	PASS
Band25	3MHz	16QAM	26365	15RB#0	20.07	21.01	PASS
Band25	3MHz	16QAM	26675	1RB#0	21.28	22.22	PASS
Band25	3MHz	16QAM	26675	1RB#8	21.23	22.17	PASS
Band25	3MHz	16QAM	26675	1RB#14	21.19	22.13	PASS
Band25	3MHz	16QAM	26675	8RB#0	20.45	21.39	PASS
Band25	3MHz	16QAM	26675	8RB#4	20.39	21.33	PASS
Band25	3MHz	16QAM	26675	8RB#7	20.32	21.26	PASS
Band25	3MHz	16QAM	26675	15RB#0	20.27	21.21	PASS
Band25	5MHz	QPSK	26065	1RB#0	22.10	23.04	PASS
Band25	5MHz	QPSK	26065	1RB#12	22.19	23.13	PASS
Band25	5MHz	QPSK	26065	1RB#24	22.02	22.96	PASS
Band25	5MHz	QPSK	26065	12RB#0	21.11	22.05	PASS
Band25	5MHz	QPSK	26065	12RB#6	21.07	22.01	PASS
Band25	5MHz	QPSK	26065	12RB#13	21.12	22.06	PASS
Band25	5MHz	QPSK	26065	25RB#0	21.13	22.07	PASS
Band25	5MHz	QPSK	26365	1RB#0	22.16	23.10	PASS
Band25	5MHz	QPSK	26365	1RB#12	22.22	23.16	PASS
Band25	5MHz	QPSK	26365	1RB#24	22.14	23.08	PASS
Band25	5MHz	QPSK	26365	12RB#0	21.15	22.09	PASS
Band25	5MHz	QPSK	26365	12RB#6	21.18	22.12	PASS
Band25	5MHz	QPSK	26365	12RB#13	21.22	22.16	PASS
Band25	5MHz	QPSK	26365	25RB#0	21.18	22.12	PASS
Band25	5MHz	QPSK	26665	1RB#0	22.33	23.27	PASS
Band25	5MHz	QPSK	26665	1RB#12	22.41	23.35	PASS
Band25	5MHz	QPSK	26665	1RB#24	22.22	23.16	PASS
Band25	5MHz	QPSK	26665	12RB#0	21.39	22.33	PASS
Band25	5MHz	QPSK	26665	12RB#6	21.44	22.38	PASS
Band25	5MHz	QPSK	26665	12RB#13	21.29	22.23	PASS
Band25	5MHz	QPSK	26665	25RB#0	21.34	22.28	PASS

Band25	5MHz	16QAM	26065	1RB#0	21.14	22.08	PASS
Band25	5MHz	16QAM	26065	1RB#12	21.21	22.15	PASS
Band25	5MHz	16QAM	26065	1RB#24	21.09	22.03	PASS
Band25	5MHz	16QAM	26065	12RB#0	20.06	21.00	PASS
Band25	5MHz	16QAM	26065	12RB#6	20.10	21.04	PASS
Band25	5MHz	16QAM	26065	12RB#13	20.10	21.04	PASS
Band25	5MHz	16QAM	26065	25RB#0	20.16	21.10	PASS
Band25	5MHz	16QAM	26365	1RB#0	21.32	22.26	PASS
Band25	5MHz	16QAM	26365	1RB#12	21.37	22.31	PASS
Band25	5MHz	16QAM	26365	1RB#24	21.29	22.23	PASS
Band25	5MHz	16QAM	26365	12RB#0	20.13	21.07	PASS
Band25	5MHz	16QAM	26365	12RB#6	20.13	21.07	PASS
Band25	5MHz	16QAM	26365	12RB#13	20.27	21.21	PASS
Band25	5MHz	16QAM	26365	25RB#0	20.09	21.03	PASS
Band25	5MHz	16QAM	26665	1RB#0	21.34	22.28	PASS
Band25	5MHz	16QAM	26665	1RB#12	21.43	22.37	PASS
Band25	5MHz	16QAM	26665	1RB#24	21.28	22.22	PASS
Band25	5MHz	16QAM	26665	12RB#0	20.42	21.36	PASS
Band25	5MHz	16QAM	26665	12RB#6	20.40	21.34	PASS
Band25	5MHz	16QAM	26665	12RB#13	20.26	21.20	PASS
Band25	5MHz	16QAM	26665	25RB#0	20.43	21.37	PASS
Band25	10MHz	QPSK	26090	1RB#0	22.11	23.05	PASS
Band25	10MHz	QPSK	26090	1RB#24	22.08	23.02	PASS
Band25	10MHz	QPSK	26090	1RB#49	22.05	22.99	PASS
Band25	10MHz	QPSK	26090	25RB#0	21.09	22.03	PASS
Band25	10MHz	QPSK	26090	25RB#12	21.09	22.03	PASS
Band25	10MHz	QPSK	26090	25RB#25	21.13	22.07	PASS
Band25	10MHz	QPSK	26090	50RB#0	21.13	22.07	PASS
Band25	10MHz	QPSK	26365	1RB#0	22.13	23.07	PASS
Band25	10MHz	QPSK	26365	1RB#24	22.21	23.15	PASS
Band25	10MHz	QPSK	26365	1RB#49	22.08	23.02	PASS
Band25	10MHz	QPSK	26365	25RB#0	21.11	22.05	PASS
Band25	10MHz	QPSK	26365	25RB#12	21.12	22.06	PASS
Band25	10MHz	QPSK	26365	25RB#25	21.17	22.11	PASS
Band25	10MHz	QPSK	26365	50RB#0	21.14	22.08	PASS
Band25	10MHz	QPSK	26640	1RB#0	22.32	23.26	PASS
Band25	10MHz	QPSK	26640	1RB#24	22.43	23.37	PASS

Band25	10MHz	QPSK	26640	1RB#49	22.23	23.17	PASS
Band25	10MHz	QPSK	26640	25RB#0	21.39	22.33	PASS
Band25	10MHz	QPSK	26640	25RB#12	21.39	22.33	PASS
Band25	10MHz	QPSK	26640	25RB#25	21.22	22.16	PASS
Band25	10MHz	QPSK	26640	50RB#0	21.30	22.24	PASS
Band25	10MHz	16QAM	26090	1RB#0	21.25	22.19	PASS
Band25	10MHz	16QAM	26090	1RB#24	21.33	22.27	PASS
Band25	10MHz	16QAM	26090	1RB#49	21.27	22.21	PASS
Band25	10MHz	16QAM	26090	25RB#0	20.10	21.04	PASS
Band25	10MHz	16QAM	26090	25RB#12	20.10	21.04	PASS
Band25	10MHz	16QAM	26090	25RB#25	20.13	21.07	PASS
Band25	10MHz	16QAM	26090	50RB#0	20.10	21.04	PASS
Band25	10MHz	16QAM	26365	1RB#0	21.34	22.28	PASS
Band25	10MHz	16QAM	26365	1RB#24	21.39	22.33	PASS
Band25	10MHz	16QAM	26365	1RB#49	21.25	22.19	PASS
Band25	10MHz	16QAM	26365	25RB#0	20.17	21.11	PASS
Band25	10MHz	16QAM	26365	25RB#12	20.20	21.14	PASS
Band25	10MHz	16QAM	26365	25RB#25	20.11	21.05	PASS
Band25	10MHz	16QAM	26365	50RB#0	20.14	21.08	PASS
Band25	10MHz	16QAM	26640	1RB#0	21.24	22.18	PASS
Band25	10MHz	16QAM	26640	1RB#24	21.33	22.27	PASS
Band25	10MHz	16QAM	26640	1RB#49	21.13	22.07	PASS
Band25	10MHz	16QAM	26640	25RB#0	20.43	21.37	PASS
Band25	10MHz	16QAM	26640	25RB#12	20.45	21.39	PASS
Band25	10MHz	16QAM	26640	25RB#25	20.29	21.23	PASS
Band25	10MHz	16QAM	26640	50RB#0	20.29	21.23	PASS
Band25	15MHz	QPSK	26115	1RB#0	22.04	22.98	PASS
Band25	15MHz	QPSK	26115	1RB#38	22.13	23.07	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.10	23.04	PASS
Band25	15MHz	QPSK	26115	38RB#0	21.08	22.02	PASS
Band25	15MHz	QPSK	26115	38RB#18	21.13	22.07	PASS
Band25	15MHz	QPSK	26115	38RB#37	21.09	22.03	PASS
Band25	15MHz	QPSK	26115	75RB#0	21.12	22.06	PASS
Band25	15MHz	QPSK	26365	1RB#0	22.16	23.10	PASS
Band25	15MHz	QPSK	26365	1RB#38	22.14	23.08	PASS
Band25	15MHz	QPSK	26365	1RB#74	22.00	22.94	PASS
Band25	15MHz	QPSK	26365	38RB#0	21.19	22.13	PASS

Band25	15MHz	QPSK	26365	38RB#18	21.18	22.12	PASS
Band25	15MHz	QPSK	26365	38RB#37	21.20	22.14	PASS
Band25	15MHz	QPSK	26365	75RB#0	21.22	22.16	PASS
Band25	15MHz	QPSK	26615	1RB#0	22.33	23.27	PASS
Band25	15MHz	QPSK	26615	1RB#38	22.45	23.39	PASS
Band25	15MHz	QPSK	26615	1RB#74	22.23	23.17	PASS
Band25	15MHz	QPSK	26615	38RB#0	21.37	22.31	PASS
Band25	15MHz	QPSK	26615	38RB#18	21.35	22.29	PASS
Band25	15MHz	QPSK	26615	38RB#37	21.43	22.37	PASS
Band25	15MHz	QPSK	26615	75RB#0	21.41	22.35	PASS
Band25	15MHz	16QAM	26115	1RB#0	21.27	22.21	PASS
Band25	15MHz	16QAM	26115	1RB#38	21.30	22.24	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.26	22.20	PASS
Band25	15MHz	16QAM	26115	38RB#0	21.10	22.04	PASS
Band25	15MHz	16QAM	26115	38RB#18	21.12	22.06	PASS
Band25	15MHz	16QAM	26115	38RB#37	21.13	22.07	PASS
Band25	15MHz	16QAM	26115	75RB#0	20.10	21.04	PASS
Band25	15MHz	16QAM	26365	1RB#0	21.39	22.33	PASS
Band25	15MHz	16QAM	26365	1RB#38	21.42	22.36	PASS
Band25	15MHz	16QAM	26365	1RB#74	21.26	22.20	PASS
Band25	15MHz	16QAM	26365	38RB#0	21.16	22.10	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.15	22.09	PASS
Band25	15MHz	16QAM	26365	38RB#37	21.15	22.09	PASS
Band25	15MHz	16QAM	26365	75RB#0	20.14	21.08	PASS
Band25	15MHz	16QAM	26615	1RB#0	21.23	22.17	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.36	22.30	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.14	22.08	PASS
Band25	15MHz	16QAM	26615	38RB#0	21.37	22.31	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.39	22.33	PASS
Band25	15MHz	16QAM	26615	38RB#37	21.39	22.33	PASS
Band25	15MHz	16QAM	26615	75RB#0	20.34	21.28	PASS
Band25	20MHz	QPSK	26140	1RB#0	21.95	22.89	PASS
Band25	20MHz	QPSK	26140	1RB#49	22.28	23.22	PASS
Band25	20MHz	QPSK	26140	1RB#99	22.10	23.04	PASS
Band25	20MHz	QPSK	26140	50RB#0	21.06	22.00	PASS
Band25	20MHz	QPSK	26140	50RB#25	21.04	21.98	PASS
Band25	20MHz	QPSK	26140	50RB#50	21.13	22.07	PASS

Band25	20MHz	QPSK	26140	100RB#0	21.12	22.06	PASS
Band25	20MHz	QPSK	26365	1RB#0	22.02	22.96	PASS
Band25	20MHz	QPSK	26365	1RB#49	22.29	23.23	PASS
Band25	20MHz	QPSK	26365	1RB#99	21.95	22.89	PASS
Band25	20MHz	QPSK	26365	50RB#0	21.13	22.07	PASS
Band25	20MHz	QPSK	26365	50RB#25	21.15	22.09	PASS
Band25	20MHz	QPSK	26365	50RB#50	21.16	22.10	PASS
Band25	20MHz	QPSK	26365	100RB#0	21.11	22.05	PASS
Band25	20MHz	QPSK	26590	1RB#0	21.93	22.87	PASS
Band25	20MHz	QPSK	26590	1RB#49	22.41	23.35	PASS
Band25	20MHz	QPSK	26590	1RB#99	21.99	22.93	PASS
Band25	20MHz	QPSK	26590	50RB#0	21.33	22.27	PASS
Band25	20MHz	QPSK	26590	50RB#25	21.37	22.31	PASS
Band25	20MHz	QPSK	26590	50RB#50	21.30	22.24	PASS
Band25	20MHz	QPSK	26590	100RB#0	21.34	22.28	PASS
Band25	20MHz	16QAM	26140	1RB#0	20.96	21.90	PASS
Band25	20MHz	16QAM	26140	1RB#49	21.37	22.31	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.10	22.04	PASS
Band25	20MHz	16QAM	26140	50RB#0	20.04	20.98	PASS
Band25	20MHz	16QAM	26140	50RB#25	20.05	20.99	PASS
Band25	20MHz	16QAM	26140	50RB#50	20.13	21.07	PASS
Band25	20MHz	16QAM	26140	100RB#0	20.10	21.04	PASS
Band25	20MHz	16QAM	26365	1RB#0	21.23	22.17	PASS
Band25	20MHz	16QAM	26365	1RB#49	21.45	22.39	PASS
Band25	20MHz	16QAM	26365	1RB#99	21.12	22.06	PASS
Band25	20MHz	16QAM	26365	50RB#0	20.14	21.08	PASS
Band25	20MHz	16QAM	26365	50RB#25	20.15	21.09	PASS
Band25	20MHz	16QAM	26365	50RB#50	20.03	20.97	PASS
Band25	20MHz	16QAM	26365	100RB#0	20.14	21.08	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.03	21.97	PASS
Band25	20MHz	16QAM	26590	1RB#49	21.48	22.42	PASS
Band25	20MHz	16QAM	26590	1RB#99	21.11	22.05	PASS
Band25	20MHz	16QAM	26590	50RB#0	20.42	21.36	PASS
Band25	20MHz	16QAM	26590	50RB#25	20.38	21.32	PASS
Band25	20MHz	16QAM	26590	50RB#50	20.32	21.26	PASS
Band25	20MHz	16QAM	26590	100RB#0	20.35	21.29	PASS

Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	5.16	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	5.44	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	4.66	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	5.17	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	4.26	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	5.02	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	6.13	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	6.13	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	5.60	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	5.76	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	5.30	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	5.79	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	5.01	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	5.49	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	4.68	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	5.20	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	4.23	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	5.12	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	5.86	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	6.24	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	5.53	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	5.96	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	5.12	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	5.79	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	5.21	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	5.51	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	4.96	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.26	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	4.64	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	5.08	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	5.78	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	6.11	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	5.58	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.97	13	PASS
Band25	5MHz	16QAM	26665	1RB#0	5.41	13	PASS


Band25	5MHz	16QAM	26665	25RB#0	5.83	13	PASS
Band25	10MHz	QPSK	26090	1RB#0	5.06	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.41	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	5.06	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.24	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	4.69	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	5.17	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	5.89	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	6.10	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	5.82	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.98	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	5.56	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	5.93	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	5.01	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	5.72	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	5.04	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.64	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	4.89	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.56	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	5.94	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	6.18	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	5.85	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.16	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	5.72	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	6.08	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	5.05	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.49	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	5.18	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.48	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	4.90	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.43	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	5.67	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	6.16	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	5.67	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.17	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	5.36	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	6.14	13	PASS

Test Graphs


Band25-1.4MHz-QPSK-26047-1RB#0




Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26365-1RB#0




Band25-1.4MHz-QPSK-26365-6RB#0




Band25-1.4MHz-QPSK-26683-1RB#0




Band25-1.4MHz-QPSK-26683-6RB#0



Band25-1.4MHz-16QAM-26047-1RB#0




Band25-1.4MHz-16QAM-26047-6RB#0



Band25-1.4MHz-16QAM-26365-1RB#0




Band25-1.4MHz-16QAM-26365-6RB#0




Band25-1.4MHz-16QAM-26683-1RB#0




Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-1RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26365-1RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-1RB#0




Band25-3MHz-QPSK-26675-15RB#0




Band25-3MHz-16QAM-26055-1RB#0




Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26365-1RB#0




Band25-3MHz-16QAM-26365-15RB#0



Band25-3MHz-16QAM-26675-1RB#0




Band25-3MHz-16QAM-26675-15RB#0




Band25-5MHz-QPSK-26065-1RB#0




Band25-5MHz-QPSK-26065-25RB#0



Band25-5MHz-QPSK-26365-1RB#0




Band25-5MHz-QPSK-26365-25RB#0



Band25-5MHz-QPSK-26665-1RB#0




Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-1RB#0




Band25-5MHz-16QAM-26065-25RB#0




Band25-5MHz-16QAM-26365-1RB#0



Band25-5MHz-16QAM-26365-25RB#0




Band25-5MHz-16QAM-26665-1RB#0



Band25-5MHz-16QAM-26665-25RB#0




Band25-10MHz-QPSK-26090-1RB#0



Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26365-1RB#0




Band25-10MHz-QPSK-26365-50RB#0



Band25-10MHz-QPSK-26640-1RB#0




Band25-10MHz-QPSK-26640-50RB#0




Band25-10MHz-16QAM-26090-1RB#0




Band25-10MHz-16QAM-26090-50RB#0




Band25-10MHz-16QAM-26365-1RB#0




Band25-10MHz-16QAM-26365-50RB#0




Band25-10MHz-16QAM-26640-1RB#0




Band25-10MHz-16QAM-26640-50RB#0



Band25-15MHz-QPSK-26115-1RB#0



Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26365-1RB#0



Band25-15MHz-QPSK-26365-75RB#0




Band25-15MHz-QPSK-26615-1RB#0




Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-1RB#0




Band25-15MHz-16QAM-26115-75RB#0




Band25-15MHz-16QAM-26365-1RB#0




Band25-15MHz-16QAM-26365-75RB#0




Band25-15MHz-16QAM-26615-1RB#0




Band25-15MHz-16QAM-26615-75RB#0




Band25-20MHz-QPSK-26140-1RB#0




Band25-20MHz-QPSK-26140-100RB#0




Band25-20MHz-QPSK-26365-1RB#0




Band25-20MHz-QPSK-26365-100RB#0



Band25-20MHz-QPSK-26590-1RB#0



Band25-20MHz-QPSK-26590-100RB#0




Band25-20MHz-16QAM-26140-1RB#0




Band25-20MHz-16QAM-26140-100RB#0



Band25-20MHz-16QAM-26365-1RB#0




Band25-20MHz-16QAM-26365-100RB#0



Band25-20MHz-16QAM-26590-1RB#0



Band25-20MHz-16QAM-26590-100RB#0



Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.0895	1.251	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0894	1.250	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0879	1.273	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.0904	1.274	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.0908	1.274	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.0908	1.289	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.6881	2.857	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6895	2.851	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.6866	2.855	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6864	2.872	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6886	2.868	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.6899	2.867	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5073	5.007	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5075	5.008	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5061	5.017	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5076	4.976	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5070	4.966	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5028	4.968	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.9959	9.641	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9948	9.601	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9831	9.627	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.9816	9.604	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.9791	9.584	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9691	9.617	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.472	14.34	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.497	14.42	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.466	14.35	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.463	14.31	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.482	14.35	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.461	14.35	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.940	19.01	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.978	19.00	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.943	18.99	PASS


Band25	20MHz	16QAM	26140	100RB#0	17.940	19.00	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.952	19.02	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.937	19.03	PASS

Test Graphs


Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26365-6RB#0




Band25-1.4MHz-QPSK-26683-6RB#0




Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26365-6RB#0




Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-15RB#0




Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26365-15RB#0




Band25-3MHz-16QAM-26675-15RB#0



Band25-5MHz-QPSK-26065-25RB#0




Band25-5MHz-QPSK-26365-25RB#0




Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-25RB#0




Band25-5MHz-16QAM-26365-25RB#0




Band25-5MHz-16QAM-26665-25RB#0




Band25-10MHz-QPSK-26090-50RB#0



Band25-10MHz-QPSK-26365-50RB#0



Band25-10MHz-QPSK-26640-50RB#0




Band25-10MHz-16QAM-26090-50RB#0




Band25-10MHz-16QAM-26365-50RB#0




Band25-10MHz-16QAM-26640-50RB#0




Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26365-75RB#0




Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-75RB#0



Band25-15MHz-16QAM-26365-75RB#0




Band25-15MHz-16QAM-26615-75RB#0



Band25-20MHz-QPSK-26140-100RB#0



Band25-20MHz-QPSK-26365-100RB#0



Band25-20MHz-QPSK-26590-100RB#0