

## 1 Conducted output power

| Band            | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Size | RB<br>Position | Modulation | Power<br>(dBm) | Gain<br>(dBm) | ERP<br>(dBm) | Verdict |
|-----------------|--------------------|---------------|------------|----------------|------------|----------------|---------------|--------------|---------|
| Band26(824-849) | 1.4                | 26797         | 1          | #0             | QPSK       | 24.34          | -0.14         | 22.05        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 1          | #Mid           | QPSK       | 24.25          | -0.14         | 21.96        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 1          | #Max           | QPSK       | 24.28          | -0.14         | 21.99        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #0             | QPSK       | 23.95          | -0.14         | 21.66        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #Mid           | QPSK       | 23.96          | -0.14         | 21.67        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #Max           | QPSK       | 23.88          | -0.14         | 21.59        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 6          | #0             | QPSK       | 22.01          | -0.14         | 19.72        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 1          | #0             | 16QAM      | 23.79          | -0.14         | 21.50        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 1          | #Mid           | 16QAM      | 23.69          | -0.14         | 21.40        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 1          | #Max           | 16QAM      | 23.64          | -0.14         | 21.35        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #0             | 16QAM      | 23.23          | -0.14         | 20.94        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #Mid           | 16QAM      | 23.24          | -0.14         | 20.95        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 3          | #Max           | 16QAM      | 23.22          | -0.14         | 20.93        | PASS    |
| Band26(824-849) | 1.4                | 26797         | 6          | #0             | 16QAM      | 21.89          | -0.14         | 19.60        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #0             | QPSK       | 24.35          | -0.14         | 22.06        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #Mid           | QPSK       | 24.41          | -0.14         | 22.12        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #Max           | QPSK       | 24.39          | -0.14         | 22.10        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #0             | QPSK       | 23.74          | -0.14         | 21.45        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #Mid           | QPSK       | 23.67          | -0.14         | 21.38        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #Max           | QPSK       | 23.60          | -0.14         | 21.31        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 6          | #0             | QPSK       | 21.60          | -0.14         | 19.31        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #0             | 16QAM      | 23.46          | -0.14         | 21.17        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #Mid           | 16QAM      | 23.43          | -0.14         | 21.14        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 1          | #Max           | 16QAM      | 23.46          | -0.14         | 21.17        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #0             | 16QAM      | 22.83          | -0.14         | 20.54        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #Mid           | 16QAM      | 22.89          | -0.14         | 20.60        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 3          | #Max           | 16QAM      | 22.94          | -0.14         | 20.65        | PASS    |
| Band26(824-849) | 1.4                | 26915         | 6          | #0             | 16QAM      | 21.59          | -0.14         | 19.30        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #0             | QPSK       | 24.23          | -0.14         | 21.94        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #Mid           | QPSK       | 24.22          | -0.14         | 21.93        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #Max           | QPSK       | 24.27          | -0.14         | 21.98        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 3          | #0             | QPSK       | 23.82          | -0.14         | 21.53        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 3          | #Mid           | QPSK       | 23.85          | -0.14         | 21.56        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 3          | #Max           | QPSK       | 23.82          | -0.14         | 21.53        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 6          | #0             | QPSK       | 21.86          | -0.14         | 19.57        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #0             | 16QAM      | 23.79          | -0.14         | 21.50        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #Mid           | 16QAM      | 23.76          | -0.14         | 21.47        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 1          | #Max           | 16QAM      | 23.81          | -0.14         | 21.52        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 3          | #0             | 16QAM      | 23.04          | -0.14         | 20.75        | PASS    |
| Band26(824-849) | 1.4                | 27033         | 3          | #Mid           | 16QAM      | 23.03          | -0.14         | 20.74        | PASS    |

|                 |     |       |    |      |       |       |       |       |      |
|-----------------|-----|-------|----|------|-------|-------|-------|-------|------|
| Band26(824-849) | 1.4 | 27033 | 3  | #Max | 16QAM | 23.12 | -0.14 | 20.83 | PASS |
| Band26(824-849) | 1.4 | 27033 | 6  | #0   | 16QAM | 21.64 | -0.14 | 19.35 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #0   | QPSK  | 24.65 | -0.14 | 22.36 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #Mid | QPSK  | 24.62 | -0.14 | 22.33 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #Max | QPSK  | 24.61 | -0.14 | 22.32 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #0   | QPSK  | 22.04 | -0.14 | 19.75 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #Mid | QPSK  | 21.94 | -0.14 | 19.65 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #Max | QPSK  | 22.00 | -0.14 | 19.71 | PASS |
| Band26(824-849) | 3   | 26805 | 15 | #0   | QPSK  | 21.90 | -0.14 | 19.61 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #0   | 16QAM | 23.77 | -0.14 | 21.48 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #Mid | 16QAM | 23.71 | -0.14 | 21.42 | PASS |
| Band26(824-849) | 3   | 26805 | 1  | #Max | 16QAM | 23.66 | -0.14 | 21.37 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #0   | 16QAM | 22.13 | -0.14 | 19.84 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #Mid | 16QAM | 22.15 | -0.14 | 19.86 | PASS |
| Band26(824-849) | 3   | 26805 | 8  | #Max | 16QAM | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 3   | 26805 | 15 | #0   | 16QAM | 22.10 | -0.14 | 19.81 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #0   | QPSK  | 24.13 | -0.14 | 21.84 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #Mid | QPSK  | 24.19 | -0.14 | 21.90 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #Max | QPSK  | 24.16 | -0.14 | 21.87 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #0   | QPSK  | 21.70 | -0.14 | 19.41 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #Mid | QPSK  | 21.66 | -0.14 | 19.37 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #Max | QPSK  | 21.61 | -0.14 | 19.32 | PASS |
| Band26(824-849) | 3   | 26915 | 15 | #0   | QPSK  | 21.73 | -0.14 | 19.44 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #0   | 16QAM | 23.77 | -0.14 | 21.48 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #Mid | 16QAM | 23.79 | -0.14 | 21.50 | PASS |
| Band26(824-849) | 3   | 26915 | 1  | #Max | 16QAM | 23.76 | -0.14 | 21.47 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #0   | 16QAM | 21.88 | -0.14 | 19.59 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #Mid | 16QAM | 21.84 | -0.14 | 19.55 | PASS |
| Band26(824-849) | 3   | 26915 | 8  | #Max | 16QAM | 21.77 | -0.14 | 19.48 | PASS |
| Band26(824-849) | 3   | 26915 | 15 | #0   | 16QAM | 21.77 | -0.14 | 19.48 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #0   | QPSK  | 24.20 | -0.14 | 21.91 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #Mid | QPSK  | 24.29 | -0.14 | 22.00 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #Max | QPSK  | 24.23 | -0.14 | 21.94 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #0   | QPSK  | 21.81 | -0.14 | 19.52 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #Mid | QPSK  | 21.87 | -0.14 | 19.58 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #Max | QPSK  | 21.85 | -0.14 | 19.56 | PASS |
| Band26(824-849) | 3   | 27025 | 15 | #0   | QPSK  | 21.79 | -0.14 | 19.50 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #0   | 16QAM | 24.03 | -0.14 | 21.74 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #Mid | 16QAM | 24.06 | -0.14 | 21.77 | PASS |
| Band26(824-849) | 3   | 27025 | 1  | #Max | 16QAM | 24.01 | -0.14 | 21.72 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #0   | 16QAM | 21.91 | -0.14 | 19.62 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #Mid | 16QAM | 21.99 | -0.14 | 19.70 | PASS |
| Band26(824-849) | 3   | 27025 | 8  | #Max | 16QAM | 22.00 | -0.14 | 19.71 | PASS |

|                 |   |       |    |      |       |       |       |       |      |
|-----------------|---|-------|----|------|-------|-------|-------|-------|------|
| Band26(824-849) | 3 | 27025 | 15 | #0   | 16QAM | 22.01 | -0.14 | 19.72 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #0   | QPSK  | 24.44 | -0.14 | 22.15 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #Mid | QPSK  | 24.35 | -0.14 | 22.06 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #Max | QPSK  | 24.37 | -0.14 | 22.08 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #0   | QPSK  | 21.92 | -0.14 | 19.63 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #Mid | QPSK  | 21.96 | -0.14 | 19.67 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #Max | QPSK  | 21.94 | -0.14 | 19.65 | PASS |
| Band26(824-849) | 5 | 26815 | 25 | #0   | QPSK  | 21.85 | -0.14 | 19.56 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #0   | 16QAM | 23.97 | -0.14 | 21.68 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #Mid | 16QAM | 23.97 | -0.14 | 21.68 | PASS |
| Band26(824-849) | 5 | 26815 | 1  | #Max | 16QAM | 23.96 | -0.14 | 21.67 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #0   | 16QAM | 22.10 | -0.14 | 19.81 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #Mid | 16QAM | 22.08 | -0.14 | 19.79 | PASS |
| Band26(824-849) | 5 | 26815 | 12 | #Max | 16QAM | 22.01 | -0.14 | 19.72 | PASS |
| Band26(824-849) | 5 | 26815 | 25 | #0   | 16QAM | 22.01 | -0.14 | 19.72 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #0   | QPSK  | 24.39 | -0.14 | 22.10 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #Mid | QPSK  | 24.33 | -0.14 | 22.04 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #Max | QPSK  | 24.33 | -0.14 | 22.04 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #0   | QPSK  | 21.78 | -0.14 | 19.49 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #Mid | QPSK  | 21.77 | -0.14 | 19.48 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #Max | QPSK  | 21.77 | -0.14 | 19.48 | PASS |
| Band26(824-849) | 5 | 26915 | 25 | #0   | QPSK  | 21.61 | -0.14 | 19.32 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #0   | 16QAM | 23.65 | -0.14 | 21.36 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #Mid | 16QAM | 23.56 | -0.14 | 21.27 | PASS |
| Band26(824-849) | 5 | 26915 | 1  | #Max | 16QAM | 23.55 | -0.14 | 21.26 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #0   | 16QAM | 21.82 | -0.14 | 19.53 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #Mid | 16QAM | 21.75 | -0.14 | 19.46 | PASS |
| Band26(824-849) | 5 | 26915 | 12 | #Max | 16QAM | 21.72 | -0.14 | 19.43 | PASS |
| Band26(824-849) | 5 | 26915 | 25 | #0   | 16QAM | 21.97 | -0.14 | 19.68 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #0   | QPSK  | 24.42 | -0.14 | 22.13 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #Mid | QPSK  | 24.52 | -0.14 | 22.23 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #Max | QPSK  | 24.53 | -0.14 | 22.24 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #0   | QPSK  | 21.80 | -0.14 | 19.51 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #Mid | QPSK  | 21.84 | -0.14 | 19.55 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #Max | QPSK  | 21.85 | -0.14 | 19.56 | PASS |
| Band26(824-849) | 5 | 27015 | 25 | #0   | QPSK  | 21.78 | -0.14 | 19.49 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #0   | 16QAM | 23.57 | -0.14 | 21.28 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #Mid | 16QAM | 23.70 | -0.14 | 21.41 | PASS |
| Band26(824-849) | 5 | 27015 | 1  | #Max | 16QAM | 23.74 | -0.14 | 21.45 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #0   | 16QAM | 21.91 | -0.14 | 19.62 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #Mid | 16QAM | 21.93 | -0.14 | 19.64 | PASS |
| Band26(824-849) | 5 | 27015 | 12 | #Max | 16QAM | 21.88 | -0.14 | 19.59 | PASS |
| Band26(824-849) | 5 | 27015 | 25 | #0   | 16QAM | 22.07 | -0.14 | 19.78 | PASS |

|                 |    |       |    |      |       |       |       |       |      |
|-----------------|----|-------|----|------|-------|-------|-------|-------|------|
| Band26(824-849) | 10 | 26840 | 1  | #0   | QPSK  | 24.64 | -0.14 | 22.35 | PASS |
| Band26(824-849) | 10 | 26840 | 1  | #Mid | QPSK  | 24.54 | -0.14 | 22.25 | PASS |
| Band26(824-849) | 10 | 26840 | 1  | #Max | QPSK  | 24.37 | -0.14 | 22.08 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #0   | QPSK  | 22.44 | -0.14 | 20.15 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #Mid | QPSK  | 22.30 | -0.14 | 20.01 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #Max | QPSK  | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 10 | 26840 | 50 | #0   | QPSK  | 22.27 | -0.14 | 19.98 | PASS |
| Band26(824-849) | 10 | 26840 | 1  | #0   | 16QAM | 23.92 | -0.14 | 21.63 | PASS |
| Band26(824-849) | 10 | 26840 | 1  | #Mid | 16QAM | 23.69 | -0.14 | 21.40 | PASS |
| Band26(824-849) | 10 | 26840 | 1  | #Max | 16QAM | 23.64 | -0.14 | 21.35 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #0   | 16QAM | 22.64 | -0.14 | 20.35 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #Mid | 16QAM | 22.62 | -0.14 | 20.33 | PASS |
| Band26(824-849) | 10 | 26840 | 25 | #Max | 16QAM | 22.55 | -0.14 | 20.26 | PASS |
| Band26(824-849) | 10 | 26840 | 50 | #0   | 16QAM | 22.39 | -0.14 | 20.10 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #0   | QPSK  | 24.28 | -0.14 | 21.99 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #Mid | QPSK  | 24.23 | -0.14 | 21.94 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #Max | QPSK  | 24.14 | -0.14 | 21.85 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #0   | QPSK  | 22.19 | -0.14 | 19.90 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #Mid | QPSK  | 22.10 | -0.14 | 19.81 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #Max | QPSK  | 22.15 | -0.14 | 19.86 | PASS |
| Band26(824-849) | 10 | 26915 | 50 | #0   | QPSK  | 22.16 | -0.14 | 19.87 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #0   | 16QAM | 23.73 | -0.14 | 21.44 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #Mid | 16QAM | 23.75 | -0.14 | 21.46 | PASS |
| Band26(824-849) | 10 | 26915 | 1  | #Max | 16QAM | 23.70 | -0.14 | 21.41 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #0   | 16QAM | 22.27 | -0.14 | 19.98 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #Mid | 16QAM | 22.21 | -0.14 | 19.92 | PASS |
| Band26(824-849) | 10 | 26915 | 25 | #Max | 16QAM | 22.26 | -0.14 | 19.97 | PASS |
| Band26(824-849) | 10 | 26915 | 50 | #0   | 16QAM | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #0   | QPSK  | 24.20 | -0.14 | 21.91 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #Mid | QPSK  | 24.34 | -0.14 | 22.05 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #Max | QPSK  | 24.34 | -0.14 | 22.05 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #0   | QPSK  | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #Mid | QPSK  | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #Max | QPSK  | 22.16 | -0.14 | 19.87 | PASS |
| Band26(824-849) | 10 | 26990 | 50 | #0   | QPSK  | 22.22 | -0.14 | 19.93 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #0   | 16QAM | 23.69 | -0.14 | 21.40 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #Mid | 16QAM | 23.76 | -0.14 | 21.47 | PASS |
| Band26(824-849) | 10 | 26990 | 1  | #Max | 16QAM | 23.86 | -0.14 | 21.57 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #0   | 16QAM | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #Mid | 16QAM | 22.32 | -0.14 | 20.03 | PASS |
| Band26(824-849) | 10 | 26990 | 25 | #Max | 16QAM | 22.26 | -0.14 | 19.97 | PASS |
| Band26(824-849) | 10 | 26990 | 50 | #0   | 16QAM | 22.38 | -0.14 | 20.09 | PASS |
| Band26(824-849) | 15 | 26865 | 1  | #0   | QPSK  | 24.51 | -0.14 | 22.22 | PASS |

|                 |    |       |    |      |       |       |       |       |      |
|-----------------|----|-------|----|------|-------|-------|-------|-------|------|
| Band26(824-849) | 15 | 26865 | 1  | #Mid | QPSK  | 24.17 | -0.14 | 21.88 | PASS |
| Band26(824-849) | 15 | 26865 | 1  | #Max | QPSK  | 24.22 | -0.14 | 21.93 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #0   | QPSK  | 22.33 | -0.14 | 20.04 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #Mid | QPSK  | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #Max | QPSK  | 22.08 | -0.14 | 19.79 | PASS |
| Band26(824-849) | 15 | 26865 | 75 | #0   | QPSK  | 22.34 | -0.14 | 20.05 | PASS |
| Band26(824-849) | 15 | 26865 | 1  | #0   | 16QAM | 24.15 | -0.14 | 21.86 | PASS |
| Band26(824-849) | 15 | 26865 | 1  | #Mid | 16QAM | 23.75 | -0.14 | 21.46 | PASS |
| Band26(824-849) | 15 | 26865 | 1  | #Max | 16QAM | 23.84 | -0.14 | 21.55 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #0   | 16QAM | 22.46 | -0.14 | 20.17 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #Mid | 16QAM | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 15 | 26865 | 36 | #Max | 16QAM | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 15 | 26865 | 75 | #0   | 16QAM | 22.49 | -0.14 | 20.20 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #0   | QPSK  | 24.29 | -0.14 | 22.00 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #Mid | QPSK  | 24.22 | -0.14 | 21.93 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #Max | QPSK  | 24.24 | -0.14 | 21.95 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #0   | QPSK  | 22.19 | -0.14 | 19.90 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #Mid | QPSK  | 22.08 | -0.14 | 19.79 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #Max | QPSK  | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0   | QPSK  | 22.17 | -0.14 | 19.88 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #0   | 16QAM | 23.91 | -0.14 | 21.62 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #Mid | 16QAM | 23.82 | -0.14 | 21.53 | PASS |
| Band26(824-849) | 15 | 26915 | 1  | #Max | 16QAM | 23.87 | -0.14 | 21.58 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #0   | 16QAM | 22.34 | -0.14 | 20.05 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #Mid | 16QAM | 22.21 | -0.14 | 19.92 | PASS |
| Band26(824-849) | 15 | 26915 | 36 | #Max | 16QAM | 22.25 | -0.14 | 19.96 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0   | 16QAM | 22.43 | -0.14 | 20.14 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #0   | QPSK  | 24.25 | -0.14 | 21.96 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #Mid | QPSK  | 24.17 | -0.14 | 21.88 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #Max | QPSK  | 24.37 | -0.14 | 22.08 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #0   | QPSK  | 22.07 | -0.14 | 19.78 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #Mid | QPSK  | 22.18 | -0.14 | 19.89 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #Max | QPSK  | 22.28 | -0.14 | 19.99 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0   | QPSK  | 22.27 | -0.14 | 19.98 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #0   | 16QAM | 23.69 | -0.14 | 21.40 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #Mid | 16QAM | 23.77 | -0.14 | 21.48 | PASS |
| Band26(824-849) | 15 | 26965 | 1  | #Max | 16QAM | 23.96 | -0.14 | 21.67 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #0   | 16QAM | 22.33 | -0.14 | 20.04 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #Mid | 16QAM | 22.26 | -0.14 | 19.97 | PASS |
| Band26(824-849) | 15 | 26965 | 36 | #Max | 16QAM | 22.31 | -0.14 | 20.02 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0   | 16QAM | 22.40 | -0.14 | 20.11 | PASS |

## 2 Frequency stability

| Band            | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Voltage (Vdc) | Temperature (°C) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|-----------------|-----------------|------------|---------|-------------|------------|---------------|------------------|------------|--------------|-------------|---------|
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | VL            | NT               | -12.90     | -0.016       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | VN            | NT               | -6.20      | -0.007       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | VH            | NT               | -9.10      | -0.011       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | -30              | -8.10      | -0.010       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | -20              | -14.20     | -0.017       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | -10              | -9.50      | -0.011       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | 0                | -8.40      | -0.010       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | 10               | -5.70      | -0.007       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | QPSK       | NV            | 20               | -6.10      | -0.007       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | VL            | NT               | -9.30      | -0.011       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | VN            | NT               | -8.10      | -0.010       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | VH            | NT               | -5.70      | -0.007       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | -30              | -7.30      | -0.009       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | -20              | -9.80      | -0.012       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | -10              | -9.60      | -0.012       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | 0                | -6.50      | -0.008       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | 10               | -4.20      | -0.005       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26865      | 75      | #0          | 16QAM      | NV            | 20               | -8.70      | -0.010       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26915      | 75      | #0          | QPSK       | VL            | NT               | -6.00      | -0.007       | ±2.5        | PASS    |
| Band26(824-849) | 15              | 26915      | 75      | #0          | QPSK       | VN            | NT               | -4.00      | -0.005       | ±2.5        | PASS    |

|                 |    |       |    |    |       |    |     |        |        |      |      |
|-----------------|----|-------|----|----|-------|----|-----|--------|--------|------|------|
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | VH | NT  | 1.60   | 0.002  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | -30 | 5.10   | 0.006  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | -20 | 0.60   | 0.001  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | -10 | 1.10   | 0.001  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | 0   | 4.30   | 0.005  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | 10  | 7.50   | 0.009  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | NV | 20  | 9.80   | 0.012  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | VL | NT  | 10.50  | 0.013  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | VN | NT  | 14.00  | 0.017  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | VH | NT  | 17.80  | 0.021  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | -30 | 18.20  | 0.022  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | -20 | 16.10  | 0.019  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | -10 | 17.90  | 0.021  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | 0   | 22.90  | 0.027  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | 10  | 22.30  | 0.027  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | NV | 20  | 22.80  | 0.027  | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | VL | NT  | -7.30  | -0.009 | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | VN | NT  | -14.00 | -0.017 | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | VH | NT  | -14.60 | -0.017 | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | -30 | -17.20 | -0.020 | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | -20 | -5.00  | -0.006 | ±2.5 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | -10 | -3.40  | -0.00  | ±2.5 | PASS |


|                 |    |       |    |    |       |    |     |        |       |      |      |
|-----------------|----|-------|----|----|-------|----|-----|--------|-------|------|------|
| 9)              |    |       |    |    |       |    |     |        | 4     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | 0   | -7.00  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 8     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | 10  | -2.00  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 2     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | NV | 20  | 0.60   | 0.001 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        |       |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | VL | NT  | -5.60  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 7     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | VN | NT  | -6.70  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 8     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | VH | NT  | -3.50  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 4     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | -30 | -2.30  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 3     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | -20 | -8.30  | -0.01 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 0     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | -10 | -7.20  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 9     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | 0   | -8.20  | -0.01 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 0     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | 10  | -12.80 | -0.01 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 5     |      |      |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | NV | 20  | -5.60  | -0.00 | ±2.5 | PASS |
| 9)              |    |       |    |    |       |    |     |        | 7     |      |      |

### 3 Peak-to-Average Ratio

| Band            | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Result (dB) | high Limit (dB) | Verdict |
|-----------------|-----------------|------------|---------|-------------|------------|-------------|-----------------|---------|
| Band26(824-849) | 1.4             | 26797      | 1       | #0          | QPSK       | 4.87        | 13              | PASS    |
| Band26(824-849) | 1.4             | 26797      | 1       | #0          | 16QAM      | 5.83        | 13              | PASS    |
| Band26(824-849) | 1.4             | 26915      | 1       | #0          | QPSK       | 4.70        | 13              | PASS    |
| Band26(824-849) | 1.4             | 26915      | 1       | #0          | 16QAM      | 5.88        | 13              | PASS    |
| Band26(824-849) | 1.4             | 27033      | 1       | #0          | QPSK       | 4.78        | 13              | PASS    |
| Band26(824-849) | 1.4             | 27033      | 1       | #0          | 16QAM      | 5.65        | 13              | PASS    |
| Band26(824-849) | 3               | 26805      | 1       | #0          | QPSK       | 4.99        | 13              | PASS    |
| Band26(824-849) | 3               | 26805      | 1       | #0          | 16QAM      | 6.17        | 13              | PASS    |
| Band26(824-849) | 3               | 26915      | 1       | #0          | QPSK       | 4.87        | 13              | PASS    |
| Band26(824-849) | 3               | 26915      | 1       | #0          | 16QAM      | 5.86        | 13              | PASS    |
| Band26(824-849) | 3               | 27025      | 1       | #0          | QPSK       | 4.72        | 13              | PASS    |
| Band26(824-849) | 3               | 27025      | 1       | #0          | 16QAM      | 5.71        | 13              | PASS    |
| Band26(824-849) | 5               | 26815      | 1       | #0          | QPSK       | 4.87        | 13              | PASS    |
| Band26(824-849) | 5               | 26815      | 1       | #0          | 16QAM      | 5.91        | 13              | PASS    |
| Band26(824-849) | 5               | 26915      | 1       | #0          | QPSK       | 4.87        | 13              | PASS    |


|                 |    |       |   |    |       |      |    |      |
|-----------------|----|-------|---|----|-------|------|----|------|
| Band26(824-849) | 5  | 26915 | 1 | #0 | 16QAM | 5.74 | 13 | PASS |
| Band26(824-849) | 5  | 27015 | 1 | #0 | QPSK  | 4.78 | 13 | PASS |
| Band26(824-849) | 5  | 27015 | 1 | #0 | 16QAM | 5.80 | 13 | PASS |
| Band26(824-849) | 10 | 26840 | 1 | #0 | QPSK  | 4.90 | 13 | PASS |
| Band26(824-849) | 10 | 26840 | 1 | #0 | 16QAM | 5.97 | 13 | PASS |
| Band26(824-849) | 10 | 26915 | 1 | #0 | QPSK  | 4.81 | 13 | PASS |
| Band26(824-849) | 10 | 26915 | 1 | #0 | 16QAM | 5.88 | 13 | PASS |
| Band26(824-849) | 10 | 26990 | 1 | #0 | QPSK  | 4.96 | 13 | PASS |
| Band26(824-849) | 10 | 26990 | 1 | #0 | 16QAM | 5.86 | 13 | PASS |
| Band26(824-849) | 15 | 26865 | 1 | #0 | QPSK  | 4.84 | 13 | PASS |
| Band26(824-849) | 15 | 26865 | 1 | #0 | 16QAM | 6.00 | 13 | PASS |
| Band26(824-849) | 15 | 26915 | 1 | #0 | QPSK  | 4.78 | 13 | PASS |
| Band26(824-849) | 15 | 26915 | 1 | #0 | 16QAM | 5.91 | 13 | PASS |
| Band26(824-849) | 15 | 26965 | 1 | #0 | QPSK  | 4.90 | 13 | PASS |
| Band26(824-849) | 15 | 26965 | 1 | #0 | 16QAM | 5.71 | 13 | PASS |

Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:21

Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:27

Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:34

Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:41

Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:48

Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#0




Date: 5.JAN.2024 09:42:55

Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:03

Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:09

Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:16

Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:23

Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:30

Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:37

Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:44

Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:51

Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:43:58

Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:05

Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:12

Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:19

Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:26

Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:33

Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:40

Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:47

Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0




Date: 5.JAN.2024 09:44:54

Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:01

Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:08

Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:15

Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:22

Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:29

Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0



Date: 5.JAN.2024 09:45:36

Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=1 Position=#0




Date: 5.JAN.2024 09:45:42

## 4 Occupied bandwidth

| Band            | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | 99% OBW (MHz) | -26dB EBW (MHz) | Verdict |
|-----------------|-----------------|------------|---------|-------------|------------|---------------|-----------------|---------|
| Band26(824-849) | 1.4             | 26797      | 6       | #0          | QPSK       | 1.093         | 1.287           | PASS    |
| Band26(824-849) | 1.4             | 26797      | 6       | #0          | 16QAM      | 1.093         | 1.248           | PASS    |
| Band26(824-849) | 1.4             | 26915      | 6       | #0          | QPSK       | 1.092         | 1.241           | PASS    |
| Band26(824-849) | 1.4             | 26915      | 6       | #0          | 16QAM      | 1.094         | 1.250           | PASS    |
| Band26(824-849) | 1.4             | 27033      | 6       | #0          | QPSK       | 1.094         | 1.241           | PASS    |
| Band26(824-849) | 1.4             | 27033      | 6       | #0          | 16QAM      | 1.093         | 1.243           | PASS    |
| Band26(824-849) | 3               | 26805      | 15      | #0          | QPSK       | 2.736         | 3.089           | PASS    |
| Band26(824-849) | 3               | 26805      | 15      | #0          | 16QAM      | 2.728         | 3.082           | PASS    |
| Band26(824-849) | 3               | 26915      | 15      | #0          | QPSK       | 2.737         | 3.093           | PASS    |
| Band26(824-849) | 3               | 26915      | 15      | #0          | 16QAM      | 2.732         | 3.084           | PASS    |
| Band26(824-849) | 3               | 27025      | 15      | #0          | QPSK       | 2.735         | 3.089           | PASS    |
| Band26(824-849) | 3               | 27025      | 15      | #0          | 16QAM      | 2.732         | 3.088           | PASS    |
| Band26(824-849) | 5               | 26815      | 25      | #0          | QPSK       | 4.487         | 4.956           | PASS    |
| Band26(824-849) | 5               | 26815      | 25      | #0          | 16QAM      | 4.489         | 4.961           | PASS    |
| Band26(824-849) | 5               | 26915      | 25      | #0          | QPSK       | 4.485         | 4.964           | PASS    |
| Band26(824-849) | 5               | 26915      | 25      | #0          | 16QAM      | 4.485         | 4.960           | PASS    |
| Band26(824-849) | 5               | 27015      | 25      | #0          | QPSK       | 4.487         | 4.937           | PASS    |
| Band26(824-849) | 5               | 27015      | 25      | #0          | 16QAM      | 4.487         | 4.955           | PASS    |
| Band26(824-849) | 10              | 26840      | 50      | #0          | QPSK       | 8.990         | 9.913           | PASS    |


|                 |    |       |    |    |       |        |        |      |
|-----------------|----|-------|----|----|-------|--------|--------|------|
| Band26(824-849) | 10 | 26840 | 50 | #0 | 16QAM | 8.973  | 9.845  | PASS |
| Band26(824-849) | 10 | 26915 | 50 | #0 | QPSK  | 8.972  | 9.939  | PASS |
| Band26(824-849) | 10 | 26915 | 50 | #0 | 16QAM | 8.954  | 9.817  | PASS |
| Band26(824-849) | 10 | 26990 | 50 | #0 | QPSK  | 8.994  | 9.965  | PASS |
| Band26(824-849) | 10 | 26990 | 50 | #0 | 16QAM | 8.974  | 9.859  | PASS |
| Band26(824-849) | 15 | 26865 | 75 | #0 | QPSK  | 13.470 | 14.982 | PASS |
| Band26(824-849) | 15 | 26865 | 75 | #0 | 16QAM | 13.477 | 15.061 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | QPSK  | 13.426 | 14.959 | PASS |
| Band26(824-849) | 15 | 26915 | 75 | #0 | 16QAM | 13.448 | 14.994 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | QPSK  | 13.463 | 14.991 | PASS |
| Band26(824-849) | 15 | 26965 | 75 | #0 | 16QAM | 13.462 | 14.616 | PASS |

Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Date: 9.JUN.2023 15:23:01

Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Date: 5.JAN.2024 09:46:25

Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Date: 5.JAN.2024 09:46:43

Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0



Date: 5.JAN.2024 09:47:00

Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Date: 5.JAN.2024 09:47:18

Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0