




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max NB Index=15




Band2 QPSK BW=20MHz Channel=19100 RB Size=6 Position=#Max NB Index=15



Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#Max NB Index=15



Band2 16QAM BW=20MHz Channel=19100 RB Size=5 Position=#Max NB Index=15




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	0	QPSK	1843.4125	-16.96	-13	PASS
Band2	1.4	18607	6	#0	0	QPSK	26005.9375	-33.58	-13	PASS
Band2	1.4	18607	1	#0	0	16QAM	24971.9125	-33.03	-13	PASS
Band2	1.4	18607	5	#0	0	16QAM	24999.325	-32.90	-13	PASS
Band2	1.4	18900	1	#0	0	QPSK	24965.5375	-33.47	-13	PASS
Band2	1.4	18900	6	#0	0	QPSK	24940.675	-33.70	-13	PASS
Band2	1.4	18900	1	#0	0	16QAM	26017.4125	-33.15	-13	PASS
Band2	1.4	18900	5	#0	0	16QAM	25523.9875	-33.65	-13	PASS
Band2	1.4	19193	1	#0	0	QPSK	1930.1125	-30.73	-13	PASS
Band2	1.4	19193	6	#0	0	QPSK	24994.225	-33.95	-13	PASS
Band2	1.4	19193	1	#0	0	16QAM	24999.325	-33.55	-13	PASS
Band2	1.4	19193	5	#0	0	16QAM	1945.4125	-32.16	-13	PASS
Band2	3	18615	1	#0	0	QPSK	26029.525	-33.29	-13	PASS
Band2	3	18615	6	#0	0	QPSK	1820.4625	-30.26	-13	PASS
Band2	3	18615	1	#0	0	16QAM	25479.3625	-33.63	-13	PASS
Band2	3	18615	5	#0	0	16QAM	24951.5125	-33.19	-13	PASS
Band2	3	18900	1	#0	0	QPSK	25028.65	-33.68	-13	PASS
Band2	3	18900	6	#0	0	QPSK	25449.4	-33.71	-13	PASS
Band2	3	18900	1	#0	0	16QAM	24964.9	-32.85	-13	PASS
Band2	3	18900	5	#0	0	16QAM	25609.4125	-33.49	-13	PASS
Band2	3	19185	1	#0	0	QPSK	24911.9875	-32.96	-13	PASS
Band2	3	19185	6	#0	0	QPSK	25631.0875	-32.81	-13	PASS
Band2	3	19185	1	#0	0	16QAM	25036.3	-32.84	-13	PASS
Band2	3	19185	5	#0	0	16QAM	25496.575	-33.35	-13	PASS
Band2	5	18625	1	#0	0	QPSK	26029.525	-32.97	-13	PASS
Band2	5	18625	6	#0	0	QPSK	25513.15	-32.96	-13	PASS
Band2	5	18625	1	#0	0	16QAM	25030.5625	-32.71	-13	PASS
Band2	5	18625	5	#0	0	16QAM	25563.5125	-33.25	-13	PASS
Band2	5	18900	1	#0	0	QPSK	25537.375	-33.12	-13	PASS
Band2	5	18900	6	#0	0	QPSK	24940.0375	-32.36	-13	PASS
Band2	5	18900	1	#0	0	16QAM	25047.1375	-32.58	-13	PASS
Band2	5	18900	5	#0	0	16QAM	24994.8625	-33.09	-13	PASS
Band2	5	19175	1	#0	0	QPSK	26024.425	-32.89	-13	PASS
Band2	5	19175	6	#0	0	QPSK	25997.65	-32.67	-13	PASS
Band2	5	19175	1	#0	0	16QAM	26053.1125	-33.07	-13	PASS
Band2	5	19175	5	#0	0	16QAM	26056.9375	-33.09	-13	PASS
Band2	10	18650	1	#0	0	QPSK	25532.9125	-33.82	-13	PASS
Band2	10	18650	6	#0	0	QPSK	25007.6125	-33.02	-13	PASS
Band2	10	18650	1	#0	0	16QAM	25485.1	-32.47	-13	PASS


Band2	10	18650	5	#0	0	16QAM	25522.7125	-33.14	-13	PASS
Band2	10	18900	1	#0	0	QPSK	24985.9375	-32.97	-13	PASS
Band2	10	18900	6	#0	0	QPSK	24955.975	-32.22	-13	PASS
Band2	10	18900	1	#0	0	16QAM	25533.55	-33.13	-13	PASS
Band2	10	18900	5	#0	0	16QAM	25456.4125	-32.84	-13	PASS
Band2	10	19150	1	#0	0	QPSK	24969.3625	-32.48	-13	PASS
Band2	10	19150	6	#0	0	QPSK	26025.7	-32.53	-13	PASS
Band2	10	19150	1	#0	0	16QAM	26012.3125	-33.58	-13	PASS
Band2	10	19150	5	#0	0	16QAM	24960.4375	-33.60	-13	PASS
Band2	15	18675	1	#0	0	QPSK	25536.1	-32.98	-13	PASS
Band2	15	18675	6	#0	0	QPSK	24952.7875	-32.82	-13	PASS
Band2	15	18675	1	#0	0	16QAM	25571.8	-33.22	-13	PASS
Band2	15	18675	5	#0	0	16QAM	24984.6625	-32.83	-13	PASS
Band2	15	18900	1	#0	0	QPSK	26076.0625	-32.95	-13	PASS
Band2	15	18900	6	#0	0	QPSK	25003.7875	-32.78	-13	PASS
Band2	15	18900	1	#0	0	16QAM	25481.9125	-32.81	-13	PASS
Band2	15	18900	5	#0	0	16QAM	25547.575	-32.80	-13	PASS
Band2	15	19125	1	#0	0	QPSK	25031.8375	-33.60	-13	PASS
Band2	15	19125	6	#0	0	QPSK	25687.1875	-33.57	-13	PASS
Band2	15	19125	1	#0	0	16QAM	25471.075	-33.29	-13	PASS
Band2	15	19125	5	#0	0	16QAM	25092.4	-33.06	-13	PASS
Band2	20	18700	1	#0	0	QPSK	25481.9125	-32.96	-13	PASS
Band2	20	18700	6	#0	0	QPSK	24977.0125	-33.28	-13	PASS
Band2	20	18700	1	#0	0	16QAM	25491.475	-32.68	-13	PASS
Band2	20	18700	5	#0	0	16QAM	25556.5	-32.72	-13	PASS
Band2	20	18900	1	#0	0	QPSK	25046.5	-31.93	-13	PASS
Band2	20	18900	6	#0	0	QPSK	25610.6875	-33.54	-13	PASS
Band2	20	18900	1	#0	0	16QAM	25527.8125	-33.14	-13	PASS
Band2	20	18900	5	#0	0	16QAM	25053.5125	-33.25	-13	PASS
Band2	20	19100	1	#0	0	QPSK	25515.7	-33.56	-13	PASS
Band2	20	19100	6	#0	0	QPSK	25525.2625	-33.07	-13	PASS
Band2	20	19100	1	#0	0	16QAM	24971.9125	-33.45	-13	PASS
Band2	20	19100	5	#0	0	16QAM	24964.9	-33.53	-13	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009095175	-55.85	-13
2	0.15	30	10	0.15	-57.03	-13
3	30	1000	100	670.976	-58.5	-13
4	1000	26500	1000	1843.4125	-16.96	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00919035	-54.6	-13
2	0.15	30	10	0.15373125	-57.5	-13
3	30	1000	100	102.7015	-58.09	-13
4	1000	26500	1000	26005.9375	-33.58	-13

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009045825	-55.25	-13
2	0.15	30	10	0.15	-56.73	-13
3	30	1000	100	862.72075	-58.15	-13
4	1000	26500	1000	24971.9125	-33.03	-13

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011950425	-53.94	-13
2	0.15	30	10	0.1544775	-56.94	-13
3	30	1000	100	926.35275	-57.89	-13
4	1000	26500	1000	24999.325	-32.9	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009602775	-54.01	-13
2	0.15	30	10	0.16791	-57.53	-13
3	30	1000	100	790.7225	-58.05	-13
4	1000	26500	1000	24965.5375	-33.47	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009990525	-53.93	-13
2	0.15	30	10	0.15223875	-57.04	-13
3	30	1000	100	837.16125	-58.18	-13
4	1000	26500	1000	24940.675	-33.7	-13

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-55.67	-13
2	0.15	30	10	0.1753725	-59.12	-13
3	30	1000	100	652.42475	-58.4	-13
4	1000	26500	1000	26017.4125	-33.15	-13

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010702575	-55.06	-13
2	0.15	30	10	0.1544775	-55.09	-13
3	30	1000	100	900.7205	-58.33	-13
4	1000	26500	1000	25523.9875	-33.65	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009081075	-53.48	-13
2	0.15	30	10	0.16716375	-58.05	-13
3	30	1000	100	828.4555	-58.02	-13
4	1000	26500	1000	1930.1125	-30.73	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013473225	-54.81	-13
2	0.15	30	10	0.1544775	-56.68	-13
3	30	1000	100	925.18875	-57.82	-13
4	1000	26500	1000	24994.225	-33.95	-13

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00909165	-54.65	-13
2	0.15	30	10	0.15	-56.3	-13
3	30	1000	100	832.2385	-58.24	-13
4	1000	26500	1000	24999.325	-33.55	-13

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-52.22	-13
2	0.15	30	10	0.15671625	-56.76	-13
3	30	1000	100	944.4675	-58.3	-13
4	1000	26500	1000	1945.4125	-32.16	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009236175	-50.93	-13
2	0.15	30	10	0.15671625	-55.25	-13
3	30	1000	100	512.0415	-58.34	-13
4	1000	26500	1000	26029.525	-33.29	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009229125	-53.32	-13
2	0.15	30	10	0.152985	-56.97	-13
3	30	1000	100	777.482	-57.77	-13
4	1000	26500	1000	1820.4625	-30.26	-13

Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011675475	-54.68	-13
2	0.15	30	10	0.164925	-55.61	-13
3	30	1000	100	997.8175	-57.87	-13
4	1000	26500	1000	25479.3625	-33.63	-13

Band2 16QAM BW=3MHz Channel=18615 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009356025	-53.44	-13
2	0.15	30	10	0.15597	-58.16	-13
3	30	1000	100	934.04	-58.27	-13
4	1000	26500	1000	24951.5125	-33.19	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009158625	-51.82	-13
2	0.15	30	10	0.16567125	-58.67	-13
3	30	1000	100	839.0285	-58.06	-13
4	1000	26500	1000	25028.65	-33.68	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.43	-13
2	0.15	30	10	0.1514925	-57.2	-13
3	30	1000	100	930.62075	-58.03	-13
4	1000	26500	1000	25449.4	-33.71	-13

Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01344855	-55.79	-13
2	0.15	30	10	0.15	-55.64	-13
3	30	1000	100	878.7015	-58.17	-13
4	1000	26500	1000	24964.9	-32.85	-13

Band2 16QAM BW=3MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-55.35	-13
2	0.15	30	10	0.15	-56.31	-13
3	30	1000	100	677.20825	-58.3	-13
4	1000	26500	1000	25609.4125	-33.49	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.27	-13
2	0.15	30	10	0.15	-56.42	-13
3	30	1000	100	872.95425	-57.93	-13
4	1000	26500	1000	24911.9875	-32.96	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.59	-13
2	0.15	30	10	0.15373125	-58.22	-13
3	30	1000	100	846.8855	-58.06	-13
4	1000	26500	1000	25631.0875	-32.81	-13

Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013797525	-55.02	-13
2	0.15	30	10	0.16567125	-56.98	-13
3	30	1000	100	760.62825	-58.51	-13
4	1000	26500	1000	25036.3	-32.84	-13

Band2 16QAM BW=3MHz Channel=19185 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.83	-13
2	0.15	30	10	0.15373125	-57.03	-13
3	30	1000	100	886.898	-58.41	-13
4	1000	26500	1000	25496.575	-33.35	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009327825	-54.65	-13
2	0.15	30	10	0.15	-57.84	-13
3	30	1000	100	800.25275	-57.72	-13
4	1000	26500	1000	26029.525	-32.97	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009299625	-56.46	-13
2	0.15	30	10	0.15	-55.54	-13
3	30	1000	100	741.107	-58.09	-13
4	1000	26500	1000	25513.15	-32.96	-13

Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01033245	-53.67	-13
2	0.15	30	10	0.17014875	-57.72	-13
3	30	1000	100	896.501	-58.5	-13
4	1000	26500	1000	25030.5625	-32.71	-13

Band2 16QAM BW=5MHz Channel=18625 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00911985	-56.97	-13
2	0.15	30	10	0.158955	-57.67	-13
3	30	1000	100	744.0655	-57.66	-13
4	1000	26500	1000	25563.5125	-33.25	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0126519	-53.99	-13
2	0.15	30	10	0.15820875	-58.81	-13
3	30	1000	100	785.339	-57.82	-13
4	1000	26500	1000	25537.375	-33.12	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009616875	-53.82	-13
2	0.15	30	10	0.1783575	-59.47	-13
3	30	1000	100	797.39125	-57.47	-13
4	1000	26500	1000	24940.0375	-32.36	-13

Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01038885	-55.04	-13
2	0.15	30	10	0.15	-56.26	-13
3	30	1000	100	809.686	-57.83	-13
4	1000	26500	1000	25047.1375	-32.58	-13

Band2 16QAM BW=5MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100857	-54.98	-13
2	0.15	30	10	0.1514925	-57.89	-13
3	30	1000	100	878.43475	-57.39	-13
4	1000	26500	1000	24994.8625	-33.09	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01154505	-54.62	-13
2	0.15	30	10	0.17462625	-58.43	-13
3	30	1000	100	963.06725	-58.02	-13
4	1000	26500	1000	26024.425	-32.89	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011795325	-56.8	-13
2	0.15	30	10	0.15	-56.17	-13
3	30	1000	100	823.4115	-58.04	-13
4	1000	26500	1000	25997.65	-32.67	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010942275	-55.54	-13
2	0.15	30	10	0.15	-55.42	-13
3	30	1000	100	860.3685	-57.73	-13
4	1000	26500	1000	26053.1125	-33.07	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.1	-13
2	0.15	30	10	0.15074625	-58.15	-13
3	30	1000	100	792.614	-57.76	-13
4	1000	26500	1000	26056.9375	-33.09	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-55.6	-13
2	0.15	30	10	0.15074625	-55.13	-13
3	30	1000	100	987.875	-57.98	-13
4	1000	26500	1000	25532.9125	-33.82	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010187925	-54.29	-13
2	0.15	30	10	0.15820875	-58.35	-13
3	30	1000	100	268.5715	-58.43	-13
4	1000	26500	1000	25007.6125	-33.02	-13

Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-53.73	-13
2	0.15	30	10	0.170895	-57.73	-13
3	30	1000	100	887.2375	-57.84	-13
4	1000	26500	1000	25485.1	-32.47	-13

Band2 16QAM BW=10MHz Channel=18650 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009560475	-54.9	-13
2	0.15	30	10	0.164925	-56.08	-13
3	30	1000	100	953.80375	-57.82	-13
4	1000	26500	1000	25522.7125	-33.14	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-54.59	-13
2	0.15	30	10	0.15074625	-58.81	-13
3	30	1000	100	841.04125	-56.97	-13
4	1000	26500	1000	24985.9375	-32.97	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103959	-55.84	-13
2	0.15	30	10	0.1783575	-57.31	-13
3	30	1000	100	840.70175	-57.11	-13
4	1000	26500	1000	24955.975	-32.22	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010307775	-54.62	-13
2	0.15	30	10	0.152985	-57.65	-13
3	30	1000	100	887.868	-57.88	-13
4	1000	26500	1000	25533.55	-33.13	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009920025	-54.41	-13
2	0.15	30	10	0.1514925	-54.31	-13
3	30	1000	100	846.74	-57.09	-13
4	1000	26500	1000	25456.4125	-32.84	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00990945	-50.69	-13
2	0.15	30	10	0.152985	-55.76	-13
3	30	1000	100	827.146	-57.7	-13
4	1000	26500	1000	24969.3625	-32.48	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110586	-53.2	-13
2	0.15	30	10	0.16791	-57.58	-13
3	30	1000	100	767.80625	-57.64	-13
4	1000	26500	1000	26025.7	-32.53	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010758975	-54.14	-13
2	0.15	30	10	0.17462625	-57.33	-13
3	30	1000	100	783.2535	-57.2	-13
4	1000	26500	1000	26012.3125	-33.58	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010744875	-52.27	-13
2	0.15	30	10	0.15	-56.5	-13
3	30	1000	100	761.4285	-58.05	-13
4	1000	26500	1000	24960.4375	-33.6	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-52.51	-13
2	0.15	30	10	0.182835	-57.77	-13
3	30	1000	100	672.16425	-57.82	-13
4	1000	26500	1000	25536.1	-32.98	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010766025	-54.84	-13
2	0.15	30	10	0.15	-56.37	-13
3	30	1000	100	802.14425	-57.47	-13
4	1000	26500	1000	24952.7875	-32.82	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-54.39	-13
2	0.15	30	10	0.1574625	-59.25	-13
3	30	1000	100	949.24475	-57.34	-13
4	1000	26500	1000	25571.8	-33.22	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010265475	-55.17	-13
2	0.15	30	10	0.15	-54.45	-13
3	30	1000	100	776.0755	-58.31	-13
4	1000	26500	1000	24984.6625	-32.83	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01106565	-54.78	-13
2	0.15	30	10	0.15970125	-59.13	-13
3	30	1000	100	904.3095	-57.83	-13
4	1000	26500	1000	26076.0625	-32.95	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.71	-13
2	0.15	30	10	0.17910375	-58.53	-13
3	30	1000	100	745.88425	-58.14	-13
4	1000	26500	1000	25003.7875	-32.78	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-56.16	-13
2	0.15	30	10	0.15373125	-57	-13
3	30	1000	100	961.3455	-57.72	-13
4	1000	26500	1000	25481.9125	-32.81	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011767125	-55.43	-13
2	0.15	30	10	0.15	-54.76	-13
3	30	1000	100	800.15575	-58.63	-13
4	1000	26500	1000	25547.575	-32.8	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-54.69	-13
2	0.15	30	10	0.15373125	-57.32	-13
3	30	1000	100	728.18175	-57.4	-13
4	1000	26500	1000	25031.8375	-33.6	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009546375	-54.25	-13
2	0.15	30	10	0.15	-57.28	-13
3	30	1000	100	870.214	-57.87	-13
4	1000	26500	1000	25687.1875	-33.57	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010075125	-54.82	-13
2	0.15	30	10	0.16417875	-56.37	-13
3	30	1000	100	34.19525	-57.67	-13
4	1000	26500	1000	25471.075	-33.29	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01055805	-54.97	-13
2	0.15	30	10	0.15223875	-57.51	-13
3	30	1000	100	940.07825	-58.08	-13
4	1000	26500	1000	25092.4	-33.06	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012380475	-54.22	-13
2	0.15	30	10	0.15	-57.38	-13
3	30	1000	100	943.18225	-58.08	-13
4	1000	26500	1000	25481.9125	-32.96	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011379375	-54.32	-13
2	0.15	30	10	0.15	-58.78	-13
3	30	1000	100	733.22575	-58.39	-13
4	1000	26500	1000	24977.0125	-33.28	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013014975	-53.8	-13
2	0.15	30	10	0.16119375	-56.61	-13
3	30	1000	100	994.78625	-57.67	-13
4	1000	26500	1000	25491.475	-32.68	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01078365	-53.57	-13
2	0.15	30	10	0.18059625	-56.23	-13
3	30	1000	100	806.65475	-58.01	-13
4	1000	26500	1000	25556.5	-32.72	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010758975	-55.62	-13
2	0.15	30	10	0.152985	-57.78	-13
3	30	1000	100	938.04125	-57.59	-13
4	1000	26500	1000	25046.5	-31.93	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00996585	-53.55	-13
2	0.15	30	10	0.15597	-57.42	-13
3	30	1000	100	549.8715	-58.05	-13
4	1000	26500	1000	25610.6875	-33.54	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-53.7	-13
2	0.15	30	10	0.15	-55.53	-13
3	30	1000	100	505.0575	-57.37	-13
4	1000	26500	1000	25527.8125	-33.14	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=5 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-55.36	-13
2	0.15	30	10	0.15373125	-57.61	-13
3	30	1000	100	822.22325	-58.19	-13
4	1000	26500	1000	25053.5125	-33.25	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-53.83	-13
2	0.15	30	10	0.15820875	-56.96	-13
3	30	1000	100	769.4795	-58.12	-13
4	1000	26500	1000	25515.7	-33.56	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=6 Position=#0 NB Index=0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013416825	-54.51	-13
2	0.15	30	10	0.15820875	-56.98	-13
3	30	1000	100	870.43225	-58.09	-13
4	1000	26500	1000	25525.2625	-33.07	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#0 NB Index=0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009292575	-53.49	-13
2	0.15	30	10	0.158955	-58.27	-13
3	30	1000	100	925.43125	-57.86	-13
4	1000	26500	1000	24971.9125	-33.45	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=5 Position=#0 NB Index=0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009123375	-53.92	-13
2	0.15	30	10	0.1514925	-56.05	-13
3	30	1000	100	829.474	-58.43	-13
4	1000	26500	1000	24964.9	-33.53	-13