



6.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	972.382	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1692	-43.37	-13	30.37	Pass	701
1700	1790	1	RMS	1729.25	20.71	60	39.29	Pass	401
1790	3000	1	RMS	2932	-49.84	-13	36.84	Pass	1211
3000	7000	1	RMS	6975	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19355	-53.87	-13	40.87	Pass	13002




6.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	913.843	-65.48	-13	52.48	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	38.39	Pass	701
1700	1790	1	RMS	1749.725	8.64	60	51.36	Pass	401
1790	3000	1	RMS	2960	-49.95	-13	36.95	Pass	1211
3000	7000	1	RMS	6981	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19334	-53.83	-13	40.83	Pass	13002




6.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	871.215	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1698	-49.58	-13	36.58	Pass	701
1700	1790	1	RMS	1735.325	20.73	60	39.27	Pass	401
1790	3000	1	RMS	2941	-49.85	-13	36.85	Pass	1211
3000	7000	1	RMS	6978	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19313	-53.87	-13	40.87	Pass	13002




6.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	840.1	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1697	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1754.225	20.76	60	39.24	Pass	401
1790	3000	1	RMS	2937	-49.96	-13	36.96	Pass	1211
3000	7000	1	RMS	6980	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19357	-53.79	-13	40.79	Pass	13002




6.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	885.124	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1777.175	8.67	60	51.33	Pass	401
1790	3000	1	RMS	1790	-29.48	-13	16.48	Pass	1211
3000	7000	1	RMS	6972	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19335	-53.83	-13	40.83	Pass	13002




6.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	844.6	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1697	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1760.525	20.78	60	39.22	Pass	401
1790	3000	1	RMS	1791	-44.62	-13	31.62	Pass	1211
3000	7000	1	RMS	6977	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19325	-53.85	-13	40.85	Pass	13002




6.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	922.949	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1698	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1779.425	20.8	60	39.2	Pass	401
1790	3000	1	RMS	1790	-48.83	-13	35.83	Pass	1211
3000	7000	1	RMS	6973	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19382	-53.84	-13	40.84	Pass	13002




6.37 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	60.21	Pass	141
0.15	30	0.01	RMS	0.23	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	846.6	-65.5	-13	52.5	Pass	9701
1000	1700	1	RMS	1700	-37.79	-13	24.79	Pass	701
1700	1790	1	RMS	1739.6	4.44	60	55.56	Pass	101
1790	3000	1	RMS	1790	-39.52	-13	26.52	Pass	1211
3000	7000	1	RMS	6976	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19357	-53.86	-13	40.86	Pass	13002




6.38 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	141
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	865.111	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	38.94	Pass	701
1700	1790	1	RMS	1709.9	18.96	60	41.04	Pass	101
1790	3000	1	RMS	2936	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	6973	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19290	-53.79	-13	40.79	Pass	13002




6.39 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	59.64	Pass	141
0.15	30	0.01	RMS	0.18	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	951.068	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1700	-52.75	-13	39.75	Pass	701
1700	1790	1	RMS	1748.6	19.17	60	40.83	Pass	101
1790	3000	1	RMS	2939	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	6979	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19414	-53.87	-13	40.87	Pass	13002




6.40 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	855.604	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-40.31	-13	27.31	Pass	701
1700	1790	1	RMS	1743.2	4.48	60	55.52	Pass	101
1790	3000	1	RMS	1790	-36.05	-13	23.05	Pass	1211
3000	7000	1	RMS	6981	-66.65	-13	53.65	Pass	4001
7000	20000	1	RMS	19419	-53.89	-13	40.89	Pass	13002




6.41 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.29	-73.02	-13	60.02	Pass	2986
30	1000	0.1	RMS	839.4	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1700	-53.61	-13	40.61	Pass	701
1700	1790	1	RMS	1725.2	17.93	60	42.07	Pass	101
1790	3000	1	RMS	2941	-49.84	-13	36.84	Pass	1211
3000	7000	1	RMS	6977	-66.48	-13	53.48	Pass	4001
7000	20000	1	RMS	19364	-53.88	-13	40.88	Pass	13002




6.42 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	141
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	980.987	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1700	-53.46	-13	40.46	Pass	701
1700	1790	1	RMS	1763.9	18.07	60	41.93	Pass	101
1790	3000	1	RMS	2930	-49.9	-13	36.9	Pass	1211
3000	7000	1	RMS	6980	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19478	-53.86	-13	40.86	Pass	13002




6.43 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	141
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	886.425	-65.48	-13	52.48	Pass	9701
1000	1700	1	RMS	1700	-43.28	-13	30.28	Pass	701
1700	1790	1	RMS	1777.4	4.52	60	55.48	Pass	101
1790	3000	1	RMS	1790	-31.62	-13	18.62	Pass	1211
3000	7000	1	RMS	6970	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19489	-53.82	-13	40.82	Pass	13002




6.44 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.34	-13	60.34	Pass	141
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	988.793	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1739.6	18.74	60	41.26	Pass	101
1790	3000	1	RMS	2934	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	5222	-54.94	-13	41.94	Pass	4001
7000	20000	1	RMS	19452	-53.88	-13	40.88	Pass	13002



6.45 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	920.247	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1700	-53.51	-13	40.51	Pass	701
1700	1790	1	RMS	1778.3	18.73	60	41.27	Pass	101
1790	3000	1	RMS	2941	-49.9	-13	36.9	Pass	1211
3000	7000	1	RMS	6979	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19303	-53.85	-13	40.85	Pass	13002



7. n25 15kHz


7.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.25	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	864.41	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	37.23	Pass	841
1840	1925	1	RMS	1852.325	14.77	60	45.23	Pass	401
1925	3000	1	RMS	2950	-49.95	-13	36.95	Pass	1076
3000	7000	1	RMS	6971	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19338	-53.88	-13	40.88	Pass	13002




7.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.19	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	875.518	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-52.75	-13	39.75	Pass	841
1840	1925	1	RMS	1850.2	20.92	60	39.08	Pass	401
1925	3000	1	RMS	2944	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	6977	-66.64	-13	53.64	Pass	4001
7000	20000	1	RMS	19399	-53.89	-13	40.89	Pass	13002




7.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	970.18	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.2	-13	40.2	Pass	841
1840	1925	1	RMS	1854.45	20.72	60	39.28	Pass	401
1925	3000	1	RMS	2930	-49.94	-13	36.94	Pass	1076
3000	7000	1	RMS	6972	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19402	-53.88	-13	40.88	Pass	13002




7.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	848.2	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1831	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1881.65	14.81	60	45.19	Pass	401
1925	3000	1	RMS	2934	-49.92	-13	36.92	Pass	1076
3000	7000	1	RMS	6976	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19336	-53.81	-13	40.81	Pass	13002




7.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	917.846	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1828	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1880.163	20.79	60	39.21	Pass	401
1925	3000	1	RMS	2932	-49.93	-13	36.93	Pass	1076
3000	7000	1	RMS	6974	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19403	-53.85	-13	40.85	Pass	13002




7.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	983.389	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1833	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1884.625	20.88	60	39.12	Pass	401
1925	3000	1	RMS	2930	-49.89	-13	36.89	Pass	1076
3000	7000	1	RMS	6977	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19309	-53.83	-13	40.83	Pass	13002




7.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	820.9	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1840	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1911.613	14.98	60	45.02	Pass	401
1925	3000	1	RMS	2940	-49.9	-13	36.9	Pass	1076
3000	7000	1	RMS	6973	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19360	-53.81	-13	40.81	Pass	13002




7.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	856.705	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1838	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1910.125	20.76	60	39.24	Pass	401
1925	3000	1	RMS	2943	-49.9	-13	36.9	Pass	1076
3000	7000	1	RMS	6973	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19458	-53.78	-13	40.78	Pass	13002




7.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	840	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1837	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1914.588	21.05	60	38.95	Pass	401
1925	3000	1	RMS	2947	-49.93	-13	36.93	Pass	1076
3000	7000	1	RMS	6975	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19296	-53.74	-13	40.74	Pass	13002




7.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	846.1	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-32.87	-13	19.87	Pass	841
1840	1925	1	RMS	1854.45	9.77	60	50.23	Pass	401
1925	3000	1	RMS	2933	-49.94	-13	36.94	Pass	1076
3000	7000	1	RMS	6981	-66.52	-13	53.52	Pass	4001
7000	20000	1	RMS	19287	-53.83	-13	40.83	Pass	13002




7.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	937.559	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-49.78	-13	36.78	Pass	841
1840	1925	1	RMS	1850.413	20.91	60	39.09	Pass	401
1925	3000	1	RMS	2940	-49.94	-13	36.94	Pass	1076
3000	7000	1	RMS	6966	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19292	-53.86	-13	40.86	Pass	13002




7.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	853.103	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1836	-45.48	-13	32.48	Pass	841
1840	1925	1	RMS	1864.438	20.76	60	39.24	Pass	401
1925	3000	1	RMS	2938	-49.93	-13	36.93	Pass	1076
3000	7000	1	RMS	6972	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19411	-53.86	-13	40.86	Pass	13002




7.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	941.461	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1877.613	9.97	60	50.03	Pass	401
1925	3000	1	RMS	2945	-49.95	-13	36.95	Pass	1076
3000	7000	1	RMS	6970	-66.52	-13	53.52	Pass	4001
7000	20000	1	RMS	19433	-53.87	-13	40.87	Pass	13002




7.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	969.78	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1838	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1875.275	20.81	60	39.19	Pass	401
1925	3000	1	RMS	2930	-49.97	-13	36.97	Pass	1076
3000	7000	1	RMS	6972	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19380	-53.78	-13	40.78	Pass	13002




7.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	980.387	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1838	-53.53	-13	40.53	Pass	841
1840	1925	1	RMS	1889.513	20.83	60	39.17	Pass	401
1925	3000	1	RMS	2939	-49.87	-13	36.87	Pass	1076
3000	7000	1	RMS	6978	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19335	-53.83	-13	40.83	Pass	13002




7.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.19	-72.9	-13	59.9	Pass	2986
30	1000	0.1	RMS	843.9	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1901.2	10.04	60	49.96	Pass	401
1925	3000	1	RMS	1925	-46.87	-13	33.87	Pass	1076
3000	7000	1	RMS	6978	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19361	-53.88	-13	40.88	Pass	13002




7.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.32	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	843	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1900.35	20.91	60	39.09	Pass	401
1925	3000	1	RMS	2940	-49.93	-13	36.93	Pass	1076
3000	7000	1	RMS	6977	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19362	-53.86	-13	40.86	Pass	13002




7.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	842.9	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1914.375	21	60	39	Pass	401
1925	3000	1	RMS	2943	-49.88	-13	36.88	Pass	1076
3000	7000	1	RMS	6973	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19399	-53.82	-13	40.82	Pass	13002




7.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	60.2	Pass	141
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	882.822	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-38.98	-13	25.98	Pass	841
1840	1925	1	RMS	1851.05	7.2	60	52.8	Pass	101
1925	3000	1	RMS	2941	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	6976	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19292	-53.89	-13	40.89	Pass	13002




7.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-13	59.71	Pass	141
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	855.104	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	38.77	Pass	841
1840	1925	1	RMS	1850.2	17.21	60	42.79	Pass	101
1925	3000	1	RMS	2938	-49.96	-13	36.96	Pass	1076
3000	7000	1	RMS	6976	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19442	-53.9	-13	40.9	Pass	13002




7.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	964.677	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1840	-45.55	-13	32.55	Pass	841
1840	1925	1	RMS	1868.9	18.28	60	41.72	Pass	101
1925	3000	1	RMS	2936	-49.97	-13	36.97	Pass	1076
3000	7000	1	RMS	3739	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	19367	-53.8	-13	40.8	Pass	13002




7.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	141
0.15	30	0.01	RMS	0.25	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	941.761	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	37.91	Pass	841
1840	1925	1	RMS	1880.8	6.87	60	53.13	Pass	101
1925	3000	1	RMS	2949	-49.98	-13	36.98	Pass	1076
3000	7000	1	RMS	6972	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19321	-53.87	-13	40.87	Pass	13002




7.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	927.952	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1872.3	18.64	60	41.36	Pass	101
1925	3000	1	RMS	2938	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	3746	-59.85	-13	46.85	Pass	4001
7000	20000	1	RMS	19334	-53.87	-13	40.87	Pass	13002




7.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	961.374	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1838	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1891	18.32	60	41.68	Pass	101
1925	3000	1	RMS	2944	-49.9	-13	36.9	Pass	1076
3000	7000	1	RMS	6970	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19432	-53.86	-13	40.86	Pass	13002




7.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.23	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	963.276	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1902.9	6.67	60	53.33	Pass	101
1925	3000	1	RMS	2941	-49.91	-13	36.91	Pass	1076
3000	7000	1	RMS	6977	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19313	-53.8	-13	40.8	Pass	13002




7.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	975.384	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1839	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1894.4	17.14	60	42.86	Pass	101
1925	3000	1	RMS	2940	-49.94	-13	36.94	Pass	1076
3000	7000	1	RMS	3791	-62.22	-13	49.22	Pass	4001
7000	20000	1	RMS	19479	-53.85	-13	40.85	Pass	13002



7.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	856.705	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1839	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1913.95	17.54	60	42.46	Pass	101
1925	3000	1	RMS	2943	-49.95	-13	36.95	Pass	1076
3000	7000	1	RMS	3829	-50.48	-13	37.48	Pass	4001
7000	20000	1	RMS	19398	-53.9	-13	40.9	Pass	13002



8. n78 30kHz(3450-3550)


8.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	960.774	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2935	-49.65	-13	36.65	Pass	2001
3000	3440	1	RMS	3440	-45.74	-13	32.74	Pass	441
3440	3560	1	RMS	3457.7	12.23	60	47.77	Pass	401
3560	7000	1	RMS	6911	-65.77	-13	52.77	Pass	3441
7000	26500	1	RMS	25537	-49.66	-13	36.66	Pass	19503




8.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-69.67	-13	56.67	Pass	2986
30	1000	0.1	RMS	898.032	-62.99	-13	49.99	Pass	9701
1000	3000	1	RMS	2933	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3440	-48.27	-13	35.27	Pass	441
3440	3560	1	RMS	3450.8	20.38	60	39.62	Pass	401
3560	7000	1	RMS	6902	-61.71	-13	48.71	Pass	3441
7000	26500	1	RMS	25475	-49.82	-13	36.82	Pass	19503




8.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.18	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	864.91	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2935	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3440	-47.96	-13	34.96	Pass	441
3440	3560	1	RMS	3459.2	20.53	60	39.47	Pass	401
3560	7000	1	RMS	6918	-61.99	-13	48.99	Pass	3441
7000	26500	1	RMS	25557	-50.02	-13	37.02	Pass	19503




8.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.63	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	896.732	-62.93	-13	49.93	Pass	9701
1000	3000	1	RMS	2948	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3155	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3502.7	12.2	60	47.8	Pass	401
3560	7000	1	RMS	7000	-65.98	-13	52.98	Pass	3441
7000	26500	1	RMS	25453	-49.98	-13	36.98	Pass	19503




8.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	1.1	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	864.51	-62.32	-13	49.32	Pass	9701
1000	3000	1	RMS	2942	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3163	-50.21	-13	37.21	Pass	441
3440	3560	1	RMS	3495.8	20.45	60	39.55	Pass	401
3560	7000	1	RMS	3912	-64.19	-13	51.19	Pass	3441
7000	26500	1	RMS	25488	-49.93	-13	36.93	Pass	19503




8.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	0.25	-70.26	-13	57.26	Pass	2986
30	1000	0.1	RMS	932.355	-63.04	-13	50.04	Pass	9701
1000	3000	1	RMS	2939	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3159	-50.33	-13	37.33	Pass	441
3440	3560	1	RMS	3504.2	20.42	60	39.58	Pass	401
3560	7000	1	RMS	3920	-64.41	-13	51.41	Pass	3441
7000	26500	1	RMS	25486	-50.2	-13	37.2	Pass	19503




8.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	57.64	Pass	2986
30	1000	0.1	RMS	889.627	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2952	-49.61	-13	36.61	Pass	2001
3000	3440	1	RMS	3161	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3547.7	11.9	60	48.1	Pass	401
3560	7000	1	RMS	3560	-46.07	-13	33.07	Pass	3441
7000	26500	1	RMS	25509	-49.76	-13	36.76	Pass	19503




8.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.2	-70.64	-13	57.64	Pass	2986
30	1000	0.1	RMS	858.506	-62.85	-13	49.85	Pass	9701
1000	3000	1	RMS	2949	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3159	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3540.8	20.1	60	39.9	Pass	401
3560	7000	1	RMS	3560	-51.17	-13	38.17	Pass	3441
7000	26500	1	RMS	25575	-49.97	-13	36.97	Pass	19503




8.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.2	-69.61	-13	56.61	Pass	2986
30	1000	0.1	RMS	851.702	-62.75	-13	49.75	Pass	9701
1000	3000	1	RMS	2949	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3162	-50.19	-13	37.19	Pass	441
3440	3560	1	RMS	3549.2	20.13	60	39.87	Pass	401
3560	7000	1	RMS	3560	-51.64	-13	38.64	Pass	3441
7000	26500	1	RMS	25487	-50.03	-13	37.03	Pass	19503




8.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.43	-70.05	-13	57.05	Pass	2986
30	1000	0.1	RMS	860.508	-62.52	-13	49.52	Pass	9701
1000	3000	1	RMS	2951	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3440	-37.82	-13	24.82	Pass	441
3440	3560	1	RMS	3459.5	4.76	60	55.24	Pass	401
3560	7000	1	RMS	3560	-53.89	-13	40.89	Pass	3441
7000	26500	1	RMS	25569	-49.78	-13	36.78	Pass	19503




8.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.64	-70.64	-13	57.64	Pass	2986
30	1000	0.1	RMS	907.239	-62.5	-13	49.5	Pass	9701
1000	3000	1	RMS	2932	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3440	-45.09	-13	32.09	Pass	441
3440	3560	1	RMS	3451.1	20.06	60	39.94	Pass	401
3560	7000	1	RMS	3573	-59.57	-13	46.57	Pass	3441
7000	26500	1	RMS	25580	-50.01	-13	37.01	Pass	19503




8.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	623.7	-62.53	-13	49.53	Pass	9701
1000	3000	1	RMS	2951	-49.64	-13	36.64	Pass	2001
3000	3440	1	RMS	3404	-45.9	-13	32.9	Pass	441
3440	3560	1	RMS	3498.8	20.44	60	39.56	Pass	401
3560	7000	1	RMS	3566	-62.18	-13	49.18	Pass	3441
7000	26500	1	RMS	25495	-50.11	-13	37.11	Pass	19503




8.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.26	-69.93	-13	56.93	Pass	2986
30	1000	0.1	RMS	967.979	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2928	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3440	-46.66	-13	33.66	Pass	441
3440	3560	1	RMS	3498.5	4.74	60	55.26	Pass	401
3560	7000	1	RMS	3560	-44.19	-13	31.19	Pass	3441
7000	26500	1	RMS	25499	-50.12	-13	37.12	Pass	19503




8.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.87	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	538.5	-63.27	-13	50.27	Pass	9701
1000	3000	1	RMS	2943	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3164	-50.3	-13	37.3	Pass	441
3440	3560	1	RMS	3476.3	20.18	60	39.82	Pass	401
3560	7000	1	RMS	3571	-48.1	-13	35.1	Pass	3441
7000	26500	1	RMS	25472	-49.91	-13	36.91	Pass	19503




8.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	849.6	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2929	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3429	-46.36	-13	33.36	Pass	441
3440	3560	1	RMS	3523.7	20.29	60	39.71	Pass	401
3560	7000	1	RMS	3560	-59.72	-13	46.72	Pass	3441
7000	26500	1	RMS	25494	-49.66	-13	36.66	Pass	19503




8.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.51	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	956.871	-62.64	-13	49.64	Pass	9701
1000	3000	1	RMS	2938	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3440	-50.15	-13	37.15	Pass	441
3440	3560	1	RMS	3504.8	4.8	60	55.2	Pass	401
3560	7000	1	RMS	3561	-37.47	-13	24.47	Pass	3441
7000	26500	1	RMS	25864	-49.59	-13	36.59	Pass	19503




8.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-69.2	-13	56.2	Pass	2986
30	1000	0.1	RMS	874.017	-62.77	-13	49.77	Pass	9701
1000	3000	1	RMS	2955	-49.61	-13	36.61	Pass	2001
3000	3440	1	RMS	3161	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3501.2	20.54	60	39.46	Pass	401
3560	7000	1	RMS	3596	-48.11	-13	35.11	Pass	3441
7000	26500	1	RMS	25492	-50.09	-13	37.09	Pass	19503




8.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.33	-70.07	-13	57.07	Pass	2986
30	1000	0.1	RMS	817.8	-63.19	-13	50.19	Pass	9701
1000	3000	1	RMS	2950	-49.69	-13	36.69	Pass	2001
3000	3440	1	RMS	3157	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3548.6	20	60	40	Pass	401
3560	7000	1	RMS	3560	-46.92	-13	33.92	Pass	3441
7000	26500	1	RMS	25460	-50.08	-13	37.08	Pass	19503




8.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	0.17	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	913.343	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2947	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3440	-40.34	-13	27.34	Pass	441
3440	3560	1	RMS	3499.7	1.71	60	58.29	Pass	401
3560	7000	1	RMS	3561	-38.75	-13	25.75	Pass	3441
7000	26500	1	RMS	25512	-49.76	-13	36.76	Pass	19503




8.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.19	-69.77	-13	56.77	Pass	2986
30	1000	0.1	RMS	968.479	-63.09	-13	50.09	Pass	9701
1000	3000	1	RMS	2827	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3429	-45.2	-13	32.2	Pass	441
3440	3560	1	RMS	3451.1	20.01	60	39.99	Pass	401
3560	7000	1	RMS	3560	-47.27	-13	34.27	Pass	3441
7000	26500	1	RMS	25489	-49.71	-13	36.71	Pass	19503



8.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	1.1	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	959.473	-62.49	-13	49.49	Pass	9701
1000	3000	1	RMS	2925	-45.74	-13	32.74	Pass	2001
3000	3440	1	RMS	3433	-44.37	-13	31.37	Pass	441
3440	3560	1	RMS	3548.9	20.1	60	39.9	Pass	401
3560	7000	1	RMS	3571	-46.94	-13	33.94	Pass	3441
7000	26500	1	RMS	25505	-49.79	-13	36.79	Pass	19503



9. n77 30kHz(3450-3550)


9.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.66	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	815.6	-62.42	-13	49.42	Pass	9701
1000	3000	1	RMS	2957	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3440	-46.12	-13	33.12	Pass	441
3440	3560	1	RMS	3458	12.01	60	47.99	Pass	401
3560	7000	1	RMS	6910	-65.81	-13	52.81	Pass	3441
7000	26500	1	RMS	25523	-49.72	-13	36.72	Pass	19503




9.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.24	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	839.9	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2935	-49.63	-13	36.63	Pass	2001
3000	3440	1	RMS	3440	-48.4	-13	35.4	Pass	441
3440	3560	1	RMS	3450.8	20.16	60	39.84	Pass	401
3560	7000	1	RMS	6902	-61.93	-13	48.93	Pass	3441
7000	26500	1	RMS	25493	-49.41	-13	36.41	Pass	19503




9.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	914.143	-62.28	-13	49.28	Pass	9701
1000	3000	1	RMS	2938	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3440	-48.01	-13	35.01	Pass	441
3440	3560	1	RMS	3459.2	20.33	60	39.67	Pass	401
3560	7000	1	RMS	6918	-62.17	-13	49.17	Pass	3441
7000	26500	1	RMS	25487	-50	-13	37	Pass	19503



9.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.25	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	753.7	-62.78	-13	49.78	Pass	9701
1000	3000	1	RMS	2938	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3161	-50.27	-13	37.27	Pass	441
3440	3560	1	RMS	3502.4	12.17	60	47.83	Pass	401
3560	7000	1	RMS	6999	-65.73	-13	52.73	Pass	3441
7000	26500	1	RMS	25568	-50.15	-13	37.15	Pass	19503



9.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.17	-69.99	-13	56.99	Pass	2986
30	1000	0.1	RMS	472.8	-62.72	-13	49.72	Pass	9701
1000	3000	1	RMS	2930	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3165	-50.23	-13	37.23	Pass	441
3440	3560	1	RMS	3495.8	20.34	60	39.66	Pass	401
3560	7000	1	RMS	3912	-63.98	-13	50.98	Pass	3441
7000	26500	1	RMS	25501	-49.59	-13	36.59	Pass	19503

