



9.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	0.76	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	981.888	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2936	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3163	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3504.2	20.29	60	39.71	Pass	401
3560	7000	1	RMS	3920	-63.65	-13	50.65	Pass	3441
7000	26500	1	RMS	25593	-49.94	-13	36.94	Pass	19503




9.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	0.25	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	823.2	-63.08	-13	50.08	Pass	9701
1000	3000	1	RMS	2942	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3159	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3547.7	11.83	60	48.17	Pass	401
3560	7000	1	RMS	3560	-47.1	-13	34.1	Pass	3441
7000	26500	1	RMS	25593	-50.06	-13	37.06	Pass	19503




9.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	824.9	-62.86	-13	49.86	Pass	9701
1000	3000	1	RMS	2950	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3161	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3540.8	20.08	60	39.92	Pass	401
3560	7000	1	RMS	3560	-51.87	-13	38.87	Pass	3441
7000	26500	1	RMS	25524	-49.26	-13	36.26	Pass	19503




9.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	794.2	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2940	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3162	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3549.2	20.04	60	39.96	Pass	401
3560	7000	1	RMS	3560	-51.51	-13	38.51	Pass	3441
7000	26500	1	RMS	25555	-49.82	-13	36.82	Pass	19503




9.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.24	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	615.3	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2933	-49.57	-13	36.57	Pass	2001
3000	3440	1	RMS	3440	-38.11	-13	25.11	Pass	441
3440	3560	1	RMS	3460.1	4.67	60	55.33	Pass	401
3560	7000	1	RMS	3561	-53.44	-13	40.44	Pass	3441
7000	26500	1	RMS	25504	-49.63	-13	36.63	Pass	19503




9.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	57.1	Pass	2986
30	1000	0.1	RMS	934.356	-62.8	-13	49.8	Pass	9701
1000	3000	1	RMS	2952	-49.77	-13	36.77	Pass	2001
3000	3440	1	RMS	3440	-45.15	-13	32.15	Pass	441
3440	3560	1	RMS	3451.4	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3573	-58.72	-13	45.72	Pass	3441
7000	26500	1	RMS	25897	-49.86	-13	36.86	Pass	19503




9.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.21	-70.61	-13	57.61	Pass	2986
30	1000	0.1	RMS	855.204	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2966	-49.58	-13	36.58	Pass	2001
3000	3440	1	RMS	3404	-45.99	-13	32.99	Pass	441
3440	3560	1	RMS	3498.8	20.44	60	39.56	Pass	401
3560	7000	1	RMS	3566	-62	-13	49	Pass	3441
7000	26500	1	RMS	25912	-50.15	-13	37.15	Pass	19503




9.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.81	-70.51	-13	57.51	Pass	2986
30	1000	0.1	RMS	856.205	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2947	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3440	-46.51	-13	33.51	Pass	441
3440	3560	1	RMS	3505.1	4.68	60	55.32	Pass	401
3560	7000	1	RMS	3560	-43.92	-13	30.92	Pass	3441
7000	26500	1	RMS	25411	-50.15	-13	37.15	Pass	19503




9.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.18	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	911.641	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2938	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3163	-50.22	-13	37.22	Pass	441
3440	3560	1	RMS	3476.3	20.07	60	39.93	Pass	401
3560	7000	1	RMS	3571	-49.21	-13	36.21	Pass	3441
7000	26500	1	RMS	25504	-49.74	-13	36.74	Pass	19503




9.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	856.105	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2930	-49.58	-13	36.58	Pass	2001
3000	3440	1	RMS	3429	-46.42	-13	33.42	Pass	441
3440	3560	1	RMS	3523.7	20.24	60	39.76	Pass	401
3560	7000	1	RMS	3563	-59.87	-13	46.87	Pass	3441
7000	26500	1	RMS	25480	-49.76	-13	36.76	Pass	19503




9.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	0.24	-69.84	-13	56.84	Pass	2986
30	1000	0.1	RMS	897.932	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2928	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3161	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3504.8	4.6	60	55.4	Pass	401
3560	7000	1	RMS	3561	-37.44	-13	24.44	Pass	3441
7000	26500	1	RMS	25523	-50.06	-13	37.06	Pass	19503




9.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	57.14	Pass	2986
30	1000	0.1	RMS	983.789	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2946	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3158	-50.25	-13	37.25	Pass	441
3440	3560	1	RMS	3501.2	20.4	60	39.6	Pass	401
3560	7000	1	RMS	3596	-48.95	-13	35.95	Pass	3441
7000	26500	1	RMS	25906	-49.9	-13	36.9	Pass	19503




9.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.26	-69.6	-13	56.6	Pass	2986
30	1000	0.1	RMS	966.478	-63.27	-13	50.27	Pass	9701
1000	3000	1	RMS	2967	-49.62	-13	36.62	Pass	2001
3000	3440	1	RMS	3165	-50.26	-13	37.26	Pass	441
3440	3560	1	RMS	3548.6	19.89	60	40.11	Pass	401
3560	7000	1	RMS	3560	-46.46	-13	33.46	Pass	3441
7000	26500	1	RMS	25896	-49.8	-13	36.8	Pass	19503




9.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	1.01	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	977.885	-62.86	-13	49.86	Pass	9701
1000	3000	1	RMS	2943	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3438	-40.39	-13	27.39	Pass	441
3440	3560	1	RMS	3499.7	1.54	60	58.46	Pass	401
3560	7000	1	RMS	3563	-38.52	-13	25.52	Pass	3441
7000	26500	1	RMS	25911	-49.83	-13	36.83	Pass	19503




9.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.33	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	986.491	-62.69	-13	49.69	Pass	9701
1000	3000	1	RMS	2940	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3429	-45.6	-13	32.6	Pass	441
3440	3560	1	RMS	3451.1	19.81	60	40.19	Pass	401
3560	7000	1	RMS	3560	-47.82	-13	34.82	Pass	3441
7000	26500	1	RMS	26498	-50.01	-13	37.01	Pass	19503



9.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.17	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	976.685	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2925	-45.63	-13	32.63	Pass	2001
3000	3440	1	RMS	3433	-44.47	-13	31.47	Pass	441
3440	3560	1	RMS	3548.9	20.02	60	39.98	Pass	401
3560	7000	1	RMS	3571	-47.07	-13	34.07	Pass	3441
7000	26500	1	RMS	25494	-49.96	-13	36.96	Pass	19503



10. n77 30kHz(3700-3980)


10.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.27	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	878.519	-62.5	-13	49.5	Pass	9701
1000	3000	1	RMS	2944	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3690	-45.3	-13	32.3	Pass	691
3690	3990	1	RMS	3708	12.64	60	47.36	Pass	401
3990	7000	1	RMS	6976	-66.36	-13	53.36	Pass	3011
7000	26500	1	RMS	25525	-49.93	-13	36.93	Pass	19503




10.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	0.62	-70.71	-13	57.71	Pass	2986
30	1000	0.1	RMS	939.66	-62.74	-13	49.74	Pass	9701
1000	3000	1	RMS	2929	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3690	-48.11	-13	35.11	Pass	691
3690	3990	1	RMS	3700.5	19.43	60	40.57	Pass	401
3990	7000	1	RMS	4117	-65.13	-13	52.13	Pass	3011
7000	26500	1	RMS	11103	-47.93	-13	34.93	Pass	19503




10.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.28	-70.51	-13	57.51	Pass	2986
30	1000	0.1	RMS	601.9	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2940	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3690	-48.21	-13	35.21	Pass	691
3690	3990	1	RMS	3708.75	19.26	60	40.74	Pass	401
3990	7000	1	RMS	4125	-65.03	-13	52.03	Pass	3011
7000	26500	1	RMS	11127	-43.63	-13	30.63	Pass	19503




10.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.22	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	804.2	-62.45	-13	49.45	Pass	9701
1000	3000	1	RMS	2937	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3161	-50.15	-13	37.15	Pass	691
3690	3990	1	RMS	3843	11.51	60	48.49	Pass	401
3990	7000	1	RMS	6975	-66.41	-13	53.41	Pass	3011
7000	26500	1	RMS	25505	-50.08	-13	37.08	Pass	19503




10.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.26	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	837	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2927	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3166	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3835.5	18.26	60	41.74	Pass	401
3990	7000	1	RMS	6971	-66.43	-13	53.43	Pass	3011
7000	26500	1	RMS	25917	-50.01	-13	37.01	Pass	19503




10.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	983.489	-62.97	-13	49.97	Pass	9701
1000	3000	1	RMS	2938	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3161	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3844.5	18.17	60	41.83	Pass	401
3990	7000	1	RMS	6970	-66.27	-13	53.27	Pass	3011
7000	26500	1	RMS	25496	-50.05	-13	37.05	Pass	19503




10.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.93	-70.25	-13	57.25	Pass	2986
30	1000	0.1	RMS	904.337	-62.44	-13	49.44	Pass	9701
1000	3000	1	RMS	2939	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3162	-50.24	-13	37.24	Pass	691
3690	3990	1	RMS	3977.25	12.25	60	47.75	Pass	401
3990	7000	1	RMS	3990	-39.67	-13	26.67	Pass	3011
7000	26500	1	RMS	25506	-49.53	-13	36.53	Pass	19503




10.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-13	57.19	Pass	401
0.15	30	0.01	RMS	0.2	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	812.6	-62.42	-13	49.42	Pass	9701
1000	3000	1	RMS	2936	-49.52	-13	36.52	Pass	2001
3000	3690	1	RMS	3161	-50.17	-13	37.17	Pass	691
3690	3990	1	RMS	3970.5	19.02	60	40.98	Pass	401
3990	7000	1	RMS	3990	-51.24	-13	38.24	Pass	3011
7000	26500	1	RMS	25502	-50.25	-13	37.25	Pass	19503




10.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.48	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	845.1	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2938	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3163	-50.31	-13	37.31	Pass	691
3690	3990	1	RMS	3978.75	18.9	60	41.1	Pass	401
3990	7000	1	RMS	3990	-51.35	-13	38.35	Pass	3011
7000	26500	1	RMS	25472	-50.09	-13	37.09	Pass	19503




10.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	0.28	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	862.109	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2937	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3690	-40.38	-13	27.38	Pass	691
3690	3990	1	RMS	3722.25	5.05	60	54.95	Pass	401
3990	7000	1	RMS	6970	-66.2	-13	53.2	Pass	3011
7000	26500	1	RMS	25444	-49.89	-13	36.89	Pass	19503




10.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.43	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	844.1	-63.11	-13	50.11	Pass	9701
1000	3000	1	RMS	2944	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3690	-45.05	-13	32.05	Pass	691
3690	3990	1	RMS	3701.25	20.43	60	39.57	Pass	401
3990	7000	1	RMS	4013	-66	-13	53	Pass	3011
7000	26500	1	RMS	11104	-49.21	-13	36.21	Pass	19503




10.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.16	-69.35	-13	56.35	Pass	2986
30	1000	0.1	RMS	985.991	-62.6	-13	49.6	Pass	9701
1000	3000	1	RMS	2937	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3654	-46.36	-13	33.36	Pass	691
3690	3990	1	RMS	3748.5	19.6	60	40.4	Pass	401
3990	7000	1	RMS	6978	-66.27	-13	53.27	Pass	3011
7000	26500	1	RMS	11246	-49.06	-13	36.06	Pass	19503




10.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	1.49	-69.19	-13	56.19	Pass	2986
30	1000	0.1	RMS	967.078	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2933	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3158	-50.1	-13	37.1	Pass	691
3690	3990	1	RMS	3860.25	4.5	60	55.5	Pass	401
3990	7000	1	RMS	3993	-65.6	-13	52.6	Pass	3011
7000	26500	1	RMS	25897	-50.03	-13	37.03	Pass	19503




10.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.32	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	690.5	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2950	-49.62	-13	36.62	Pass	2001
3000	3690	1	RMS	3161	-50.27	-13	37.27	Pass	691
3690	3990	1	RMS	3816	18.97	60	41.03	Pass	401
3990	7000	1	RMS	6976	-66.33	-13	53.33	Pass	3011
7000	26500	1	RMS	11449	-49.52	-13	36.52	Pass	19503




10.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	0.18	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	846.4	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2931	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3164	-50.23	-13	37.23	Pass	691
3690	3990	1	RMS	3864	19.31	60	40.69	Pass	401
3990	7000	1	RMS	6968	-66.57	-13	53.57	Pass	3011
7000	26500	1	RMS	25561	-50.05	-13	37.05	Pass	19503




10.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.16	-70.36	-13	57.36	Pass	2986
30	1000	0.1	RMS	858.606	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2977	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3164	-50.17	-13	37.17	Pass	691
3690	3990	1	RMS	3934.5	4.99	60	55.01	Pass	401
3990	7000	1	RMS	3990	-34.14	-13	21.14	Pass	3011
7000	26500	1	RMS	25497	-50.13	-13	37.13	Pass	19503




10.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-13	56.75	Pass	2986
30	1000	0.1	RMS	844.4	-62.77	-13	49.77	Pass	9701
1000	3000	1	RMS	2932	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3157	-50.35	-13	37.35	Pass	691
3690	3990	1	RMS	3931.5	19.6	60	40.4	Pass	401
3990	7000	1	RMS	4026	-47.5	-13	34.5	Pass	3011
7000	26500	1	RMS	25483	-49.8	-13	36.8	Pass	19503




10.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.21	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	933.356	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2931	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3166	-50.26	-13	37.26	Pass	691
3690	3990	1	RMS	3978.75	20.13	60	39.87	Pass	401
3990	7000	1	RMS	3990	-46.08	-13	33.08	Pass	3011
7000	26500	1	RMS	25529	-50.01	-13	37.01	Pass	19503




10.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.22	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	367.7	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2928	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3690	-42.41	-13	29.41	Pass	691
3690	3990	1	RMS	3750	1.65	60	58.35	Pass	401
3990	7000	1	RMS	3991	-62.38	-13	49.38	Pass	3011
7000	26500	1	RMS	25493	-49.68	-13	36.68	Pass	19503




10.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.29	-13	57.29	Pass	401
0.15	30	0.01	RMS	0.27	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	841.6	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2956	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3679	-45.35	-13	32.35	Pass	691
3690	3990	1	RMS	3701.25	19.91	60	40.09	Pass	401
3990	7000	1	RMS	4325	-56.69	-13	43.69	Pass	3011
7000	26500	1	RMS	11103	-47.9	-13	34.9	Pass	19503




10.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.2	-70.07	-13	57.07	Pass	2986
30	1000	0.1	RMS	795	-63.18	-13	50.18	Pass	9701
1000	3000	1	RMS	2938	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3683	-46.05	-13	33.05	Pass	691
3690	3990	1	RMS	3798.75	19.46	60	40.54	Pass	401
3990	7000	1	RMS	4111	-64.39	-13	51.39	Pass	3011
7000	26500	1	RMS	25510	-49.98	-13	36.98	Pass	19503




10.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-13	57.26	Pass	401
0.15	30	0.01	RMS	0.19	-69.75	-13	56.75	Pass	2986
30	1000	0.1	RMS	888.026	-62.6	-13	49.6	Pass	9701
1000	3000	1	RMS	2940	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3688	-49.71	-13	36.71	Pass	691
3690	3990	1	RMS	3885.75	1.86	60	58.14	Pass	401
3990	7000	1	RMS	3990	-46.59	-13	33.59	Pass	3011
7000	26500	1	RMS	25915	-49.92	-13	36.92	Pass	19503




10.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.78	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	879.22	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2940	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3167	-48.9	-13	35.9	Pass	691
3690	3990	1	RMS	3791.25	19.02	60	40.98	Pass	401
3990	7000	1	RMS	4415	-58.61	-13	45.61	Pass	3011
7000	26500	1	RMS	25534	-50.09	-13	37.09	Pass	19503




10.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69	-13	56	Pass	401
0.15	30	0.01	RMS	0.39	-69.46	-13	56.46	Pass	2986
30	1000	0.1	RMS	948.366	-62.08	-13	49.08	Pass	9701
1000	3000	1	RMS	2968	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3265	-46.7	-13	33.7	Pass	691
3690	3990	1	RMS	3888.75	20.15	60	39.85	Pass	401
3990	7000	1	RMS	4513	-64.5	-13	51.5	Pass	3011
7000	26500	1	RMS	25496	-49.93	-13	36.93	Pass	19503




10.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.18	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	492	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2939	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3165	-50.19	-13	37.19	Pass	691
3690	3990	1	RMS	3898.5	2.09	60	57.91	Pass	401
3990	7000	1	RMS	3991	-36.41	-13	23.41	Pass	3011
7000	26500	1	RMS	25466	-49.95	-13	36.95	Pass	19503




10.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	1.1	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	867.812	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2941	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3257	-49.86	-13	36.86	Pass	691
3690	3990	1	RMS	3881.25	19.81	60	40.19	Pass	401
3990	7000	1	RMS	3997	-46.04	-13	33.04	Pass	3011
7000	26500	1	RMS	25480	-49.8	-13	36.8	Pass	19503



10.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	0.2	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	797.4	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2933	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3355	-46.71	-13	33.71	Pass	691
3690	3990	1	RMS	3978.75	19.68	60	40.32	Pass	401
3990	7000	1	RMS	4000	-46.64	-13	33.64	Pass	3011
7000	26500	1	RMS	25474	-50	-13	37	Pass	19503



11. n78 30kHz(3700-3800)


11.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.5	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	995.997	-63.28	-13	50.28	Pass	9701
1000	3000	1	RMS	2949	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3690	-45.36	-13	32.36	Pass	691
3690	3810	1	RMS	3707.7	12.66	60	47.34	Pass	401
3810	7000	1	RMS	4017	-65.52	-13	52.52	Pass	3191
7000	26500	1	RMS	25501	-49.64	-13	36.64	Pass	19503




11.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	866.812	-63.11	-13	50.11	Pass	9701
1000	3000	1	RMS	2958	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3690	-48.24	-13	35.24	Pass	691
3690	3810	1	RMS	3700.8	20.91	60	39.09	Pass	401
3810	7000	1	RMS	4117	-65.2	-13	52.2	Pass	3191
7000	26500	1	RMS	11102	-48.75	-13	35.75	Pass	19503




11.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.2	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	872.516	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2951	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3690	-48.18	-13	35.18	Pass	691
3690	3810	1	RMS	3709.2	20.89	60	39.11	Pass	401
3810	7000	1	RMS	4125	-65.26	-13	52.26	Pass	3191
7000	26500	1	RMS	11127	-43.56	-13	30.56	Pass	19503




11.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.36	-70.13	-13	57.13	Pass	2986
30	1000	0.1	RMS	983.989	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2954	-49.52	-13	36.52	Pass	2001
3000	3690	1	RMS	3160	-50.22	-13	37.22	Pass	691
3690	3810	1	RMS	3752.4	12.07	60	47.93	Pass	401
3810	7000	1	RMS	3903	-66.28	-13	53.28	Pass	3191
7000	26500	1	RMS	25872	-49.72	-13	36.72	Pass	19503




11.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.2	-70.29	-13	57.29	Pass	2986
30	1000	0.1	RMS	943.162	-63.11	-13	50.11	Pass	9701
1000	3000	1	RMS	2942	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3156	-50.25	-13	37.25	Pass	691
3690	3810	1	RMS	3745.8	20.44	60	39.56	Pass	401
3810	7000	1	RMS	4058	-63.98	-13	50.98	Pass	3191
7000	26500	1	RMS	11238	-49.48	-13	36.48	Pass	19503




11.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.64	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	796.6	-63.15	-13	50.15	Pass	9701
1000	3000	1	RMS	2947	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3160	-50.15	-13	37.15	Pass	691
3690	3810	1	RMS	3754.2	20.43	60	39.57	Pass	401
3810	7000	1	RMS	4066	-64.38	-13	51.38	Pass	3191
7000	26500	1	RMS	11262	-49	-13	36	Pass	19503




11.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.19	-70.41	-13	57.41	Pass	2986
30	1000	0.1	RMS	839.7	-62.8	-13	49.8	Pass	9701
1000	3000	1	RMS	2929	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3161	-50.16	-13	37.16	Pass	691
3690	3810	1	RMS	3797.7	12.06	60	47.94	Pass	401
3810	7000	1	RMS	3810	-43.55	-13	30.55	Pass	3191
7000	26500	1	RMS	25547	-49.37	-13	36.37	Pass	19503




11.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.51	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	904.537	-62.99	-13	49.99	Pass	9701
1000	3000	1	RMS	2931	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3164	-50.35	-13	37.35	Pass	691
3690	3810	1	RMS	3790.8	20.02	60	39.98	Pass	401
3810	7000	1	RMS	3810	-51.3	-13	38.3	Pass	3191
7000	26500	1	RMS	25506	-49.85	-13	36.85	Pass	19503




11.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.33	-70.51	-13	57.51	Pass	2986
30	1000	0.1	RMS	606.8	-63.25	-13	50.25	Pass	9701
1000	3000	1	RMS	2932	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3161	-50.22	-13	37.22	Pass	691
3690	3810	1	RMS	3799.2	20.31	60	39.69	Pass	401
3810	7000	1	RMS	3810	-51.66	-13	38.66	Pass	3191
7000	26500	1	RMS	25501	-49.55	-13	36.55	Pass	19503




11.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.28	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	881.021	-63.02	-13	50.02	Pass	9701
1000	3000	1	RMS	2950	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3690	-39.91	-13	26.91	Pass	691
3690	3810	1	RMS	3704.1	5.16	60	54.84	Pass	401
3810	7000	1	RMS	3810	-50.15	-13	37.15	Pass	3191
7000	26500	1	RMS	25507	-49.85	-13	36.85	Pass	19503




11.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.54	-70.26	-13	57.26	Pass	2986
30	1000	0.1	RMS	820.8	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2927	-49.75	-13	36.75	Pass	2001
3000	3690	1	RMS	3690	-45.37	-13	32.37	Pass	691
3690	3810	1	RMS	3701.1	20.74	60	39.26	Pass	401
3810	7000	1	RMS	3823	-57.12	-13	44.12	Pass	3191
7000	26500	1	RMS	11104	-49.12	-13	36.12	Pass	19503




11.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	56.53	Pass	2986
30	1000	0.1	RMS	815.9	-62.52	-13	49.52	Pass	9701
1000	3000	1	RMS	2945	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3654	-46.08	-13	33.08	Pass	691
3690	3810	1	RMS	3748.8	20.54	60	39.46	Pass	401
3810	7000	1	RMS	3816	-61.39	-13	48.39	Pass	3191
7000	26500	1	RMS	11246	-47.98	-13	34.98	Pass	19503




11.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	859.007	-62.56	-13	49.56	Pass	9701
1000	3000	1	RMS	2962	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3690	-46.72	-13	33.72	Pass	691
3690	3810	1	RMS	3727.8	4.64	60	55.36	Pass	401
3810	7000	1	RMS	3810	-41.02	-13	28.02	Pass	3191
7000	26500	1	RMS	25914	-50.19	-13	37.19	Pass	19503




11.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.24	-70.49	-13	57.49	Pass	2986
30	1000	0.1	RMS	848.6	-62.84	-13	49.84	Pass	9701
1000	3000	1	RMS	2935	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3162	-50.37	-13	37.37	Pass	691
3690	3810	1	RMS	3726.3	20.6	60	39.4	Pass	401
3810	7000	1	RMS	3821	-47.24	-13	34.24	Pass	3191
7000	26500	1	RMS	11179	-49.33	-13	36.33	Pass	19503




11.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	1.15	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	932.355	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2949	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3679	-46.04	-13	33.04	Pass	691
3690	3810	1	RMS	3773.7	20.06	60	39.94	Pass	401
3810	7000	1	RMS	3810	-58.87	-13	45.87	Pass	3191
7000	26500	1	RMS	25490	-49.43	-13	36.43	Pass	19503



11.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.29	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	776.9	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2930	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3690	-49.92	-13	36.92	Pass	691
3690	3810	1	RMS	3797.1	4.54	60	55.46	Pass	401
3810	7000	1	RMS	3811	-35.85	-13	22.85	Pass	3191
7000	26500	1	RMS	25473	-49.97	-13	36.97	Pass	19503



11.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	57.43	Pass	2986
30	1000	0.1	RMS	709.4	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2933	-49.55	-13	36.55	Pass	2001
3000	3690	1	RMS	3168	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3751.2	20.47	60	39.53	Pass	401
3810	7000	1	RMS	3846	-46.39	-13	33.39	Pass	3191
7000	26500	1	RMS	25543	-49.82	-13	36.82	Pass	19503

