



11.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.18	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	819.9	-63.12	-13	50.12	Pass	9701
1000	3000	1	RMS	2946	-49.85	-13	36.85	Pass	2001
3000	3690	1	RMS	3164	-50.25	-13	37.25	Pass	691
3690	3810	1	RMS	3798.6	20.09	60	39.91	Pass	401
3810	7000	1	RMS	3810	-46.09	-13	33.09	Pass	3191
7000	26500	1	RMS	25467	-49.98	-13	36.98	Pass	19503




11.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	56.03	Pass	2986
30	1000	0.1	RMS	834.2	-62.7	-13	49.7	Pass	9701
1000	3000	1	RMS	2938	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3690	-42.37	-13	29.37	Pass	691
3690	3810	1	RMS	3749.4	1.72	60	58.28	Pass	401
3810	7000	1	RMS	3812	-36.47	-13	23.47	Pass	3191
7000	26500	1	RMS	25517	-50.04	-13	37.04	Pass	19503




11.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.21	-70.71	-13	57.71	Pass	2986
30	1000	0.1	RMS	886.425	-62.61	-13	49.61	Pass	9701
1000	3000	1	RMS	2942	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3679	-45.31	-13	32.31	Pass	691
3690	3810	1	RMS	3701.1	20.73	60	39.27	Pass	401
3810	7000	1	RMS	3817	-46.45	-13	33.45	Pass	3191
7000	26500	1	RMS	11103	-46.6	-13	33.6	Pass	19503



11.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	1.28	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	730.8	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2936	-49.54	-13	36.54	Pass	2001
3000	3690	1	RMS	3683	-45.81	-13	32.81	Pass	691
3690	3810	1	RMS	3798.9	20.1	60	39.9	Pass	401
3810	7000	1	RMS	3820	-46.8	-13	33.8	Pass	3191
7000	26500	1	RMS	25460	-50	-13	37	Pass	19503



12. n7


12.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	902.135	-65.65	-25	40.65	Pass	9701
1000	2495	1	RMS	2495	-41.05	-25	16.05	Pass	1496
2495	2575	1	RMS	2502	13.22	60	46.78	Pass	401
2575	3000	1	RMS	2936	-50.07	-25	25.07	Pass	426
3000	7000	1	RMS	6972	-66.64	-25	41.64	Pass	4001
7000	26000	1	RMS	25497	-50.94	-25	25.94	Pass	19003




12.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	46.81	Pass	401
0.15	30	0.01	RMS	0.24	-72.85	-25	47.85	Pass	2986
30	1000	0.1	RMS	539.6	-65.45	-25	40.45	Pass	9701
1000	2495	1	RMS	2495	-46.76	-25	21.76	Pass	1496
2495	2575	1	RMS	2500.2	19.51	60	40.49	Pass	401
2575	3000	1	RMS	2941	-50.1	-25	25.1	Pass	426
3000	7000	1	RMS	6974	-66.64	-25	41.64	Pass	4001
7000	26000	1	RMS	25504	-51.02	-25	26.02	Pass	19003




12.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	47.23	Pass	401
0.15	30	0.01	RMS	0.2	-71.91	-25	46.91	Pass	2986
30	1000	0.1	RMS	979.386	-65.52	-25	40.52	Pass	9701
1000	2495	1	RMS	2495	-45.37	-25	20.37	Pass	1496
2495	2575	1	RMS	2504.6	19.49	60	40.51	Pass	401
2575	3000	1	RMS	2943	-50.08	-25	25.08	Pass	426
3000	7000	1	RMS	6972	-66.61	-25	41.61	Pass	4001
7000	26000	1	RMS	25501	-50.93	-25	25.93	Pass	19003




12.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.3	-72.95	-25	47.95	Pass	2986
30	1000	0.1	RMS	872.516	-65.55	-25	40.55	Pass	9701
1000	2495	1	RMS	2493	-52.51	-25	27.51	Pass	1496
2495	2575	1	RMS	2534.2	13.28	60	46.72	Pass	401
2575	3000	1	RMS	2938	-50.1	-25	25.1	Pass	426
3000	7000	1	RMS	6970	-66.69	-25	41.69	Pass	4001
7000	26000	1	RMS	25511	-50.82	-25	25.82	Pass	19003




12.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.29	-25	48.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	47.67	Pass	2986
30	1000	0.1	RMS	840.9	-65.61	-25	40.61	Pass	9701
1000	2495	1	RMS	2494	-52.5	-25	27.5	Pass	1496
2495	2575	1	RMS	2532.8	19.53	60	40.47	Pass	401
2575	3000	1	RMS	2930	-50.09	-25	25.09	Pass	426
3000	7000	1	RMS	6979	-66.64	-25	41.64	Pass	4001
7000	26000	1	RMS	25509	-50.94	-25	25.94	Pass	19003




12.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-25	47.32	Pass	2986
30	1000	0.1	RMS	982.488	-65.66	-25	40.66	Pass	9701
1000	2495	1	RMS	2489	-52.54	-25	27.54	Pass	1496
2495	2575	1	RMS	2537	19.53	60	40.47	Pass	401
2575	3000	1	RMS	2931	-50.08	-25	25.08	Pass	426
3000	7000	1	RMS	6979	-66.67	-25	41.67	Pass	4001
7000	26000	1	RMS	25507	-50.98	-25	25.98	Pass	19003




12.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-25	47.54	Pass	2986
30	1000	0.1	RMS	935.557	-65.48	-25	40.48	Pass	9701
1000	2495	1	RMS	2494	-52.54	-25	27.54	Pass	1496
2495	2575	1	RMS	2566.2	13.24	60	46.76	Pass	401
2575	3000	1	RMS	2575	-41.23	-25	16.23	Pass	426
3000	7000	1	RMS	6971	-66.69	-25	41.69	Pass	4001
7000	26000	1	RMS	25504	-50.9	-25	25.9	Pass	19003




12.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.2	-25	47.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-25	47.38	Pass	2986
30	1000	0.1	RMS	851.402	-65.56	-25	40.56	Pass	9701
1000	2495	1	RMS	2495	-52.53	-25	27.53	Pass	1496
2495	2575	1	RMS	2565.2	19.42	60	40.58	Pass	401
2575	3000	1	RMS	2575	-48.49	-25	23.49	Pass	426
3000	7000	1	RMS	6970	-66.72	-25	41.72	Pass	4001
7000	26000	1	RMS	25516	-50.92	-25	25.92	Pass	19003




12.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-25	47.6	Pass	2986
30	1000	0.1	RMS	979.687	-65.54	-25	40.54	Pass	9701
1000	2495	1	RMS	2494	-52.53	-25	27.53	Pass	1496
2495	2575	1	RMS	2569.6	19.43	60	40.57	Pass	401
2575	3000	1	RMS	2575	-48.5	-25	23.5	Pass	426
3000	7000	1	RMS	6973	-66.68	-25	41.68	Pass	4001
7000	26000	1	RMS	25504	-50.85	-25	25.85	Pass	19003




12.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	47.02	Pass	2986
30	1000	0.1	RMS	989.693	-65.65	-25	40.65	Pass	9701
1000	2485	1	RMS	2485	-46.34	-25	21.34	Pass	1486
2485	2585	1	RMS	2513.25	8.79	60	51.21	Pass	401
2585	3000	1	RMS	2935	-50.09	-25	25.09	Pass	416
3000	7000	1	RMS	6983	-66.74	-25	41.74	Pass	4001
7000	26000	1	RMS	25500	-50.9	-25	25.9	Pass	19003




12.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.21	-72.88	-25	47.88	Pass	2986
30	1000	0.1	RMS	539.8	-65.5	-25	40.5	Pass	9701
1000	2485	1	RMS	2485	-50.58	-25	25.58	Pass	1486
2485	2585	1	RMS	2500.25	19.26	60	40.74	Pass	401
2585	3000	1	RMS	2938	-50.14	-25	25.14	Pass	416
3000	7000	1	RMS	6975	-66.73	-25	41.73	Pass	4001
7000	26000	1	RMS	25503	-50.93	-25	25.93	Pass	19003




12.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-25	47.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	834.6	-65.55	-25	40.55	Pass	9701
1000	2485	1	RMS	2485	-50.71	-25	25.71	Pass	1486
2485	2585	1	RMS	2514.5	19.22	60	40.78	Pass	401
2585	3000	1	RMS	2933	-50.13	-25	25.13	Pass	416
3000	7000	1	RMS	6971	-66.65	-25	41.65	Pass	4001
7000	26000	1	RMS	25513	-50.9	-25	25.9	Pass	19003




12.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-25	47.78	Pass	401
0.15	30	0.01	RMS	0.23	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	926.151	-65.56	-25	40.56	Pass	9701
1000	2485	1	RMS	2485	-52.47	-25	27.47	Pass	1486
2485	2585	1	RMS	2528.75	8.68	60	51.32	Pass	401
2585	3000	1	RMS	2945	-50.13	-25	25.13	Pass	416
3000	7000	1	RMS	6978	-66.68	-25	41.68	Pass	4001
7000	26000	1	RMS	25501	-50.89	-25	25.89	Pass	19003




12.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-25	47.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	47.24	Pass	2986
30	1000	0.1	RMS	945.864	-65.68	-25	40.68	Pass	9701
1000	2485	1	RMS	2477	-52.72	-25	27.72	Pass	1486
2485	2585	1	RMS	2527.75	19.32	60	40.68	Pass	401
2585	3000	1	RMS	2935	-50.13	-25	25.13	Pass	416
3000	7000	1	RMS	6979	-66.69	-25	41.69	Pass	4001
7000	26000	1	RMS	25501	-50.89	-25	25.89	Pass	19003




12.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	0.18	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	841.5	-65.61	-25	40.61	Pass	9701
1000	2485	1	RMS	2485	-52.57	-25	27.57	Pass	1486
2485	2585	1	RMS	2542	19.14	60	40.86	Pass	401
2585	3000	1	RMS	2934	-50.13	-25	25.13	Pass	416
3000	7000	1	RMS	6979	-66.74	-25	41.74	Pass	4001
7000	26000	1	RMS	25514	-50.97	-25	25.97	Pass	19003




12.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-25	46.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	860.107	-65.62	-25	40.62	Pass	9701
1000	2485	1	RMS	2485	-52.66	-25	27.66	Pass	1486
2485	2585	1	RMS	2558	8.3	60	51.7	Pass	401
2585	3000	1	RMS	2585	-47.36	-25	22.36	Pass	416
3000	7000	1	RMS	6971	-66.65	-25	41.65	Pass	4001
7000	26000	1	RMS	25498	-50.97	-25	25.97	Pass	19003




12.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	929.353	-65.67	-25	40.67	Pass	9701
1000	2485	1	RMS	2483	-52.68	-25	27.68	Pass	1486
2485	2585	1	RMS	2555.25	19.19	60	40.81	Pass	401
2585	3000	1	RMS	2935	-50.1	-25	25.1	Pass	416
3000	7000	1	RMS	6972	-66.68	-25	41.68	Pass	4001
7000	26000	1	RMS	25514	-50.9	-25	25.9	Pass	19003




12.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-25	47.17	Pass	401
0.15	30	0.01	RMS	0.16	-73.18	-25	48.18	Pass	2986
30	1000	0.1	RMS	822	-65.5	-25	40.5	Pass	9701
1000	2485	1	RMS	2484	-52.66	-25	27.66	Pass	1486
2485	2585	1	RMS	2569.5	19.15	60	40.85	Pass	401
2585	3000	1	RMS	2938	-50.13	-25	25.13	Pass	416
3000	7000	1	RMS	6973	-66.7	-25	41.7	Pass	4001
7000	26000	1	RMS	25504	-50.91	-25	25.91	Pass	19003




12.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-25	46.73	Pass	401
0.15	30	0.01	RMS	0.27	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	839.9	-65.68	-25	40.68	Pass	9701
1000	2480	1	RMS	2480	-49.18	-25	24.18	Pass	1481
2480	2590	1	RMS	2517.95	7.76	60	52.24	Pass	401
2590	3000	1	RMS	2934	-50.07	-25	25.07	Pass	411
3000	7000	1	RMS	6973	-66.62	-25	41.62	Pass	4001
7000	26000	1	RMS	25507	-51	-25	26	Pass	19003




12.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	47.66	Pass	401
0.15	30	0.01	RMS	0.33	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	853.903	-65.3	-25	40.3	Pass	9701
1000	2480	1	RMS	2480	-52.28	-25	27.28	Pass	1481
2480	2590	1	RMS	2500.35	19.49	60	40.51	Pass	401
2590	3000	1	RMS	2931	-50.1	-25	25.1	Pass	411
3000	7000	1	RMS	6971	-66.64	-25	41.64	Pass	4001
7000	26000	1	RMS	25502	-50.88	-25	25.88	Pass	19003




12.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-25	46.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	47.24	Pass	2986
30	1000	0.1	RMS	850.201	-65.69	-25	40.69	Pass	9701
1000	2480	1	RMS	2480	-52.47	-25	27.47	Pass	1481
2480	2590	1	RMS	2519.325	19.58	60	40.42	Pass	401
2590	3000	1	RMS	2942	-50.12	-25	25.12	Pass	411
3000	7000	1	RMS	6981	-66.67	-25	41.67	Pass	4001
7000	26000	1	RMS	25498	-50.83	-25	25.83	Pass	19003




12.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-25	47.6	Pass	401
0.15	30	0.01	RMS	0.19	-72.83	-25	47.83	Pass	2986
30	1000	0.1	RMS	956.671	-65.55	-25	40.55	Pass	9701
1000	2480	1	RMS	2479	-52.49	-25	27.49	Pass	1481
2480	2590	1	RMS	2526.475	7.48	60	52.52	Pass	401
2590	3000	1	RMS	2930	-50.08	-25	25.08	Pass	411
3000	7000	1	RMS	6978	-66.61	-25	41.61	Pass	4001
7000	26000	1	RMS	25504	-50.93	-25	25.93	Pass	19003




12.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.13	-25	48.13	Pass	401
0.15	30	0.01	RMS	0.2	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	936.558	-65.45	-25	40.45	Pass	9701
1000	2480	1	RMS	2480	-52.74	-25	27.74	Pass	1481
2480	2590	1	RMS	2525.375	19.48	60	40.52	Pass	401
2590	3000	1	RMS	2937	-50.1	-25	25.1	Pass	411
3000	7000	1	RMS	6979	-66.72	-25	41.72	Pass	4001
7000	26000	1	RMS	25507	-50.91	-25	25.91	Pass	19003




12.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-25	46.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	885.424	-65.56	-25	40.56	Pass	9701
1000	2480	1	RMS	2480	-52.74	-25	27.74	Pass	1481
2480	2590	1	RMS	2544.35	19.49	60	40.51	Pass	401
2590	3000	1	RMS	2940	-50.12	-25	25.12	Pass	411
3000	7000	1	RMS	6975	-66.66	-25	41.66	Pass	4001
7000	26000	1	RMS	25499	-50.89	-25	25.89	Pass	19003




12.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-25	46.87	Pass	401
0.15	30	0.01	RMS	0.24	-72.93	-25	47.93	Pass	2986
30	1000	0.1	RMS	975.384	-65.59	-25	40.59	Pass	9701
1000	2480	1	RMS	2479	-52.74	-25	27.74	Pass	1481
2480	2590	1	RMS	2556.725	6.97	60	53.03	Pass	401
2590	3000	1	RMS	2590	-48.93	-25	23.93	Pass	411
3000	7000	1	RMS	6973	-66.71	-25	41.71	Pass	4001
7000	26000	1	RMS	25481	-50.91	-25	25.91	Pass	19003




12.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.2	-25	47.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	976.384	-65.69	-25	40.69	Pass	9701
1000	2480	1	RMS	2475	-52.74	-25	27.74	Pass	1481
2480	2590	1	RMS	2550.4	19.42	60	40.58	Pass	401
2590	3000	1	RMS	2943	-50.13	-25	25.13	Pass	411
3000	7000	1	RMS	6975	-66.68	-25	41.68	Pass	4001
7000	26000	1	RMS	25511	-51.01	-25	26.01	Pass	19003



12.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.18	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	841.8	-65.67	-25	40.67	Pass	9701
1000	2480	1	RMS	2480	-52.73	-25	27.73	Pass	1481
2480	2590	1	RMS	2569.375	19.44	60	40.56	Pass	401
2590	3000	1	RMS	2942	-50.11	-25	25.11	Pass	411
3000	7000	1	RMS	6978	-66.67	-25	41.67	Pass	4001
7000	26000	1	RMS	25494	-50.88	-25	25.88	Pass	19003



13. n38


13.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	45.98	Pass	401
0.15	30	0.01	RMS	0.33	-69.74	-25	44.74	Pass	2986
30	1000	0.1	RMS	814.4	-63.06	-25	38.06	Pass	9701
1000	2560	1	RMS	2560	-38.9	-25	13.9	Pass	1561
2560	2630	1	RMS	2573.125	10.27	60	49.73	Pass	401
2630	3000	1	RMS	2933.4	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6980	-66.4	-25	41.4	Pass	4001
7000	26500	1	RMS	25486	-49.73	-25	24.73	Pass	19503




13.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-25	46.9	Pass	401
0.15	30	0.01	RMS	0.31	-69.74	-25	44.74	Pass	2986
30	1000	0.1	RMS	966.778	-62.45	-25	37.45	Pass	9701
1000	2560	1	RMS	2560	-49.31	-25	24.31	Pass	1561
2560	2630	1	RMS	2570.85	19.18	60	40.82	Pass	401
2630	3000	1	RMS	2931.55	-50.01	-25	25.01	Pass	401
3000	7000	1	RMS	6982	-65.99	-25	40.99	Pass	4001
7000	26500	1	RMS	25488	-49.9	-25	24.9	Pass	19503




13.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-25	46.47	Pass	401
0.15	30	0.01	RMS	0.19	-69.29	-25	44.29	Pass	2986
30	1000	0.1	RMS	892.729	-62.64	-25	37.64	Pass	9701
1000	2560	1	RMS	2560	-48.98	-25	23.98	Pass	1561
2560	2630	1	RMS	2579.075	19.21	60	40.79	Pass	401
2630	3000	1	RMS	2939.875	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6980	-66.38	-25	41.38	Pass	4001
7000	26500	1	RMS	25483	-50.04	-25	25.04	Pass	19503




13.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.91	-70.99	-25	45.99	Pass	2986
30	1000	0.1	RMS	993.296	-62.69	-25	37.69	Pass	9701
1000	2560	1	RMS	2559	-51.94	-25	26.94	Pass	1561
2560	2630	1	RMS	2597.45	10.39	60	49.61	Pass	401
2630	3000	1	RMS	2950.975	-50.06	-25	25.06	Pass	401
3000	7000	1	RMS	6978	-66.39	-25	41.39	Pass	4001
7000	26500	1	RMS	25534	-50.1	-25	25.1	Pass	19503




13.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.85	-25	47.85	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-25	46.08	Pass	2986
30	1000	0.1	RMS	966.278	-62.98	-25	37.98	Pass	9701
1000	2560	1	RMS	2505	-52.24	-25	27.24	Pass	1561
2560	2630	1	RMS	2590.8	19.27	60	40.73	Pass	401
2630	3000	1	RMS	2939.875	-50.01	-25	25.01	Pass	401
3000	7000	1	RMS	6977	-66.41	-25	41.41	Pass	4001
7000	26500	1	RMS	25535	-50.14	-25	25.14	Pass	19503




13.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.63	-25	45.63	Pass	401
0.15	30	0.01	RMS	1.01	-70.69	-25	45.69	Pass	2986
30	1000	0.1	RMS	895.131	-63.15	-25	38.15	Pass	9701
1000	2560	1	RMS	2504	-52.18	-25	27.18	Pass	1561
2560	2630	1	RMS	2599.2	19.25	60	40.75	Pass	401
2630	3000	1	RMS	2948.2	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6982	-66.39	-25	41.39	Pass	4001
7000	26500	1	RMS	25526	-50.07	-25	25.07	Pass	19503




13.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-25	46.12	Pass	401
0.15	30	0.01	RMS	0.3	-69.56	-25	44.56	Pass	2986
30	1000	0.1	RMS	740.7	-61.97	-25	36.97	Pass	9701
1000	2560	1	RMS	2540	-52.21	-25	27.21	Pass	1561
2560	2630	1	RMS	2618.1	10.52	60	49.48	Pass	401
2630	3000	1	RMS	2630	-41.62	-25	16.62	Pass	401
3000	7000	1	RMS	6976	-66.4	-25	41.4	Pass	4001
7000	26500	1	RMS	25478	-49.93	-25	24.93	Pass	19503




13.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-25	45.25	Pass	401
0.15	30	0.01	RMS	0.22	-70.61	-25	45.61	Pass	2986
30	1000	0.1	RMS	907.539	-62.54	-25	37.54	Pass	9701
1000	2560	1	RMS	2519	-52.24	-25	27.24	Pass	1561
2560	2630	1	RMS	2610.925	19.19	60	40.81	Pass	401
2630	3000	1	RMS	2630	-48.53	-25	23.53	Pass	401
3000	7000	1	RMS	6970	-66.39	-25	41.39	Pass	4001
7000	26500	1	RMS	25549	-49.93	-25	24.93	Pass	19503




13.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-25	46.31	Pass	401
0.15	30	0.01	RMS	1.88	-71.36	-25	46.36	Pass	2986
30	1000	0.1	RMS	887.425	-62.81	-25	37.81	Pass	9701
1000	2560	1	RMS	2515	-52.16	-25	27.16	Pass	1561
2560	2630	1	RMS	2619.15	19.27	60	40.73	Pass	401
2630	3000	1	RMS	2630	-48.61	-25	23.61	Pass	401
3000	7000	1	RMS	6973	-66.41	-25	41.41	Pass	4001
7000	26500	1	RMS	25446	-49.96	-25	24.96	Pass	19503




13.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-25	45.4	Pass	401
0.15	30	0.01	RMS	0.26	-71.53	-25	46.53	Pass	2986
30	1000	0.1	RMS	991.094	-62.49	-25	37.49	Pass	9701
1000	2550	1	RMS	2550	-39.68	-25	14.68	Pass	1551
2550	2640	1	RMS	2587.8	7.14	60	52.86	Pass	401
2640	3000	1	RMS	2944.2	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6961	-66.49	-25	41.49	Pass	4001
7000	26500	1	RMS	25479	-49.75	-25	24.75	Pass	19503




13.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.48	-25	46.48	Pass	401
0.15	30	0.01	RMS	0.17	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	818.8	-62.91	-25	37.91	Pass	9701
1000	2550	1	RMS	2550	-51.51	-25	26.51	Pass	1551
2550	2640	1	RMS	2570.925	19.19	60	40.81	Pass	401
2640	3000	1	RMS	2929.8	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6975	-66.18	-25	41.18	Pass	4001
7000	26500	1	RMS	25909	-49.98	-25	24.98	Pass	19503




13.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.72	-25	45.72	Pass	401
0.15	30	0.01	RMS	0.48	-71.14	-25	46.14	Pass	2986
30	1000	0.1	RMS	897.532	-63.15	-25	38.15	Pass	9701
1000	2550	1	RMS	2550	-51.62	-25	26.62	Pass	1551
2550	2640	1	RMS	2588.925	19.27	60	40.73	Pass	401
2640	3000	1	RMS	2941.5	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6981	-66.27	-25	41.27	Pass	4001
7000	26500	1	RMS	25826	-50.05	-25	25.05	Pass	19503




13.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.79	-25	46.79	Pass	401
0.15	30	0.01	RMS	0.44	-71.17	-25	46.17	Pass	2986
30	1000	0.1	RMS	947.165	-61.95	-25	36.95	Pass	9701
1000	2550	1	RMS	2550	-48.49	-25	23.49	Pass	1551
2550	2640	1	RMS	2602.65	7.31	60	52.69	Pass	401
2640	3000	1	RMS	2640	-49.49	-25	24.49	Pass	401
3000	7000	1	RMS	6987	-66.4	-25	41.4	Pass	4001
7000	26500	1	RMS	25580	-50.26	-25	25.26	Pass	19503




13.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	45.46	Pass	401
0.15	30	0.01	RMS	0.85	-70.6	-25	45.6	Pass	2986
30	1000	0.1	RMS	849.8	-63.07	-25	38.07	Pass	9701
1000	2550	1	RMS	2532	-52.24	-25	27.24	Pass	1551
2550	2640	1	RMS	2586	19.17	60	40.83	Pass	401
2640	3000	1	RMS	2934.3	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6969	-66.28	-25	41.28	Pass	4001
7000	26500	1	RMS	25497	-50.16	-25	25.16	Pass	19503




13.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-25	45.6	Pass	401
0.15	30	0.01	RMS	0.22	-70.82	-25	45.82	Pass	2986
30	1000	0.1	RMS	902.035	-62.47	-25	37.47	Pass	9701
1000	2550	1	RMS	2501	-52.01	-25	27.01	Pass	1551
2550	2640	1	RMS	2604	19.32	60	40.68	Pass	401
2640	3000	1	RMS	2937	-50.07	-25	25.07	Pass	401
3000	7000	1	RMS	6999	-66.42	-25	41.42	Pass	4001
7000	26500	1	RMS	25512	-50.1	-25	25.1	Pass	19503




13.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-25	46.43	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-25	45.66	Pass	2986
30	1000	0.1	RMS	938.059	-63.2	-25	38.2	Pass	9701
1000	2550	1	RMS	2548	-51.85	-25	26.85	Pass	1551
2550	2640	1	RMS	2617.275	7.42	60	52.58	Pass	401
2640	3000	1	RMS	2640	-44.22	-25	19.22	Pass	401
3000	7000	1	RMS	6980	-66.48	-25	41.48	Pass	4001
7000	26500	1	RMS	25519	-49.97	-25	24.97	Pass	19503




13.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.72	-25	46.72	Pass	401
0.15	30	0.01	RMS	0.55	-71.43	-25	46.43	Pass	2986
30	1000	0.1	RMS	847.7	-62.69	-25	37.69	Pass	9701
1000	2550	1	RMS	2521	-52.29	-25	27.29	Pass	1551
2550	2640	1	RMS	2601.075	19.2	60	40.8	Pass	401
2640	3000	1	RMS	2953.2	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6976	-66.31	-25	41.31	Pass	4001
7000	26500	1	RMS	25898	-49.94	-25	24.94	Pass	19503




13.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-25	45.91	Pass	401
0.15	30	0.01	RMS	0.98	-71.85	-25	46.85	Pass	2986
30	1000	0.1	RMS	948.866	-63.42	-25	38.42	Pass	9701
1000	2550	1	RMS	2487	-52.3	-25	27.3	Pass	1551
2550	2640	1	RMS	2619.075	19.25	60	40.75	Pass	401
2640	3000	1	RMS	2937.9	-50.05	-25	25.05	Pass	401
3000	7000	1	RMS	6996	-66.39	-25	41.39	Pass	4001
7000	26500	1	RMS	25903	-50.26	-25	25.26	Pass	19503




13.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.96	-25	46.96	Pass	401
0.15	30	0.01	RMS	0.21	-69.53	-25	44.53	Pass	2986
30	1000	0.1	RMS	848	-62.69	-25	37.69	Pass	9701
1000	2530	1	RMS	2530	-41.64	-25	16.64	Pass	1531
2530	2660	1	RMS	2608	4.13	60	55.87	Pass	401
2660	3000	1	RMS	2660	-49.49	-25	24.49	Pass	401
3000	7000	1	RMS	6964	-66.33	-25	41.33	Pass	4001
7000	26500	1	RMS	25483	-50.03	-25	25.03	Pass	19503




13.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.49	-70.87	-25	45.87	Pass	2986
30	1000	0.1	RMS	596.8	-62.83	-25	37.83	Pass	9701
1000	2530	1	RMS	2530	-52.02	-25	27.02	Pass	1531
2530	2660	1	RMS	2570.95	19.14	60	40.86	Pass	401
2660	3000	1	RMS	2943.05	-50.06	-25	25.06	Pass	401
3000	7000	1	RMS	6969	-66.23	-25	41.23	Pass	4001
7000	26500	1	RMS	25495	-50.24	-25	25.24	Pass	19503




13.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-25	47.41	Pass	401
0.15	30	0.01	RMS	0.33	-69.76	-25	44.76	Pass	2986
30	1000	0.1	RMS	836.7	-63.01	-25	38.01	Pass	9701
1000	2530	1	RMS	2526	-52.1	-25	27.1	Pass	1531
2530	2660	1	RMS	2608.975	19.39	60	40.61	Pass	401
2660	3000	1	RMS	2938.8	-50.03	-25	25.03	Pass	401
3000	7000	1	RMS	6976	-66.37	-25	41.37	Pass	4001
7000	26500	1	RMS	25842	-49.99	-25	24.99	Pass	19503




13.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.16	-25	46.16	Pass	401
0.15	30	0.01	RMS	0.79	-70.99	-25	45.99	Pass	2986
30	1000	0.1	RMS	922.749	-62.81	-25	37.81	Pass	9701
1000	2530	1	RMS	2530	-43.08	-25	18.08	Pass	1531
2530	2660	1	RMS	2612.55	4.32	60	55.68	Pass	401
2660	3000	1	RMS	2660	-48.66	-25	23.66	Pass	401
3000	7000	1	RMS	6983	-66.43	-25	41.43	Pass	4001
7000	26500	1	RMS	25489	-49.57	-25	24.57	Pass	19503




13.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-25	45.82	Pass	2986
30	1000	0.1	RMS	913.843	-63.06	-25	38.06	Pass	9701
1000	2530	1	RMS	2530	-52.17	-25	27.17	Pass	1531
2530	2660	1	RMS	2576.15	19.33	60	40.67	Pass	401
2660	3000	1	RMS	2940.5	-50	-25	25	Pass	401
3000	7000	1	RMS	6971	-66.38	-25	41.38	Pass	4001
7000	26500	1	RMS	25502	-49.98	-25	24.98	Pass	19503




13.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.96	-25	45.96	Pass	401
0.15	30	0.01	RMS	0.24	-70.81	-25	45.81	Pass	2986
30	1000	0.1	RMS	971.681	-62.93	-25	37.93	Pass	9701
1000	2530	1	RMS	2500	-52.27	-25	27.27	Pass	1531
2530	2660	1	RMS	2613.85	19.46	60	40.54	Pass	401
2660	3000	1	RMS	2939.65	-50.01	-25	25.01	Pass	401
3000	7000	1	RMS	6975	-66.21	-25	41.21	Pass	4001
7000	26500	1	RMS	25485	-49.81	-25	24.81	Pass	19503




13.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.14	-25	45.14	Pass	401
0.15	30	0.01	RMS	0.97	-70.39	-25	45.39	Pass	2986
30	1000	0.1	RMS	874.817	-63.12	-25	38.12	Pass	9701
1000	2530	1	RMS	2530	-44.83	-25	19.83	Pass	1531
2530	2660	1	RMS	2615.8	4.39	60	55.61	Pass	401
2660	3000	1	RMS	2660	-47.76	-25	22.76	Pass	401
3000	7000	1	RMS	6979	-66.3	-25	41.3	Pass	4001
7000	26500	1	RMS	25887	-49.92	-25	24.92	Pass	19503




13.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.81	-25	45.81	Pass	401
0.15	30	0.01	RMS	0.17	-69.41	-25	44.41	Pass	2986
30	1000	0.1	RMS	783.8	-63.13	-25	38.13	Pass	9701
1000	2530	1	RMS	2502	-52.07	-25	27.07	Pass	1531
2530	2660	1	RMS	2581.025	19.17	60	40.83	Pass	401
2660	3000	1	RMS	2937.95	-50.06	-25	25.06	Pass	401
3000	7000	1	RMS	6973	-66.4	-25	41.4	Pass	4001
7000	26500	1	RMS	25543	-50.04	-25	25.04	Pass	19503



13.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.05	-25	46.05	Pass	401
0.15	30	0.01	RMS	0.77	-70.98	-25	45.98	Pass	2986
30	1000	0.1	RMS	858.106	-63.29	-25	38.29	Pass	9701
1000	2530	1	RMS	2508	-52.31	-25	27.31	Pass	1531
2530	2660	1	RMS	2618.725	19.07	60	40.93	Pass	401
2660	3000	1	RMS	2936.25	-50.01	-25	25.01	Pass	401
3000	7000	1	RMS	6974	-66.29	-25	41.29	Pass	4001
7000	26500	1	RMS	25500	-50.11	-25	25.11	Pass	19503



14. n41

14.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-25	47.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-25	47.77	Pass	2986
30	1000	0.1	RMS	962.375	-65.65	-25	40.65	Pass	9701
1000	2486	1	RMS	2486	-41.99	-25	16.99	Pass	1487
2486	2700	1	RMS	2503.12	13.92	60	46.08	Pass	401
2700	3000	1	RMS	2933.25	-50.13	-25	25.13	Pass	401
3000	7000	1	RMS	6976	-66.7	-25	41.7	Pass	4001
7000	26500	1	RMS	25505	-50.86	-25	25.86	Pass	19503



14.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-25	47.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	536.1	-64.19	-25	39.19	Pass	9701
1000	2486	1	RMS	2486	-47.42	-25	22.42	Pass	1487
2486	2700	1	RMS	2496.7	21.96	60	38.04	Pass	401
2700	3000	1	RMS	2936.25	-50.12	-25	25.12	Pass	401
3000	7000	1	RMS	6976	-66.73	-25	41.73	Pass	4001
7000	26500	1	RMS	25499	-51	-25	26	Pass	19503

