



1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	813.7	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	832.1	20.75	60	39.25	Pass	461
860	1000	0.1	RMS	877.2	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1664	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	814	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	832.1	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	877.5	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1664	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6803	-45.59	-13	32.59	Pass	7001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	809.9	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	839.6	20.69	60	39.31	Pass	461
860	1000	0.1	RMS	951.2	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1679	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	813.9	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	839.6	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	962.6	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1679	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001



2. LTE_Band12


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	689	0.1	RMS	688.5	-65.44	-13	52.44	Pass	6591
689	726	0.1	RMS	699.268	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	842.2	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1398	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	689	0.1	RMS	688.6	-65.8	-13	52.8	Pass	6591
689	726	0.1	RMS	699.268	19.61	60	40.39	Pass	401
726	1000	0.1	RMS	952.3	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1398	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	689	0.1	RMS	644.2	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	707.038	20.78	60	39.22	Pass	401
726	1000	0.1	RMS	956	-65	-13	52	Pass	2741
1000	3000	1	RMS	1414	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	689	0.1	RMS	518.2	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	707.038	19.69	60	40.31	Pass	401
726	1000	0.1	RMS	831.4	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1414	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




**2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	478.3	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	714.808	20.21	60	39.79	Pass	401
726	1000	0.1	RMS	903.2	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1429	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	519.1	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	714.808	19.25	60	40.75	Pass	401
726	1000	0.1	RMS	863.1	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1429	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




**2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.22	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	688.5	-65.53	-13	52.53	Pass	6591
689	726	0.1	RMS	699.268	20.58	60	39.42	Pass	401
726	1000	0.1	RMS	852.8	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1398	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




**2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	689	0.1	RMS	688.6	-65.65	-13	52.65	Pass	6591
689	726	0.1	RMS	699.268	19.79	60	40.21	Pass	401
726	1000	0.1	RMS	875.6	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1398	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	689	0.1	RMS	489.6	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	706.205	20.44	60	39.56	Pass	401
726	1000	0.1	RMS	854.5	-64.89	-13	51.89	Pass	2741
1000	3000	1	RMS	1412	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	486.4	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	706.205	19.48	60	40.52	Pass	401
726	1000	0.1	RMS	987.3	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1412	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	689	0.1	RMS	514.9	-65.91	-13	52.91	Pass	6591
689	726	0.1	RMS	713.235	20.77	60	39.23	Pass	401
726	1000	0.1	RMS	974	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1426	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	59.6	Pass	2986
30	689	0.1	RMS	657.8	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	713.235	19.91	60	40.09	Pass	401
726	1000	0.1	RMS	942.2	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1426	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	689	0.1	RMS	688.6	-65.32	-13	52.32	Pass	6591
689	726	0.1	RMS	699.36	20.64	60	39.36	Pass	401
726	1000	0.1	RMS	887.9	-64.9	-13	51.9	Pass	2741
1000	3000	1	RMS	1398	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.17	-73.16	-13	60.16	Pass	2986
30	689	0.1	RMS	688.6	-65.71	-13	52.71	Pass	6591
689	726	0.1	RMS	699.36	19.68	60	40.32	Pass	401
726	1000	0.1	RMS	868.9	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1398	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	689	0.1	RMS	502.9	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	705.373	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	966.4	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1410	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	609.4	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	705.373	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	870.3	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1410	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6800	-45.47	-13	32.47	Pass	7001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	59.6	Pass	2986
30	689	0.1	RMS	478.8	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	711.293	20.14	60	39.86	Pass	401
726	1000	0.1	RMS	845.1	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1422	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	689	0.1	RMS	606.6	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	711.293	19.28	60	40.72	Pass	401
726	1000	0.1	RMS	860.3	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1422	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	689	0.1	RMS	688.9	-64.93	-13	51.93	Pass	6591
689	726	0.1	RMS	699.545	20.22	60	39.78	Pass	401
726	1000	0.1	RMS	853.4	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1399	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	689	0.1	RMS	688.9	-65.3	-13	52.3	Pass	6591
689	726	0.1	RMS	699.638	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	826.1	-63.15	-13	50.15	Pass	2741
1000	3000	1	RMS	1399	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	689	0.1	RMS	517.3	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	703.06	20.48	60	39.52	Pass	401
726	1000	0.1	RMS	862.5	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1406	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	689	0.1	RMS	479.1	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	703.06	19.47	60	40.53	Pass	401
726	1000	0.1	RMS	990.5	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1406	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	689	0.1	RMS	485.4	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	706.575	20.63	60	39.37	Pass	401
726	1000	0.1	RMS	991.8	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1413	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001



2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.31	-72.86	-13	59.86	Pass	2986
30	689	0.1	RMS	493	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	706.575	19.85	60	40.15	Pass	401
726	1000	0.1	RMS	851.7	-65	-13	52	Pass	2741
1000	3000	1	RMS	1413	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



3. LTE_Band42 3450-3550


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.04	-13	55.04	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-13	55.11	Pass	2986
30	1000	0.1	RMS	919.146	-61.37	-13	48.37	Pass	9701
1000	3000	1	RMS	2900	-46.17	-13	33.17	Pass	2001
3000	3430	1	RMS	3288	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3449.95	23.74	60	36.26	Pass	401
3570	6500	1	RMS	3778	-50.97	-13	37.97	Pass	2931
6500	26500	1	RMS	25500	-60.89	-13	47.89	Pass	20003




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.21	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	970.581	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2906	-46.22	-13	33.22	Pass	2001
3000	3430	1	RMS	3286	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3450.3	23.42	60	36.58	Pass	401
3570	6500	1	RMS	3778	-50.83	-13	37.83	Pass	2931
6500	26500	1	RMS	6900	-60.61	-13	47.61	Pass	20003




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.4	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	995.997	-61.55	-13	48.55	Pass	9701
1000	3000	1	RMS	2902	-46.2	-13	33.2	Pass	2001
3000	3430	1	RMS	3285	-43.28	-13	30.28	Pass	431
3430	3570	1	RMS	3497.9	24.24	60	35.76	Pass	401
3570	6500	1	RMS	3761	-50.85	-13	37.85	Pass	2931
6500	26500	1	RMS	25513	-60.93	-13	47.93	Pass	20003




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:42590, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-13	55.05	Pass	2986
30	1000	0.1	RMS	992.895	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2901	-46.18	-13	33.18	Pass	2001
3000	3430	1	RMS	3284	-43.28	-13	30.28	Pass	431
3430	3570	1	RMS	3497.55	24.08	60	35.92	Pass	401
3570	6500	1	RMS	3786	-50.84	-13	37.84	Pass	2931
6500	26500	1	RMS	25499	-60.98	-13	47.98	Pass	20003




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.47	-13	55.47	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	982.388	-61.45	-13	48.45	Pass	9701
1000	3000	1	RMS	2903	-46.23	-13	33.23	Pass	2001
3000	3430	1	RMS	3288	-43.26	-13	30.26	Pass	431
3430	3570	1	RMS	3545.5	24.59	60	35.41	Pass	401
3570	6500	1	RMS	3798	-50.78	-13	37.78	Pass	2931
6500	26500	1	RMS	10636	-60.02	-13	47.02	Pass	20003




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	889.127	-61.38	-13	48.38	Pass	9701
1000	3000	1	RMS	2906	-46.25	-13	33.25	Pass	2001
3000	3430	1	RMS	3290	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3545.5	23.83	60	36.17	Pass	401
3570	6500	1	RMS	3774	-50.7	-13	37.7	Pass	2931
6500	26500	1	RMS	25501	-61.02	-13	48.02	Pass	20003




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	0.2	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	883.523	-61.4	-13	48.4	Pass	9701
1000	3000	1	RMS	2900	-46.23	-13	33.23	Pass	2001
3000	3430	1	RMS	3290	-43.26	-13	30.26	Pass	431
3430	3570	1	RMS	3450.3	24.4	60	35.6	Pass	401
3570	6500	1	RMS	3801	-50.93	-13	37.93	Pass	2931
6500	26500	1	RMS	25512	-60.97	-13	47.97	Pass	20003




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.17	-67.99	-13	54.99	Pass	2986
30	1000	0.1	RMS	847.1	-61.4	-13	48.4	Pass	9701
1000	3000	1	RMS	2904	-46.23	-13	33.23	Pass	2001
3000	3430	1	RMS	3290	-43.25	-13	30.25	Pass	431
3430	3570	1	RMS	3450.3	23.24	60	36.76	Pass	401
3570	6500	1	RMS	3770	-50.83	-13	37.83	Pass	2931
6500	26500	1	RMS	6901	-60.27	-13	47.27	Pass	20003




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.19	-13	55.19	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	972.582	-61.37	-13	48.37	Pass	9701
1000	3000	1	RMS	2895	-46.3	-13	33.3	Pass	2001
3000	3430	1	RMS	3288	-43.26	-13	30.26	Pass	431
3430	3570	1	RMS	3495.45	24.36	60	35.64	Pass	401
3570	6500	1	RMS	3572	-50.69	-13	37.69	Pass	2931
6500	26500	1	RMS	25527	-60.99	-13	47.99	Pass	20003




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:42590, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	0.2	-68.39	-13	55.39	Pass	2986
30	1000	0.1	RMS	969.48	-61.3	-13	48.3	Pass	9701
1000	3000	1	RMS	2896	-46.25	-13	33.25	Pass	2001
3000	3430	1	RMS	3287	-43.26	-13	30.26	Pass	431
3430	3570	1	RMS	3495.1	22.68	60	37.32	Pass	401
3570	6500	1	RMS	3570	-50.72	-13	37.72	Pass	2931
6500	26500	1	RMS	25900	-60.93	-13	47.93	Pass	20003




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.83	-13	55.83	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-13	55.53	Pass	2986
30	1000	0.1	RMS	981.988	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2906	-46.25	-13	33.25	Pass	2001
3000	3430	1	RMS	3291	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3540.25	25.53	60	34.47	Pass	401
3570	6500	1	RMS	3570	-47.68	-13	34.68	Pass	2931
6500	26500	1	RMS	25501	-60.98	-13	47.98	Pass	20003




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-13	55.15	Pass	2986
30	1000	0.1	RMS	966.878	-61.37	-13	48.37	Pass	9701
1000	3000	1	RMS	2901	-46.24	-13	33.24	Pass	2001
3000	3430	1	RMS	3285	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3540.6	24.56	60	35.44	Pass	401
3570	6500	1	RMS	3573	-47.54	-13	34.54	Pass	2931
6500	26500	1	RMS	25502	-60.89	-13	47.89	Pass	20003




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	813.9	-61.44	-13	48.44	Pass	9701
1000	3000	1	RMS	2899	-46.26	-13	33.26	Pass	2001
3000	3430	1	RMS	3426	-42.7	-13	29.7	Pass	431
3430	3570	1	RMS	3450.65	23.84	60	36.16	Pass	401
3570	6500	1	RMS	3781	-50.88	-13	37.88	Pass	2931
6500	26500	1	RMS	25506	-60.93	-13	47.93	Pass	20003




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-13	55.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-13	55.21	Pass	2986
30	1000	0.1	RMS	992.195	-61.42	-13	48.42	Pass	9701
1000	3000	1	RMS	2899	-46.22	-13	33.22	Pass	2001
3000	3430	1	RMS	3423	-42.85	-13	29.85	Pass	431
3430	3570	1	RMS	3450.65	23.62	60	36.38	Pass	401
3570	6500	1	RMS	3801	-50.88	-13	37.88	Pass	2931
6500	26500	1	RMS	25504	-60.8	-13	47.8	Pass	20003




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.94	-13	54.94	Pass	401
0.15	30	0.01	RMS	0.18	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	960.874	-61.45	-13	48.45	Pass	9701
1000	3000	1	RMS	2904	-46.28	-13	33.28	Pass	2001
3000	3430	1	RMS	3287	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3493.35	24.14	60	35.86	Pass	401
3570	6500	1	RMS	3782	-50.79	-13	37.79	Pass	2931
6500	26500	1	RMS	25523	-60.91	-13	47.91	Pass	20003




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:42590, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-13	55.41	Pass	2986
30	1000	0.1	RMS	997.198	-61.38	-13	48.38	Pass	9701
1000	3000	1	RMS	2901	-46.24	-13	33.24	Pass	2001
3000	3430	1	RMS	3289	-43.25	-13	30.25	Pass	431
3430	3570	1	RMS	3493	22.88	60	37.12	Pass	401
3570	6500	1	RMS	3787	-50.92	-13	37.92	Pass	2931
6500	26500	1	RMS	25502	-60.82	-13	47.82	Pass	20003




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	0.19	-68.33	-13	55.33	Pass	2986
30	1000	0.1	RMS	995.697	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2901	-46.29	-13	33.29	Pass	2001
3000	3430	1	RMS	3288	-43.28	-13	30.28	Pass	431
3430	3570	1	RMS	3535.35	24.77	60	35.23	Pass	401
3570	6500	1	RMS	3572	-48.22	-13	35.22	Pass	2931
6500	26500	1	RMS	25501	-60.91	-13	47.91	Pass	20003




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	0.18	-68.71	-13	55.71	Pass	2986
30	1000	0.1	RMS	972.081	-61.42	-13	48.42	Pass	9701
1000	3000	1	RMS	2902	-46.22	-13	33.22	Pass	2001
3000	3430	1	RMS	3291	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3535.7	25.03	60	34.97	Pass	401
3570	6500	1	RMS	3570	-47.47	-13	34.47	Pass	2931
6500	26500	1	RMS	25497	-60.94	-13	47.94	Pass	20003




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-13	55.2	Pass	2986
30	1000	0.1	RMS	856.205	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2900	-46.29	-13	33.29	Pass	2001
3000	3430	1	RMS	3430	-42.92	-13	29.92	Pass	431
3430	3570	1	RMS	3451	23.68	60	36.32	Pass	401
3570	6500	1	RMS	3780	-50.88	-13	37.88	Pass	2931
6500	26500	1	RMS	6902	-56.98	-13	43.98	Pass	20003




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	986.591	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2906	-46.19	-13	33.19	Pass	2001
3000	3430	1	RMS	3430	-42.9	-13	29.9	Pass	431
3430	3570	1	RMS	3451	23.19	60	36.81	Pass	401
3570	6500	1	RMS	3766	-50.94	-13	37.94	Pass	2931
6500	26500	1	RMS	25530	-60.95	-13	47.95	Pass	20003




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.02	-13	55.02	Pass	401
0.15	30	0.01	RMS	0.24	-68.63	-13	55.63	Pass	2986
30	1000	0.1	RMS	834	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2898	-46.3	-13	33.3	Pass	2001
3000	3430	1	RMS	3292	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3491.25	23.43	60	36.57	Pass	401
3570	6500	1	RMS	3575	-50.83	-13	37.83	Pass	2931
6500	26500	1	RMS	6982	-57.92	-13	44.92	Pass	20003




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.12	-13	55.12	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	55.14	Pass	2986
30	1000	0.1	RMS	915.344	-61.52	-13	48.52	Pass	9701
1000	3000	1	RMS	2901	-46.19	-13	33.19	Pass	2001
3000	3430	1	RMS	3284	-43.26	-13	30.26	Pass	431
3430	3570	1	RMS	3490.9	22.59	60	37.41	Pass	401
3570	6500	1	RMS	3571	-50.96	-13	37.96	Pass	2931
6500	26500	1	RMS	25903	-60.92	-13	47.92	Pass	20003




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-13	55.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-13	55.23	Pass	2986
30	1000	0.1	RMS	835.2	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2908	-46.27	-13	33.27	Pass	2001
3000	3430	1	RMS	3283	-43.28	-13	30.28	Pass	431
3430	3570	1	RMS	3530.8	25.21	60	34.79	Pass	401
3570	6500	1	RMS	3572	-48.82	-13	35.82	Pass	2931
6500	26500	1	RMS	25900	-60.96	-13	47.96	Pass	20003



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.06	-13	55.06	Pass	401
0.15	30	0.01	RMS	0.17	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	825.8	-61.49	-13	48.49	Pass	9701
1000	3000	1	RMS	2911	-46.31	-13	33.31	Pass	2001
3000	3430	1	RMS	3284	-43.27	-13	30.27	Pass	431
3430	3570	1	RMS	3530.8	24.58	60	35.42	Pass	401
3570	6500	1	RMS	3570	-49.09	-13	36.09	Pass	2931
6500	26500	1	RMS	25508	-60.94	-13	47.94	Pass	20003



4. LTE_Band17


**4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-13	59.86	Pass	2986
30	694	0.1	RMS	693.6	-64.79	-13	51.79	Pass	6641
694	726	0.1	RMS	704.32	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	983	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1408	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	694	0.1	RMS	693.6	-65.1	-13	52.1	Pass	6641
694	726	0.1	RMS	704.32	19.52	60	40.48	Pass	401
726	1000	0.1	RMS	854.8	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1408	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.17	-73.07	-13	60.07	Pass	2986
30	694	0.1	RMS	505.6	-66.01	-13	53.01	Pass	6641
694	726	0.1	RMS	707.84	20.64	60	39.36	Pass	401
726	1000	0.1	RMS	869.4	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1415	-48.32	-13	35.32	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	694	0.1	RMS	488.7	-65.78	-13	52.78	Pass	6641
694	726	0.1	RMS	707.84	19.76	60	40.24	Pass	401
726	1000	0.1	RMS	858.3	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1415	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	694	0.1	RMS	694	-65.63	-13	52.63	Pass	6641
694	726	0.1	RMS	711.36	20.27	60	39.73	Pass	401
726	1000	0.1	RMS	863.7	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1422	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.27	-72.62	-13	59.62	Pass	2986
30	694	0.1	RMS	616.1	-65.98	-13	52.98	Pass	6641
694	726	0.1	RMS	711.36	19.73	60	40.27	Pass	401
726	1000	0.1	RMS	975.8	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1422	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001



**4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	694	0.1	RMS	693.9	-62.34	-13	49.34	Pass	6641
694	726	0.1	RMS	704.56	20.44	60	39.56	Pass	401
726	1000	0.1	RMS	835.6	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1409	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6798	-45.56	-13	32.56	Pass	7001



**4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	59.38	Pass	2986
30	694	0.1	RMS	693.9	-62.71	-13	49.71	Pass	6641
694	726	0.1	RMS	704.56	19.41	60	40.59	Pass	401
726	1000	0.1	RMS	849.2	-65	-13	52	Pass	2741
1000	3000	1	RMS	1409	-49.34	-13	36.34	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001

