



16.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	536.1	-60.59	-25	35.59	Pass	9701
1000	2486	1	RMS	2486	-38.62	-25	13.62	Pass	1487
2486	2700	1	RMS	2496.7	24.61	60	35.39	Pass	401
2700	3000	1	RMS	2898	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11953	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25508	-50.25	-25	25.25	Pass	14502




16.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	536.1	-59.77	-25	34.77	Pass	9701
1000	2486	1	RMS	2486	-40.93	-25	15.93	Pass	1487
2486	2700	1	RMS	2496.165	22.02	60	37.98	Pass	401
2700	3000	1	RMS	2907.75	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11954	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25516	-50.2	-25	25.2	Pass	14502




16.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.93	-25	43.93	Pass	401
0.15	30	0.01	RMS	0.21	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	894.93	-61.39	-25	36.39	Pass	9701
1000	2486	1	RMS	2482	-48.25	-25	23.25	Pass	1487
2486	2700	1	RMS	2586.045	23.77	60	36.23	Pass	401
2700	3000	1	RMS	2901.75	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11981	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25510	-50.14	-25	25.14	Pass	14502




16.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	986.091	-61.37	-25	36.37	Pass	9701
1000	2486	1	RMS	2484	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2586.045	22.65	60	37.35	Pass	401
2700	3000	1	RMS	2898.75	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11953	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25493	-50.18	-25	25.18	Pass	14502




16.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	715.1	-57.59	-25	32.59	Pass	9701
1000	2486	1	RMS	2482	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2675.925	23.77	60	36.23	Pass	401
2700	3000	1	RMS	2702.25	-42.02	-25	17.02	Pass	401
3000	12000	1	RMS	11949	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25494	-50.21	-25	25.21	Pass	14502




16.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.21	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	715.1	-60.63	-25	35.63	Pass	9701
1000	2486	1	RMS	2486	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2675.925	22.64	60	37.36	Pass	401
2700	3000	1	RMS	2702.25	-40.19	-25	15.19	Pass	401
3000	12000	1	RMS	11980	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25511	-50.22	-25	25.22	Pass	14502




16.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.15	-67.15	-25	42.15	Pass	2986
30	1000	0.1	RMS	536.4	-59.24	-25	34.24	Pass	9701
1000	2486	1	RMS	2482	-39.4	-25	14.4	Pass	1487
2486	2700	1	RMS	2497.235	23.12	60	36.88	Pass	401
2700	3000	1	RMS	2901.75	-46.19	-25	21.19	Pass	401
3000	12000	1	RMS	11956	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25502	-50.22	-25	25.22	Pass	14502




16.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.16	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	536.4	-59	-25	34	Pass	9701
1000	2486	1	RMS	2484	-41.05	-25	16.05	Pass	1487
2486	2700	1	RMS	2496.7	22.86	60	37.14	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11957	-59.95	-25	34.95	Pass	9002
12000	26500	1	RMS	25500	-50.13	-25	25.13	Pass	14502




16.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.55	-25	42.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	881.121	-61.42	-25	36.42	Pass	9701
1000	2486	1	RMS	2481	-48.35	-25	23.35	Pass	1487
2486	2700	1	RMS	2583.905	23.19	60	36.81	Pass	401
2700	3000	1	RMS	2902.5	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11951	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25501	-50.05	-25	25.05	Pass	14502




16.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	966.178	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2485	-48.34	-25	23.34	Pass	1487
2486	2700	1	RMS	2583.905	23.84	60	36.16	Pass	401
2700	3000	1	RMS	2898.75	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11957	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25490	-50.18	-25	25.18	Pass	14502




16.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.19	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	710.4	-58.83	-25	33.83	Pass	9701
1000	2486	1	RMS	2483	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2670.575	23.32	60	36.68	Pass	401
2700	3000	1	RMS	2703.75	-43.12	-25	18.12	Pass	401
3000	12000	1	RMS	11975	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25514	-50.22	-25	25.22	Pass	14502



16.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	710.4	-60.14	-25	35.14	Pass	9701
1000	2486	1	RMS	2481	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2671.11	22.99	60	37.01	Pass	401
2700	3000	1	RMS	2706.75	-42.01	-25	17.01	Pass	401
3000	12000	1	RMS	11969	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25499	-50.1	-25	25.1	Pass	14502



1. n5


1.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	814	0.1	RMS	813.9	-59.7	-13	46.7	Pass	7841
814	859	0.1	RMS	826.5	-2.3	60	62.3	Pass	451
859	1000	0.1	RMS	865.8	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1652	-61.22	-13	48.22	Pass	2001
3000	10000	1	RMS	6980	-78.39	-13	65.39	Pass	7001




1.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.87	-13	64.87	Pass	2986
30	814	0.1	RMS	813.6	-72.38	-13	59.38	Pass	7841
814	859	0.1	RMS	824.3	10.46	60	49.54	Pass	451
859	1000	0.1	RMS	955	-73.61	-13	60.61	Pass	1411
1000	3000	1	RMS	1648	-58.35	-13	45.35	Pass	2001
3000	10000	1	RMS	6982	-78.4	-13	65.4	Pass	7001




1.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.16	-78.22	-13	65.22	Pass	2986
30	814	0.1	RMS	811.5	-72.17	-13	59.17	Pass	7841
814	859	0.1	RMS	828.6	9.97	60	50.03	Pass	451
859	1000	0.1	RMS	944.5	-73.67	-13	60.67	Pass	1411
1000	3000	1	RMS	1657	-58.46	-13	45.46	Pass	2001
3000	10000	1	RMS	6994	-78.42	-13	65.42	Pass	7001




1.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.62	-13	65.62	Pass	401
0.15	30	0.01	RMS	0.22	-78.62	-13	65.62	Pass	2986
30	814	0.1	RMS	813.8	-72.49	-13	59.49	Pass	7841
814	859	0.1	RMS	835.1	-2.45	60	62.45	Pass	451
859	1000	0.1	RMS	883.1	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1672	-61	-13	48	Pass	2001
3000	10000	1	RMS	6992	-78.35	-13	65.35	Pass	7001




1.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	476.2	-73.54	-13	60.54	Pass	7841
814	859	0.1	RMS	834.3	10.52	60	49.48	Pass	451
859	1000	0.1	RMS	877.6	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1668	-58.07	-13	45.07	Pass	2001
3000	10000	1	RMS	6975	-78.41	-13	65.41	Pass	7001




1.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.34	-13	65.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	814	0.1	RMS	812.9	-73.48	-13	60.48	Pass	7841
814	859	0.1	RMS	838.7	10.03	60	49.97	Pass	451
859	1000	0.1	RMS	960	-73.6	-13	60.6	Pass	1411
1000	3000	1	RMS	1677	-58.11	-13	45.11	Pass	2001
3000	10000	1	RMS	7011	-78.37	-13	65.37	Pass	7001




1.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.74	-13	65.74	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	814	0.1	RMS	482.7	-73.56	-13	60.56	Pass	7841
814	859	0.1	RMS	845.1	-2.33	60	62.33	Pass	451
859	1000	0.1	RMS	899	-73.67	-13	60.67	Pass	1411
1000	3000	1	RMS	1692	-60.97	-13	47.97	Pass	2001
3000	10000	1	RMS	6981	-78.41	-13	65.41	Pass	7001




1.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.44	-13	65.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	746.8	-73.59	-13	60.59	Pass	7841
814	859	0.1	RMS	844.3	10.45	60	49.55	Pass	451
859	1000	0.1	RMS	886.5	-73.55	-13	60.55	Pass	1411
1000	3000	1	RMS	1688	-58.26	-13	45.26	Pass	2001
3000	10000	1	RMS	6980	-78.34	-13	65.34	Pass	7001




1.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.16	-78.31	-13	65.31	Pass	2986
30	814	0.1	RMS	519.3	-73.7	-13	60.7	Pass	7841
814	859	0.1	RMS	848.6	9.8	60	50.2	Pass	451
859	1000	0.1	RMS	953.5	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	1697	-58.77	-13	45.77	Pass	2001
3000	10000	1	RMS	6979	-78.45	-13	65.45	Pass	7001




1.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.19	-78.65	-13	65.65	Pass	2986
30	814	0.1	RMS	813.9	-41.1	-13	28.1	Pass	7841
814	859	0.1	RMS	826.4	-7.24	60	67.24	Pass	451
859	1000	0.1	RMS	871	-73.6	-13	60.6	Pass	1411
1000	3000	1	RMS	2835	-61.3	-13	48.3	Pass	2001
3000	10000	1	RMS	6990	-78.4	-13	65.4	Pass	7001




1.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.77	-13	65.77	Pass	401
0.15	30	0.01	RMS	0.15	-78.37	-13	65.37	Pass	2986
30	814	0.1	RMS	810.3	-64.33	-13	51.33	Pass	7841
814	859	0.1	RMS	824.5	10.6	60	49.4	Pass	451
859	1000	0.1	RMS	941.2	-73.63	-13	60.63	Pass	1411
1000	3000	1	RMS	1648	-59.12	-13	46.12	Pass	2001
3000	10000	1	RMS	6987	-78.4	-13	65.4	Pass	7001




1.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.02	-13	66.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.14	-13	64.14	Pass	2986
30	814	0.1	RMS	810.4	-57.71	-13	44.71	Pass	7841
814	859	0.1	RMS	838.5	10.82	60	49.18	Pass	451
859	1000	0.1	RMS	861.6	-73.5	-13	60.5	Pass	1411
1000	3000	1	RMS	1677	-58.9	-13	45.9	Pass	2001
3000	10000	1	RMS	6979	-78.31	-13	65.31	Pass	7001




1.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.56	-13	65.56	Pass	401
0.15	30	0.01	RMS	0.15	-78.58	-13	65.58	Pass	2986
30	814	0.1	RMS	813.8	-50.74	-13	37.74	Pass	7841
814	859	0.1	RMS	839.1	-7.49	60	67.49	Pass	451
859	1000	0.1	RMS	892.1	-73.63	-13	60.63	Pass	1411
1000	3000	1	RMS	2837	-61.27	-13	48.27	Pass	2001
3000	10000	1	RMS	7013	-78.34	-13	65.34	Pass	7001




1.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.57	-13	65.57	Pass	401
0.15	30	0.01	RMS	0.15	-78.06	-13	65.06	Pass	2986
30	814	0.1	RMS	813.7	-66.98	-13	53.98	Pass	7841
814	859	0.1	RMS	829.5	10.58	60	49.43	Pass	451
859	1000	0.1	RMS	939	-73.5	-13	60.5	Pass	1411
1000	3000	1	RMS	1658	-59.07	-13	46.07	Pass	2001
3000	10000	1	RMS	6999	-78.4	-13	65.4	Pass	7001




1.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.16	-78.21	-13	65.21	Pass	2986
30	814	0.1	RMS	814	-67.43	-13	54.43	Pass	7841
814	859	0.1	RMS	843.5	10.72	60	49.28	Pass	451
859	1000	0.1	RMS	888.6	-73.51	-13	60.51	Pass	1411
1000	3000	1	RMS	1687	-59.11	-13	46.11	Pass	2001
3000	10000	1	RMS	6982	-78.4	-13	65.4	Pass	7001




1.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	814	0.1	RMS	814	-55.9	-13	42.9	Pass	7841
814	859	0.1	RMS	840	-7.42	60	67.42	Pass	451
859	1000	0.1	RMS	861.8	-73.68	-13	60.68	Pass	1411
1000	3000	1	RMS	2974	-61.24	-13	48.24	Pass	2001
3000	10000	1	RMS	6993	-78.4	-13	65.4	Pass	7001




1.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	814	0.1	RMS	814	-69.99	-13	56.99	Pass	7841
814	859	0.1	RMS	834.5	10.62	60	49.38	Pass	451
859	1000	0.1	RMS	886	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1668	-58.78	-13	45.78	Pass	2001
3000	10000	1	RMS	7000	-78.38	-13	65.38	Pass	7001




1.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	814	0.1	RMS	812.5	-70.23	-13	57.23	Pass	7841
814	859	0.1	RMS	848.5	10.7	60	49.3	Pass	451
859	1000	0.1	RMS	905.1	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	1697	-59.28	-13	46.28	Pass	2001
3000	10000	1	RMS	7003	-78.38	-13	65.38	Pass	7001




1.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.53	-13	63.53	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	814	0.1	RMS	813.7	-37.76	-13	24.76	Pass	7841
814	859	0.1	RMS	826.1	-8.49	60	68.49	Pass	451
859	1000	0.1	RMS	876.5	-73.58	-13	60.58	Pass	1411
1000	3000	1	RMS	2980	-61.25	-13	48.25	Pass	2001
3000	10000	1	RMS	6979	-78.41	-13	65.41	Pass	7001




1.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.16	-78.14	-13	65.14	Pass	2986
30	814	0.1	RMS	813	-65.86	-13	52.86	Pass	7841
814	859	0.1	RMS	824.5	10.35	60	49.65	Pass	451
859	1000	0.1	RMS	969.4	-73.55	-13	60.55	Pass	1411
1000	3000	1	RMS	1649	-59.04	-13	46.04	Pass	2001
3000	10000	1	RMS	6982	-78.45	-13	65.45	Pass	7001




1.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.16	-13	64.16	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	65.16	Pass	2986
30	814	0.1	RMS	812.7	-53.43	-13	40.43	Pass	7841
814	859	0.1	RMS	843.4	10.29	60	49.71	Pass	451
859	1000	0.1	RMS	864.7	-73.69	-13	60.69	Pass	1411
1000	3000	1	RMS	1686	-58.6	-13	45.6	Pass	2001
3000	10000	1	RMS	6989	-78.35	-13	65.35	Pass	7001




1.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.15	-77.31	-13	64.31	Pass	2986
30	814	0.1	RMS	813.7	-40.27	-13	27.27	Pass	7841
814	859	0.1	RMS	827.5	-8.6	60	68.6	Pass	451
859	1000	0.1	RMS	898.7	-73.53	-13	60.53	Pass	1411
1000	3000	1	RMS	2826	-61.29	-13	48.29	Pass	2001
3000	10000	1	RMS	6987	-78.35	-13	65.35	Pass	7001




1.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.75	-13	63.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	814	0.1	RMS	808.6	-65.59	-13	52.59	Pass	7841
814	859	0.1	RMS	827	10.31	60	49.69	Pass	451
859	1000	0.1	RMS	941	-73.68	-13	60.68	Pass	1411
1000	3000	1	RMS	1654	-59.15	-13	46.15	Pass	2001
3000	10000	1	RMS	6997	-78.42	-13	65.42	Pass	7001




1.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.23	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	812.3	-59.41	-13	46.41	Pass	7841
814	859	0.1	RMS	845.9	10.3	60	49.71	Pass	451
859	1000	0.1	RMS	992.8	-73.65	-13	60.65	Pass	1411
1000	3000	1	RMS	1691	-58.7	-13	45.7	Pass	2001
3000	10000	1	RMS	6982	-78.37	-13	65.37	Pass	7001




1.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.29	-13	64.29	Pass	401
0.15	30	0.01	RMS	0.3	-78.92	-13	65.92	Pass	2986
30	814	0.1	RMS	813.5	-45.12	-13	32.12	Pass	7841
814	859	0.1	RMS	841.1	-8.7	60	68.7	Pass	451
859	1000	0.1	RMS	859.5	-73.48	-13	60.48	Pass	1411
1000	3000	1	RMS	2981	-61.31	-13	48.31	Pass	2001
3000	10000	1	RMS	6991	-78.46	-13	65.46	Pass	7001




1.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.51	-13	63.51	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	811.1	-62.69	-13	49.69	Pass	7841
814	859	0.1	RMS	829.5	10.38	60	49.62	Pass	451
859	1000	0.1	RMS	915.1	-73.69	-13	60.69	Pass	1411
1000	3000	1	RMS	1659	-58.99	-13	45.99	Pass	2001
3000	10000	1	RMS	6980	-78.44	-13	65.44	Pass	7001



1.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.43	-13	64.43	Pass	2986
30	814	0.1	RMS	810.6	-60.76	-13	47.76	Pass	7841
814	859	0.1	RMS	848.4	10.2	60	49.81	Pass	451
859	1000	0.1	RMS	985.5	-73.54	-13	60.54	Pass	1411
1000	3000	1	RMS	1696	-58.95	-13	45.95	Pass	2001
3000	10000	1	RMS	6983	-78.45	-13	65.45	Pass	7001



2. n12 15kHz


2.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.16	-78.45	-13	65.45	Pass	2986
30	689	0.1	RMS	487.5	-73.61	-13	60.61	Pass	6591
689	726	0.1	RMS	700.193	-2.47	60	62.47	Pass	401
726	1000	0.1	RMS	937.5	-73.29	-13	60.29	Pass	2741
1000	3000	1	RMS	2987	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6990	-78.37	-13	65.37	Pass	7001




2.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	689	0.1	RMS	465	-73.64	-13	60.64	Pass	6591
689	726	0.1	RMS	699.36	10.43	60	49.57	Pass	401
726	1000	0.1	RMS	853.1	-73.17	-13	60.17	Pass	2741
1000	3000	1	RMS	1398	-58.63	-13	45.63	Pass	2001
3000	10000	1	RMS	6982	-78.37	-13	65.37	Pass	7001




2.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.97	-13	65.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	689	0.1	RMS	499.9	-73.54	-13	60.54	Pass	6591
689	726	0.1	RMS	703.615	10.44	60	49.56	Pass	401
726	1000	0.1	RMS	851.4	-73.35	-13	60.35	Pass	2741
1000	3000	1	RMS	1407	-58.57	-13	45.57	Pass	2001
3000	10000	1	RMS	7008	-78.36	-13	65.36	Pass	7001




2.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.9	-13	65.9	Pass	401
0.15	30	0.01	RMS	0.19	-78.05	-13	65.05	Pass	2986
30	689	0.1	RMS	521.6	-73.59	-13	60.59	Pass	6591
689	726	0.1	RMS	706.113	-2.38	60	62.38	Pass	401
726	1000	0.1	RMS	827.1	-73.37	-13	60.37	Pass	2741
1000	3000	1	RMS	2836	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	7002	-78.41	-13	65.41	Pass	7001




2.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.75	-13	63.75	Pass	401
0.15	30	0.01	RMS	0.17	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	495.9	-73.63	-13	60.63	Pass	6591
689	726	0.1	RMS	705.373	10.17	60	49.83	Pass	401
726	1000	0.1	RMS	744.3	-73.42	-13	60.42	Pass	2741
1000	3000	1	RMS	1410	-58.96	-13	45.96	Pass	2001
3000	10000	1	RMS	6983	-78.41	-13	65.41	Pass	7001




2.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.91	-13	63.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	689	0.1	RMS	485.6	-73.66	-13	60.66	Pass	6591
689	726	0.1	RMS	709.628	10.65	60	49.35	Pass	401
726	1000	0.1	RMS	934.4	-73.48	-13	60.48	Pass	2741
1000	3000	1	RMS	1419	-59.05	-13	46.05	Pass	2001
3000	10000	1	RMS	6980	-78.4	-13	65.4	Pass	7001




2.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-79.46	-13	66.46	Pass	401
0.15	30	0.01	RMS	0.15	-78.75	-13	65.75	Pass	2986
30	689	0.1	RMS	498.6	-73.7	-13	60.7	Pass	6591
689	726	0.1	RMS	712.125	-2.24	60	62.24	Pass	401
726	1000	0.1	RMS	830.9	-73.16	-13	60.16	Pass	2741
1000	3000	1	RMS	2831	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6987	-78.37	-13	65.37	Pass	7001




2.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.27	-78.6	-13	65.6	Pass	2986
30	689	0.1	RMS	466.5	-73.7	-13	60.7	Pass	6591
689	726	0.1	RMS	711.293	10.41	60	49.59	Pass	401
726	1000	0.1	RMS	874.8	-73.34	-13	60.34	Pass	2741
1000	3000	1	RMS	1422	-58.58	-13	45.58	Pass	2001
3000	10000	1	RMS	6988	-78.42	-13	65.42	Pass	7001




2.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.17	-78.54	-13	65.54	Pass	2986
30	689	0.1	RMS	477.9	-73.53	-13	60.53	Pass	6591
689	726	0.1	RMS	715.64	10.69	60	49.31	Pass	401
726	1000	0.1	RMS	736.6	-73.41	-13	60.41	Pass	2741
1000	3000	1	RMS	1431	-58.91	-13	45.91	Pass	2001
3000	10000	1	RMS	6982	-78.42	-13	65.42	Pass	7001




2.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.18	-78.28	-13	65.28	Pass	2986
30	689	0.1	RMS	689	-72.79	-13	59.79	Pass	6591
689	726	0.1	RMS	702.505	-5.6	60	65.6	Pass	401
726	1000	0.1	RMS	746.2	-73.41	-13	60.41	Pass	2741
1000	3000	1	RMS	2835	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6987	-78.4	-13	65.4	Pass	7001




2.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.2	-78.72	-13	65.72	Pass	2986
30	689	0.1	RMS	483.5	-73.5	-13	60.5	Pass	6591
689	726	0.1	RMS	699.36	10.24	60	49.76	Pass	401
726	1000	0.1	RMS	872.2	-73.23	-13	60.23	Pass	2741
1000	3000	1	RMS	1398	-58.91	-13	45.91	Pass	2001
3000	10000	1	RMS	6982	-78.36	-13	65.36	Pass	7001




2.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	0.33	-78.6	-13	65.6	Pass	2986
30	689	0.1	RMS	495	-73.73	-13	60.73	Pass	6591
689	726	0.1	RMS	708.61	10.53	60	49.47	Pass	401
726	1000	0.1	RMS	727.1	-73.33	-13	60.33	Pass	2741
1000	3000	1	RMS	1417	-59.38	-13	46.38	Pass	2001
3000	10000	1	RMS	6993	-78.45	-13	65.45	Pass	7001




2.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.2	-78.8	-13	65.8	Pass	2986
30	689	0.1	RMS	502.6	-73.7	-13	60.7	Pass	6591
689	726	0.1	RMS	706.113	-5.56	60	65.56	Pass	401
726	1000	0.1	RMS	787.8	-73.25	-13	60.25	Pass	2741
1000	3000	1	RMS	2986	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6998	-78.39	-13	65.39	Pass	7001




2.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	689	0.1	RMS	495.7	-73.72	-13	60.72	Pass	6591
689	726	0.1	RMS	702.875	10.59	60	49.41	Pass	401
726	1000	0.1	RMS	931.5	-73.46	-13	60.46	Pass	2741
1000	3000	1	RMS	1405	-58.77	-13	45.77	Pass	2001
3000	10000	1	RMS	6987	-78.34	-13	65.34	Pass	7001




2.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.15	-77.81	-13	64.81	Pass	2986
30	689	0.1	RMS	486.1	-73.41	-13	60.41	Pass	6591
689	726	0.1	RMS	712.125	10.2	60	49.8	Pass	401
726	1000	0.1	RMS	767.6	-73.36	-13	60.36	Pass	2741
1000	3000	1	RMS	1424	-59.08	-13	46.08	Pass	2001
3000	10000	1	RMS	6987	-78.42	-13	65.42	Pass	7001




2.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.2	-78.22	-13	65.22	Pass	2986
30	689	0.1	RMS	499.2	-73.57	-13	60.57	Pass	6591
689	726	0.1	RMS	709.628	-5.46	60	65.46	Pass	401
726	1000	0.1	RMS	939.9	-73.36	-13	60.36	Pass	2741
1000	3000	1	RMS	2835	-61.27	-13	48.27	Pass	2001
3000	10000	1	RMS	6976	-78.45	-13	65.45	Pass	7001




2.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.41	-13	63.41	Pass	401
0.15	30	0.01	RMS	0.15	-78.24	-13	65.24	Pass	2986
30	689	0.1	RMS	503.7	-73.56	-13	60.56	Pass	6591
689	726	0.1	RMS	706.39	10.67	60	49.33	Pass	401
726	1000	0.1	RMS	825.3	-73.29	-13	60.29	Pass	2741
1000	3000	1	RMS	1412	-59.21	-13	46.21	Pass	2001
3000	10000	1	RMS	6985	-78.4	-13	65.4	Pass	7001




2.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.64	-13	63.64	Pass	401
0.15	30	0.01	RMS	0.16	-78.47	-13	65.47	Pass	2986
30	689	0.1	RMS	486.1	-73.68	-13	60.68	Pass	6591
689	726	0.1	RMS	715.548	10.44	60	49.56	Pass	401
726	1000	0.1	RMS	861.1	-73.24	-13	60.24	Pass	2741
1000	3000	1	RMS	1431	-59.24	-13	46.24	Pass	2001
3000	10000	1	RMS	6984	-78.44	-13	65.44	Pass	7001




2.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.16	-78.67	-13	65.67	Pass	2986
30	689	0.1	RMS	689	-68.29	-13	55.29	Pass	6591
689	726	0.1	RMS	702.968	-7.38	60	67.38	Pass	401
726	1000	0.1	RMS	836.4	-73.25	-13	60.25	Pass	2741
1000	3000	1	RMS	2985	-61.25	-13	48.25	Pass	2001
3000	10000	1	RMS	6999	-78.41	-13	65.41	Pass	7001




2.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.18	-77.88	-13	64.88	Pass	2986
30	689	0.1	RMS	500.3	-73.67	-13	60.67	Pass	6591
689	726	0.1	RMS	699.453	10.76	60	49.24	Pass	401
726	1000	0.1	RMS	966.4	-73.3	-13	60.3	Pass	2741
1000	3000	1	RMS	1398	-59.32	-13	46.32	Pass	2001
3000	10000	1	RMS	6982	-78.41	-13	65.41	Pass	7001




2.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.67	-13	63.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.33	-13	65.33	Pass	2986
30	689	0.1	RMS	491.9	-73.59	-13	60.59	Pass	6591
689	726	0.1	RMS	713.513	10.79	60	49.21	Pass	401
726	1000	0.1	RMS	908.1	-73.36	-13	60.36	Pass	2741
1000	3000	1	RMS	1427	-59.6	-13	46.6	Pass	2001
3000	10000	1	RMS	6990	-78.4	-13	65.4	Pass	7001




2.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.02	-13	64.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.13	-13	64.13	Pass	2986
30	689	0.1	RMS	689	-70.64	-13	57.64	Pass	6591
689	726	0.1	RMS	704.355	-7.35	60	67.35	Pass	401
726	1000	0.1	RMS	911.2	-73.37	-13	60.37	Pass	2741
1000	3000	1	RMS	2840	-61.25	-13	48.25	Pass	2001
3000	10000	1	RMS	6981	-78.43	-13	65.43	Pass	7001




2.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.16	-77.95	-13	64.95	Pass	2986
30	689	0.1	RMS	480.5	-73.64	-13	60.64	Pass	6591
689	726	0.1	RMS	700.47	10.89	60	49.11	Pass	401
726	1000	0.1	RMS	878.5	-73.22	-13	60.22	Pass	2741
1000	3000	1	RMS	1400	-58.98	-13	45.98	Pass	2001
3000	10000	1	RMS	6998	-78.39	-13	65.39	Pass	7001




2.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.21	-78.42	-13	65.42	Pass	2986
30	689	0.1	RMS	475.2	-73.6	-13	60.6	Pass	6591
689	726	0.1	RMS	714.53	10.72	60	49.28	Pass	401
726	1000	0.1	RMS	821.1	-73.33	-13	60.33	Pass	2741
1000	3000	1	RMS	1429	-59.53	-13	46.53	Pass	2001
3000	10000	1	RMS	6994	-78.4	-13	65.4	Pass	7001




2.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.54	-13	64.54	Pass	2986
30	689	0.1	RMS	689	-70.65	-13	57.65	Pass	6591
689	726	0.1	RMS	703.338	-7.23	60	67.23	Pass	401
726	1000	0.1	RMS	834.1	-73.2	-13	60.2	Pass	2741
1000	3000	1	RMS	2835	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6983	-78.35	-13	65.35	Pass	7001




2.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.19	-78.67	-13	65.67	Pass	2986
30	689	0.1	RMS	501.9	-73.57	-13	60.57	Pass	6591
689	726	0.1	RMS	701.488	10.63	60	49.37	Pass	401
726	1000	0.1	RMS	897.1	-73.4	-13	60.4	Pass	2741
1000	3000	1	RMS	1402	-59.29	-13	46.29	Pass	2001
3000	10000	1	RMS	6988	-78.42	-13	65.42	Pass	7001



2.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	689	0.1	RMS	483.4	-73.69	-13	60.69	Pass	6591
689	726	0.1	RMS	715.548	10.41	60	49.59	Pass	401
726	1000	0.1	RMS	827.6	-73.28	-13	60.28	Pass	2741
1000	3000	1	RMS	1431	-59.66	-13	46.66	Pass	2001
3000	10000	1	RMS	6973	-78.42	-13	65.42	Pass	7001



3. n26 15kHz_Part22


3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.15	-78.19	-13	65.19	Pass	2986
30	814	0.1	RMS	813.9	-60.09	-13	47.09	Pass	7841
814	859	0.1	RMS	825.8	-2.52	60	62.52	Pass	451
859	1000	0.1	RMS	867.6	-73.6	-13	60.6	Pass	1411
1000	3000	1	RMS	2832	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6992	-78.35	-13	65.35	Pass	7001




3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.59	-13	63.59	Pass	401
0.15	30	0.01	RMS	0.15	-78.12	-13	65.12	Pass	2986
30	814	0.1	RMS	813.6	-72.26	-13	59.26	Pass	7841
814	859	0.1	RMS	824.3	10.28	60	49.72	Pass	451
859	1000	0.1	RMS	862.9	-73.6	-13	60.6	Pass	1411
1000	3000	1	RMS	1648	-58.68	-13	45.68	Pass	2001
3000	10000	1	RMS	6982	-78.41	-13	65.41	Pass	7001




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.63	-13	63.63	Pass	401
0.15	30	0.01	RMS	0.18	-77.55	-13	64.55	Pass	2986
30	814	0.1	RMS	811.3	-72.53	-13	59.53	Pass	7841
814	859	0.1	RMS	828.6	9.71	60	50.29	Pass	451
859	1000	0.1	RMS	878.9	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1657	-58.81	-13	45.81	Pass	2001
3000	10000	1	RMS	6982	-78.42	-13	65.42	Pass	7001




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.57	-13	63.57	Pass	401
0.15	30	0.01	RMS	0.15	-76.5	-13	63.5	Pass	2986
30	814	0.1	RMS	813.9	-72.43	-13	59.43	Pass	7841
814	859	0.1	RMS	835.1	-2.68	60	62.68	Pass	451
859	1000	0.1	RMS	867.3	-73.54	-13	60.54	Pass	1411
1000	3000	1	RMS	1673	-61.14	-13	48.14	Pass	2001
3000	10000	1	RMS	6974	-78.39	-13	65.39	Pass	7001




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.38	-13	63.38	Pass	401
0.15	30	0.01	RMS	0.17	-77.59	-13	64.59	Pass	2986
30	814	0.1	RMS	810.1	-73.66	-13	60.66	Pass	7841
814	859	0.1	RMS	834.3	10.31	60	49.69	Pass	451
859	1000	0.1	RMS	859.3	-73.59	-13	60.59	Pass	1411
1000	3000	1	RMS	1668	-58.3	-13	45.3	Pass	2001
3000	10000	1	RMS	6979	-78.38	-13	65.38	Pass	7001




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.22	-13	64.22	Pass	401
0.15	30	0.01	RMS	0.16	-78.05	-13	65.05	Pass	2986
30	814	0.1	RMS	809.7	-73.52	-13	60.52	Pass	7841
814	859	0.1	RMS	838.7	9.89	60	50.11	Pass	451
859	1000	0.1	RMS	871.9	-73.65	-13	60.65	Pass	1411
1000	3000	1	RMS	1677	-58.28	-13	45.28	Pass	2001
3000	10000	1	RMS	6979	-78.39	-13	65.39	Pass	7001




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.18	-13	64.18	Pass	401
0.15	30	0.01	RMS	0.2	-78.56	-13	65.56	Pass	2986
30	814	0.1	RMS	488.7	-73.62	-13	60.62	Pass	7841
814	859	0.1	RMS	845.1	-2.42	60	62.42	Pass	451
859	1000	0.1	RMS	942.6	-73.56	-13	60.56	Pass	1411
1000	3000	1	RMS	1692	-61.11	-13	48.11	Pass	2001
3000	10000	1	RMS	6977	-78.39	-13	65.39	Pass	7001




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	814	0.1	RMS	488.5	-73.56	-13	60.56	Pass	7841
814	859	0.1	RMS	844.3	10.25	60	49.76	Pass	451
859	1000	0.1	RMS	871.2	-73.65	-13	60.65	Pass	1411
1000	3000	1	RMS	1688	-58.48	-13	45.48	Pass	2001
3000	10000	1	RMS	6981	-78.3	-13	65.3	Pass	7001




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.17	-13	64.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.92	-13	64.92	Pass	2986
30	814	0.1	RMS	523.4	-73.63	-13	60.63	Pass	7841
814	859	0.1	RMS	848.6	9.63	60	50.37	Pass	451
859	1000	0.1	RMS	985.8	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	1697	-58.94	-13	45.94	Pass	2001
3000	10000	1	RMS	6988	-78.33	-13	65.33	Pass	7001




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.96	-13	63.96	Pass	401
0.15	30	0.01	RMS	0.17	-77.89	-13	64.89	Pass	2986
30	814	0.1	RMS	813.9	-41.93	-13	28.93	Pass	7841
814	859	0.1	RMS	826.4	-7.53	60	67.53	Pass	451
859	1000	0.1	RMS	942.1	-73.5	-13	60.5	Pass	1411
1000	3000	1	RMS	2994	-61.27	-13	48.27	Pass	2001
3000	10000	1	RMS	6988	-78.42	-13	65.42	Pass	7001




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.05	-13	63.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.29	-13	64.29	Pass	2986
30	814	0.1	RMS	810.4	-61.99	-13	48.99	Pass	7841
814	859	0.1	RMS	824.5	10.41	60	49.59	Pass	451
859	1000	0.1	RMS	955	-73.61	-13	60.61	Pass	1411
1000	3000	1	RMS	1648	-59.33	-13	46.33	Pass	2001
3000	10000	1	RMS	6982	-78.38	-13	65.38	Pass	7001




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.64	-13	63.64	Pass	401
0.15	30	0.01	RMS	0.15	-78.24	-13	65.24	Pass	2986
30	814	0.1	RMS	810.4	-57.95	-13	44.95	Pass	7841
814	859	0.1	RMS	838.5	10.66	60	49.34	Pass	451
859	1000	0.1	RMS	860.6	-73.71	-13	60.71	Pass	1411
1000	3000	1	RMS	1677	-59.1	-13	46.1	Pass	2001
3000	10000	1	RMS	6984	-78.43	-13	65.43	Pass	7001



3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.81	-13	64.81	Pass	401
0.15	30	0.01	RMS	0.21	-78.39	-13	65.39	Pass	2986
30	814	0.1	RMS	813.8	-51.62	-13	38.62	Pass	7841
814	859	0.1	RMS	841.4	-7.6	60	67.6	Pass	451
859	1000	0.1	RMS	964.2	-73.62	-13	60.62	Pass	1411
1000	3000	1	RMS	2831	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6977	-78.4	-13	65.4	Pass	7001



3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	813.6	-67.08	-13	54.08	Pass	7841
814	859	0.1	RMS	829.5	10.37	60	49.63	Pass	451
859	1000	0.1	RMS	905.3	-73.6	-13	60.6	Pass	1411
1000	3000	1	RMS	1658	-59.29	-13	46.29	Pass	2001
3000	10000	1	RMS	6981	-78.38	-13	65.38	Pass	7001

