
Band Edge

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Verdict
GSM 850	LCH	Pass
	HCH	Pass
GSM 1900	LCH	Pass
	HCH	Pass
GPRS 850	LCH	Pass
	HCH	Pass
GPRS 1900	LCH	Pass
	HCH	Pass
EGPRS 850	LCH	Pass
	HCH	Pass
EGPRS 1900	LCH	Pass
	HCH	Pass
WCDMA Band 2	LCH	Pass
	HCH	Pass
WCDMA Band 4	LCH	Pass
	HCH	Pass
WCDMA Band 5	LCH	Pass
	HCH	Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
RB100#High	Pass				

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB27#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB27#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26 (Part 22)	1.4 MHz	LCH	QPSK	RB1#LOW	Pass
				RB6#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB6#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB6#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB6#HIGH	Pass
	3 MHz	LCH	QPSK	RB1#LOW	Pass
				RB15#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB15#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB15#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB15#HIGH	Pass
	5 MHz	LCH	QPSK	RB1#LOW	Pass
				RB25#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB25#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB25#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB25#HIGH	Pass
	10 MHz	LCH	QPSK	RB1#LOW	Pass
				RB50#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB50#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB50#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB50#HIGH	Pass
	15 MHz	LCH	QPSK	RB1#LOW	Pass
				RB75#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB75#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB75#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB75#HIGH	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26 (Part 90)	1.4 MHz	LCH	QPSK	RB1#LOW	Pass
				RB6#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB6#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB6#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB6#HIGH	Pass
	3 MHz	LCH	QPSK	RB1#LOW	Pass
				RB15#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB15#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB15#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB15#HIGH	Pass
	5 MHz	LCH	QPSK	RB1#LOW	Pass
				RB25#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB25#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB25#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB25#HIGH	Pass
	10 MHz	LCH	QPSK	RB1#LOW	Pass
				RB50#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB50#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB50#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB50#HIGH	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 30	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 41	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 42	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 43	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 71	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n2	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n5	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n7	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n12	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	10	LCH	QPSK	1	0	Pass
				52	0	Pass
		HCH	QPSK	1	51	Pass
				52	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n25	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26(PART22)	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n26(PART90)	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	10	LCH	QPSK	1	0	Pass
				52	0	Pass
		HCH	QPSK	1	51	Pass
				52	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n38	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	40	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n41	10	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	50	LCH	QPSK	1	0	Pass
				162	0	Pass
		HCH	QPSK	1	161	Pass
				162	0	Pass
	100	LCH	QPSK	1	0	Pass
				270	0	Pass
		HCH	QPSK	1	272	Pass
				270	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n66	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass
	40	LCH	QPSK	1	0	Pass
				216	0	Pass
		HCH	QPSK	1	215	Pass
				216	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n71	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77(3450-3550MHz)	10	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	50	LCH	QPSK	1	0	Pass
				162	0	Pass
		HCH	QPSK	1	161	Pass
				162	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77(3700-3980MHz)	10	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	50	LCH	QPSK	1	0	Pass
				162	0	Pass
		HCH	QPSK	1	161	Pass
				162	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass


Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78(3450-3550MHz)	10	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	50	LCH	QPSK	1	0	Pass
				162	0	Pass
		HCH	QPSK	1	161	Pass
				162	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78(3700-3800MHz)	10	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass
	50	LCH	QPSK	1	0	Pass
				162	0	Pass
		HCH	QPSK	1	161	Pass
				162	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

1. GSM_PCS


1.1. GSM Band Edge_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.14	-13	22.14	Pass	5
1849	1850	0.003	RMS	1849.998	-23.28	-13	10.28	Pass	401
1850	1851	0.01	RMS	1850.193	17.92	35	17.08	Pass	401



1.2. GSM Band Edge_Part22-24(Channel:810)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.815	17.61	35	17.39	Pass	401
1910	1911	0.003	RMS	1910.03	-22.56	-13	9.56	Pass	401
1911	1915	1	RMS	1911	-35.14	-13	22.14	Pass	5



2. GSM_GSM850


2.1. GSM Band Edge_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.985	-46.73	-13	33.73	Pass	401
823	824	0.003	RMS	823.983	-18.54	-13	5.54	Pass	401
824	824.5	0.01	RMS	824.183	22.01	35	12.99	Pass	401



2.2. GSM Band Edge_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.821	21.89	35	13.11	Pass	401
849	850	0.003	RMS	849.023	-18.49	-13	5.49	Pass	401
850	855	0.1	RMS	850.163	-46.43	-13	33.43	Pass	401



1. GPRS_GSM850


1.1. GPRS Band Edge_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.978	-45.85	-13	32.85	Pass	401
823	824	0.003	RMS	823.978	-18.59	-13	5.59	Pass	401
824	824.5	0.01	RMS	824.199	22.98	35	12.02	Pass	401



1.2. GPRS Band Edge_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.79	22.63	35	12.37	Pass	401
849	850	0.003	RMS	849	-18.22	-13	5.22	Pass	401
850	855	0.1	RMS	850	-45.07	-13	32.07	Pass	401



2. GPRS_PCS


2.1. GPRS Band Edge_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.11	-13	22.11	Pass	5
1849	1850	0.003	RMS	1849.983	-23.65	-13	10.65	Pass	401
1850	1851	0.01	RMS	1850.185	19.11	35	15.89	Pass	401



2.2. GPRS Band Edge_Part22-24(Channel:810)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	17.46	35	17.54	Pass	401
1910	1911	0.003	RMS	1910.035	-23.08	-13	10.08	Pass	401
1911	1915	1	RMS	1911	-35.14	-13	22.14	Pass	5



1. EGPRS_PCS


1.3. EGPRS Band Edge_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.46	-13	22.46	Pass	5
1849	1850	0.003	RMS	1849.99	-35.02	-13	22.02	Pass	401
1850	1851	0.01	RMS	1850.21	9.2	35	25.8	Pass	401



1.4. EGPRS Band Edge_Part22-24(Channel:810)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.805	9.49	35	25.51	Pass	401
1910	1911	0.003	RMS	1910.03	-33.2	-13	20.2	Pass	401
1911	1915	1	RMS	1911	-35.46	-13	22.46	Pass	5



2. EGPRS_GSM850


2.1. EGPRS Band Edge_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.993	-45.05	-13	32.05	Pass	401
823	824	0.003	RMS	823.983	-23.85	-13	10.85	Pass	401
824	824.5	0.01	RMS	824.229	16.46	35	18.54	Pass	401



2.2. EGPRS Band Edge_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.83	16.69	35	18.31	Pass	401
849	850	0.003	RMS	849.008	-23.99	-13	10.99	Pass	401
850	855	0.1	RMS	850.038	-44.93	-13	31.93	Pass	401



1. WCDMA_Band5


1.1. WCDMA Band Edge_Part22-24-27(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.003	-60.11	-13	47.11	Pass	401
823	824	0.051	RMS	824	-53.39	-13	40.39	Pass	401
824	829	0.1	RMS	826.363	-15.72	35	50.72	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(Channel:4233)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.713	-14.76	35	49.76	Pass	401
849	850	0.051	RMS	849	-53.12	-13	40.12	Pass	401
850	855	0.1	RMS	850.95	-61.25	-13	48.25	Pass	401



2. WCDMA_Band2


2.1. WCDMA Band Edge_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-40.23	-13	27.23	Pass	401
1849	1850	0.051	RMS	1849.883	-52.52	-13	39.52	Pass	401
1850	1855	0.1	RMS	1851.525	-15.39	35	50.39	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.613	-14.82	35	49.82	Pass	401
1910	1911	0.051	RMS	1910	-49.53	-13	36.53	Pass	401
1911	1915	1	RMS	1911	-40.13	-13	27.13	Pass	401



3. WCDMA_Band4


3.1. WCDMA Band Edge_Part22-24-27(Channel:1312)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-49.95	-13	36.95	Pass	5
1709	1710	0.051	RMS	1709.868	-51.28	-13	38.28	Pass	401
1710	1715	0.1	RMS	1713.788	-15.5	35	50.5	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(Channel:1513)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	-15.48	35	50.48	Pass	401
1755	1756	0.051	RMS	1755	-51.71	-13	38.71	Pass	401
1756	1760	1	RMS	1756	-50.86	-13	37.86	Pass	5



2. LTE_Band5


2.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.78	-47.4	-13	34.4	Pass	401
823	824	0.02	RMS	824	-21.85	-13	8.85	Pass	401
824	826	0.1	RMS	824.25	20.93	30	9.07	Pass	401




2.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.74	-13	25.74	Pass	401
823	824	0.02	RMS	824	-28.86	-13	15.86	Pass	401
824	826	0.1	RMS	824.275	12.47	30	17.53	Pass	401




2.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.78	-48.48	-13	35.48	Pass	401
823	824	0.02	RMS	824	-22.79	-13	9.79	Pass	401
824	826	0.1	RMS	824.26	19.88	30	10.12	Pass	401




2.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.27	-13	27.27	Pass	401
823	824	0.02	RMS	824	-29.83	-13	16.83	Pass	401
824	826	0.1	RMS	825.115	11.51	30	18.49	Pass	401




2.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.98	30	9.03	Pass	401
849	850	0.02	RMS	849	-20.08	-13	7.08	Pass	401
850	860	0.1	RMS	851.2	-44.78	-13	31.78	Pass	401




2.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.945	12.59	30	17.41	Pass	401
849	850	0.02	RMS	849	-26.84	-13	13.84	Pass	401
850	860	0.1	RMS	850	-38.72	-13	25.72	Pass	401




2.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	19.99	30	10.01	Pass	401
849	850	0.02	RMS	849	-22.68	-13	9.68	Pass	401
850	860	0.1	RMS	851.225	-47.23	-13	34.23	Pass	401




2.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.955	11.62	30	18.38	Pass	401
849	850	0.02	RMS	849	-29.52	-13	16.52	Pass	401
850	860	0.1	RMS	850	-40.48	-13	27.48	Pass	401




2.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.76	-47	-13	34	Pass	401
823	824	0.002	RMS	823.998	-30.87	-13	17.87	Pass	501
824	827	0.1	RMS	824.24	21.01	30	8.99	Pass	401




2.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-30.59	-13	17.59	Pass	401
823	824	0.03	RMS	824	-29.28	-13	16.28	Pass	401
824	827	0.1	RMS	824.278	8.91	30	21.09	Pass	401




2.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.76	-48.26	-13	35.26	Pass	401
823	824	0.03	RMS	824	-20.81	-13	7.81	Pass	35
824	827	0.1	RMS	824.24	20.14	30	9.86	Pass	401




2.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-33.14	-13	20.14	Pass	401
823	824	0.03	RMS	824	-31.65	-13	18.65	Pass	401
824	827	0.1	RMS	824.353	7.87	30	22.13	Pass	401




2.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.96	30	9.04	Pass	401
849	850	0.002	RMS	849.002	-29.32	-13	16.32	Pass	501
850	860	0.1	RMS	851.225	-44.68	-13	31.68	Pass	401




2.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.263	9.14	30	20.86	Pass	401
849	850	0.03	RMS	849.005	-31.07	-13	18.07	Pass	401
850	860	0.1	RMS	850	-31.56	-13	18.56	Pass	401




2.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.97	30	10.03	Pass	401
849	850	0.002	RMS	849.002	-31.1	-13	18.1	Pass	501
850	860	0.1	RMS	851.225	-46.98	-13	33.98	Pass	401




2.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.465	8.04	30	21.96	Pass	401
849	850	0.03	RMS	849	-32.19	-13	19.19	Pass	401
850	860	0.1	RMS	850.075	-34.25	-13	21.25	Pass	401




2.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.88	-45.86	-13	32.86	Pass	401
823	824	0.05	RMS	824	-18.14	-13	5.14	Pass*	401
824	829	0.1	RMS	824.35	20.89	30	9.11	Pass	401




2.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-32.45	-13	19.45	Pass	401
823	824	0.05	RMS	824	-29.54	-13	16.54	Pass	401
824	829	0.1	RMS	825.663	6.59	30	23.41	Pass	401




2.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.88	-48.21	-13	35.21	Pass	401
823	824	0.05	RMS	824	-18.81	-13	5.81	Pass*	401
824	829	0.1	RMS	824.363	19.98	30	10.02	Pass	401




2.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.24	-13	22.24	Pass	401
823	824	0.05	RMS	824	-31.11	-13	18.11	Pass	401
824	829	0.1	RMS	825.675	5.59	30	24.41	Pass	401




2.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.98	30	9.02	Pass	401
849	850	0.05	RMS	849	-18.39	-13	5.39	Pass*	401
850	860	0.1	RMS	851.1	-44.76	-13	31.76	Pass	401




2.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.813	6.67	30	23.33	Pass	401
849	850	0.05	RMS	849.005	-31.23	-13	18.23	Pass	401
850	860	0.1	RMS	850.175	-34.93	-13	21.93	Pass	401




2.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20	30	10	Pass	401
849	850	0.05	RMS	849	-18.17	-13	5.17	Pass*	401
850	860	0.1	RMS	851.075	-46.96	-13	33.96	Pass	401




2.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.588	5.67	30	24.33	Pass	401
849	850	0.05	RMS	849	-32.54	-13	19.54	Pass	401
850	860	0.1	RMS	850	-37.6	-13	24.6	Pass	401




2.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.14	-46.9	-13	33.9	Pass	401
823	824	0.1	RMS	824	-22	-13	9	Pass	401
824	834	0.1	RMS	824.575	20.97	30	9.03	Pass	401




2.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-33.93	-13	20.93	Pass	401
823	824	0.1	RMS	823.998	-31.08	-13	18.08	Pass	401
824	834	0.1	RMS	831.975	3.55	30	26.45	Pass	401




2.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.12	-48.31	-13	35.31	Pass	401
823	824	0.1	RMS	823.998	-22.99	-13	9.99	Pass	401
824	834	0.1	RMS	824.6	19.98	30	10.02	Pass	401




2.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.7	-13	23.7	Pass	401
823	824	0.1	RMS	823.998	-34.02	-13	21.02	Pass	401
824	834	0.1	RMS	832.375	2.55	30	27.45	Pass	401




2.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.96	30	9.04	Pass	401
849	850	0.1	RMS	849	-21.54	-13	8.54	Pass	401
850	860	0.1	RMS	850.9	-45.86	-13	32.86	Pass	401



2.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.825	3.61	30	26.39	Pass	401
849	850	0.1	RMS	849	-35.39	-13	22.39	Pass	401
850	860	0.1	RMS	850	-38.66	-13	25.66	Pass	401



2.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	19.86	30	10.14	Pass	401
849	850	0.1	RMS	849	-22.82	-13	9.82	Pass	401
850	860	0.1	RMS	850.85	-48.09	-13	35.09	Pass	401

