



17.146. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.963	0.14	30	29.86	Pass	401
2690	2691	0.1	RMS	2690.025	-23.57	-10	13.57	Pass	401
2691	2695	1	RMS	2691	-17.38	-10	7.38	Pass	5
2695	2696	1	RMS	2695.003	-34.8	-13	21.8	Pass	401
2696	2715	1	RMS	2696.048	-37.41	-25	12.41	Pass	401




17.147. LTE Band Edge_Part22-24-27(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.175	-44.2	-25	19.2	Pass	401
2490	2495	1	RMS	2495	-32.49	-13	19.49	Pass	6
2495	2496	0.1	RMS	2496	-25.46	-13	12.46	Pass	401
2496	2506	0.1	RMS	2496.575	15.62	30	14.38	Pass	401




17.148. LTE Band Edge_Part22-24-27(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.68	-25	2.68	Pass*	16
2490	2495	1	RMS	2495	-21.46	-13	8.46	Pass	6
2495	2496	0.1	RMS	2495.995	-28.82	-13	15.82	Pass	401
2496	2506	0.1	RMS	2504	-1.84	30	31.84	Pass	401




17.149. LTE Band Edge_Part22-24-27(Subtest:11, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-45.9	-25	20.9	Pass	401
2490	2495	1	RMS	2495	-34.5	-13	21.5	Pass	6
2495	2496	0.1	RMS	2496	-27.44	-13	14.44	Pass	401
2496	2506	0.1	RMS	2496.6	14.1	30	15.9	Pass	401




17.150. LTE Band Edge_Part22-24-27(Subtest:12, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.69	-25	5.69	Pass*	16
2490	2495	1	RMS	2495	-24.31	-13	11.31	Pass	6
2495	2496	0.1	RMS	2495.935	-31.95	-13	18.95	Pass	401
2496	2506	0.1	RMS	2503.025	-2.94	30	32.94	Pass	401




17.151. LTE Band Edge_Part22-24-27(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	15.43	30	14.57	Pass	401
2690	2691	0.2	RMS	2690	-19.28	-10	9.28	Pass	401
2691	2695	1	RMS	2691	-30.41	-10	20.41	Pass	5
2695	2700	1	RMS	2697.063	-41.59	-13	28.59	Pass	401
2700	2715	1	RMS	2700	-48.42	-25	23.42	Pass	401




17.152. LTE Band Edge_Part22-24-27(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	-1.79	30	31.79	Pass	401
2690	2691	0.2	RMS	2690.005	-20.92	-10	10.92	Pass	401
2691	2695	1	RMS	2691	-16.37	-10	6.37	Pass	5
2695	2700	1	RMS	2695	-20.11	-13	7.11	Pass	401
2700	2715	1	RMS	2704.013	-39.9	-25	14.9	Pass	401




17.153. LTE Band Edge_Part22-24-27(Subtest:15, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	13.81	30	16.19	Pass	401
2690	2691	0.2	RMS	2690.005	-22.64	-10	12.64	Pass	401
2691	2695	1	RMS	2691	-34.28	-10	24.28	Pass	5
2695	2700	1	RMS	2695.025	-45.43	-13	32.43	Pass	401
2700	2715	1	RMS	2700.075	-50.07	-25	25.07	Pass	401




17.154. LTE Band Edge_Part22-24-27(Subtest:16, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2685.4	-3.56	30	33.56	Pass	401
2690	2691	0.2	RMS	2690.005	-24.53	-10	14.53	Pass	401
2691	2695	1	RMS	2691	-19.69	-10	9.69	Pass	5
2695	2700	1	RMS	2695.013	-23.48	-13	10.48	Pass	401
2700	2715	1	RMS	2700.038	-37.68	-25	12.68	Pass	401




17.155. LTE Band Edge_Part22-24-27(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-42.28	-25	17.28	Pass	401
2490	2495	1	RMS	2495	-32.61	-13	19.61	Pass	6
2495	2496	0.15	RMS	2495.995	-26.1	-13	13.1	Pass	401
2496	2511	0.1	RMS	2496.863	15.62	30	14.38	Pass	401




17.156. LTE Band Edge_Part22-24-27(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.8	-25	1.8	Pass*	401
2490	2495	1	RMS	2495	-23.3	-13	10.3	Pass	6
2495	2496	0.15	RMS	2496	-30.26	-13	17.26	Pass	401
2496	2511	0.1	RMS	2509.763	-3.43	30	33.43	Pass	401




17.157. LTE Band Edge_Part22-24-27(Subtest:19, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-44.28	-25	19.28	Pass	401
2490	2495	1	RMS	2495	-34.94	-13	21.94	Pass	6
2495	2496	0.15	RMS	2495.995	-28.29	-13	15.29	Pass	401
2496	2511	0.1	RMS	2496.825	13.64	30	16.36	Pass	401




17.158. LTE Band Edge_Part22-24-27(Subtest:20, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.18	-25	5.18	Pass*	16
2490	2495	1	RMS	2495	-26.27	-13	13.27	Pass	6
2495	2496	0.15	RMS	2495.998	-32.67	-13	19.67	Pass	401
2496	2511	0.1	RMS	2509.238	-4.65	30	34.65	Pass	401




17.159. LTE Band Edge_Part22-24-27(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	14.78	30	15.22	Pass	401
2690	2691	0.3	RMS	2690.003	-21.46	-10	11.46	Pass	401
2691	2695	1	RMS	2691.01	-27.49	-10	17.49	Pass	401
2695	2705	1	RMS	2695.1	-40.84	-13	27.84	Pass	401
2705	2715	1	RMS	2705.025	-50.2	-25	25.2	Pass	401




17.160. LTE Band Edge_Part22-24-27(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2681.938	-3.79	30	33.79	Pass	401
2690	2691	0.3	RMS	2690.528	-20.89	-10	10.89	Pass	401
2691	2695	1	RMS	2691	-16.77	-10	6.77	Pass	5
2695	2705	1	RMS	2695.05	-19.04	-13	6.04	Pass	401
2705	2715	1	RMS	2706.55	-39.23	-25	14.23	Pass	401




17.161. LTE Band Edge_Part22-24-27(Subtest:23, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	13.77	30	16.23	Pass	401
2690	2691	0.3	RMS	2690.003	-24.8	-10	14.8	Pass	401
2691	2695	1	RMS	2691	-34.84	-10	24.84	Pass	5
2695	2705	1	RMS	2695.65	-44.06	-13	31.06	Pass	401
2705	2715	1	RMS	2705.05	-51.56	-25	26.56	Pass	401




17.162. LTE Band Edge_Part22-24-27(Subtest:24, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.438	-5	30	35	Pass	401
2690	2691	0.3	RMS	2690.005	-24.68	-10	14.68	Pass	401
2691	2695	1	RMS	2691	-20.55	-10	10.55	Pass	5
2695	2705	1	RMS	2695.05	-22.11	-13	9.11	Pass	401
2705	2715	1	RMS	2705.075	-39.19	-25	14.19	Pass	401




17.163. LTE Band Edge_Part22-24-27(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.313	-44.08	-25	19.08	Pass	401
2490	2495	1	RMS	2495	-33.93	-13	20.93	Pass	6
2495	2496	0.2	RMS	2495.998	-28.94	-13	15.94	Pass	401
2496	2516	0.1	RMS	2497.1	14.66	30	15.34	Pass	401




17.164. LTE Band Edge_Part22-24-27(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.08	-25	5.08	Pass*	16
2490	2495	1	RMS	2495	-26.67	-13	13.67	Pass	6
2495	2496	0.2	RMS	2495.995	-31.57	-13	18.57	Pass	401
2496	2516	0.1	RMS	2513.85	-4.73	30	34.73	Pass	401




17.165. LTE Band Edge_Part22-24-27(Subtest:27, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.313	-44.07	-25	19.07	Pass	401
2490	2495	1	RMS	2495	-34.31	-13	21.31	Pass	6
2495	2496	0.2	RMS	2495.993	-28.71	-13	15.71	Pass	401
2496	2516	0.1	RMS	2497.05	14.3	30	15.7	Pass	401




17.166. LTE Band Edge_Part22-24-27(Subtest:28, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.98	-25	7.98	Pass	16
2490	2495	1	RMS	2495	-29.8	-13	16.8	Pass	6
2495	2496	0.2	RMS	2495.828	-35.6	-13	22.6	Pass	401
2496	2516	0.1	RMS	2513.1	-5.02	30	35.02	Pass	401




17.167. LTE Band Edge_Part22-24-27(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	14.36	30	15.64	Pass	401
2690	2691	0.5	RMS	2690	-24.23	-10	14.23	Pass	3
2691	2695	1	RMS	2691.01	-31.37	-10	21.37	Pass	401
2695	2710	1	RMS	2696.425	-43.23	-13	30.23	Pass	401
2710	2715	1	RMS	2710.038	-52.61	-25	27.61	Pass	401




17.168. LTE Band Edge_Part22-24-27(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	-5.15	30	35.15	Pass	401
2690	2691	0.5	RMS	2690.005	-20.23	-10	10.23	Pass	401
2691	2695	1	RMS	2691	-18.95	-10	8.95	Pass	5
2695	2710	1	RMS	2695.038	-20.95	-13	7.95	Pass	401
2710	2715	1	RMS	2714.813	-42.17	-25	17.17	Pass	401




17.169. LTE Band Edge_Part22-24-27(Subtest:31, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	14.4	30	15.6	Pass	401
2690	2691	0.5	RMS	2690.005	-23.08	-10	13.08	Pass	401
2691	2695	1	RMS	2691	-33.55	-10	23.55	Pass	5
2695	2710	1	RMS	2695.075	-43.92	-13	30.92	Pass	401
2710	2715	1	RMS	2710.175	-52.45	-25	27.45	Pass	401



17.170. LTE Band Edge_Part22-24-27(Subtest:32, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.05	-5.89	30	35.89	Pass	401
2690	2691	0.5	RMS	2690	-24.67	-10	14.67	Pass	401
2691	2695	1	RMS	2691	-22.48	-10	12.48	Pass	5
2695	2710	1	RMS	2695	-23.72	-13	10.72	Pass	401
2710	2715	1	RMS	2710.013	-40.57	-25	15.57	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-23.56	-13	10.56	Pass	401
813.9625	814	0.002	RMS	813.995	-30.34	-20	10.34	Pass	401
814	819	0.1	RMS	814.25	20.6	30	9.4	Pass	401




1.2. LTE Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.29	-13	9.29	Pass	401
813.9625	814	0.02	RMS	814	-28.24	-20	8.24	Pass	401
814	819	0.1	RMS	815.1	12.09	30	17.91	Pass	401




1.3. LTE Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.95	-13	6.95	Pass	51
813.9625	814	0.002	RMS	813.995	-30.9	-20	10.9	Pass	401
814	819	0.1	RMS	814.25	19.5	30	10.5	Pass	401




1.4. LTE Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.85	-13	10.85	Pass	401
813.9625	814	0.02	RMS	813.999	-29.67	-20	9.67	Pass	401
814	819	0.1	RMS	815.1	11.27	30	18.73	Pass	401




1.5. LTE Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.58	30	9.42	Pass	401
824	824.0375	0.002	RMS	824.003	-30.58	-20	10.58	Pass	401
824.0875	829	0.1	RMS	824.088	-23.88	-13	10.88	Pass	401




1.6. LTE Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.95	12.06	30	17.94	Pass	401
824	824.0375	0.02	RMS	824	-29.55	-20	9.55	Pass	401
824.0375	829	0.1	RMS	824.038	-24.12	-13	11.12	Pass	401




1.7. LTE Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	19.63	30	10.37	Pass	401
824	824.0375	0.002	RMS	824.008	-32.69	-20	12.69	Pass	401
824.0875	829	0.1	RMS	824.088	-25.69	-13	12.69	Pass	401




1.8. LTE Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	11.18	30	18.82	Pass	401
824	824.0375	0.02	RMS	824.001	-31.45	-20	11.45	Pass	401
824.0375	829	0.1	RMS	824.038	-26.08	-13	13.08	Pass	401




1.9. LTE Band Edge_Part90(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.39	-13	5.39	Pass	51
813.9625	814	0.002	RMS	813.998	-29.99	-20	9.99	Pass	401
814	819	0.1	RMS	814.238	20.64	30	9.36	Pass	401




1.10. LTE Band Edge_Part90(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.77	-13	12.77	Pass	401
813.9625	814	0.03	RMS	814	-29.84	-20	9.84	Pass	401
814	819	0.1	RMS	816.7	8.52	30	21.48	Pass	401




1.11. LTE Band Edge_Part90(Subtest:11, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.14	-13	4.14	Pass	401
813.9625	814	0.002	RMS	814	-30.51	-20	10.51	Pass	401
814	819	0.1	RMS	814.238	19.8	30	10.2	Pass	401




1.12. LTE Band Edge_Part90(Subtest:12, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.95	-13	14.95	Pass	401
813.9625	814	0.03	RMS	813.999	-32.19	-20	12.19	Pass	401
814	819	0.1	RMS	816.413	7.38	30	22.62	Pass	401




1.13. LTE Band Edge_Part90(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.58	30	9.42	Pass	401
824	824.0375	0.002	RMS	824.002	-31	-20	11	Pass	401
824.0875	829	0.1	RMS	824.088	-24.39	-13	11.39	Pass	401




1.14. LTE Band Edge_Part90(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.25	8.66	30	21.34	Pass	401
824	824.0375	0.03	RMS	824	-32.61	-20	12.61	Pass	401
824.0375	829	0.1	RMS	824.038	-28.7	-13	15.7	Pass	401




1.15. LTE Band Edge_Part90(Subtest:15, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	19.58	30	10.42	Pass	401
824	824.0375	0.002	RMS	824.001	-32.16	-20	12.16	Pass	401
824.0375	829	0.1	RMS	824.038	-20.97	-13	7.97	Pass	51




1.16. LTE Band Edge_Part90(Subtest:16, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.45	7.54	30	22.46	Pass	401
824	824.0375	0.03	RMS	824	-33.16	-20	13.16	Pass	401
824.0375	829	0.1	RMS	824.038	-29.58	-13	16.58	Pass	401




1.17. LTE Band Edge_Part90(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.36	-13	4.36	Pass	401
813.9625	814	0.002	RMS	813.998	-31.72	-20	11.72	Pass	401
814	819	0.1	RMS	814.338	20.58	30	9.42	Pass	401




1.18. LTE Band Edge_Part90(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.57	-13	15.57	Pass	401
813.9625	814	0.051	RMS	814	-30.29	-20	10.29	Pass	401
814	819	0.1	RMS	815.65	6.2	30	23.8	Pass	401




1.19. LTE Band Edge_Part90(Subtest:19, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.08	-13	5.08	Pass	401
813.9625	814	0.002	RMS	813.989	-32.21	-20	12.21	Pass	401
814	819	0.1	RMS	814.363	19.66	30	10.34	Pass	401




1.20. LTE Band Edge_Part90(Subtest:20, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.34	-13	17.34	Pass	401
813.9625	814	0.051	RMS	814	-31.72	-20	11.72	Pass	401
814	819	0.1	RMS	815.6	5.09	30	24.91	Pass	401




1.21. LTE Band Edge_Part90(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.62	30	9.38	Pass	401
824	824.0375	0.002	RMS	824.003	-31.76	-20	11.76	Pass	401
824.0375	829	0.1	RMS	824.038	-18.09	-13	5.09	Pass	401




1.22. LTE Band Edge_Part90(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.888	6.22	30	23.78	Pass	401
824	824.0375	0.051	RMS	824.002	-31.49	-20	11.49	Pass	401
824.0375	829	0.1	RMS	824.038	-30.05	-13	17.05	Pass	401




1.23. LTE Band Edge_Part90(Subtest:23, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	19.69	30	10.31	Pass	401
824	824.0375	0.002	RMS	824.011	-30.87	-20	10.87	Pass	401
824.0375	829	0.1	RMS	824.038	-17.87	-13	4.87	Pass	401




1.24. LTE Band Edge_Part90(Subtest:24, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.588	5.27	30	24.73	Pass	401
824	824.0375	0.051	RMS	824	-32.95	-20	12.95	Pass	401
824.0375	829	0.1	RMS	824.038	-31.56	-13	18.56	Pass	401




1.25. LTE Band Edge_Part90(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.59	-13	10.59	Pass	401
813.9625	814	0.02	RMS	813.999	-29.38	-20	9.38	Pass	401
814	819	0.1	RMS	814.575	20.67	30	9.33	Pass	401




1.26. LTE Band Edge_Part90(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.58	-13	20.58	Pass	401
813.9625	814	0.1	RMS	813.987	-32.68	-20	12.68	Pass	401
814	819	0.1	RMS	815.925	3.32	30	26.68	Pass	401




1.27. LTE Band Edge_Part90(Subtest:27, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.74	-13	11.74	Pass	401
813.9625	814	0.02	RMS	813.999	-30.36	-20	10.36	Pass	401
814	819	0.1	RMS	814.613	19.8	30	10.2	Pass	401




1.28. LTE Band Edge_Part90(Subtest:28, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.38	-13	23.38	Pass	401
813.9625	814	0.1	RMS	813.999	-35.69	-20	15.69	Pass	401
814	819	0.1	RMS	817.975	2.15	30	27.85	Pass	401




1.29. LTE Band Edge_Part90(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.56	30	9.44	Pass	401
824	824.0375	0.02	RMS	824	-29	-20	9	Pass	401
824.0375	829	0.1	RMS	824.038	-23.6	-13	10.6	Pass	401




1.30. LTE Band Edge_Part90(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.088	2.94	30	27.06	Pass	401
824	824.0375	0.1	RMS	824.001	-33.87	-20	13.87	Pass	401
824.0375	829	0.1	RMS	824.038	-34.46	-13	21.46	Pass	401




1.31. LTE Band Edge_Part90(Subtest:31, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	19.72	30	10.28	Pass	401
824	824.0375	0.02	RMS	824	-29.19	-20	9.19	Pass	401
824.0375	829	0.1	RMS	824.038	-23.91	-13	10.91	Pass	401



1.32. LTE Band Edge_Part90(Subtest:32, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.013	2.16	30	27.84	Pass	401
824	824.0375	0.1	RMS	824	-36.21	-20	16.21	Pass	401
824.0375	829	0.1	RMS	824.038	-36.86	-13	23.86	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.123	-51.15	-13	38.15	Pass	401
823	824	0.02	RMS	824	-32.96	-13	19.96	Pass	401
824	829	0.1	RMS	824.325	10.91	30	19.09	Pass	401



1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.91	-27.6	-13	14.6	Pass	401
823	824	0.05	RMS	823.858	-28.17	-13	15.17	Pass	401
824	829	0.1	RMS	826.488	-2.25	30	32.25	Pass	401



1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	10.7	30	19.3	Pass	401
849	850	0.02	RMS	849.003	-33.59	-13	20.59	Pass	401
850	859	0.1	RMS	850.833	-53.24	-13	40.24	Pass	401

