



1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.15	-2.27	30	32.27	Pass	401
849	850	0.05	RMS	849.333	-30.05	-13	17.05	Pass	401
850	859	0.1	RMS	850	-30.05	-13	17.05	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	817.443	-54.86	-13	41.86	Pass	401
823	824	0.02	RMS	823.998	-42.29	-13	29.29	Pass	401
824	839	0.1	RMS	824.488	10.97	30	19.04	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.573	-31.98	-13	18.98	Pass	401
823	824	0.15	RMS	823.69	-29.85	-13	16.85	Pass	401
824	839	0.1	RMS	826.363	-7.19	30	37.19	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	10.9	30	19.1	Pass	401
849	850	0.02	RMS	849	-42.34	-13	29.34	Pass	401
850	869	0.1	RMS	850.523	-59.34	-13	46.34	Pass	401




1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	839.963	-7.38	30	37.38	Pass	401
849	850	0.15	RMS	849	-32.82	-13	19.82	Pass	401
850	869	0.1	RMS	850	-35.37	-13	22.37	Pass	401




1.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-53.41	-13	40.41	Pass	401
823	824	0.02	RMS	824	-43.25	-13	30.25	Pass	401
824	844	0.1	RMS	824.55	10.97	30	19.03	Pass	401




1.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-33.6	-13	20.6	Pass	401
823	824	0.2	RMS	823.893	-29.88	-13	16.88	Pass	401
824	844	0.1	RMS	826.15	-8.42	30	38.42	Pass	401




1.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	10.82	30	19.18	Pass	401
849	850	0.02	RMS	849	-43.11	-13	30.11	Pass	401
850	874	0.1	RMS	850.48	-59.29	-13	46.29	Pass	401



1.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	841.1	-8.65	30	38.65	Pass	401
849	850	0.2	RMS	849.01	-31.95	-13	18.95	Pass	401
850	874	0.1	RMS	850.12	-36.17	-13	23.17	Pass	401



2. n12 15kHz


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-33.39	-13	20.39	Pass	401
698.9	699	0.03	RMS	699	-30.56	-13	17.56	Pass	401
699	704	0.1	RMS	699.325	10.9	30	19.1	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.875	-27.57	-13	14.57	Pass	401
698.9	699	0.03	RMS	698.998	-32.29	-13	19.29	Pass	401
699	704	0.1	RMS	701.575	-2.42	30	32.42	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	10.85	30	19.15	Pass	401
716	716.1	0.03	RMS	716.002	-32.38	-13	19.38	Pass	401
716.1	726	0.1	RMS	716.1	-34.88	-13	21.88	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.15	-2.23	30	32.23	Pass	401
716	716.1	0.03	RMS	716.058	-33.07	-13	20.07	Pass	401
716.1	726	0.1	RMS	716.323	-27.74	-13	14.74	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-40.01	-13	27.01	Pass	401
698.9	699	0.03	RMS	699	-36.73	-13	23.73	Pass	401
699	709	0.1	RMS	699.4	10.89	30	19.11	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.639	-31.4	-13	18.4	Pass	401
698.9	699	0.03	RMS	698.955	-36.77	-13	23.77	Pass	401
699	709	0.1	RMS	702.525	-5.6	30	35.6	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	10.86	30	19.14	Pass	401
716	716.1	0.03	RMS	716.001	-38.93	-13	25.93	Pass	401
716.1	731	0.1	RMS	716.1	-40.17	-13	27.17	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.65	-5.42	30	35.42	Pass	401
716	716.1	0.03	RMS	716	-36.66	-13	23.66	Pass	401
716.1	731	0.1	RMS	716.137	-32.13	-13	19.13	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-42.4	-13	29.4	Pass	401
698.9	699	0.03	RMS	698.999	-39.93	-13	26.93	Pass	401
699	714	0.1	RMS	699.45	10.83	30	19.17	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.701	-32.79	-13	19.79	Pass	401
698.9	699	0.03	RMS	698.996	-37.94	-13	24.94	Pass	401
699	714	0.1	RMS	702.975	-7.36	30	37.36	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	10.92	30	19.08	Pass	401
716	716.1	0.03	RMS	716	-41.25	-13	28.25	Pass	401
716.1	736	0.1	RMS	716.1	-42.83	-13	29.83	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	703.325	-7.22	30	37.22	Pass	401
716	716.1	0.03	RMS	716.007	-38.57	-13	25.57	Pass	401
716.1	736	0.1	RMS	716.2	-33.96	-13	20.96	Pass	401



3. n26 15kHz_Part22


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.123	-50.83	-13	37.83	Pass	401
823	824	0.05	RMS	824	-33.31	-13	20.31	Pass	20
824	829	0.1	RMS	824.325	10.74	30	19.26	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.91	-28.36	-13	15.36	Pass	401
823	824	0.05	RMS	823.868	-28.82	-13	15.82	Pass	401
824	829	0.1	RMS	826.513	-2.4	30	32.4	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	10.53	30	19.47	Pass	401
849	850	0.05	RMS	849	-29.3	-13	16.3	Pass	401
850	859	0.1	RMS	851.103	-51.02	-13	38.02	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.138	-2.39	30	32.39	Pass	401
849	850	0.05	RMS	849.34	-30.49	-13	17.49	Pass	401
850	859	0.1	RMS	850	-30.41	-13	17.41	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	817.443	-53.13	-13	40.13	Pass	401
823	824	0.15	RMS	824	-32.52	-13	19.52	Pass	8
824	839	0.1	RMS	824.45	10.77	30	19.23	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.573	-32.8	-13	19.8	Pass	401
823	824	0.15	RMS	823.708	-30.56	-13	17.56	Pass	401
824	839	0.1	RMS	826.363	-7.43	30	37.43	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	10.67	30	19.33	Pass	401
849	850	0.15	RMS	849	-30.82	-13	17.82	Pass	401
850	869	0.1	RMS	850.95	-50.88	-13	37.88	Pass	401




3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	839.963	-7.54	30	37.54	Pass	401
849	850	0.15	RMS	849.24	-33.55	-13	20.55	Pass	401
850	869	0.1	RMS	850	-35.98	-13	22.98	Pass	401




3.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-50.71	-13	37.71	Pass	401
823	824	0.2	RMS	824	-29.5	-13	16.5	Pass	401
824	844	0.1	RMS	824.55	10.78	30	19.22	Pass	401




3.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-34.5	-13	21.5	Pass	401
823	824	0.2	RMS	823.903	-30.72	-13	17.72	Pass	401
824	844	0.1	RMS	826.15	-8.69	30	38.69	Pass	401




3.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	10.62	30	19.38	Pass	401
849	850	0.2	RMS	849	-30	-13	17	Pass	401
850	874	0.1	RMS	850.9	-51.06	-13	38.06	Pass	401



3.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	841.15	-8.8	30	38.8	Pass	401
849	850	0.2	RMS	849	-32.48	-13	19.48	Pass	401
850	874	0.1	RMS	850	-36.75	-13	23.75	Pass	401



4. n71 15kHz


4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-33.15	-13	20.15	Pass	401
662.9	663	0.03	RMS	663	-30.81	-13	17.81	Pass	401
663	668	0.1	RMS	663.338	11.05	30	18.95	Pass	401




4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.826	-29.01	-13	16.01	Pass	401
662.9	663	0.03	RMS	663	-33.38	-13	20.38	Pass	401
663	668	0.1	RMS	665.513	-2.16	30	32.16	Pass	401




4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	11.23	30	18.77	Pass	401
698	698.1	0.03	RMS	698.002	-32.46	-13	19.46	Pass	401
698.1	708	0.1	RMS	698.1	-35.12	-13	22.12	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.413	-2.18	30	32.18	Pass	401
698	698.1	0.03	RMS	698.055	-36.59	-13	23.59	Pass	401
698.1	708	0.1	RMS	698.298	-32.14	-13	19.14	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-41.63	-13	28.63	Pass	401
662.9	663	0.03	RMS	663	-40.63	-13	27.63	Pass	401
663	678	0.1	RMS	663.488	11.06	30	18.94	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.701	-36.45	-13	23.45	Pass	401
662.9	663	0.03	RMS	662.978	-41.43	-13	28.43	Pass	401
663	678	0.1	RMS	677.1	-6.83	30	36.83	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	11.25	30	18.75	Pass	401
698	698.1	0.03	RMS	698.001	-41.51	-13	28.51	Pass	401
698.1	718	0.1	RMS	698.1	-42.01	-13	29.01	Pass	401




4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	685.4	-7.19	30	37.19	Pass	401
698	698.1	0.03	RMS	698.003	-42.39	-13	29.39	Pass	401
698.1	718	0.1	RMS	698.399	-37.37	-13	24.37	Pass	401




4.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-42.43	-13	29.43	Pass	401
662.9	663	0.03	RMS	663	-40.78	-13	27.78	Pass	401
663	683	0.1	RMS	663.55	11.11	30	18.89	Pass	401




4.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-37.52	-13	24.52	Pass	401
662.9	663	0.03	RMS	662.901	-41.85	-13	28.85	Pass	401
663	683	0.1	RMS	681.65	-8.06	30	38.06	Pass	401




4.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	11.27	30	18.73	Pass	401
698	698.1	0.03	RMS	698	-41.35	-13	28.35	Pass	401
698.1	723	0.1	RMS	698.1	-42.8	-13	29.8	Pass	401



4.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	688.55	-8.42	30	38.42	Pass	401
698	698.1	0.03	RMS	698.002	-42.15	-13	29.15	Pass	401
698.1	723	0.1	RMS	698.598	-38.08	-13	25.08	Pass	401



8. n25 15kHz


8.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.65	-13	15.65	Pass	401
1849	1850	0.051	RMS	1849.998	-17.4	-13	4.4	Pass*	401
1850	1855	1	RMS	1850.313	20.79	30	9.21	Pass	401




8.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-25.42	-13	12.42	Pass	401
1849	1850	0.051	RMS	1849.995	-28.03	-13	15.03	Pass	401
1850	1855	1	RMS	1853.725	14.57	30	15.43	Pass	401




8.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.675	20.68	30	9.32	Pass	401
1915	1916	0.051	RMS	1915	-19.97	-13	6.97	Pass	401
1916.5	1925	1	RMS	1916.5	-31.16	-13	18.16	Pass	401




8.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.363	14.79	30	15.21	Pass	401
1915	1916	0.051	RMS	1915	-28.08	-13	15.08	Pass	401
1916.5	1925	1	RMS	1916.521	-25.33	-13	12.33	Pass	401




8.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-35.51	-13	22.51	Pass	401
1849	1850	0.15	RMS	1850	-17.79	-13	4.79	Pass*	401
1850	1865	1	RMS	1850.45	20.91	30	9.09	Pass	401




8.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-23.33	-13	10.33	Pass	401
1849	1850	0.15	RMS	1850	-29.9	-13	16.9	Pass	401
1850	1865	1	RMS	1853.225	9.86	30	20.14	Pass	401




8.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1914.475	20.91	30	9.09	Pass	401
1915	1916	0.15	RMS	1915.003	-19.5	-13	6.5	Pass	401
1916.5	1935	1	RMS	1916.5	-38.3	-13	25.3	Pass	401




8.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1911.925	10.35	30	19.65	Pass	401
1915	1916	0.15	RMS	1915	-29.2	-13	16.2	Pass	401
1916	1935	1	RMS	1916	-24.34	-13	11.34	Pass	401




8.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-37.53	-13	24.53	Pass	401
1849	1850	0.2	RMS	1849.998	-18.93	-13	5.93	Pass*	401
1850	1870	1	RMS	1850.5	20.9	30	9.1	Pass	401




8.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-27	-13	14	Pass	401
1849	1850	0.2	RMS	1849.995	-30	-13	17	Pass	401
1850	1870	1	RMS	1853.75	8.77	30	21.23	Pass	401




8.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.35	20.83	30	9.17	Pass	401
1915	1916	0.2	RMS	1915	-20.29	-13	7.29	Pass	401
1916.5	1940	1	RMS	1916.5	-40.08	-13	27.08	Pass	401



8.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1911.85	9.24	30	20.76	Pass	401
1915	1916	0.2	RMS	1915.008	-30.39	-13	17.39	Pass	401
1916.5	1940	1	RMS	1916.5	-26.58	-13	13.58	Pass	401



6. n2 15kHz


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.43	-13	15.43	Pass	401
1849	1850	0.051	RMS	1850	-20.38	-13	7.38	Pass	401
1850	1855	1	RMS	1850.313	20.99	30	9.01	Pass	401



6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.479	-20.63	-13	7.63	Pass	401
1849	1850	0.051	RMS	1849.995	-29.81	-13	16.81	Pass	401
1850	1855	1	RMS	1852.525	14.82	30	15.18	Pass	401



6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.688	20.99	30	9.01	Pass	401
1910	1911	0.02	RMS	1910	-26.73	-13	13.73	Pass	401
1911.5	1920	1	RMS	1911.5	-31.24	-13	18.24	Pass	401

