



11.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2312.188	4.28	30	25.72	Pass	401
2315	2316	0.1	RMS	2315.008	-28.65	-13	15.65	Pass	401
2316	2320	1	RMS	2316	-24.67	-13	11.67	Pass	5
2320	2324	1	RMS	2320	-33.99	-25	8.99	Pass	401
2324	2328	1	RMS	2324	-48.59	-31	17.59	Pass	401
2328	2340	1	RMS	2328.03	-53.02	-40	13.02	Pass	401




11.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.94	-52.86	-40	12.86	Pass	401
2292	2296	1	RMS	2296	-49.66	-31	18.66	Pass	401
2296	2300	1	RMS	2296.85	-46.93	-25	21.93	Pass	401
2300	2304	1	RMS	2303	-38.36	-13	25.36	Pass	5
2304	2305	0.2	RMS	2305	-19.07	-13	6.07	Pass	401
2305	2315	0.1	RMS	2305.575	19.89	30	10.11	Pass	401




11.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-46.8	-40	6.8	Pass	401
2292	2296	1	RMS	2296	-35.65	-31	4.65	Pass*	401
2296	2300	1	RMS	2297	-30.48	-25	5.48	Pass*	5
2300	2304	1	RMS	2304	-27.07	-13	14.07	Pass	5
2304	2305	0.2	RMS	2305	-30.2	-13	17.2	Pass	401
2305	2315	0.1	RMS	2309.25	2.35	30	27.65	Pass	401




11.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-52.88	-40	12.88	Pass	401
2292	2296	1	RMS	2296	-50.01	-31	19.01	Pass	401
2296	2300	1	RMS	2296.8	-47.51	-25	22.51	Pass	401
2300	2304	1	RMS	2303	-39.49	-13	26.49	Pass	5
2304	2305	0.2	RMS	2305	-20.04	-13	7.04	Pass	401
2305	2315	0.1	RMS	2305.575	18.86	30	11.14	Pass	401




11.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.91	-47.63	-40	7.63	Pass	401
2292	2296	1	RMS	2295.98	-37.57	-31	6.57	Pass	401
2296	2300	1	RMS	2299.87	-31.61	-25	6.61	Pass	401
2300	2304	1	RMS	2304	-28.66	-13	15.66	Pass	5
2304	2305	0.2	RMS	2305	-32.09	-13	19.09	Pass	401
2305	2315	0.1	RMS	2309	1.16	30	28.84	Pass	401




11.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.4	19.75	30	10.25	Pass	401
2315	2316	0.2	RMS	2315	-18.26	-13	5.26	Pass*	401
2316	2320	1	RMS	2317	-36.88	-13	23.88	Pass	5
2320	2324	1	RMS	2323.26	-45.55	-25	20.55	Pass	401
2324	2328	1	RMS	2324	-49.08	-31	18.08	Pass	401
2328	2340	1	RMS	2328.03	-53.05	-40	13.05	Pass	401




11.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2306.925	2.33	30	27.67	Pass	401
2315	2316	0.2	RMS	2315	-30.33	-13	17.33	Pass	401
2316	2320	1	RMS	2316	-26.35	-13	13.35	Pass	5
2320	2324	1	RMS	2320	-29.29	-25	4.29	Pass*	5
2324	2328	1	RMS	2324	-34.84	-31	3.84	Pass*	401
2328	2340	1	RMS	2328	-45.93	-40	5.93	Pass*	401




11.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.4	18.76	30	11.24	Pass	401
2315	2316	0.2	RMS	2315	-18.71	-13	5.71	Pass*	401
2316	2320	1	RMS	2317	-38.04	-13	25.04	Pass	5
2320	2324	1	RMS	2323.17	-46.95	-25	21.95	Pass	401
2324	2328	1	RMS	2324.01	-49.85	-31	18.85	Pass	401
2328	2340	1	RMS	2328.03	-53.07	-40	13.07	Pass	401



11.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2308.975	1.22	30	28.78	Pass	401
2315	2316	0.2	RMS	2315.008	-32.04	-13	19.04	Pass	401
2316	2320	1	RMS	2316	-28.23	-13	15.23	Pass	5
2320	2324	1	RMS	2320	-31.01	-25	6.01	Pass	5
2324	2328	1	RMS	2324.02	-36.57	-31	5.57	Pass*	401
2328	2340	1	RMS	2328	-47.08	-40	7.08	Pass	401



12. LTE_Band38


12.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-40.58	-25	15.58	Pass	401
2564	2565	1	RMS	2564.995	-38.44	-13	25.44	Pass	401
2565	2569	1	RMS	2569	-27.37	-10	17.37	Pass	5
2569	2570	0.051	RMS	2569.993	-17.21	-10	7.21	Pass	401
2570	2575	0.1	RMS	2570.338	20.64	30	9.36	Pass	401




12.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.18	-25	12.18	Pass	20
2564	2565	1	RMS	2565	-35.52	-13	22.52	Pass	2
2565	2569	1	RMS	2569	-14.26	-10	4.26	Pass*	5
2569	2570	0.1	RMS	2569.995	-20.58	-10	10.58	Pass	401
2570	2575	0.1	RMS	2571.663	6.56	30	23.44	Pass	401




12.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-40.31	-25	15.31	Pass	401
2564	2565	1	RMS	2564.985	-38.09	-13	25.09	Pass	401
2565	2569	1	RMS	2569	-27.17	-10	17.17	Pass	5
2569	2570	0.051	RMS	2570	-17.18	-10	7.18	Pass	401
2570	2575	0.1	RMS	2570.35	20.11	30	9.89	Pass	401




12.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-34.03	-25	9.03	Pass	401
2564	2565	1	RMS	2565	-32.92	-13	19.92	Pass	2
2565	2569	1	RMS	2569	-11.84	-10	1.84	Pass*	5
2569	2570	0.1	RMS	2570	-18.29	-10	8.29	Pass	401
2570	2575	0.1	RMS	2573.663	7.26	30	22.74	Pass	401




12.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.71	30	9.29	Pass	401
2620	2621	0.051	RMS	2620.003	-17.57	-10	7.57	Pass	401
2621	2625	1	RMS	2621	-26.85	-10	16.85	Pass	5
2625	2626	1	RMS	2625.003	-38.73	-13	25.73	Pass	401
2626	2645	1	RMS	2626	-40.94	-25	15.94	Pass	401




12.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.525	6.91	30	23.09	Pass	401
2620	2621	0.1	RMS	2620.003	-25.31	-10	15.31	Pass	401
2621	2625	1	RMS	2621	-22.11	-10	12.11	Pass	5
2625	2626	1	RMS	2625.053	-34.48	-13	21.48	Pass	401
2626	2645	1	RMS	2626	-37.28	-25	12.28	Pass	20




12.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.638	20.13	30	9.87	Pass	401
2620	2621	0.051	RMS	2620	-16.79	-10	6.79	Pass	401
2621	2625	1	RMS	2621	-26.55	-10	16.55	Pass	5
2625	2626	1	RMS	2625.013	-38.43	-13	25.43	Pass	401
2626	2645	1	RMS	2626	-40.7	-25	15.7	Pass	401




12.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.963	7.2	30	22.8	Pass	401
2620	2621	0.1	RMS	2620	-24.76	-10	14.76	Pass	401
2621	2625	1	RMS	2621	-19.26	-10	9.26	Pass	5
2625	2626	1	RMS	2625	-33.68	-13	20.68	Pass	401
2626	2645	1	RMS	2626	-36.51	-25	11.51	Pass	20




12.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-43.32	-25	18.32	Pass	401
2560	2565	1	RMS	2564.913	-39.08	-13	26.08	Pass	401
2565	2569	1	RMS	2569	-28.6	-10	18.6	Pass	5
2569	2570	0.2	RMS	2569.998	-17.6	-10	7.6	Pass	401
2570	2580	0.1	RMS	2570.6	19.91	30	10.09	Pass	401




12.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-37.25	-25	12.25	Pass	401
2560	2565	1	RMS	2564.988	-19.88	-13	6.88	Pass	401
2565	2569	1	RMS	2569	-16.94	-10	6.94	Pass	5
2569	2570	0.2	RMS	2570	-21.01	-10	11.01	Pass	401
2570	2580	0.1	RMS	2577.975	3.94	30	26.06	Pass	401




12.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.85	-42.91	-25	17.91	Pass	401
2560	2565	1	RMS	2564.988	-38.19	-13	25.19	Pass	401
2565	2569	1	RMS	2569	-28.62	-10	18.62	Pass	5
2569	2570	0.2	RMS	2569.998	-17.12	-10	7.12	Pass	401
2570	2580	0.1	RMS	2570.575	20.24	30	9.76	Pass	401




12.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-35.62	-25	10.62	Pass	401
2560	2565	1	RMS	2564.988	-18.35	-13	5.35	Pass*	401
2565	2569	1	RMS	2569	-14.68	-10	4.68	Pass*	5
2569	2570	0.2	RMS	2569.998	-19.49	-10	9.49	Pass	401
2570	2580	0.1	RMS	2575.025	3.96	30	26.04	Pass	401




12.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.62	30	9.38	Pass	401
2620	2621	0.1	RMS	2620.005	-20.99	-10	10.99	Pass	401
2621	2625	1	RMS	2621	-29.47	-10	19.47	Pass	5
2625	2630	1	RMS	2625	-39.4	-13	26.4	Pass	401
2630	2645	1	RMS	2630.075	-43.9	-25	18.9	Pass	401




12.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.55	4.34	30	25.66	Pass	401
2620	2621	0.2	RMS	2620.003	-26.96	-10	16.96	Pass	401
2621	2625	1	RMS	2621	-23.92	-10	13.92	Pass	5
2625	2630	1	RMS	2625.038	-27.34	-13	14.34	Pass	401
2630	2645	1	RMS	2630.113	-36.79	-25	11.79	Pass	401




12.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.47	30	9.53	Pass	401
2620	2621	0.2	RMS	2620.008	-17.29	-10	7.29	Pass	401
2621	2625	1	RMS	2621	-30.21	-10	20.21	Pass	5
2625	2630	1	RMS	2625.025	-39.94	-13	26.94	Pass	401
2630	2645	1	RMS	2630	-44.49	-25	19.49	Pass	401




12.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.775	3.64	30	26.36	Pass	401
2620	2621	0.2	RMS	2620	-26.46	-10	16.46	Pass	401
2621	2625	1	RMS	2621	-21.57	-10	11.57	Pass	5
2625	2630	1	RMS	2625.013	-24.8	-13	11.8	Pass	401
2630	2645	1	RMS	2630.075	-36.46	-25	11.46	Pass	401




12.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.85	-45	-25	20	Pass	401
2555	2565	1	RMS	2564.1	-35.92	-13	22.92	Pass	401
2565	2569	1	RMS	2569	-29.21	-10	19.21	Pass	5
2569	2570	0.3	RMS	2570	-18.33	-10	8.33	Pass	401
2570	2585	0.1	RMS	2570.825	20.56	30	9.44	Pass	401




12.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-38.38	-25	13.38	Pass	401
2555	2565	1	RMS	2564.95	-19.86	-13	6.86	Pass	401
2565	2569	1	RMS	2569	-17.42	-10	7.42	Pass	5
2569	2570	0.3	RMS	2570	-20.73	-10	10.73	Pass	401
2570	2585	0.1	RMS	2576.375	1.72	30	28.28	Pass	401




12.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.875	-45.06	-25	20.06	Pass	401
2555	2565	1	RMS	2564.175	-35.51	-13	22.51	Pass	401
2565	2569	1	RMS	2569	-29.22	-10	19.22	Pass	5
2569	2570	0.3	RMS	2570	-18.13	-10	8.13	Pass	401
2570	2585	0.1	RMS	2570.825	19.83	30	10.17	Pass	401




12.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.9	-36.04	-25	11.04	Pass	401
2555	2565	1	RMS	2565	-17.45	-13	4.45	Pass*	401
2565	2569	1	RMS	2569	-15.4	-10	5.4	Pass*	5
2569	2570	0.3	RMS	2569.995	-19.21	-10	9.21	Pass	401
2570	2585	0.1	RMS	2583.275	1.86	30	28.14	Pass	401




12.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.5	30	9.5	Pass	401
2620	2621	0.3	RMS	2620	-19.72	-10	9.72	Pass	401
2621	2625	1	RMS	2621	-30.2	-10	20.2	Pass	5
2625	2635	1	RMS	2625.7	-36.51	-13	23.51	Pass	401
2635	2645	1	RMS	2635.175	-45.16	-25	20.16	Pass	401




12.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.725	1.96	30	28.04	Pass	401
2620	2621	0.3	RMS	2620	-26.62	-10	16.62	Pass	401
2621	2625	1	RMS	2621	-22.79	-10	12.79	Pass	5
2625	2635	1	RMS	2625.175	-24.37	-13	11.37	Pass	401
2635	2645	1	RMS	2635.225	-36.93	-25	11.93	Pass	401




12.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.33	30	9.67	Pass	401
2620	2621	0.3	RMS	2620.005	-19.44	-10	9.44	Pass	401
2621	2625	1	RMS	2621	-30.41	-10	20.41	Pass	5
2625	2635	1	RMS	2625.825	-36.62	-13	23.62	Pass	401
2635	2645	1	RMS	2635.175	-45.45	-25	20.45	Pass	401




12.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.9	2.49	30	27.51	Pass	401
2620	2621	0.3	RMS	2620.005	-25.04	-10	15.04	Pass	401
2621	2625	1	RMS	2621	-21.1	-10	11.1	Pass	5
2625	2635	1	RMS	2625.075	-22.57	-13	9.57	Pass	401
2635	2645	1	RMS	2635.1	-36.24	-25	11.24	Pass	401




12.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-46.51	-25	21.51	Pass	401
2550	2565	1	RMS	2562.15	-37.03	-13	24.03	Pass	401
2565	2569	1	RMS	2569	-29.4	-10	19.4	Pass	5
2569	2570	0.51	RMS	2569.998	-18.02	-10	8.02	Pass	401
2570	2590	0.1	RMS	2571.05	20.15	30	9.85	Pass	401




12.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-39.85	-25	14.85	Pass	401
2550	2565	1	RMS	2564.963	-21.66	-13	8.66	Pass	401
2565	2569	1	RMS	2569	-20.24	-10	10.24	Pass	5
2569	2570	0.51	RMS	2569.99	-21.39	-10	11.39	Pass	401
2570	2590	0.1	RMS	2588.7	0.62	30	29.38	Pass	401




12.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-46.01	-25	21.01	Pass	401
2550	2565	1	RMS	2562.038	-36.17	-13	23.17	Pass	401
2565	2569	1	RMS	2569	-28.29	-10	18.29	Pass	5
2569	2570	0.51	RMS	2570	-17.45	-10	7.45	Pass	401
2570	2590	0.1	RMS	2571.05	20.19	30	9.81	Pass	401




12.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.85	-38.18	-25	13.18	Pass	401
2550	2565	1	RMS	2565	-19.15	-13	6.15	Pass	401
2565	2569	1	RMS	2569	-17.87	-10	7.87	Pass	5
2569	2570	0.51	RMS	2569.95	-18.84	-10	8.84	Pass	401
2570	2590	0.1	RMS	2587.1	1.39	30	28.61	Pass	401




12.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.73	30	10.27	Pass	401
2620	2621	0.51	RMS	2620.003	-19.43	-10	9.43	Pass	401
2621	2625	1	RMS	2621	-31.61	-10	21.61	Pass	5
2625	2640	1	RMS	2627.775	-37.52	-13	24.52	Pass	401
2640	2645	1	RMS	2640.163	-47.03	-25	22.03	Pass	401




12.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2616.45	0.8	30	29.2	Pass	401
2620	2621	0.51	RMS	2620	-25.54	-10	15.54	Pass	401
2621	2625	1	RMS	2621	-24.26	-10	14.26	Pass	5
2625	2640	1	RMS	2625.038	-25.68	-13	12.68	Pass	401
2640	2645	1	RMS	2640	-39.4	-25	14.4	Pass	401




12.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	19.76	30	10.24	Pass	401
2620	2621	0.51	RMS	2620	-18.33	-10	8.33	Pass	401
2621	2625	1	RMS	2621	-29.88	-10	19.88	Pass	5
2625	2640	1	RMS	2627.813	-37.35	-13	24.35	Pass	401
2640	2645	1	RMS	2640.05	-46.65	-25	21.65	Pass	401



12.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2617.6	1.35	30	28.65	Pass	401
2620	2621	0.51	RMS	2620.003	-24.24	-10	14.24	Pass	401
2621	2625	1	RMS	2621	-22.25	-10	12.25	Pass	5
2625	2640	1	RMS	2625	-23.54	-13	10.54	Pass	401
2640	2645	1	RMS	2640.05	-38.08	-25	13.08	Pass	401



13. LTE_Band2


13.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.85	-13	20.85	Pass	401
1848	1849	1	RMS	1849	-33.45	-13	20.45	Pass	2
1849	1850	0.02	RMS	1850	-20.51	-13	7.51	Pass	401
1850	1852	0.1	RMS	1850.245	21.56	30	8.44	Pass	401




13.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.89	-13	19.89	Pass	401
1848	1849	1	RMS	1849	-22.3	-13	9.3	Pass	2
1849	1850	0.02	RMS	1850	-27.09	-13	14.09	Pass	401
1850	1852	0.1	RMS	1850.27	13.03	30	16.97	Pass	401




13.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.96	-13	21.96	Pass	401
1848	1849	1	RMS	1849	-34.26	-13	21.26	Pass	2
1849	1850	0.02	RMS	1850	-21.69	-13	8.69	Pass	401
1850	1852	0.1	RMS	1850.27	20.45	30	9.55	Pass	401




13.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.82	-13	21.82	Pass	401
1848	1849	1	RMS	1849	-25.45	-13	12.45	Pass	2
1849	1850	0.02	RMS	1849.995	-28.83	-13	15.83	Pass	401
1850	1852	0.1	RMS	1851.115	12.09	30	17.91	Pass	401




13.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.74	21.48	30	8.52	Pass	401
1910	1911	0.02	RMS	1910.003	-17.91	-13	4.91	Pass*	401
1911	1912	1	RMS	1911	-33.11	-13	20.11	Pass	2
1912	1920	1	RMS	1912	-33.55	-13	20.55	Pass	401




13.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.96	12.94	30	17.06	Pass	401
1910	1911	0.02	RMS	1910	-24.51	-13	11.51	Pass	401
1911	1912	1	RMS	1911	-20.64	-13	7.64	Pass	2
1912	1920	1	RMS	1912	-32.43	-13	19.43	Pass	401




13.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.765	20.45	30	9.55	Pass	401
1910	1911	0.02	RMS	1910	-19.47	-13	6.47	Pass	401
1911	1912	1	RMS	1911	-34.4	-13	21.4	Pass	2
1912	1920	1	RMS	1912	-34.98	-13	21.98	Pass	401




13.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.96	12.03	30	17.97	Pass	401
1910	1911	0.02	RMS	1910	-26.5	-13	13.5	Pass	401
1911	1912	1	RMS	1911	-23.54	-13	10.54	Pass	2
1912	1920	1	RMS	1912	-34.16	-13	21.16	Pass	401




13.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-37.67	-13	24.67	Pass	401
1848	1849	1	RMS	1849	-36.23	-13	23.23	Pass	2
1849	1850	0.002	RMS	1849.998	-28.59	-13	15.59	Pass	501
1850	1853	0.1	RMS	1850.24	21.6	30	8.4	Pass	401




13.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.09	-13	10.09	Pass	401
1848	1849	1	RMS	1849	-19.62	-13	6.62	Pass	2
1849	1850	0.03	RMS	1850	-28.47	-13	15.47	Pass	401
1850	1853	0.1	RMS	1852.723	9.34	30	20.66	Pass	401




13.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-38.42	-13	25.42	Pass	401
1848	1849	1	RMS	1849	-36.94	-13	23.94	Pass	2
1849	1850	0.002	RMS	1850	-30.47	-13	17.47	Pass	501
1850	1853	0.1	RMS	1850.263	20.78	30	9.22	Pass	401



13.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.24	-13	13.24	Pass	401
1848	1849	1	RMS	1849	-22.19	-13	9.19	Pass	2
1849	1850	0.03	RMS	1850	-31.19	-13	18.19	Pass	401
1850	1853	0.1	RMS	1852.43	8.24	30	21.76	Pass	401




13.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	21.55	30	8.45	Pass	401
1910	1911	0.002	RMS	1910.01	-27.03	-13	14.03	Pass	501
1911	1912	1	RMS	1911	-36.26	-13	23.26	Pass	2
1912	1920	1	RMS	1912.14	-37.29	-13	24.29	Pass	401



13.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.27	9.36	30	20.64	Pass	401
1910	1911	0.03	RMS	1910.003	-27.29	-13	14.29	Pass	401
1911.5	1912	1	RMS	1911.5	-19.41	-13	6.41	Pass	2
1912	1920	1	RMS	1912.04	-21.99	-13	8.99	Pass	401



13.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.775	20.44	30	9.56	Pass	401
1910	1911	0.002	RMS	1910.002	-29.19	-13	16.19	Pass	501
1911	1912	1	RMS	1911	-37.2	-13	24.2	Pass	2
1912	1920	1	RMS	1912.12	-38.93	-13	25.93	Pass	401




13.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.473	8.31	30	21.69	Pass	401
1910	1911	0.03	RMS	1910	-28.41	-13	15.41	Pass	401
1911	1912	1	RMS	1911	-19.75	-13	6.75	Pass	2
1912	1920	1	RMS	1912.02	-24.47	-13	11.47	Pass	401




13.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.67	-13	21.67	Pass	401
1848	1849	1	RMS	1848	-35.7	-13	22.7	Pass	2
1849	1850	0.051	RMS	1850	-17.25	-13	4.25	Pass*	401
1850	1855	0.1	RMS	1850.338	21.6	30	8.4	Pass	401



13.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-22.81	-13	9.81	Pass	401
1848	1849	1	RMS	1849	-21.52	-13	8.52	Pass	2
1849	1850	0.051	RMS	1850	-28.42	-13	15.42	Pass	401
1850	1855	0.1	RMS	1851.7	7.03	30	22.97	Pass	401



13.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-36.94	-13	23.94	Pass	401
1848	1849	1	RMS	1848	-37.37	-13	24.37	Pass	2
1849	1850	0.051	RMS	1850	-18.11	-13	5.11	Pass*	401
1850	1855	0.1	RMS	1850.338	20.67	30	9.33	Pass	401

