

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.07	0.16	22.23	<=33.01	Pass
			2	22.22	0.16	22.38	<=33.01	Pass
			5	22.11	0.16	22.27	<=33.01	Pass
		3	0	22.14	0.16	22.30	<=33.01	Pass
			2	22.18	0.16	22.34	<=33.01	Pass
			3	22.15	0.16	22.31	<=33.01	Pass
		6	0	21.16	0.16	21.32	<=33.01	Pass
	1880	1	0	21.96	0.16	22.12	<=33.01	Pass
			2	22.08	0.16	22.24	<=33.01	Pass
			5	21.97	0.16	22.13	<=33.01	Pass
		3	0	22.08	0.16	22.24	<=33.01	Pass
			2	22.12	0.16	22.28	<=33.01	Pass
			3	22.05	0.16	22.21	<=33.01	Pass
		6	0	21.05	0.16	21.21	<=33.01	Pass
	1909.3	1	0	22.06	0.16	22.22	<=33.01	Pass
			2	22.18	0.16	22.34	<=33.01	Pass
			5	22.05	0.16	22.21	<=33.01	Pass
		3	0	22.10	0.16	22.26	<=33.01	Pass
			2	22.15	0.16	22.31	<=33.01	Pass
			3	22.10	0.16	22.26	<=33.01	Pass
		6	0	21.12	0.16	21.28	<=33.01	Pass
16QAM	1850.7	1	0	21.05	0.16	21.21	<=33.01	Pass
			2	21.18	0.16	21.34	<=33.01	Pass
			5	21.13	0.16	21.29	<=33.01	Pass
		3	0	21.16	0.16	21.32	<=33.01	Pass
			2	21.16	0.16	21.32	<=33.01	Pass
			3	21.14	0.16	21.30	<=33.01	Pass
		6	0	20.06	0.16	20.22	<=33.01	Pass
	1880	1	0	21.11	0.16	21.27	<=33.01	Pass
			2	21.22	0.16	21.38	<=33.01	Pass
			5	21.11	0.16	21.27	<=33.01	Pass
		3	0	21.01	0.16	21.17	<=33.01	Pass
			2	21.06	0.16	21.22	<=33.01	Pass
			3	21.03	0.16	21.19	<=33.01	Pass
		6	0	20.07	0.16	20.23	<=33.01	Pass
	1909.3	1	0	21.03	0.16	21.19	<=33.01	Pass
			2	21.17	0.16	21.33	<=33.01	Pass
			5	21.06	0.16	21.22	<=33.01	Pass
		3	0	21.06	0.16	21.22	<=33.01	Pass
			2	21.14	0.16	21.30	<=33.01	Pass
			3	21.09	0.16	21.25	<=33.01	Pass
		6	0	20.05	0.16	20.21	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	22.14	0.16	22.30	<=33.01	Pass	
			7	22.24	0.16	22.40	<=33.01	Pass	
			14	22.07	0.16	22.23	<=33.01	Pass	
		8	0	21.17	0.16	21.33	<=33.01	Pass	
			4	21.18	0.16	21.34	<=33.01	Pass	
			7	21.11	0.16	21.27	<=33.01	Pass	
		15	0	21.12	0.16	21.28	<=33.01	Pass	
		1880	1	0	22.04	0.16	22.20	<=33.01	Pass
				7	22.19	0.16	22.35	<=33.01	Pass
	14			22.02	0.16	22.18	<=33.01	Pass	
	8		0	21.07	0.16	21.23	<=33.01	Pass	
			4	21.13	0.16	21.29	<=33.01	Pass	
			7	21.06	0.16	21.22	<=33.01	Pass	
	15	0	21.05	0.16	21.21	<=33.01	Pass		
	1908.5	1	0	22.13	0.16	22.29	<=33.01	Pass	
			7	22.30	0.16	22.46	<=33.01	Pass	
			14	22.19	0.16	22.35	<=33.01	Pass	
		8	0	21.15	0.16	21.31	<=33.01	Pass	
			4	21.20	0.16	21.36	<=33.01	Pass	
			7	21.15	0.16	21.31	<=33.01	Pass	
		15	0	21.12	0.16	21.28	<=33.01	Pass	
16QAM		1851.5	1	0	21.26	0.16	21.42	<=33.01	Pass
				7	21.39	0.16	21.55	<=33.01	Pass
	14			21.22	0.16	21.38	<=33.01	Pass	
	8		0	20.14	0.16	20.30	<=33.01	Pass	
			4	20.18	0.16	20.34	<=33.01	Pass	
			7	20.07	0.16	20.23	<=33.01	Pass	
	15		0	20.09	0.16	20.25	<=33.01	Pass	
	1880	1	0	21.62	0.16	21.78	<=33.01	Pass	
			7	21.74	0.16	21.90	<=33.01	Pass	
			14	21.54	0.16	21.70	<=33.01	Pass	
		8	0	20.24	0.16	20.40	<=33.01	Pass	
			4	20.27	0.16	20.43	<=33.01	Pass	
			7	20.25	0.16	20.41	<=33.01	Pass	
	15	0	20.13	0.16	20.29	<=33.01	Pass		
	1908.5	1	0	21.25	0.16	21.41	<=33.01	Pass	
			7	21.41	0.16	21.57	<=33.01	Pass	
			14	21.24	0.16	21.40	<=33.01	Pass	
		8	0	20.12	0.16	20.28	<=33.01	Pass	
			4	20.16	0.16	20.32	<=33.01	Pass	
			7	20.11	0.16	20.27	<=33.01	Pass	
		15	0	20.10	0.16	20.26	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.06	0.16	22.22	<=33.01	Pass
			13	22.17	0.16	22.33	<=33.01	Pass
			24	21.99	0.16	22.15	<=33.01	Pass
		12	0	21.11	0.16	21.27	<=33.01	Pass
			6	21.15	0.16	21.31	<=33.01	Pass
			13	21.08	0.16	21.24	<=33.01	Pass

		25	0	21.08	0.16	21.24	<=33.01	Pass
	1880	1	0	22.00	0.16	22.16	<=33.01	Pass
			13	22.13	0.16	22.29	<=33.01	Pass
			24	21.99	0.16	22.15	<=33.01	Pass
			0	21.05	0.16	21.21	<=33.01	Pass
		12	6	21.13	0.16	21.29	<=33.01	Pass
			13	21.09	0.16	21.25	<=33.01	Pass
			25	0	21.07	0.16	21.23	<=33.01
	1907.5	1	0	21.97	0.16	22.13	<=33.01	Pass
			13	22.16	0.16	22.32	<=33.01	Pass
			24	21.98	0.16	22.14	<=33.01	Pass
		12	0	21.05	0.16	21.21	<=33.01	Pass
			6	21.15	0.16	21.31	<=33.01	Pass
			13	21.09	0.16	21.25	<=33.01	Pass
		25	0	21.07	0.16	21.23	<=33.01	Pass
16QAM	1852.5	1	0	21.10	0.16	21.26	<=33.01	Pass
			13	21.23	0.16	21.39	<=33.01	Pass
			24	21.08	0.16	21.24	<=33.01	Pass
		12	0	20.13	0.16	20.29	<=33.01	Pass
			6	20.15	0.16	20.31	<=33.01	Pass
			13	20.05	0.16	20.21	<=33.01	Pass
		25	0	20.15	0.16	20.31	<=33.01	Pass
	1880	1	0	21.24	0.16	21.40	<=33.01	Pass
			13	21.38	0.16	21.54	<=33.01	Pass
			24	21.24	0.16	21.40	<=33.01	Pass
		12	0	20.07	0.16	20.23	<=33.01	Pass
			6	20.20	0.16	20.36	<=33.01	Pass
			13	20.15	0.16	20.31	<=33.01	Pass
		25	0	20.09	0.16	20.25	<=33.01	Pass
	1907.5	1	0	20.88	0.16	21.04	<=33.01	Pass
			13	21.00	0.16	21.16	<=33.01	Pass
			24	20.84	0.16	21.00	<=33.01	Pass
		12	0	20.07	0.16	20.23	<=33.01	Pass
			6	20.14	0.16	20.30	<=33.01	Pass
			13	20.11	0.16	20.27	<=33.01	Pass
		25	0	20.13	0.16	20.29	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.11	0.16	22.27	<=33.01	Pass
			25	22.27	0.16	22.43	<=33.01	Pass
			49	22.04	0.16	22.20	<=33.01	Pass
		25	0	21.11	0.16	21.27	<=33.01	Pass
			13	21.07	0.16	21.23	<=33.01	Pass
			25	21.06	0.16	21.22	<=33.01	Pass
		50	0	21.05	0.16	21.21	<=33.01	Pass
	1880	1	0	22.01	0.16	22.17	<=33.01	Pass
			25	22.17	0.16	22.33	<=33.01	Pass
			49	21.98	0.16	22.14	<=33.01	Pass
		25	0	21.00	0.16	21.16	<=33.01	Pass
			13	21.05	0.16	21.21	<=33.01	Pass
			25	21.11	0.16	21.27	<=33.01	Pass
		50	0	21.07	0.16	21.23	<=33.01	Pass

	1905	1	0	22.02	0.16	22.18	<=33.01	Pass
			25	22.18	0.16	22.34	<=33.01	Pass
			49	22.06	0.16	22.22	<=33.01	Pass
		25	0	21.09	0.16	21.25	<=33.01	Pass
			13	21.10	0.16	21.26	<=33.01	Pass
			25	21.18	0.16	21.34	<=33.01	Pass
		50	0	21.11	0.16	21.27	<=33.01	Pass
16QAM	1855	1	0	21.05	0.16	21.21	<=33.01	Pass
			25	21.22	0.16	21.38	<=33.01	Pass
			49	21.01	0.16	21.17	<=33.01	Pass
		25	0	20.21	0.16	20.37	<=33.01	Pass
			13	20.17	0.16	20.33	<=33.01	Pass
			25	20.16	0.16	20.32	<=33.01	Pass
		50	0	20.11	0.16	20.27	<=33.01	Pass
	1880	1	0	21.20	0.16	21.36	<=33.01	Pass
			25	21.37	0.16	21.53	<=33.01	Pass
			49	21.16	0.16	21.32	<=33.01	Pass
		25	0	20.05	0.16	20.21	<=33.01	Pass
			13	20.14	0.16	20.30	<=33.01	Pass
			25	20.16	0.16	20.32	<=33.01	Pass
		50	0	20.11	0.16	20.27	<=33.01	Pass
	1905	1	0	21.50	0.16	21.66	<=33.01	Pass
			25	21.78	0.16	21.94	<=33.01	Pass
			49	21.50	0.16	21.66	<=33.01	Pass
		25	0	20.15	0.16	20.31	<=33.01	Pass
			13	20.16	0.16	20.32	<=33.01	Pass
			25	20.22	0.16	20.38	<=33.01	Pass
		50	0	20.14	0.16	20.30	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.98	0.16	22.14	<=33.01	Pass
			38	21.99	0.16	22.15	<=33.01	Pass
			74	21.91	0.16	22.07	<=33.01	Pass
		36	0	21.13	0.16	21.29	<=33.01	Pass
			18	21.11	0.16	21.27	<=33.01	Pass
			39	21.03	0.16	21.19	<=33.01	Pass
		75	0	21.08	0.16	21.24	<=33.01	Pass
	1880	1	0	21.92	0.16	22.08	<=33.01	Pass
			38	22.00	0.16	22.16	<=33.01	Pass
			74	21.91	0.16	22.07	<=33.01	Pass
		36	0	21.01	0.16	21.17	<=33.01	Pass
			18	21.08	0.16	21.24	<=33.01	Pass
			39	21.11	0.16	21.27	<=33.01	Pass
		75	0	21.05	0.16	21.21	<=33.01	Pass
	1902.5	1	0	21.90	0.16	22.06	<=33.01	Pass
			38	21.99	0.16	22.15	<=33.01	Pass
			74	21.94	0.16	22.10	<=33.01	Pass
		36	0	21.13	0.16	21.29	<=33.01	Pass
			18	21.08	0.16	21.24	<=33.01	Pass
			39	21.15	0.16	21.31	<=33.01	Pass
		75	0	21.16	0.16	21.32	<=33.01	Pass
16QAM	1857.5	1	0	21.25	0.16	21.41	<=33.01	Pass

			38	21.32	0.16	21.48	<=33.01	Pass
			74	21.25	0.16	21.41	<=33.01	Pass
		36	0	20.05	0.16	20.21	<=33.01	Pass
			18	20.04	0.16	20.20	<=33.01	Pass
			39	19.97	0.16	20.13	<=33.01	Pass
		75	0	20.03	0.16	20.19	<=33.01	Pass
	1880	1	0	21.08	0.16	21.24	<=33.01	Pass
			38	21.16	0.16	21.32	<=33.01	Pass
			74	21.05	0.16	21.21	<=33.01	Pass
		36	0	19.99	0.16	20.15	<=33.01	Pass
			18	20.03	0.16	20.19	<=33.01	Pass
			39	20.08	0.16	20.24	<=33.01	Pass
	75	0	20.05	0.16	20.21	<=33.01	Pass	
	1902.5	1	0	21.39	0.16	21.55	<=33.01	Pass
			38	21.56	0.16	21.72	<=33.01	Pass
			74	21.44	0.16	21.60	<=33.01	Pass
		36	0	20.12	0.16	20.28	<=33.01	Pass
			18	20.10	0.16	20.26	<=33.01	Pass
			39	20.17	0.16	20.33	<=33.01	Pass
		75	0	20.11	0.16	20.27	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.75	0.16	21.91	<=33.01	Pass
			50	22.09	0.16	22.25	<=33.01	Pass
			99	21.71	0.16	21.87	<=33.01	Pass
		50	0	20.99	0.16	21.15	<=33.01	Pass
			25	20.97	0.16	21.13	<=33.01	Pass
			50	20.94	0.16	21.10	<=33.01	Pass
		100	0	20.99	0.16	21.15	<=33.01	Pass
	1880	1	0	21.78	0.16	21.94	<=33.01	Pass
			50	22.14	0.16	22.30	<=33.01	Pass
			99	21.78	0.16	21.94	<=33.01	Pass
		50	0	20.90	0.16	21.06	<=33.01	Pass
			25	21.01	0.16	21.17	<=33.01	Pass
			50	21.02	0.16	21.18	<=33.01	Pass
		100	0	20.97	0.16	21.13	<=33.01	Pass
	1900	1	0	21.75	0.16	21.91	<=33.01	Pass
			50	22.15	0.16	22.31	<=33.01	Pass
			99	21.78	0.16	21.94	<=33.01	Pass
		50	0	21.12	0.16	21.28	<=33.01	Pass
			25	21.01	0.16	21.17	<=33.01	Pass
			50	21.00	0.16	21.16	<=33.01	Pass
		100	0	21.08	0.16	21.24	<=33.01	Pass
16QAM	1860	1	0	21.26	0.16	21.42	<=33.01	Pass
			50	21.63	0.16	21.79	<=33.01	Pass
			99	21.30	0.16	21.46	<=33.01	Pass
		50	0	20.04	0.16	20.20	<=33.01	Pass
			25	20.00	0.16	20.16	<=33.01	Pass
			50	19.97	0.16	20.13	<=33.01	Pass
		100	0	20.06	0.16	20.22	<=33.01	Pass
	1880	1	0	20.96	0.16	21.12	<=33.01	Pass
			50	21.32	0.16	21.48	<=33.01	Pass

		50	99	20.90	0.16	21.06	<=33.01	Pass
			0	19.90	0.16	20.06	<=33.01	Pass
			25	20.02	0.16	20.18	<=33.01	Pass
			50	20.09	0.16	20.25	<=33.01	Pass
		100	0	20.03	0.16	20.19	<=33.01	Pass
	1900	1	0	20.99	0.16	21.15	<=33.01	Pass
			50	21.43	0.16	21.59	<=33.01	Pass
			99	21.03	0.16	21.19	<=33.01	Pass
		50	0	20.13	0.16	20.29	<=33.01	Pass
			25	20.03	0.16	20.19	<=33.01	Pass
			50	20.02	0.16	20.18	<=33.01	Pass
		100	0	20.12	0.16	20.28	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-4.821	-0.0026	-2.5 to 2.5	Pass
					3.85	6.237	0.0034	-2.5 to 2.5	Pass
					4.43	6.938	0.0037	-2.5 to 2.5	Pass
				-30	3.85	2.418	0.0013	-2.5 to 2.5	Pass
				-20	3.85	13.719	0.0074	-2.5 to 2.5	Pass
				-10	3.85	-150.290	-0.0812	-2.5 to 2.5	Pass
				0	3.85	-16.179	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-11.501	-0.0062	-2.5 to 2.5	Pass
				30	3.85	-14.877	-0.0080	-2.5 to 2.5	Pass
				40	3.85	-9.913	-0.0054	-2.5 to 2.5	Pass
				50	3.85	-19.655	-0.0106	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-12.918	-0.0069	-2.5 to 2.5	Pass
					3.85	-10.700	-0.0057	-2.5 to 2.5	Pass
					4.43	-10.228	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-17.738	-0.0094	-2.5 to 2.5	Pass
				-20	3.85	-6.695	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	-11.530	-0.0061	-2.5 to 2.5	Pass
				0	3.85	33.174	0.0176	-2.5 to 2.5	Pass
				10	3.85	-12.217	-0.0065	-2.5 to 2.5	Pass
				30	3.85	-14.334	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-11.101	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-7.639	-0.0041	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-22.988	-0.0120	-2.5 to 2.5	Pass
					3.85	-9.098	-0.0048	-2.5 to 2.5	Pass
					4.43	-6.924	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	1.230	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-10.529	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-8.740	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-5.107	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-6.795	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-8.740	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-5.851	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-6.394	-0.0033	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	-19.126	-0.0103	-2.5 to 2.5	Pass
					3.85	-15.678	-0.0085	-2.5 to 2.5	Pass
					4.43	2.174	0.0012	-2.5 to 2.5	Pass
				-30	3.85	-11.930	-0.0064	-2.5 to 2.5	Pass
				-20	3.85	-13.919	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	396.824	0.2144	-2.5 to 2.5	Pass
				0	3.85	12.631	0.0068	-2.5 to 2.5	Pass
				10	3.85	-10.614	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-9.484	-0.0051	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-6.995	-0.0037	-2.5 to 2.5	Pass
					3.85	-6.366	-0.0034	-2.5 to 2.5	Pass
					4.43	-13.289	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	7.639	0.0041	-2.5 to 2.5	Pass
				-20	3.85	-12.531	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	-0.286	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-6.981	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-8.025	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-12.474	-0.0066	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-8.798	-0.0046	-2.5 to 2.5	Pass
					3.85	-12.574	-0.0066	-2.5 to 2.5	Pass
					4.43	-6.552	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-7.968	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-12.202	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-7.267	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-12.131	-0.0064	-2.5 to 2.5	Pass
				10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-2.418	-0.0013	-2.5 to 2.5	Pass
				40	3.85	3.576	0.0019	-2.5 to 2.5	Pass
				50	3.85	-5.579	-0.0029	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-10.700	-0.0058	-2.5 to 2.5	Pass
					3.85	-10.614	-0.0057	-2.5 to 2.5	Pass
					4.43	-2.403	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-11.716	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-6.509	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-12.202	-0.0066	-2.5 to 2.5	Pass
				10	3.85	-10.915	-0.0059	-2.5 to 2.5	Pass
				30	3.85	-10.972	-0.0059	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-13.003	-0.0069	-2.5 to 2.5	Pass
					3.85	3.104	0.0017	-2.5 to 2.5	Pass
					4.43	-3.219	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-8.168	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-12.960	-0.0069	-2.5 to 2.5	Pass

				10	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-0.801	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-14.205	-0.0076	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-13.347	-0.0070	-2.5 to 2.5	Pass
					3.85	-4.048	-0.0021	-2.5 to 2.5	Pass
					4.43	-11.373	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-9.928	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
				-10	3.85	-9.971	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-11.172	-0.0059	-2.5 to 2.5	Pass
				10	3.85	-5.193	-0.0027	-2.5 to 2.5	Pass
				30	3.85	-10.586	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-7.153	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-7.424	-0.0039	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	-10.700	-0.0058	-2.5 to 2.5	Pass
					3.85	-14.434	-0.0078	-2.5 to 2.5	Pass
					4.43	-7.596	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	2.990	0.0016	-2.5 to 2.5	Pass
				-20	3.85	-7.424	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-1.445	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-12.503	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-7.210	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-1.888	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-6.380	-0.0034	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	2.189	0.0012	-2.5 to 2.5	Pass
					3.85	0.200	0.0001	-2.5 to 2.5	Pass
					4.43	-9.584	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-5.822	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-1.702	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.472	0.0003	-2.5 to 2.5	Pass
				0	3.85	1.760	0.0009	-2.5 to 2.5	Pass
				10	3.85	-6.623	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-3.862	-0.0021	-2.5 to 2.5	Pass
				40	3.85	-8.125	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-4.134	-0.0022	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	10.843	0.0057	-2.5 to 2.5	Pass
					3.85	-13.461	-0.0071	-2.5 to 2.5	Pass
					4.43	-5.708	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-7.796	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-9.656	-0.0051	-2.5 to 2.5	Pass
				0	3.85	-11.587	-0.0061	-2.5 to 2.5	Pass
				10	3.85	-0.486	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-13.819	-0.0072	-2.5 to 2.5	Pass
				40	3.85	-4.077	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-12.059	-0.0063	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-3.805	-0.0021	-2.5 to 2.5	Pass
					3.85	-1.373	-0.0007	-2.5 to 2.5	Pass
					4.43	-8.583	-0.0046	-2.5 to 2.5	Pass

				-30	3.85	-10.285	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-1.774	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-7.825	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-5.250	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-1.760	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-11.115	-0.0060	-2.5 to 2.5	Pass
				50	3.85	-9.170	-0.0050	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-8.769	-0.0047	-2.5 to 2.5	Pass
					3.85	-2.890	-0.0015	-2.5 to 2.5	Pass
					4.43	-9.584	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-15.421	-0.0082	-2.5 to 2.5	Pass
				-20	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-10.014	-0.0053	-2.5 to 2.5	Pass
				0	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-9.184	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-6.495	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-8.011	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-12.317	-0.0066	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-7.138	-0.0037	-2.5 to 2.5	Pass
					3.85	1.860	0.0010	-2.5 to 2.5	Pass
					4.43	-11.973	-0.0063	-2.5 to 2.5	Pass
				-30	3.85	-11.158	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	0.529	0.0003	-2.5 to 2.5	Pass
				-10	3.85	-3.390	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-10.242	-0.0054	-2.5 to 2.5	Pass
				10	3.85	-9.327	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-13.790	-0.0072	-2.5 to 2.5	Pass
				40	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				50	3.85	-9.956	-0.0052	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-9.570	-0.0052	-2.5 to 2.5	Pass
					3.85	-7.982	-0.0043	-2.5 to 2.5	Pass
					4.43	-9.141	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	4.292	0.0023	-2.5 to 2.5	Pass
				-20	3.85	-10.057	-0.0054	-2.5 to 2.5	Pass
				-10	3.85	-2.704	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-3.161	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-18.024	-0.0097	-2.5 to 2.5	Pass
				30	3.85	2.418	0.0013	-2.5 to 2.5	Pass
				40	3.85	-3.262	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-6.495	-0.0035	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-2.446	-0.0013	-2.5 to 2.5	Pass
					3.85	-8.411	-0.0045	-2.5 to 2.5	Pass
					4.43	-12.732	-0.0068	-2.5 to 2.5	Pass
				-30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-14.319	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-9.570	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-8.082	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-10.700	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-12.259	-0.0065	-2.5 to 2.5	Pass
				50	3.85	2.875	0.0015	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-3.505	-0.0018	-2.5 to 2.5	Pass
					3.85	2.503	0.0013	-2.5 to 2.5	Pass
					4.43	-2.460	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-9.885	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-13.490	-0.0071	-2.5 to 2.5	Pass
				0	3.85	-2.031	-0.0011	-2.5 to 2.5	Pass

				10	3.85	-10.915	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-5.679	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-1.531	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-6.795	-0.0036	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-1.345	-0.0007	-2.5 to 2.5	Pass
					3.85	-1.988	-0.0011	-2.5 to 2.5	Pass
					4.43	-0.157	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-3.977	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-3.405	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-5.665	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-4.549	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-7.410	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-2.933	-0.0016	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-8.883	-0.0047	-2.5 to 2.5	Pass
					3.85	-3.991	-0.0021	-2.5 to 2.5	Pass
					4.43	-9.685	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-2.933	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-11.115	-0.0059	-2.5 to 2.5	Pass
				-10	3.85	-5.164	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-9.069	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-4.349	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-7.610	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-5.765	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-9.627	-0.0051	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-9.999	-0.0052	-2.5 to 2.5	Pass
					3.85	-5.035	-0.0026	-2.5 to 2.5	Pass
					4.43	-13.633	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-3.977	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-9.127	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-3.748	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				10	3.85	6.981	0.0037	-2.5 to 2.5	Pass
				30	3.85	-6.495	-0.0034	-2.5 to 2.5	Pass
				40	3.85	0.973	0.0005	-2.5 to 2.5	Pass
				50	3.85	2.503	0.0013	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-8.340	-0.0045	-2.5 to 2.5	Pass
					3.85	-6.695	-0.0036	-2.5 to 2.5	Pass
					4.43	-2.561	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-8.469	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-4.778	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-7.367	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-2.031	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-7.367	-0.0040	-2.5 to 2.5	Pass
				30	3.85	-4.034	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-8.826	-0.0048	-2.5 to 2.5	Pass
				50	3.85	-6.795	-0.0037	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-3.948	-0.0021	-2.5 to 2.5	Pass
					3.85	-8.326	-0.0044	-2.5 to 2.5	Pass
					4.43	-9.956	-0.0053	-2.5 to 2.5	Pass

				-30	3.85	-1.788	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-11.573	-0.0062	-2.5 to 2.5	Pass
				-10	3.85	-10.915	-0.0058	-2.5 to 2.5	Pass
				0	3.85	-6.223	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-7.195	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-11.015	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-1.645	-0.0009	-2.5 to 2.5	Pass
					3.85	-3.176	-0.0017	-2.5 to 2.5	Pass
					4.43	-5.593	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-4.063	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-1.431	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-9.899	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-4.778	-0.0025	-2.5 to 2.5	Pass
				30	3.85	0.744	0.0004	-2.5 to 2.5	Pass
				40	3.85	-9.441	-0.0050	-2.5 to 2.5	Pass
				50	3.85	0.486	0.0003	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-6.723	-0.0036	-2.5 to 2.5	Pass
					3.85	-3.033	-0.0016	-2.5 to 2.5	Pass
					4.43	-5.994	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-8.740	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-4.206	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-4.263	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-6.266	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-6.852	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-3.963	-0.0021	-2.5 to 2.5	Pass
				40	3.85	0.429	0.0002	-2.5 to 2.5	Pass
				50	3.85	-5.436	-0.0029	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-10.428	-0.0055	-2.5 to 2.5	Pass
					3.85	-7.796	-0.0041	-2.5 to 2.5	Pass
					4.43	-2.875	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-4.950	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-6.866	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-9.756	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-9.270	-0.0049	-2.5 to 2.5	Pass
				10	3.85	-9.770	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-10.629	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-9.527	-0.0051	-2.5 to 2.5	Pass
				50	3.85	-9.198	-0.0049	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-9.084	-0.0048	-2.5 to 2.5	Pass
					3.85	-8.326	-0.0044	-2.5 to 2.5	Pass
					4.43	-5.393	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-3.705	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-11.687	-0.0061	-2.5 to 2.5	Pass
				-10	3.85	-4.120	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-3.605	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-1.602	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-6.595	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-8.755	-0.0046	-2.5 to 2.5	Pass
				20	3.27	-4.063	-0.0022	-2.5 to 2.5	Pass
					3.85	-4.964	-0.0027	-2.5 to 2.5	Pass
					4.43	-3.963	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-5.937	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	1.259	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.644	0.0003	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-4.320	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-6.924	-0.0037	-2.5 to 2.5	Pass
	1880	75	0	40	3.85	-5.407	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-5.279	-0.0028	-2.5 to 2.5	Pass
				20	3.27	-10.586	-0.0056	-2.5 to 2.5	Pass
					3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
					4.43	-4.735	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-6.824	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-12.746	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-10.600	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-7.997	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-4.921	-0.0026	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.85	-12.088	-0.0064	-2.5 to 2.5	Pass
				40	3.85	-11.358	-0.0060	-2.5 to 2.5	Pass
				50	3.85	-5.093	-0.0027	-2.5 to 2.5	Pass
				20	3.27	-8.397	-0.0044	-2.5 to 2.5	Pass
					3.85	-4.220	-0.0022	-2.5 to 2.5	Pass
					4.43	-3.719	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-4.649	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-4.578	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-12.388	-0.0065	-2.5 to 2.5	Pass
				0	3.85	-7.453	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-7.825	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-4.334	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-7.095	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-2.775	-0.0015	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-6.166	-0.0033	-2.5 to 2.5	Pass
					3.85	-1.559	-0.0008	-2.5 to 2.5	Pass
					4.43	-2.074	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-6.208	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-12.660	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-8.941	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-2.704	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-2.789	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-5.736	-0.0031	-2.5 to 2.5	Pass
				40	3.85	-8.397	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-10.471	-0.0056	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-9.842	-0.0052	-2.5 to 2.5	Pass
					3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
					4.43	-8.283	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-8.497	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-13.633	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-4.377	-0.0023	-2.5 to 2.5	Pass

				0	3.85	-7.110	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-11.745	-0.0062	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-8.826	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-3.834	-0.0020	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-3.104	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.345	-0.0007	-2.5 to 2.5	Pass
					4.43	-5.364	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-2.933	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-7.253	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-3.233	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-3.204	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-3.963	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-2.089	-0.0011	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-7.010	-0.0038	-2.5 to 2.5	Pass
					3.85	-1.030	-0.0006	-2.5 to 2.5	Pass
					4.43	-7.439	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.916	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-3.619	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-3.290	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-6.065	-0.0033	-2.5 to 2.5	Pass
				30	3.85	1.245	0.0007	-2.5 to 2.5	Pass
				40	3.85	-3.405	-0.0018	-2.5 to 2.5	Pass
	1880	100	0	50	3.85	-2.146	-0.0012	-2.5 to 2.5	Pass
				20	3.27	-6.680	-0.0036	-2.5 to 2.5	Pass
					3.85	-4.663	-0.0025	-2.5 to 2.5	Pass
					4.43	-1.044	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-6.838	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-1.874	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-4.292	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-4.835	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-3.891	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-11.802	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-8.340	-0.0044	-2.5 to 2.5	Pass
				50	3.85	-2.475	-0.0013	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-5.493	-0.0029	-2.5 to 2.5	Pass
					3.85	2.189	0.0012	-2.5 to 2.5	Pass
					4.43	-7.725	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-6.323	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-2.847	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	-6.723	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-1.101	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-5.350	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-3.505	-0.0018	-2.5 to 2.5	Pass
				40	3.85	-10.128	-0.0053	-2.5 to 2.5	Pass
				50	3.85	-4.721	-0.0025	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.114	/	Pass
		1880	6	0	1.123	/	Pass
		1909.3	6	0	1.109	/	Pass
	16QAM	1850.7	6	0	1.115	/	Pass
		1880	6	0	1.108	/	Pass
		1909.3	6	0	1.103	/	Pass
3	QPSK	1851.5	15	0	2.722	/	Pass
		1880	15	0	2.718	/	Pass
		1908.5	15	0	2.724	/	Pass
	16QAM	1851.5	15	0	2.722	/	Pass
		1880	15	0	2.721	/	Pass
		1908.5	15	0	2.716	/	Pass
5	QPSK	1852.5	25	0	4.543	/	Pass
		1880	25	0	4.542	/	Pass
		1907.5	25	0	4.550	/	Pass
	16QAM	1852.5	25	0	4.566	/	Pass
		1880	25	0	4.560	/	Pass
		1907.5	25	0	4.534	/	Pass
10	QPSK	1855	50	0	9.058	/	Pass
		1880	50	0	9.042	/	Pass
		1905	50	0	9.081	/	Pass
	16QAM	1855	50	0	9.059	/	Pass
		1880	50	0	9.046	/	Pass
		1905	50	0	9.081	/	Pass
15	QPSK	1857.5	75	0	13.595	/	Pass
		1880	75	0	13.567	/	Pass
		1902.5	75	0	13.606	/	Pass
	16QAM	1857.5	75	0	13.616	/	Pass
		1880	75	0	13.592	/	Pass
		1902.5	75	0	13.643	/	Pass
20	QPSK	1860	100	0	18.112	/	Pass
		1880	100	0	18.078	/	Pass
		1900	100	0	18.155	/	Pass
	16QAM	1860	100	0	18.086	/	Pass
		1880	100	0	18.076	/	Pass
		1900	100	0	18.232	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.363	/	Pass
		1880	6	0	1.321	/	Pass
		1909.3	6	0	1.313	/	Pass


	16QAM	1850.7	6	0	1.325	/	Pass
		1880	6	0	1.311	/	Pass
		1909.3	6	0	1.306	/	Pass
3	QPSK	1851.5	15	0	3.003	/	Pass
		1880	15	0	2.988	/	Pass
		1908.5	15	0	3.012	/	Pass
	16QAM	1851.5	15	0	2.983	/	Pass
		1880	15	0	2.997	/	Pass
		1908.5	15	0	3.010	/	Pass
5	QPSK	1852.5	25	0	5.321	/	Pass
		1880	25	0	5.306	/	Pass
		1907.5	25	0	5.052	/	Pass
	16QAM	1852.5	25	0	5.039	/	Pass
		1880	25	0	5.799	/	Pass
		1907.5	25	0	5.017	/	Pass
10	QPSK	1855	50	0	9.894	/	Pass
		1880	50	0	9.961	/	Pass
		1905	50	0	10.047	/	Pass
	16QAM	1855	50	0	9.897	/	Pass
		1880	50	0	9.843	/	Pass
		1905	50	0	9.902	/	Pass
15	QPSK	1857.5	75	0	14.979	/	Pass
		1880	75	0	15.422	/	Pass
		1902.5	75	0	15.058	/	Pass
	16QAM	1857.5	75	0	14.864	/	Pass
		1880	75	0	15.413	/	Pass
		1902.5	75	0	14.913	/	Pass
20	QPSK	1860	100	0	19.946	/	Pass
		1880	100	0	19.772	/	Pass
		1900	100	0	19.613	/	Pass
	16QAM	1860	100	0	19.750	/	Pass
		1880	100	0	19.764	/	Pass
		1900	100	0	19.795	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.81	<=13	Pass
	1880	6	0	5.20	<=13	Pass
	1909.3	6	0	4.67	<=13	Pass
16QAM	1850.7	6	0	5.62	<=13	Pass
	1880	6	0	6.01	<=13	Pass
	1909.3	6	0	5.56	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.95	<=13	Pass
	1880	15	0	5.14	<=13	Pass
	1908.5	15	0	4.82	<=13	Pass
16QAM	1851.5	15	0	5.72	<=13	Pass
	1880	15	0	6.00	<=13	Pass
	1908.5	15	0	5.67	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.19	<=13	Pass
	1880	25	0	5.45	<=13	Pass
	1907.5	25	0	5.26	<=13	Pass
16QAM	1852.5	25	0	5.93	<=13	Pass
	1880	25	0	6.14	<=13	Pass
	1907.5	25	0	6.07	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.27	<=13	Pass
	1880	50	0	5.40	<=13	Pass
	1905	50	0	5.46	<=13	Pass
16QAM	1855	50	0	6.03	<=13	Pass
	1880	50	0	6.24	<=13	Pass

	1905	50	0	6.18	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.45	<=13	Pass
	1880	75	0	5.68	<=13	Pass
	1902.5	75	0	5.56	<=13	Pass
16QAM	1857.5	75	0	6.16	<=13	Pass
	1880	75	0	6.27	<=13	Pass
	1902.5	75	0	6.18	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.49	<=13	Pass
	1880	100	0	5.48	<=13	Pass
	1900	100	0	5.40	<=13	Pass
16QAM	1860	100	0	6.27	<=13	Pass
	1880	100	0	6.24	<=13	Pass
	1900	100	0	6.17	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV



Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




2024-07-30 10:57:07

Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




2024-07-30 10:57:41


5.2.5 B2_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.827	-44.23	-13	Pass
1849	1850	0.015	/	2	1849.994	-32.46	-13	Pass
1850	1851.5	0.015	/	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-30.43	-13	Pass
1911	1911.5	1	/	2	1911.494	-59.36	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.013	/	/	/	/	/	/
1910	1911	0.013	/	1	1910.021	-31.96	-13	Pass
1911	1911.5	1	/	2	1911.032	-48.65	-13	Pass


Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.845	-45.32	-13	Pass
1849	1850	0.013	/	2	1849.994	-32.96	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




6.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-26.13	-13	Pass
1849	1850	0.03	/	2	1849.994	-33.44	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTNV



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-30.42	-13	Pass
1911	1913	1	CHP	2	1911.001	-38.34	-13	Pass

Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.066	-33.48	-13	Pass
1911	1913	1	CHP	2	1911.002	-23.01	-13	Pass


Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV



Band2 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-27.78	-13	Pass
1849	1850	0.03	/	2	1849.994	-35.17	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV



Band2 3MHz 16QAM HCH 1908.5MHz RB 1 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-32.50	-13	Pass
1911	1913	1	CHP	2	1911.001	-39.32	-13	Pass

Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-34.36	-13	Pass
1911	1913	1	CHP	2	1911.002	-25.95	-13	Pass


6.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.470	-27.01	-13	Pass
1849	1850	0.056	/	2	1849.990	-31.71	-13	Pass
1850	1855	0.056	/	/	/	/	/	/


Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.011	-32.59	-13	Pass
1911	1915	1	CHP	2	1911.001	-39.34	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	/	/	/	/	/	/
1910	1911	0.051	/	1	1910.020	-32.82	-13	Pass
1911	1915	1	CHP	2	1911.010	-25.35	-13	Pass


Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTNV



Band2 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-28.78	-13	Pass
1849	1850	0.051	/	2	1849.960	-34.20	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 1 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV



Band2 5MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-33.47	-13	Pass
1911	1915	1	CHP	2	1911.001	-40.17	-13	Pass

Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	/	/	/	/	/	/
1910	1911	0.051	/	1	1910.050	-35.30	-13	Pass
1911	1915	1	CHP	2	1911.020	-27.94	-13	Pass


6.2.4 B2_10MHz



Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTN




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.480	-29.90	-13	Pass
1849	1850	0.1	/	2	1849.920	-37.18	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 1 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTN



Band2 10MHz 16QAM LCH 1855MHz RB 1 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.340	-31.38	-13	Pass
1849	1850	0.1	/	2	1849.780	-37.29	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 1 49 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




6.2.5 B2_15MHz



Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.870	-29.21	-13	Pass
1849	1850	0.15	/	2	1849.910	-35.44	-13	Pass
1850	1865	0.15	/	/	/	/	/	/


Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV



Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.011	-43.01	-13	Pass
1911	1925	1	CHP	2	1911.001	-39.96	-13	Pass

Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.16	/	/	/	/	/	/
1910	1911	0.16	/	1	1910.480	-36.88	-13	Pass
1911	1925	1	CHP	2	1911.530	-32.02	-13	Pass


Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV



Band2 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.170	-32.36	-13	Pass
1849	1850	0.15	/	2	1849.910	-38.49	-13	Pass
1850	1865	0.15	/	/	/	/	/	/


Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTNV



Band2 15MHz 16QAM HCH 1902.5MHz RB 1 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-43.85	-13	Pass
1911	1925	1	CHP	2	1911.001	-40.52	-13	Pass

Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.15	/	/	/	/	/	/
1910	1911	0.15	/	1	1910.060	-37.09	-13	Pass
1911	1925	1	CHP	2	1911.260	-33.02	-13	Pass


6.2.6 B2_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTN




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.600	-34.04	-13	Pass
1849	1850	0.2	/	2	1849.960	-37.33	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTNV



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.015	-46.58	-13	Pass
1911	1930	1	CHP	2	1911.005	-41.35	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.040	-36.36	-13	Pass
1911	1930	1	CHP	2	1912.080	-33.68	-13	Pass


Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV



Band2 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.400	-34.70	-13	Pass
1849	1850	0.2	/	2	1849.840	-38.88	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 1 99 NTV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.1667	0.0812	ppm	1M12G7D	24E	22.22
2	1.4	1850.7	1909.3	0.1324	0.2144	ppm	1M11W7D	24E	21.22
2	3	1851.5	1908.5	0.1698	0.0076	ppm	2M72G7D	24E	22.30
2	3	1851.5	1908.5	0.1493	0.0078	ppm	2M72W7D	24E	21.74
2	5	1852.5	1907.5	0.1648	0.0082	ppm	4M55G7D	24E	22.17
2	5	1852.5	1907.5	0.1374	0.0097	ppm	4M57W7D	24E	21.38
2	10	1855	1905	0.1687	0.0072	ppm	9M08G7D	24E	22.27
2	10	1855	1905	0.1507	0.0062	ppm	9M08W7D	24E	21.78
2	15	1857.5	1902.5	0.1585	0.0061	ppm	13M6G7D	24E	22.00
2	15	1857.5	1902.5	0.1432	0.0068	ppm	13M6W7D	24E	21.56
2	20	1860	1900	0.1641	0.0073	ppm	18M2G7D	24E	22.15
2	20	1860	1900	0.1455	0.0063	ppm	18M2W7D	24E	21.63

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.1730	0.0812	ppm	1M12G7D	24E	22.38
2	1.4	1850.7	1909.3	0.1374	0.2144	ppm	1M11W7D	24E	21.38
2	3	1851.5	1908.5	0.1762	0.0076	ppm	2M72G7D	24E	22.46
2	3	1851.5	1908.5	0.1549	0.0078	ppm	2M72W7D	24E	21.90
2	5	1852.5	1907.5	0.1710	0.0082	ppm	4M55G7D	24E	22.33
2	5	1852.5	1907.5	0.1426	0.0097	ppm	4M57W7D	24E	21.54
2	10	1855	1905	0.1750	0.0072	ppm	9M08G7D	24E	22.43
2	10	1855	1905	0.1563	0.0062	ppm	9M08W7D	24E	21.94
2	15	1857.5	1902.5	0.1644	0.0061	ppm	13M6G7D	24E	22.16
2	15	1857.5	1902.5	0.1486	0.0068	ppm	13M6W7D	24E	21.72
2	20	1860	1900	0.1702	0.0073	ppm	18M2G7D	24E	22.31
2	20	1860	1900	0.1510	0.0063	ppm	18M2W7D	24E	21.79