

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B30_5MHz_EIRP

Band: 30 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2307.5	1	0	23.19	-3.06	20.13	<=23.98	Pass
			13	23.40	-3.06	20.34	<=23.98	Pass
			24	23.45	-3.06	20.39	<=23.98	Pass
		12	0	22.34	-3.06	19.28	<=23.98	Pass
			6	22.42	-3.06	19.36	<=23.98	Pass
			13	22.42	-3.06	19.36	<=23.98	Pass
		25	0	22.48	-3.06	19.42	<=23.98	Pass
	2310	1	0	23.34	-3.06	20.28	<=23.98	Pass
			13	23.44	-3.06	20.38	<=23.98	Pass
			24	23.30	-3.06	20.24	<=23.98	Pass
		12	0	22.47	-3.06	19.41	<=23.98	Pass
			6	22.42	-3.06	19.36	<=23.98	Pass
			13	22.47	-3.06	19.41	<=23.98	Pass
		25	0	22.31	-3.06	19.25	<=23.98	Pass
	2312.5	1	0	23.29	-3.06	20.23	<=23.98	Pass
			13	23.39	-3.06	20.33	<=23.98	Pass
			24	23.48	-3.06	20.42	<=23.98	Pass
		12	0	22.53	-3.06	19.47	<=23.98	Pass
			6	22.45	-3.06	19.39	<=23.98	Pass
			13	22.37	-3.06	19.31	<=23.98	Pass
		25	0	22.37	-3.06	19.31	<=23.98	Pass
16QAM	2307.5	1	0	22.60	-3.06	19.54	<=23.98	Pass
			13	22.45	-3.06	19.39	<=23.98	Pass
			24	22.09	-3.06	19.03	<=23.98	Pass
		12	0	21.40	-3.06	18.34	<=23.98	Pass
			6	21.40	-3.06	18.34	<=23.98	Pass
			13	21.48	-3.06	18.42	<=23.98	Pass
		25	0	21.43	-3.06	18.37	<=23.98	Pass
	2310	1	0	22.45	-3.06	19.39	<=23.98	Pass
			13	22.43	-3.06	19.37	<=23.98	Pass
			24	22.59	-3.06	19.53	<=23.98	Pass
		12	0	21.44	-3.06	18.38	<=23.98	Pass
			6	21.44	-3.06	18.38	<=23.98	Pass
			13	21.32	-3.06	18.26	<=23.98	Pass
		25	0	21.40	-3.06	18.34	<=23.98	Pass
	2312.5	1	0	22.66	-3.06	19.60	<=23.98	Pass
			13	22.63	-3.06	19.57	<=23.98	Pass
			24	22.68	-3.06	19.62	<=23.98	Pass
		12	0	21.50	-3.06	18.44	<=23.98	Pass
			6	21.37	-3.06	18.31	<=23.98	Pass
			13	21.37	-3.06	18.31	<=23.98	Pass
		25	0	21.41	-3.06	18.35	<=23.98	Pass
64QAM	2307.5	1	0	21.48	-3.06	18.42	<=23.98	Pass
			13	21.23	-3.06	18.17	<=23.98	Pass
			24	21.32	-3.06	18.26	<=23.98	Pass
		12	0	20.36	-3.06	17.30	<=23.98	Pass
			6	20.41	-3.06	17.35	<=23.98	Pass
			13	20.47	-3.06	17.41	<=23.98	Pass
		25	0	20.36	-3.06	17.30	<=23.98	Pass

	2310	1	0	21.40	-3.06	18.34	<=23.98	Pass
			13	21.48	-3.06	18.42	<=23.98	Pass
			24	21.40	-3.06	18.34	<=23.98	Pass
		12	0	20.52	-3.06	17.46	<=23.98	Pass
			6	20.44	-3.06	17.38	<=23.98	Pass
			13	20.50	-3.06	17.44	<=23.98	Pass
		25	0	20.51	-3.06	17.45	<=23.98	Pass
	2312.5	1	0	21.65	-3.06	18.59	<=23.98	Pass
			13	21.48	-3.06	18.42	<=23.98	Pass
			24	21.65	-3.06	18.59	<=23.98	Pass
		12	0	20.27	-3.06	17.21	<=23.98	Pass
			6	20.37	-3.06	17.31	<=23.98	Pass
			13	20.41	-3.06	17.35	<=23.98	Pass
		25	0	20.38	-3.06	17.32	<=23.98	Pass
256QAM	2307.5	1	0	18.60	-3.06	15.54	<=23.98	Pass
			13	18.70	-3.06	15.64	<=23.98	Pass
			24	18.42	-3.06	15.36	<=23.98	Pass
		12	0	18.46	-3.06	15.40	<=23.98	Pass
			6	18.46	-3.06	15.40	<=23.98	Pass
			13	18.52	-3.06	15.46	<=23.98	Pass
		25	0	18.39	-3.06	15.33	<=23.98	Pass
	2310	1	0	18.67	-3.06	15.61	<=23.98	Pass
			13	18.54	-3.06	15.48	<=23.98	Pass
			24	18.42	-3.06	15.36	<=23.98	Pass
		12	0	18.59	-3.06	15.53	<=23.98	Pass
			6	18.51	-3.06	15.45	<=23.98	Pass
			13	18.49	-3.06	15.43	<=23.98	Pass
		25	0	18.56	-3.06	15.50	<=23.98	Pass
	2312.5	1	0	18.53	-3.06	15.47	<=23.98	Pass
			13	18.69	-3.06	15.63	<=23.98	Pass
			24	18.67	-3.06	15.61	<=23.98	Pass
		12	0	18.56	-3.06	15.50	<=23.98	Pass
			6	18.41	-3.06	15.35	<=23.98	Pass
			13	18.45	-3.06	15.39	<=23.98	Pass
		25	0	18.56	-3.06	15.50	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B30_5MHz_EIRP

Band: 30 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/5MHz)	Gain (dBi)	EIRP (dBm/5MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	2307.5	1	0	23.77	-3.06	20.71	<=23.98	Pass
			13	23.53	-3.06	20.47	<=23.98	Pass
			24	23.54	-3.06	20.48	<=23.98	Pass
		12	0	22.52	-3.06	19.46	<=23.98	Pass
			6	22.58	-3.06	19.52	<=23.98	Pass
			13	22.73	-3.06	19.67	<=23.98	Pass
		25	0	22.67	-3.06	19.61	<=23.98	Pass
	2310	1	0	23.29	-3.06	20.23	<=23.98	Pass
			13	23.75	-3.06	20.69	<=23.98	Pass
			24	23.66	-3.06	20.60	<=23.98	Pass
		12	0	22.73	-3.06	19.67	<=23.98	Pass
			6	22.74	-3.06	19.68	<=23.98	Pass
			13	22.83	-3.06	19.77	<=23.98	Pass
		25	0	22.66	-3.06	19.60	<=23.98	Pass
	2312.5	1	0	23.68	-3.06	20.62	<=23.98	Pass

		12	13	23.37	-3.06	20.31	<=23.98	Pass		
			24	23.76	-3.06	20.70	<=23.98	Pass		
			0	22.75	-3.06	19.69	<=23.98	Pass		
		25	6	22.85	-3.06	19.79	<=23.98	Pass		
			13	22.79	-3.06	19.73	<=23.98	Pass		
			0	22.69	-3.06	19.63	<=23.98	Pass		
16QAM	2307.5	1	0	22.82	-3.06	19.76	<=23.98	Pass		
			13	22.60	-3.06	19.54	<=23.98	Pass		
			24	22.60	-3.06	19.54	<=23.98	Pass		
		12	0	21.53	-3.06	18.47	<=23.98	Pass		
			6	21.69	-3.06	18.63	<=23.98	Pass		
			13	21.61	-3.06	18.55	<=23.98	Pass		
		25	0	21.65	-3.06	18.59	<=23.98	Pass		
		2310	1	0	22.72	-3.06	19.66	<=23.98	Pass	
				13	22.81	-3.06	19.75	<=23.98	Pass	
	24			22.92	-3.06	19.86	<=23.98	Pass		
	12		0	21.64	-3.06	18.58	<=23.98	Pass		
			6	21.66	-3.06	18.60	<=23.98	Pass		
			13	21.69	-3.06	18.63	<=23.98	Pass		
	25		0	21.65	-3.06	18.59	<=23.98	Pass		
	2312.5		1	0	22.73	-3.06	19.67	<=23.98	Pass	
				13	22.88	-3.06	19.82	<=23.98	Pass	
		24		23.10	-3.06	20.04	<=23.98	Pass		
		12	0	21.70	-3.06	18.64	<=23.98	Pass		
			6	21.69	-3.06	18.63	<=23.98	Pass		
			13	21.76	-3.06	18.70	<=23.98	Pass		
		25	0	21.60	-3.06	18.54	<=23.98	Pass		
		64QAM	2307.5	1	0	21.53	-3.06	18.47	<=23.98	Pass
					13	21.84	-3.06	18.78	<=23.98	Pass
	24				22.05	-3.06	18.99	<=23.98	Pass	
12	0			20.61	-3.06	17.55	<=23.98	Pass		
	6			20.70	-3.06	17.64	<=23.98	Pass		
	13			20.74	-3.06	17.68	<=23.98	Pass		
25	0			20.55	-3.06	17.49	<=23.98	Pass		
2310	1			0	21.48	-3.06	18.42	<=23.98	Pass	
				13	21.36	-3.06	18.30	<=23.98	Pass	
			24	21.71	-3.06	18.65	<=23.98	Pass		
	12		0	20.68	-3.06	17.62	<=23.98	Pass		
			6	20.77	-3.06	17.71	<=23.98	Pass		
			13	20.69	-3.06	17.63	<=23.98	Pass		
	25		0	20.67	-3.06	17.61	<=23.98	Pass		
	2312.5		1	0	21.85	-3.06	18.79	<=23.98	Pass	
				13	21.68	-3.06	18.62	<=23.98	Pass	
24				21.76	-3.06	18.70	<=23.98	Pass		
12			0	20.79	-3.06	17.73	<=23.98	Pass		
			6	20.66	-3.06	17.60	<=23.98	Pass		
			13	20.70	-3.06	17.64	<=23.98	Pass		
25			0	20.70	-3.06	17.64	<=23.98	Pass		
256QAM			2307.5	1	0	18.72	-3.06	15.66	<=23.98	Pass
					13	18.82	-3.06	15.76	<=23.98	Pass
	24				18.40	-3.06	15.34	<=23.98	Pass	
	12	0		18.71	-3.06	15.65	<=23.98	Pass		
		6		18.66	-3.06	15.60	<=23.98	Pass		
		13		18.72	-3.06	15.66	<=23.98	Pass		
	25	0		18.75	-3.06	15.69	<=23.98	Pass		
	2310	1		0	19.06	-3.06	16.00	<=23.98	Pass	
				13	18.77	-3.06	15.71	<=23.98	Pass	
			24	18.65	-3.06	15.59	<=23.98	Pass		
			12	0	18.85	-3.06	15.79	<=23.98	Pass	

		25	6	18.79	-3.06	15.73	<=23.98	Pass
			13	18.73	-3.06	15.67	<=23.98	Pass
			0	18.86	-3.06	15.80	<=23.98	Pass
	2312.5	1	0	18.92	-3.06	15.86	<=23.98	Pass
			13	19.04	-3.06	15.98	<=23.98	Pass
			24	18.76	-3.06	15.70	<=23.98	Pass
		12	0	18.74	-3.06	15.68	<=23.98	Pass
			6	18.88	-3.06	15.82	<=23.98	Pass
			13	18.73	-3.06	15.67	<=23.98	Pass
		25	0	18.79	-3.06	15.73	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B30_10MHz_EIRP

Band: 30 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2310	1	0	23.41	-3.06	20.35	<=23.98	Pass
			25	23.50	-3.06	20.44	<=23.98	Pass
			49	23.40	-3.06	20.34	<=23.98	Pass
		25	0	22.48	-3.06	19.42	<=23.98	Pass
			13	22.39	-3.06	19.33	<=23.98	Pass
			25	22.35	-3.06	19.29	<=23.98	Pass
16QAM	2310	1	0	22.50	-3.06	19.44	<=23.98	Pass
			25	22.61	-3.06	19.55	<=23.98	Pass
			49	22.79	-3.06	19.73	<=23.98	Pass
		25	0	22.49	-3.06	19.43	<=23.98	Pass
			13	21.51	-3.06	18.45	<=23.98	Pass
			25	21.44	-3.06	18.38	<=23.98	Pass
64QAM	2310	1	0	21.42	-3.06	18.36	<=23.98	Pass
			25	21.44	-3.06	18.38	<=23.98	Pass
			49	21.67	-3.06	18.61	<=23.98	Pass
		25	0	21.60	-3.06	18.54	<=23.98	Pass
			13	21.62	-3.06	18.56	<=23.98	Pass
			25	20.45	-3.06	17.39	<=23.98	Pass
256QAM	2310	1	0	20.45	-3.06	17.39	<=23.98	Pass
			13	20.51	-3.06	17.45	<=23.98	Pass
			25	20.51	-3.06	17.45	<=23.98	Pass
		25	0	20.40	-3.06	17.34	<=23.98	Pass
			13	18.71	-3.06	15.65	<=23.98	Pass
			25	18.07	-3.06	15.01	<=23.98	Pass
	2310	1	0	18.57	-3.06	15.51	<=23.98	Pass
			25	18.44	-3.06	15.38	<=23.98	Pass
			49	18.51	-3.06	15.45	<=23.98	Pass
		25	0	18.59	-3.06	15.53	<=23.98	Pass
			13	18.47	-3.06	15.41	<=23.98	Pass
			25	18.47	-3.06	15.41	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B30_10MHz_EIRP


Band: 30 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/5MHz)	Gain (dBi)	EIRP (dBm/5MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	2310	1	0	23.42	-3.06	20.36	<=23.98	Pass
			25	23.62	-3.06	20.56	<=23.98	Pass
			49	23.57	-3.06	20.51	<=23.98	Pass
		25	0	22.61	-3.06	19.55	<=23.98	Pass

		50	13	22.76	-3.06	19.70	<=23.98	Pass
			25	22.68	-3.06	19.62	<=23.98	Pass
			0	22.73	-3.06	19.67	<=23.98	Pass
16QAM	2310	1	0	22.74	-3.06	19.68	<=23.98	Pass
			25	22.82	-3.06	19.76	<=23.98	Pass
			49	23.11	-3.06	20.05	<=23.98	Pass
		25	0	21.73	-3.06	18.67	<=23.98	Pass
			13	21.63	-3.06	18.57	<=23.98	Pass
			25	21.63	-3.06	18.57	<=23.98	Pass
		50	0	21.68	-3.06	18.62	<=23.98	Pass
64QAM	2310	1	0	21.46	-3.06	18.40	<=23.98	Pass
			25	21.70	-3.06	18.64	<=23.98	Pass
			49	21.76	-3.06	18.70	<=23.98	Pass
		25	0	20.62	-3.06	17.56	<=23.98	Pass
			13	20.61	-3.06	17.55	<=23.98	Pass
			25	20.62	-3.06	17.56	<=23.98	Pass
		50	0	20.69	-3.06	17.63	<=23.98	Pass
256QAM	2310	1	0	19.17	-3.06	16.11	<=23.98	Pass
			25	19.00	-3.06	15.94	<=23.98	Pass
			49	18.70	-3.06	15.64	<=23.98	Pass
		25	0	18.74	-3.06	15.68	<=23.98	Pass
			13	18.70	-3.06	15.64	<=23.98	Pass
			25	18.80	-3.06	15.74	<=23.98	Pass
		50	0	18.79	-3.06	15.73	<=23.98	Pass


Note1: EIRP=Conducted Power+Antenna Gain

1.2 Test Graph


1.2.1 B30_5MHz_EIRP




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_1_24_NTNV




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_12_0_NTNV




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_12_6_NTNV




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_12_13_NTNV




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_1_13_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_1_24_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_12_0_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_12_6_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_12_13_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_13_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_24_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_12_0_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_12_6_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_12_13_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band30 5MHz 16QAM LCH 2307.5MHz RB 1_13 NTN




Band30 5MHz 16QAM LCH 2307.5MHz RB 1_24 NTN




Band30 5MHz 16QAM LCH 2307.5MHz RB 12_0 NTNV




Band30 5MHz 16QAM LCH 2307.5MHz RB 12_6 NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_12_13_NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_1_13_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_1_24_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_12_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_12_6_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_12_13_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_13_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_24_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_12_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_12_6_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_12_13_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_LCH_2307.5MHz_RB_1_13_NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 1 24 NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 12 0 NTNV




Band30_5MHz_64QAM_LCH_2307.5MHz_RB_12_6_NTNV




Band30_5MHz_64QAM_LCH_2307.5MHz_RB_12_13_NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 25_0 NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 1_0 NTNV




Band30_5MHz_64QAM_MCH_2310MHz_RB_1_13_NTNV




Band30_5MHz_64QAM_MCH_2310MHz_RB_1_24_NTNV




Band30_5MHz_64QAM_MCH_2310MHz_RB_12_0_NTNV




Band30_5MHz_64QAM_MCH_2310MHz_RB_12_6_NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 12_13_NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 25_0_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_13_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_24_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_12_0_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_12_6_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_12_13_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_1_13_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_1_24_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_12_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_12_6_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_12_13_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_1_13_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_1_24_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_12_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_12_6_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_12_13_NTNV




Band30 5MHz 256QAM MCH 2310MHz RB 25_0 NTNV




Band30 5MHz 256QAM HCH 2312.5MHz RB 1_0 NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_1_13_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_1_24_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_12_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_12_6_NTNV



Band30 5MHz 256QAM HCH 2312.5MHz RB 12 13 NTN




Band30 5MHz 256QAM HCH 2312.5MHz RB 25 0 NTN




1.2.2 B30_10MHz_EIRP


Band30_10MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_1_25_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_1_49_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_25_0_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_25_13_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_25_25_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_1_25_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_1_49_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_25_13_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_25_25_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_1_25_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_1_49_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_25_13_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_25_25_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_1_25_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_1_49_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_25_13_NTNV



Band30_10MHz_256QAM_MCH_2310MHz_RB_25_25_NTNV



Band30_10MHz_256QAM_MCH_2310MHz_RB_50_0_NTNV



2. Frequency Stability

2.1 Test Result

2.1.1 B30_5MHz

Band: 30 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2310	25	0	20	3.27	-9.991	-0.0043	-2.5 to 2.5	Pass
					3.85	-1.798	-0.0008	-2.5 to 2.5	Pass
					4.43	-7.793	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-5.903	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-1.260	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	2.509	0.0011	-2.5 to 2.5	Pass
				0	3.85	1.691	0.0007	-2.5 to 2.5	Pass
				10	3.85	0.997	0.0004	-2.5 to 2.5	Pass
				30	3.85	-1.838	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-4.366	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-3.769	-0.0016	-2.5 to 2.5	Pass

2.1.2 B30_10MHz

Band: 30 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2310	50	0	20	3.27	-5.125	-0.0022	-2.5 to 2.5	Pass
					3.85	-1.296	-0.0006	-2.5 to 2.5	Pass
					4.43	-1.188	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-6.900	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-4.459	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-2.242	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-1.960	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-1.160	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-4.110	-0.0018	-2.5 to 2.5	Pass
				40	3.85	0.622	0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.630	-0.0003	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band30_OBW

Band: 30 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2307.5	25	0	4.516	/	Pass
		2310	25	0	4.506	/	Pass
		2312.5	25	0	4.511	/	Pass
	16QAM	2307.5	25	0	4.525	/	Pass


		2310	25	0	4.504	/	Pass
		2312.5	25	0	4.518	/	Pass
		2307.5	25	0	4.522	/	Pass
	64QAM	2310	25	0	4.508	/	Pass
		2312.5	25	0	4.524	/	Pass
		2307.5	25	0	4.524	/	Pass
	256QAM	2310	25	0	4.523	/	Pass
		2312.5	25	0	4.527	/	Pass
10	QPSK	2310	50	0	9.014	/	Pass
	16QAM	2310	50	0	8.996	/	Pass
	64QAM	2310	50	0	9.000	/	Pass
	256QAM	2310	50	0	8.988	/	Pass

3.1.2 Band30_XDB


Band: 30 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2307.5	25	0	5.023	/	Pass
		2310	25	0	4.954	/	Pass
		2312.5	25	0	4.989	/	Pass
	16QAM	2307.5	25	0	4.998	/	Pass
		2310	25	0	4.933	/	Pass
		2312.5	25	0	4.992	/	Pass
	64QAM	2307.5	25	0	5.014	/	Pass
		2310	25	0	4.935	/	Pass
		2312.5	25	0	5.028	/	Pass
	256QAM	2307.5	25	0	5.024	/	Pass
		2310	25	0	4.964	/	Pass
		2312.5	25	0	5.020	/	Pass
10	QPSK	2310	50	0	9.822	/	Pass
	16QAM	2310	50	0	9.800	/	Pass
	64QAM	2310	50	0	9.785	/	Pass
	256QAM	2310	50	0	9.796	/	Pass

3.2 Test Graph


3.2.1 Band30_OBW




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 25 0 NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 25 0 NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_64QAM_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_256QAM_MCH_2310MHz_RB_50_0_NTNV




3.2.2 Band30_XDB




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 25 0 NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 25 0 NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_10MHz_QPSK_MCH_2310MHz_RB_50_0_NTNV




Band30_10MHz_16QAM_MCH_2310MHz_RB_50_0_NTNV



Band30_10MHz_64QAM_MCH_2310MHz_RB_50_0_NTNV



Band30_10MHz_256QAM_MCH_2310MHz_RB_50_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B30_5MHz


Band: 30 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2307.5	25	0	6.24	<=13	Pass
	2310	25	0	6.36	<=13	Pass
	2312.5	25	0	6.40	<=13	Pass
16QAM	2307.5	25	0	6.32	<=13	Pass
	2310	25	0	6.36	<=13	Pass
	2312.5	25	0	6.40	<=13	Pass
64QAM	2307.5	25	0	6.24	<=13	Pass
	2310	25	0	6.38	<=13	Pass
	2312.5	25	0	6.40	<=13	Pass
256QAM	2307.5	25	0	6.70	<=13	Pass
	2310	25	0	6.74	<=13	Pass
	2312.5	25	0	6.64	<=13	Pass

4.1.2 B30_10MHz


Band: 30 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	50	0	5.26	<=13	Pass
16QAM	2310	50	0	5.96	<=13	Pass
64QAM	2310	50	0	6.32	<=13	Pass
256QAM	2310	50	0	6.64	<=13	Pass

4.2 Test Graph


4.2.1 B30_5MHz




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30 5MHz 64QAM LCH 2307.5MHz RB 25 0 NTNV




Band30 5MHz 64QAM MCH 2310MHz RB 25 0 NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_25_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_25_0_NTNV




4.2.2 B30_10MHz



Band30_10MHz_64QAM_MCH_2310MHz_RB_50_0_NTNV



Band30_10MHz_256QAM_MCH_2310MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B30_5MHz

Band: 30 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
256QAM	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


5.1.2 B30_10MHz

Band: 30 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
256QAM	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass


		50	0	Refer To Test Graph	Pass
--	--	----	---	---------------------	------

5.2 Test Graph


5.2.1 B30_5MHz



Band30_5MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_LCH_2307.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.975	-53.63	-40	Pass
2288	2292	1	CHP	2	2288.223	-54.22	-37	Pass
2292	2296	1	CHP	3	2295.993	-52.86	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.33	-25	Pass
2300	2304	1	CHP	5	2303.104	-35.74	-13	Pass
2304	2305	0.05	CHP	6	2304.994	-20.96	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.314	-61.67	-13	Pass
2316	2320	1	CHP	8	2317.804	-50.64	-13	Pass
2320	2324	1	CHP	9	2322.454	-53.28	-25	Pass
2324	2328	1	CHP	10	2324.779	-54.03	-31	Pass
2328	2337	1	CHP	11	2333.015	-54.39	-37	Pass
2337	2341	1	CHP	12	2337.605	-54.42	-31	Pass
2341	2345	1	CHP	13	2341.280	-54.40	-25	Pass


Band30_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV



Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_QPSK_HCH_2312.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2230.485	-53.73	40	Pass
2288	2292	1	CHP	2	2288.955	-54.34	-37	Pass
2292	2296	1	CHP	3	2294.985	-54.16	-31	Pass
2296	2300	1	CHP	4	2297.585	-53.08	-25	Pass
2300	2304	1	CHP	5	2301.890	-48.81	-13	Pass
2304	2305	0.01	/	6	2304.885	-67.09	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.015	-56.70	-13	Pass
2316	2320	1	CHP	8	2318.985	-43.19	-13	Pass
2320	2324	1	CHP	9	2320.005	-48.25	-25	Pass
2324	2328	1	CHP	10	2324.005	-53.11	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.80	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.48	-31	Pass
2341	2345	1	CHP	13	2343.505	-54.61	-25	Pass

Band30_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.510	-53.58	40	Pass
2288	2292	1	CHP	2	2288.913	-54.18	-37	Pass
2292	2296	1	CHP	3	2295.303	-54.15	-31	Pass
2296	2300	1	CHP	4	2297.703	-53.16	-25	Pass
2300	2304	1	CHP	5	2301.859	-48.84	-13	Pass
2304	2305	0.05	CHP	6	2304.844	-61.10	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.014	-50.59	-13	Pass
2316	2320	1	CHP	8	2318.989	-43.41	-13	Pass
2320	2324	1	CHP	9	2320.009	-48.08	-25	Pass
2324	2328	1	CHP	10	2324.014	-53.17	-31	Pass
2328	2337	1	CHP	11	2328.004	-53.91	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.42	-31	Pass
2341	2345	1	CHP	13	2342.705	-54.61	-25	Pass


Band30_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2270.825	-53.67	40	Pass
2288	2292	1	CHP	2	2290.775	-54.25	-37	Pass
2292	2296	1	CHP	3	2296.000	-52.87	-31	Pass
2296	2300	1	CHP	4	2299.990	-49.48	-25	Pass
2300	2304	1	CHP	5	2303.080	-35.54	-13	Pass
2304	2305	0.01	/	6	2304.995	-27.63	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.070	-67.30	-13	Pass
2316	2320	1	CHP	8	2316.500	-50.60	-13	Pass
2320	2324	1	CHP	9	2320.005	-53.21	-25	Pass
2324	2328	1	CHP	10	2325.700	-54.11	-31	Pass
2328	2337	1	CHP	11	2332.795	-54.41	-37	Pass
2337	2341	1	CHP	12	2338.570	-54.59	-31	Pass
2341	2345	1	CHP	13	2341.825	-54.55	-25	Pass

Band30_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV







Band30_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV



Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_16QAM_HCH_2312.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.670	-53.62	40	Pass
2288	2292	1	CHP	2	2288.155	-54.37	-37	Pass
2292	2296	1	CHP	3	2295.010	-54.15	-31	Pass
2296	2300	1	CHP	4	2297.690	-53.22	-25	Pass
2300	2304	1	CHP	5	2301.890	-48.80	-13	Pass
2304	2305	0.01	/	6	2304.635	-67.75	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.010	-56.38	-13	Pass
2316	2320	1	CHP	8	2318.970	-43.31	-13	Pass
2320	2324	1	CHP	9	2320.005	-48.20	-25	Pass
2324	2328	1	CHP	10	2324.005	-53.19	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.78	-37	Pass
2337	2341	1	CHP	12	2337.085	-54.40	-31	Pass
2341	2345	1	CHP	13	2341.020	-54.65	-25	Pass

Band30_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2272.353	-53.70	40	Pass
2288	2292	1	CHP	2	2288.163	-54.18	-37	Pass
2292	2296	1	CHP	3	2295.678	-54.17	-31	Pass
2296	2300	1	CHP	4	2297.748	-53.42	-25	Pass
2300	2304	1	CHP	5	2301.844	-48.88	-13	Pass
2304	2305	0.05	CHP	6	2304.934	-61.32	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.014	-50.64	-13	Pass
2316	2320	1	CHP	8	2318.929	-43.39	-13	Pass
2320	2324	1	CHP	9	2320.009	-48.27	-25	Pass
2324	2328	1	CHP	10	2324.014	-53.14	-31	Pass
2328	2337	1	CHP	11	2328.004	-54.00	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.47	-31	Pass
2341	2345	1	CHP	13	2341.820	-54.61	-25	Pass

Band30_5MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2230.650	-53.67	40	Pass
2288	2292	1	CHP	2	2290.730	-54.29	-37	Pass
2292	2296	1	CHP	3	2296.000	-52.94	-31	Pass
2296	2300	1	CHP	4	2299.995	-49.55	-25	Pass
2300	2304	1	CHP	5	2303.075	-35.50	-13	Pass
2304	2305	0.01	/	6	2304.995	-27.07	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.050	-67.92	-13	Pass
2316	2320	1	CHP	8	2316.500	-50.77	-13	Pass
2320	2324	1	CHP	9	2320.115	-53.31	-25	Pass
2324	2328	1	CHP	10	2325.345	-54.12	-31	Pass
2328	2337	1	CHP	11	2330.205	-54.41	-37	Pass
2337	2341	1	CHP	12	2339.650	-54.54	-31	Pass
2341	2345	1	CHP	13	2341.250	-54.46	-25	Pass


Band30_5MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV



Band30_5MHz_64QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_LCH_2307.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2191.605	-53.64	-40	Pass
2288	2292	1	CHP	2	2289.858	-54.23	-37	Pass
2292	2296	1	CHP	3	2295.993	-52.82	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.49	-25	Pass
2300	2304	1	CHP	5	2303.119	-35.41	-13	Pass
2304	2305	0.05	CHP	6	2304.994	-20.81	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.014	-61.36	-13	Pass
2316	2320	1	CHP	8	2317.849	-50.70	-13	Pass
2320	2324	1	CHP	9	2320.189	-53.06	-25	Pass
2324	2328	1	CHP	10	2325.514	-54.04	-31	Pass
2328	2337	1	CHP	11	2328.244	-54.22	-37	Pass
2337	2341	1	CHP	12	2337.980	-54.48	-31	Pass
2341	2345	1	CHP	13	2341.475	-54.40	-25	Pass


Band30_5MHz_64QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_0_NTNV



Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_64QAM_HCH_2312.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.575	-53.67	-40	Pass
2288	2292	1	CHP	2	2288.255	-54.37	-37	Pass
2292	2296	1	CHP	3	2295.280	-54.21	-31	Pass
2296	2300	1	CHP	4	2297.740	-53.27	-25	Pass
2300	2304	1	CHP	5	2301.910	-48.89	-13	Pass
2304	2305	0.01	/	6	2304.980	-67.60	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.015	-56.16	-13	Pass
2316	2320	1	CHP	8	2318.935	-43.30	-13	Pass
2320	2324	1	CHP	9	2320.005	-48.11	-25	Pass
2324	2328	1	CHP	10	2324.005	-53.14	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.80	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.43	-31	Pass
2341	2345	1	CHP	13	2341.005	-54.62	-25	Pass

Band30_5MHz_64QAM_HCH_2312.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2272.623	-53.57	-40	Pass
2288	2292	1	CHP	2	2289.543	-54.22	-37	Pass
2292	2296	1	CHP	3	2295.393	-54.07	-31	Pass
2296	2300	1	CHP	4	2297.778	-53.48	-25	Pass
2300	2304	1	CHP	5	2301.859	-48.83	-13	Pass
2304	2305	0.05	CHP	6	2304.964	-61.29	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.014	-51.58	-13	Pass
2316	2320	1	CHP	8	2318.974	-43.49	-13	Pass
2320	2324	1	CHP	9	2320.009	-48.19	-25	Pass
2324	2328	1	CHP	10	2324.014	-53.09	-31	Pass
2328	2337	1	CHP	11	2328.004	-54.01	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.44	-31	Pass
2341	2345	1	CHP	13	2344.220	-54.59	-25	Pass

Band30 5MHz 256QAM LCH 2307.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2191.125	-53.77	40	Pass
2288	2292	1	CHP	2	2288.190	-54.36	-37	Pass
2292	2296	1	CHP	3	2296.000	-53.55	-31	Pass
2296	2300	1	CHP	4	2299.990	-51.17	-25	Pass
2300	2304	1	CHP	5	2303.055	-36.96	-13	Pass
2304	2305	0.01	/	6	2304.995	-31.34	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.150	-68.63	-13	Pass
2316	2320	1	CHP	8	2317.850	-51.74	-13	Pass
2320	2324	1	CHP	9	2320.105	-53.56	-25	Pass
2324	2328	1	CHP	10	2324.155	-54.13	-31	Pass
2328	2337	1	CHP	11	2328.920	-54.44	-37	Pass
2337	2341	1	CHP	12	2338.965	-54.55	-31	Pass
2341	2345	1	CHP	13	2341.455	-54.51	-25	Pass


Band30 5MHz 256QAM LCH 2307.5MHz RB 1 0 NTNV



Band30_5MHz_256QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_LCH_2307.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2271.228	-53.71	-40	Pass
2288	2292	1	CHP	2	2291.808	-54.25	-37	Pass
2292	2296	1	CHP	3	2295.993	-51.85	-31	Pass
2296	2300	1	CHP	4	2299.999	-38.47	-25	Pass
2300	2304	1	CHP	5	2303.479	-29.13	-13	Pass
2304	2305	0.05	CHP	6	2304.994	-35.48	-13	Pass
2305	2315	0.05	CHP	7	2315.119	-50.56	-13	Pass
2315	2320	1	CHP	8	2316.514	-42.70	-13	Pass
2320	2324	1	CHP	9	2320.009	-51.36	-25	Pass
2324	2328	1	CHP	10	2324.044	-53.63	-31	Pass
2328	2337	1	CHP	11	2328.394	-54.30	-37	Pass
2337	2341	1	CHP	12	2338.340	-54.43	-31	Pass
2341	2345	1	CHP	13	2341.715	-54.53	-25	Pass


Band30_5MHz_256QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_MCH_2310MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_1_0_NTNV



Band30_5MHz_256QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band30_5MHz_256QAM_HCH_2312.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.500	-53.70	-40	Pass
2288	2292	1	CHP	2	2288.125	-54.33	-37	Pass
2292	2296	1	CHP	3	2294.875	-54.41	-31	Pass
2296	2300	1	CHP	4	2299.725	-53.96	-25	Pass
2300	2304	1	CHP	5	2303.500	-51.94	-13	Pass
2304	2305	0.01	/	6	2304.980	-68.51	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.010	-30.81	-13	Pass
2316	2320	1	CHP	8	2316.850	-37.79	-13	Pass
2320	2324	1	CHP	9	2320.005	-50.49	-25	Pass
2324	2328	1	CHP	10	2324.005	-52.71	-31	Pass
2328	2337	1	CHP	11	2328.005	-54.20	-37	Pass
2337	2341	1	CHP	12	2337.125	-54.58	-31	Pass
2341	2345	1	CHP	13	2342.320	-54.70	-25	Pass


Band30_5MHz_256QAM_HCH_2312.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.510	-53.62	-40	Pass
2288	2292	1	CHP	2	2290.203	-54.37	-37	Pass
2292	2296	1	CHP	3	2295.408	-54.04	-31	Pass
2296	2300	1	CHP	4	2299.999	-51.34	-25	Pass
2300	2304	1	CHP	5	2303.494	-41.57	-13	Pass
2304	2305	0.05	CHP	6	2304.964	-50.04	-13	Pass
2305	2315	0.05	CHP	/	/	/	/	/
2315	2316	0.05	CHP	7	2315.014	-37.23	-13	Pass
2316	2320	1	CHP	8	2316.514	-30.18	-13	Pass
2320	2324	1	CHP	9	2320.009	-39.12	-25	Pass
2324	2328	1	CHP	10	2324.014	-50.80	-31	Pass
2328	2337	1	CHP	11	2328.379	-54.03	-37	Pass
2337	2341	1	CHP	12	2339.465	-54.42	-31	Pass
2341	2345	1	CHP	13	2342.165	-54.47	-25	Pass

5.2.2 B30_10MHz


Band30_10MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV



Band30_10MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_QPSK_LCH_2310MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2231.716	-53.63	-40	Pass
2288	2292	1	CHP	2	2291.988	-54.06	-37	Pass
2292	2296	1	CHP	3	2295.948	-52.92	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.87	-25	Pass
2300	2304	1	CHP	5	2303.389	-35.81	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-23.36	-13	Pass
2305	2315	0.098	CHP	7	2315.134	-53.96	-13	Pass
2315	2316	0.098	CHP	8	2318.329	-47.11	-13	Pass
2316	2320	1	CHP	9	2322.979	-46.14	-25	Pass
2320	2324	1	CHP	10	2324.014	-49.81	-31	Pass
2324	2328	1	CHP	11	2328.004	-53.87	-37	Pass
2328	2337	1	CHP	12	2337.875	-54.59	-31	Pass
2337	2341	1	CHP	13	2341.145	-54.52	-25	Pass

Band30_10MHz_QPSK_HCH_2310MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2191.140	-53.65	40	Pass
2288	2292	1	CHP	2	2291.375	-54.14	-37	Pass
2292	2296	1	CHP	3	2296.000	-52.82	-31	Pass
2296	2300	1	CHP	4	2300.000	-49.65	-25	Pass
2300	2304	1	CHP	5	2303.385	-35.66	-13	Pass
2304	2305	0.01	/	6	2304.990	-33.96	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.345	-61.79	-13	Pass
2316	2320	1	CHP	8	2318.330	-46.93	-13	Pass
2320	2324	1	CHP	9	2323.035	-46.23	-25	Pass
2324	2328	1	CHP	10	2324.005	-49.67	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.92	-37	Pass
2337	2341	1	CHP	12	2337.895	-54.51	-31	Pass
2341	2345	1	CHP	13	2341.640	-54.56	-25	Pass

Band30_10MHz_QPSK_HCH_2310MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.510	-53.70	40	Pass
2288	2292	1	CHP	2	2290.563	-54.20	-37	Pass
2292	2296	1	CHP	3	2295.993	-52.81	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.74	-25	Pass
2300	2304	1	CHP	5	2303.389	-35.70	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-23.95	-13	Pass
2305	2315	0.098	CHP	/	/	/	/	/
2315	2316	0.098	CHP	7	2315.149	-53.43	-13	Pass
2316	2320	1	CHP	8	2318.314	-47.09	-13	Pass
2320	2324	1	CHP	9	2322.949	-46.28	-25	Pass
2324	2328	1	CHP	10	2324.014	-49.80	-31	Pass
2328	2337	1	CHP	11	2328.004	-54.03	-37	Pass
2337	2341	1	CHP	12	2338.370	-54.46	-31	Pass
2341	2345	1	CHP	13	2341.025	-54.49	-25	Pass

Band30_10MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.855	-53.63	40	Pass
2288	2292	1	CHP	2	2291.490	-54.19	-37	Pass
2292	2296	1	CHP	3	2296.000	-52.70	-31	Pass
2296	2300	1	CHP	4	2300.000	-49.90	-25	Pass
2300	2304	1	CHP	5	2303.325	-35.70	-13	Pass
2304	2305	0.01	/	6	2304.990	-34.23	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.135	-61.91	-13	Pass
2316	2320	1	CHP	8	2318.325	-47.13	-13	Pass
2320	2324	1	CHP	9	2323.050	-46.31	-25	Pass
2324	2328	1	CHP	10	2324.005	-49.88	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.96	-37	Pass
2337	2341	1	CHP	12	2340.990	-54.51	-31	Pass
2341	2345	1	CHP	13	2341.360	-54.37	-25	Pass


Band30_10MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV



Band30_10MHz_16QAM_LCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_16QAM_LCH_2310MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2231.881	-53.68	-40	Pass
2288	2292	1	CHP	2	2291.778	-54.19	-37	Pass
2292	2296	1	CHP	3	2295.993	-52.88	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.83	-25	Pass
2300	2304	1	CHP	5	2303.374	-35.83	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-21.95	-13	Pass
2305	2315	0.098	CHP	7	2315.164	-53.72	-13	Pass
2315	2316	0.098	CHP	8	2318.344	-47.00	-13	Pass
2316	2320	1	CHP	9	2323.024	-46.30	-25	Pass
2320	2324	1	CHP	10	2324.014	-49.88	-31	Pass
2324	2328	1	CHP	11	2328.004	-53.93	-37	Pass
2328	2337	1	CHP	12	2340.860	-54.48	-31	Pass
2337	2341	1	CHP	13	2341.250	-54.48	-25	Pass
2341	2345	1	CHP					

Band30 10MHz 16QAM HCH 2310MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2191.275	-53.68	-40	Pass
2288	2292	1	CHP	2	2291.845	-54.19	-37	Pass
2292	2296	1	CHP	3	2295.995	-53.01	-31	Pass
2296	2300	1	CHP	4	2300.000	-49.80	-25	Pass
2300	2304	1	CHP	5	2303.340	-35.56	-13	Pass
2304	2305	0.01	/	6	2304.975	-34.70	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.145	-62.23	-13	Pass
2316	2320	1	CHP	8	2318.335	-46.94	-13	Pass
2320	2324	1	CHP	9	2323.060	-46.28	-25	Pass
2324	2328	1	CHP	10	2324.005	-49.76	-31	Pass
2328	2337	1	CHP	11	2328.015	-54.03	-37	Pass
2337	2341	1	CHP	12	2340.880	-54.52	-31	Pass
2341	2345	1	CHP	13	2341.245	-54.47	-25	Pass

Band30 10MHz 16QAM HCH 2310MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.510	-53.64	-40	Pass
2288	2292	1	CHP	2	2291.988	-54.13	-37	Pass
2292	2296	1	CHP	3	2295.963	-52.83	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.66	-25	Pass
2300	2304	1	CHP	5	2303.404	-35.81	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-23.83	-13	Pass
2305	2315	0.098	CHP	/	/	/	/	/
2315	2316	0.098	CHP	7	2315.134	-53.60	-13	Pass
2316	2320	1	CHP	8	2318.329	-46.97	-13	Pass
2320	2324	1	CHP	9	2322.949	-46.10	-25	Pass
2324	2328	1	CHP	10	2324.014	-49.79	-31	Pass
2328	2337	1	CHP	11	2328.004	-53.98	-37	Pass
2337	2341	1	CHP	12	2337.845	-54.41	-31	Pass
2341	2345	1	CHP	13	2341.235	-54.37	-25	Pass

Band30_10MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2271.855	-53.71	40	Pass
2288	2292	1	CHP	2	2291.975	-54.10	-37	Pass
2292	2296	1	CHP	3	2295.995	-52.79	-31	Pass
2296	2300	1	CHP	4	2300.000	-49.88	-25	Pass
2300	2304	1	CHP	5	2303.355	-35.86	-13	Pass
2304	2305	0.01	/	6	2304.995	-33.55	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.115	-62.00	-13	Pass
2316	2320	1	CHP	8	2318.345	-47.10	-13	Pass
2320	2324	1	CHP	9	2323.030	-46.15	-25	Pass
2324	2328	1	CHP	10	2324.005	-49.84	-31	Pass
2328	2337	1	CHP	11	2328.005	-53.95	-37	Pass
2337	2341	1	CHP	12	2340.965	-54.50	-31	Pass
2341	2345	1	CHP	13	2341.225	-54.41	-25	Pass


Band30_10MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV



Band30_10MHz_64QAM_LCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_64QAM_LCH_2310MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2231.041	-53.63	-40	Pass
2288	2292	1	CHP	2	2290.833	-54.07	-37	Pass
2292	2296	1	CHP	3	2295.993	-52.73	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.74	-25	Pass
2300	2304	1	CHP	5	2303.344	-35.75	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-23.54	-13	Pass
2305	2315	0.098	CHP	/	/	/	/	/
2315	2316	0.098	CHP	7	2315.134	-53.42	-13	Pass
2316	2320	1	CHP	8	2318.314	-47.00	-13	Pass
2320	2324	1	CHP	9	2323.024	-46.16	-25	Pass
2324	2328	1	CHP	10	2324.014	-49.92	-31	Pass
2328	2337	1	CHP	11	2328.004	-53.99	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.48	-31	Pass
2341	2345	1	CHP	13	2341.685	-54.53	-25	Pass

Band30 10MHz 64QAM HCH 2310MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2270.860	-53.65	40	Pass
2288	2292	1	CHP	2	2291.555	-54.12	-37	Pass
2292	2296	1	CHP	3	2295.985	-52.81	-31	Pass
2296	2300	1	CHP	4	2300.000	-49.83	-25	Pass
2300	2304	1	CHP	5	2303.395	-35.68	-13	Pass
2304	2305	0.01	/	6	2304.990	-34.09	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.185	-62.42	-13	Pass
2316	2320	1	CHP	8	2317.890	-47.07	-13	Pass
2320	2324	1	CHP	9	2322.935	-46.29	-25	Pass
2324	2328	1	CHP	10	2324.005	-49.90	-31	Pass
2328	2337	1	CHP	11	2328.050	-53.92	-37	Pass
2337	2341	1	CHP	12	2340.975	-54.53	-31	Pass
2341	2345	1	CHP	13	2341.045	-54.49	-25	Pass

Band30 10MHz 64QAM HCH 2310MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2270.568	-53.58	40	Pass
2288	2292	1	CHP	2	2291.958	-54.10	-37	Pass
2292	2296	1	CHP	3	2295.978	-53.00	-31	Pass
2296	2300	1	CHP	4	2299.999	-49.82	-25	Pass
2300	2304	1	CHP	5	2303.359	-35.83	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-23.39	-13	Pass
2305	2315	0.098	CHP	/	/	/	/	/
2315	2316	0.098	CHP	7	2315.149	-53.75	-13	Pass
2316	2320	1	CHP	8	2318.329	-47.07	-13	Pass
2320	2324	1	CHP	9	2322.949	-45.95	-25	Pass
2324	2328	1	CHP	10	2324.014	-49.69	-31	Pass
2328	2337	1	CHP	11	2328.004	-53.99	-37	Pass
2337	2341	1	CHP	12	2337.110	-54.41	-31	Pass
2341	2345	1	CHP	13	2341.250	-54.39	-25	Pass

Band30_10MHz_256QAM_LCH_2310MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2191.130	-53.68	40	Pass
2288	2292	1	CHP	2	2291.825	-54.23	-37	Pass
2292	2296	1	CHP	3	2295.815	-53.63	-31	Pass
2296	2300	1	CHP	4	2300.000	-51.70	-25	Pass
2300	2304	1	CHP	5	2303.350	-37.23	-13	Pass
2304	2305	0.01	/	6	2304.995	-37.12	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.160	64.90	-13	Pass
2316	2320	1	CHP	8	2318.325	-48.60	-13	Pass
2320	2324	1	CHP	9	2323.095	-47.97	-25	Pass
2324	2328	1	CHP	10	2324.005	-51.17	-31	Pass
2328	2337	1	CHP	11	2328.035	-54.21	-37	Pass
2337	2341	1	CHP	12	2337.005	-54.56	-31	Pass
2341	2345	1	CHP	13	2341.495	-54.45	-25	Pass


Band30_10MHz_256QAM_LCH_2310MHz_RB_1_0_NTNV



Band30_10MHz_256QAM_LCH_2310MHz_RB_1_0_NTNV




Band30_10MHz_256QAM_LCH_2310MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.600	-53.67	-40	Pass
2288	2292	1	CHP	2	2291.988	-50.77	-37	Pass
2292	2296	1	CHP	3	2295.993	-42.10	-31	Pass
2296	2300	1	CHP	4	2299.999	-33.15	-25	Pass
2300	2304	1	CHP	5	2303.494	-30.60	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-37.77	-13	Pass
2305	2315	0.098	CHP	7	2315.134	-40.43	-13	Pass
2315	2316	0.098	CHP	8	2316.514	-31.91	-13	Pass
2316	2320	1	CHP	9	2320.009	-33.17	-25	Pass
2320	2324	1	CHP	10	2324.014	-41.92	-31	Pass
2324	2328	1	CHP	11	2328.004	-51.08	-37	Pass
2328	2337	1	CHP	12	2337.545	-54.45	-31	Pass
2337	2341	1	CHP	13	2341.010	-54.67	-25	Pass
2341	2345	1	CHP					

Band30_10MHz_256QAM_HCH_2310MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.500	-53.72	-40	Pass
2288	2292	1	CHP	2	2291.960	-54.35	-37	Pass
2292	2296	1	CHP	3	2296.000	-52.56	-31	Pass
2296	2300	1	CHP	4	2296.910	-49.98	-25	Pass
2300	2304	1	CHP	5	2301.650	-48.88	-13	Pass
2304	2305	0.01	/	6	2304.875	-64.91	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.005	-36.30	-13	Pass
2316	2320	1	CHP	8	2316.620	-37.79	-13	Pass
2320	2324	1	CHP	9	2320.005	-50.79	-25	Pass
2324	2328	1	CHP	10	2324.005	-52.77	-31	Pass
2328	2337	1	CHP	11	2328.015	-53.97	-37	Pass
2337	2341	1	CHP	12	2338.455	-54.62	-31	Pass
2341	2345	1	CHP	13	2341.005	-54.65	-25	Pass

Band30_10MHz_256QAM_HCH_2310MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2190.510	-53.63	-40	Pass
2288	2292	1	CHP	2	2291.988	-50.87	-37	Pass
2292	2296	1	CHP	3	2295.993	-42.10	-31	Pass
2296	2300	1	CHP	4	2299.999	-33.31	-25	Pass
2300	2304	1	CHP	5	2303.494	-30.63	-13	Pass
2304	2305	0.098	CHP	6	2304.994	-38.09	-13	Pass
2305	2315	0.098	CHP	/	/	/	/	/
2315	2316	0.098	CHP	7	2315.014	-40.01	-13	Pass
2316	2320	1	CHP	8	2316.514	-32.02	-13	Pass
2320	2324	1	CHP	9	2320.099	-33.17	-25	Pass
2324	2328	1	CHP	10	2324.014	-41.94	-31	Pass
2328	2337	1	CHP	11	2328.004	-51.05	-37	Pass
2337	2341	1	CHP	12	2339.255	-54.53	-31	Pass
2341	2345	1	CHP	13	2341.385	-54.51	-25	Pass