



Band43d_5MHz_256QAM_LCH_3702.5MHz_RB_1_0_NTNV




Band43d_5MHz_256QAM_LCH_3702.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3692.5	3695	1	CHP	1	3694.495	-42.05	-13	Pass
3695	3699	0.5	CHP	2	3698.742	-37.59	-13	Pass
3699	3700	0.05	CHP	3	3699.987	-35.97	-13	Pass
3700	3705	0.05	CHP	/	/	/	/	/
3705	3706	0.05	CHP	4	3705.013	-38.52	-13	Pass
3706	3710	0.5	CHP	5	3706.258	-35.50	-13	Pass
3710	3712.5	1	CHP	6	3710.505	-45.32	-13	Pass


Band43d_5MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_5MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_5MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_5MHz_256QAM_HCH_3797.5MHz_RB_1_0_NTNV




Band43d_5MHz_256QAM_HCH_3797.5MHz_RB_1_0_NTNV



Band43d_5MHz_256QAM_HCH_3797.5MHz_RB_1_0_NTNV




Band43d 5MHz 256QAM HCH 3797.5MHz RB 1 24 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3787.5	3790	1	CHP	1	3789.495	-43.40	-13	Pass
3790	3794	0.5	CHP	2	3793.733	-36.18	-13	Pass
3794	3795	0.003	/	3	3794.994	-32.23	-13	Pass
3795	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.028	-61.08	-13	Pass
3801	3805	0.5	CHP	5	3803.913	-42.10	-13	Pass
3805	3807.5	1	CHP	6	3805.500	-46.75	-13	Pass


Band43d 5MHz 256QAM HCH 3797.5MHz RB 25 0 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3787.5	3790	1	CHP	1	3789.495	-47.47	-13	Pass
3790	3794	0.5	CHP	2	3791.071	-41.17	-13	Pass
3794	3795	0.052	CHP	3	3794.687	-50.84	-13	Pass
3795	3800	0.052	CHP	/	/	/	/	/
3800	3801	0.052	CHP	4	3800.013	-25.14	-13	Pass
3801	3805	0.5	CHP	5	3801.468	-33.86	-13	Pass
3805	3807.5	1	CHP	6	3806.990	-44.80	-13	Pass


5.2.2 B43d_10MHz

Band43d_10MHz_QPSK_LCH_3705MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3693.189	-38.46	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-33.16	-13	Pass
3699	3700	0.003	/	3	3699.979	-35.16	-13	Pass
3700	3710	0.003	/	/	/	/	/	/
3710	3711	0.003	/	4	3710.174	-63.42	-13	Pass
3711	3715	0.5	CHP	5	3712.757	-45.18	-13	Pass
3715	3725	1	CHP	6	3718.053	-39.75	-13	Pass


Band43d_10MHz_QPSK_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_QPSK_LCH_3705MHz_RB_1_0_NTNV



Band43d_10MHz_QPSK_LCH_3705MHz_RB_1_0_NTNV




Band43d 10MHz QPSK LCH 3705MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3694.400	-35.85	-13	Pass
3695	3699	0.5	CHP	2	3698.360	-35.32	-13	Pass
3699	3700	0.101	CHP	3	3699.960	-38.58	-13	Pass
3700	3710	0.101	CHP	/	/	/	/	/
3710	3711	0.101	CHP	4	3710.280	-32.91	-13	Pass
3711	3715	0.5	CHP	5	3711.800	-32.09	-13	Pass
3715	3725	1	CHP	6	3715.520	-33.46	-13	Pass


Band43d 10MHz QPSK MCH 3750MHz RB 1 0 NTNV




Band43d_10MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_QPSK_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_QPSK_HCH_3795MHz_RB_1_0_NTNV



Band43d_10MHz_QPSK_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_QPSK_HCH_3795MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.492	-31.30	-13	Pass
3785	3789	0.5	CHP	2	3788.749	-29.58	-13	Pass
3789	3790	0.003	/	3	3789.976	-45.96	-13	Pass
3790	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.003	-44.85	-13	Pass
3801	3805	0.5	CHP	5	3801.251	-27.56	-13	Pass
3805	3815	1	CHP	6	3805.500	-29.54	-13	Pass

Band43d 10MHz QPSK HCH 3795MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.440	-31.66	-13	Pass
3785	3789	0.5	CHP	2	3788.320	-29.56	-13	Pass
3789	3790	0.1	/	3	3789.960	-31.77	-13	Pass
3790	3800	0.1	/	/	/	/	/	/
3800	3801	0.1	/	4	3800.040	-32.67	-13	Pass
3801	3805	0.5	CHP	5	3801.280	-28.16	-13	Pass
3805	3815	1	CHP	6	3805.520	-29.80	-13	Pass

Band43d 10MHz 16QAM LCH 3705MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3693.247	-39.92	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-35.14	-13	Pass
3699	3700	0.003	/	3	3699.987	-37.11	-13	Pass
3700	3710	0.003	/	/	/	/	/	/
3710	3711	0.003	/	4	3710.109	-64.27	-13	Pass
3711	3715	0.5	CHP	5	3712.760	-46.47	-13	Pass
3715	3725	1	CHP	6	3718.049	-42.26	-13	Pass


Band43d_10MHz_16QAM_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_LCH_3705MHz_RB_1_0_NTNV



Band43d_10MHz_16QAM_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_LCH_3705MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3694.497	-36.46	-13	Pass
3695	3699	0.5	CHP	2	3698.743	-34.86	-13	Pass
3699	3700	0.098	CHP	3	3699.989	-34.66	-13	Pass
3700	3710	0.098	CHP	/	/	/	/	/
3710	3711	0.098	CHP	4	3710.011	-37.14	-13	Pass
3711	3715	0.5	CHP	5	3711.257	-33.81	-13	Pass
3715	3725	1	CHP	6	3715.503	-36.02	-13	Pass


Band43d_10MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_HCH_3795MHz_RB_1_0_NTNV



Band43d_10MHz_16QAM_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_16QAM_HCH_3795MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.492	-31.25	-13	Pass
3785	3789	0.5	CHP	2	3788.749	-29.53	-13	Pass
3789	3790	0.003	/	3	3789.957	-45.97	-13	Pass
3790	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.166	-43.62	-13	Pass
3801	3805	0.5	CHP	5	3801.251	-27.37	-13	Pass
3805	3815	1	CHP	6	3805.512	-29.50	-13	Pass

Band43d_10MHz_16QAM_HCH_3795MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.497	-31.48	-13	Pass
3785	3789	0.5	CHP	2	3788.743	-29.10	-13	Pass
3789	3790	0.097	CHP	3	3789.989	-33.22	-13	Pass
3790	3800	0.097	CHP	/	/	/	/	/
3800	3801	0.097	CHP	4	3800.011	-33.35	-13	Pass
3801	3805	0.5	CHP	5	3801.257	-28.66	-13	Pass
3805	3815	1	CHP	6	3805.503	-30.21	-13	Pass

Band43d 10MHz 64QAM LCH 3705MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3693.255	-40.38	-13	Pass
3695	3699	0.5	CHP	2	3698.745	-34.98	-13	Pass
3699	3700	0.003	/	3	3699.990	-36.88	-13	Pass
3700	3710	0.003	/	/	/	/	/	/
3710	3711	0.003	/	4	3710.820	-64.83	-13	Pass
3711	3715	0.5	CHP	5	3712.829	-46.79	-13	Pass
3715	3725	1	CHP	6	3717.968	-41.99	-13	Pass


Band43d 10MHz 64QAM LCH 3705MHz RB 1 0 NTNV




Band43d_10MHz_64QAM_LCH_3705MHz_RB_1_0_NTNV



Band43d_10MHz_64QAM_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_64QAM_LCH_3705MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3694.480	-38.36	-13	Pass
3695	3699	0.5	CHP	2	3697.040	-36.56	-13	Pass
3699	3700	0.1	/	3	3699.960	-38.42	-13	Pass
3700	3710	0.1	/	/	/	/	/	/
3710	3711	0.1	/	4	3710.880	-38.36	-13	Pass
3711	3715	0.5	CHP	5	3711.280	-33.91	-13	Pass
3715	3725	1	CHP	6	3715.520	-36.79	-13	Pass


Band43d_10MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d 10MHz 64QAM HCH 3795MHz RB 1 0 NTNV




Band43d 10MHz 64QAM HCH 3795MHz RB 1 0 NTNV



Band43d_10MHz_64QAM_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_64QAM_HCH_3795MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.492	-31.31	-13	Pass
3785	3789	0.5	CHP	2	3788.749	-29.53	-13	Pass
3789	3790	0.003	/	3	3789.763	-45.85	-13	Pass
3790	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.166	-44.98	-13	Pass
3801	3805	0.5	CHP	5	3801.251	-27.43	-13	Pass
3805	3815	1	CHP	6	3805.500	-29.50	-13	Pass

Band43d_10MHz_64QAM_HCH_3795MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3775	3785	1	CHP	1	3784.482	-30.56	-13	Pass
3785	3789	0.5	CHP	2	3788.743	-28.83	-13	Pass
3789	3790	0.099	CHP	3	3789.989	-33.13	-13	Pass
3790	3800	0.099	CHP	/	/	/	/	/
3800	3801	0.099	CHP	4	3800.116	-33.08	-13	Pass
3801	3805	0.5	CHP	5	3801.257	-28.81	-13	Pass
3805	3815	1	CHP	6	3805.503	-30.87	-13	Pass

Band43d_10MHz_256QAM_LCH_3705MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3693.430	-42.24	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-36.33	-13	Pass
3699	3700	0.003	/	3	3699.948	-40.19	-13	Pass
3700	3710	0.003	/	/	/	/	/	/
3710	3711	0.003	/	4	3710.115	-66.00	-13	Pass
3711	3715	0.5	CHP	5	3712.764	-48.16	-13	Pass
3715	3725	1	CHP	6	3718.239	-41.55	-13	Pass


Band43d_10MHz_256QAM_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_LCH_3705MHz_RB_1_0_NTNV



Band43d_10MHz_256QAM_LCH_3705MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_LCH_3705MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3685	3695	1	CHP	1	3694.480	-41.06	-13	Pass
3695	3699	0.5	CHP	2	3698.720	-38.69	-13	Pass
3699	3700	0.102	CHP	3	3699.960	-34.12	-13	Pass
3700	3710	0.102	CHP	/	/	/	/	/
3710	3711	0.102	CHP	4	3710.040	-39.76	-13	Pass
3711	3715	0.5	CHP	5	3711.280	-38.48	-13	Pass
3715	3725	1	CHP	6	3715.520	-39.67	-13	Pass


Band43d_10MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_HCH_3795MHz_RB_1_0_NTNV




Band43d_10MHz_256QAM_HCH_3795MHz_RB_1_0_NTNV



Band43d 10MHz 256QAM HCH 3795MHz RB 1 49 NTN




Band43d 10MHz 256QAM HCH 3795MHz RB 50 0 NTN




5.2.3 B43d_15MHz

Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3693.680	-38.47	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-34.16	-13	Pass
3699	3700	0.003	/	3	3699.986	-39.05	-13	Pass
3700	3715	0.003	/	/	/	/	/	/
3715	3716	0.003	/	4	3715.165	-61.97	-13	Pass
3716	3720	0.5	CHP	5	3717.749	-47.96	-13	Pass
3720	3737.5	1	CHP	6	3727.525	-39.64	-13	Pass


Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_1_0_NTNV



Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_LCH_3707.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3694.350	-33.73	-13	Pass
3695	3699	0.5	CHP	2	3697.150	-34.21	-13	Pass
3699	3700	0.161	CHP	3	3699.950	-32.67	-13	Pass
3700	3715	0.161	CHP	/	/	/	/	/
3715	3716	0.161	CHP	4	3715.450	-30.92	-13	Pass
3716	3720	0.5	CHP	5	3716.250	-31.90	-13	Pass
3720	3737.5	1	CHP	6	3720.500	-31.87	-13	Pass


Band43d_15MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_1_0_NTNV



Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3772.571	-39.90	-13	Pass
3780	3784	0.5	CHP	2	3783.476	-47.03	-13	Pass
3784	3785	0.003	/	3	3784.847	-61.86	-13	Pass
3785	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.009	-38.57	-13	Pass
3801	3805	0.5	CHP	5	3801.269	-33.73	-13	Pass
3805	3822.5	1	CHP	6	3806.302	-38.15	-13	Pass

Band43d_15MHz_QPSK_HCH_3792.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3779.150	-30.75	-13	Pass
3780	3784	0.5	CHP	2	3782.300	-31.01	-13	Pass
3784	3785	0.153	CHP	3	3784.800	-33.28	-13	Pass
3785	3800	0.153	CHP	/	/	/	/	/
3800	3801	0.153	CHP	4	3800.500	-31.93	-13	Pass
3801	3805	0.5	CHP	5	3801.250	-27.92	-13	Pass
3805	3822.5	1	CHP	6	3805.650	-28.94	-13	Pass

Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3693.703	-38.25	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-33.32	-13	Pass
3699	3700	0.003	/	3	3699.994	-38.85	-13	Pass
3700	3715	0.003	/	/	/	/	/	/
3715	3716	0.003	/	4	3715.162	-62.19	-13	Pass
3716	3720	0.5	CHP	5	3717.646	-47.67	-13	Pass
3720	3737.5	1	CHP	6	3727.463	-38.85	-13	Pass


Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_1_0_NTNV



Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_LCH_3707.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3694.400	-34.86	-13	Pass
3695	3699	0.5	CHP	2	3697.500	-35.41	-13	Pass
3699	3700	0.151	CHP	3	3699.950	-37.16	-13	Pass
3700	3715	0.151	CHP	/	/	/	/	/
3715	3716	0.151	CHP	4	3715.150	-37.10	-13	Pass
3716	3720	0.5	CHP	5	3716.250	-33.13	-13	Pass
3720	3737.5	1	CHP	6	3721.200	-34.26	-13	Pass


Band43d_15MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_16QAM_HCH_3792.5MHz_RB_1_0_NTNV



Band43d_15MHz_16QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d 15MHz 16QAM HCH 3792.5MHz RB 1 74 NTNv




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3772.530	-39.22	-13	Pass
3780	3784	0.5	CHP	2	3783.404	-47.67	-13	Pass
3784	3785	0.003	/	3	3784.817	-62.61	-13	Pass
3785	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.009	-40.30	-13	Pass
3801	3805	0.5	CHP	5	3801.256	-34.51	-13	Pass
3805	3822.5	1	CHP	6	3806.303	-38.92	-13	Pass

Band43d 15MHz 16QAM HCH 3792.5MHz RB 75 0 NTNv




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3778.650	-32.16	-13	Pass
3780	3784	0.5	CHP	2	3782.050	-32.37	-13	Pass
3784	3785	0.151	CHP	3	3784.700	-36.49	-13	Pass
3785	3800	0.151	CHP	/	/	/	/	/
3800	3801	0.151	CHP	4	3800.450	-33.23	-13	Pass
3801	3805	0.5	CHP	5	3802.750	-29.26	-13	Pass
3805	3822.5	1	CHP	6	3806.050	-29.35	-13	Pass


Band43d_15MHz_64QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_LCH_3707.5MHz_RB_1_0_NTNV



Band43d_15MHz_64QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_LCH_3707.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3694.250	-37.31	-13	Pass
3695	3699	0.5	CHP	2	3698.550	-36.92	-13	Pass
3699	3700	0.154	CHP	3	3699.400	-38.24	-13	Pass
3700	3715	0.154	CHP	/	/	/	/	/
3715	3716	0.154	CHP	4	3715.050	-36.90	-13	Pass
3716	3720	0.5	CHP	5	3717.400	-33.87	-13	Pass
3720	3737.5	1	CHP	6	3720.500	-33.80	-13	Pass


Band43d_15MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_HCH_3792.5MHz_RB_1_0_NTNV



Band43d_15MHz_64QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_64QAM_HCH_3792.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3772.499	-42.61	-13	Pass
3780	3784	0.5	CHP	2	3783.427	-49.88	-13	Pass
3784	3785	0.003	/	3	3784.849	-64.81	-13	Pass
3785	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.026	-41.91	-13	Pass
3801	3805	0.5	CHP	5	3801.526	-37.60	-13	Pass
3805	3822.5	1	CHP	6	3806.287	-40.81	-13	Pass

Band43d 15MHz 64QAM HCH 3792.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3779.350	-31.77	-13	Pass
3780	3784	0.5	CHP	2	3782.250	-32.01	-13	Pass
3784	3785	0.151	CHP	3	3784.950	-34.41	-13	Pass
3785	3800	0.151	CHP	/	/	/	/	/
3800	3801	0.151	CHP	4	3800.050	-33.48	-13	Pass
3801	3805	0.5	CHP	5	3801.250	-29.13	-13	Pass
3805	3822.5	1	CHP	6	3805.600	-30.08	-13	Pass

Band43d 15MHz 256QAM LCH 3707.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3693.715	-42.93	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-39.46	-13	Pass
3699	3700	0.003	/	3	3699.999	-42.51	-13	Pass
3700	3715	0.003	/	/	/	/	/	/
3715	3716	0.003	/	4	3715.164	-66.40	-13	Pass
3716	3720	0.5	CHP	5	3717.748	-51.50	-13	Pass
3720	3737.5	1	CHP	6	3727.483	-41.50	-13	Pass


Band43d_15MHz_256QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_LCH_3707.5MHz_RB_1_0_NTNV



Band43d_15MHz_256QAM_LCH_3707.5MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_LCH_3707.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3677.5	3695	1	CHP	1	3693.750	-39.59	-13	Pass
3695	3699	0.5	CHP	2	3698.200	-38.09	-13	Pass
3699	3700	0.15	CHP	3	3699.950	-43.75	-13	Pass
3700	3715	0.15	CHP	/	/	/	/	/
3715	3716	0.15	CHP	4	3715.050	-39.50	-13	Pass
3716	3720	0.5	CHP	5	3716.250	-38.35	-13	Pass
3720	3737.5	1	CHP	6	3721.300	-37.88	-13	Pass


Band43d_15MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_1_0_NTNV



Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_1_0_NTNV




Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3772.517	-41.59	-13	Pass
3780	3784	0.5	CHP	2	3783.378	-51.00	-13	Pass
3784	3785	0.003	/	3	3784.817	-66.40	-13	Pass
3785	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.008	-43.63	-13	Pass
3801	3805	0.5	CHP	5	3801.352	-39.89	-13	Pass
3805	3822.5	1	CHP	6	3806.288	-42.98	-13	Pass


Band43d_15MHz_256QAM_HCH_3792.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3762.5	3780	1	CHP	1	3779.150	-35.92	-13	Pass
3780	3784	0.5	CHP	2	3783.050	-35.98	-13	Pass
3784	3785	0.162	CHP	3	3784.750	-39.49	-13	Pass
3785	3800	0.162	CHP	/	/	/	/	/
3800	3801	0.162	CHP	4	3800.050	-35.18	-13	Pass
3801	3805	0.5	CHP	5	3802.750	-34.26	-13	Pass
3805	3822.5	1	CHP	6	3805.700	-34.54	-13	Pass


5.2.4 B43d_20MHz

Band43d_20MHz_QPSK_LCH_3710MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3693.642	-39.60	-13	Pass
3695	3699	0.5	CHP	2	3698.656	-34.87	-13	Pass
3699	3700	0.003	/	3	3699.970	-43.18	-13	Pass
3700	3720	0.003	/	/	/	/	/	/
3720	3721	0.003	/	4	3720.214	-64.37	-13	Pass
3721	3725	0.5	CHP	5	3722.041	-49.24	-13	Pass
3725	3750	1	CHP	6	3736.773	-41.46	-13	Pass


Band43d_20MHz_QPSK_LCH_3710MHz_RB_1_0_NTNV




Band43d_20MHz_QPSK_LCH_3710MHz_RB_1_0_NTNV



Band43d_20MHz_QPSK_LCH_3710MHz_RB_1_0_NTNV




Band43d 20MHz QPSK LCH 3710MHz RB 100_0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3694.200	-34.88	-13	Pass
3695	3699	0.5	CHP	2	3697.450	-34.37	-13	Pass
3699	3700	0.204	CHP	3	3699.950	-38.20	-13	Pass
3700	3720	0.204	CHP	/	/	/	/	/
3720	3721	0.204	CHP	4	3720.050	-34.79	-13	Pass
3721	3725	0.5	CHP	5	3721.250	-31.91	-13	Pass
3725	3750	1	CHP	6	3726.450	-32.00	-13	Pass


Band43d 20MHz QPSK MCH 3750MHz RB 1 0 NTN




Band43d_20MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_QPSK_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_QPSK_HCH_3790MHz_RB_1_0_NTNV




Band43d_20MHz_QPSK_HCH_3790MHz_RB_1_0_NTNV



Band43d_20MHz_QPSK_HCH_3790MHz_RB_1_0_NTNV




Band43d_20MHz_QPSK_HCH_3790MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3750	3775	1	CHP	1	3763.340	-41.09	-13	Pass
3775	3779	0.5	CHP	2	3777.966	-49.17	-13	Pass
3779	3780	0.003	/	3	3779.648	-65.04	-13	Pass
3780	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.019	-43.09	-13	Pass
3801	3805	0.5	CHP	5	3801.270	-33.92	-13	Pass
3805	3830	1	CHP	6	3806.244	-39.29	-13	Pass

Band43d_20MHz_QPSK_HCH_3790MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3750	3775	1	CHP	1	3774.500	-31.58	-13	Pass
3775	3779	0.5	CHP	2	3778.200	-31.33	-13	Pass
3779	3780	0.205	CHP	3	3779.550	-35.27	-13	Pass
3780	3800	0.205	CHP	/	/	/	/	/
3800	3801	0.205	CHP	4	3800.050	-33.40	-13	Pass
3801	3805	0.5	CHP	5	3801.250	-30.20	-13	Pass
3805	3830	1	CHP	6	3805.600	-30.06	-13	Pass

Band43d_20MHz_16QAM_LCH_3710MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3693.784	-39.81	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-34.74	-13	Pass
3699	3700	0.003	/	3	3699.990	-43.25	-13	Pass
3700	3720	0.003	/	/	/	/	/	/
3720	3721	0.003	/	4	3720.214	-64.42	-13	Pass
3721	3725	0.5	CHP	5	3722.142	-49.10	-13	Pass
3725	3750	1	CHP	6	3736.641	-40.37	-13	Pass


Band43d 20MHz 16QAM LCH 3710MHz RB 1 0 NTNV




Band43d 20MHz 16QAM LCH 3710MHz RB 1 0 NTNV



Band43d_20MHz_16QAM_LCH_3710MHz_RB_1_0_NTNV




Band43d_20MHz_16QAM_LCH_3710MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3693.400	-35.43	-13	Pass
3695	3699	0.5	CHP	2	3697.650	-37.37	-13	Pass
3699	3700	0.197	CHP	3	3699.950	-38.69	-13	Pass
3700	3720	0.197	CHP	/	/	/	/	/
3720	3721	0.197	CHP	4	3720.050	-36.59	-13	Pass
3721	3725	0.5	CHP	5	3721.350	-34.92	-13	Pass
3725	3750	1	CHP	6	3725.600	-34.88	-13	Pass


Band43d_20MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_16QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_16QAM_HCH_3790MHz_RB_1_0_NTNV




Band43d 20MHz 16QAM HCH 3790MHz RB 1 0 NTNV




Band43d 20MHz 16QAM HCH 3790MHz RB 1 0 NTNV




Band43d_20MHz_16QAM_HCH_3790MHz_RB_1_99_NTNV



Band43d_20MHz_16QAM_HCH_3790MHz_RB_100_0_NTNV




Band43d 20MHz 64QAM LCH 3710MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3693.753	-40.76	-13	Pass
3695	3699	0.5	CHP	2	3698.749	-35.61	-13	Pass
3699	3700	0.003	/	3	3699.988	-43.60	-13	Pass
3700	3720	0.003	/	/	/	/	/	/
3720	3721	0.003	/	4	3720.292	-65.09	-13	Pass
3721	3725	0.5	CHP	5	3722.034	-50.08	-13	Pass
3725	3750	1	CHP	6	3736.677	-43.34	-13	Pass


Band43d 20MHz 64QAM LCH 3710MHz RB 1 0 NTNV




Band43d 20MHz 64QAM LCH 3710MHz RB 1 0 NTNV



Band43d 20MHz 64QAM LCH 3710MHz RB 1 0 NTNV




Band43d_20MHz_64QAM_LCH_3710MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3694.100	-37.41	-13	Pass
3695	3699	0.5	CHP	2	3698.750	-38.68	-13	Pass
3699	3700	0.201	CHP	3	3699.900	-40.40	-13	Pass
3700	3720	0.201	CHP	/	/	/	/	/
3720	3721	0.201	CHP	4	3720.050	-38.81	-13	Pass
3721	3725	0.5	CHP	5	3722.000	-35.49	-13	Pass
3725	3750	1	CHP	6	3725.600	-34.50	-13	Pass


Band43d_20MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_64QAM_MCH_3750MHz_RB_1_0_NTNV






Band43d_20MHz_64QAM_HCH_3790MHz_RB_1_0_NTNV




Band43d_20MHz_64QAM_HCH_3790MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3750	3775	1	CHP	1	3763.266	-43.54	-13	Pass
3775	3779	0.5	CHP	2	3777.890	-50.22	-13	Pass
3779	3780	0.003	/	3	3779.753	-66.99	-13	Pass
3780	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.007	-44.08	-13	Pass
3801	3805	0.5	CHP	5	3801.251	-34.76	-13	Pass
3805	3830	1	CHP	6	3806.138	-40.29	-13	Pass


Band43d 20MHz 64QAM HCH 3790MHz RB 100 0 NTN




Band43d 20MHz 256QAM LCH 3710MHz RB 1 0 NTN




Band43d_20MHz_256QAM_LCH_3710MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_LCH_3710MHz_RB_1_0_NTNV



Band43d_20MHz_256QAM_LCH_3710MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_LCH_3710MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3670	3695	1	CHP	1	3694.500	-39.92	-13	Pass
3695	3699	0.5	CHP	2	3698.750	-41.78	-13	Pass
3699	3700	0.209	CHP	3	3699.950	-43.13	-13	Pass
3700	3720	0.209	CHP	/	/	/	/	/
3720	3721	0.209	CHP	4	3720.050	-39.76	-13	Pass
3721	3725	0.5	CHP	5	3722.100	-39.42	-13	Pass
3725	3750	1	CHP	6	3725.500	-38.59	-13	Pass


Band43d_20MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_MCH_3750MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_HCH_3790MHz_RB_1_0_NTNV




Band43d_20MHz_256QAM_HCH_3790MHz_RB_1_0_NTNV



Band43d_20MHz_256QAM_HCH_3790MHz_RB_1_0_NTNV




Band43d 20MHz 256QAM HCH 3790MHz RB 1_99 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3750	3775	1	CHP	1	3763.284	-42.66	-13	Pass
3775	3779	0.5	CHP	2	3777.942	-52.54	-13	Pass
3779	3780	0.003	/	3	3779.664	-69.09	-13	Pass
3780	3800	0.003	/	/	/	/	/	/
3800	3801	0.003	/	4	3800.024	-45.03	-13	Pass
3801	3805	0.5	CHP	5	3801.281	-39.59	-13	Pass
3805	3830	1	CHP	6	3806.169	-44.04	-13	Pass

Band43d 20MHz 256QAM HCH 3790MHz RB 100_0 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3750	3775	1	CHP	1	3774.500	-37.14	-13	Pass
3775	3779	0.5	CHP	2	3778.750	-36.49	-13	Pass
3779	3780	0.208	CHP	3	3779.200	-40.18	-13	Pass
3780	3800	0.208	CHP	/	/	/	/	/
3800	3801	0.208	CHP	4	3800.050	-39.15	-13	Pass
3801	3805	0.5	CHP	5	3801.300	-36.38	-13	Pass
3805	3830	1	CHP	6	3806.200	-36.35	-13	Pass