

Appendix-B NR Band n71

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
n71	15	5	DFT-BPSK	L	Inner_1RB_Left	23.52	20.47	34.77	PASS
n71	15	5	DFT-BPSK	L	Inner_1RB_Right	23.44	20.39	34.77	PASS
n71	15	5	DFT-BPSK	L	Inner_Full	23.52	20.47	34.77	PASS
n71	15	5	DFT-BPSK	L	Outer_Full	23.26	20.21	34.77	PASS
n71	15	5	DFT-QPSK	L	Inner_1RB_Left	23.41	20.36	34.77	PASS
n71	15	5	DFT-QPSK	L	Inner_1RB_Right	23.45	20.4	34.77	PASS
n71	15	5	DFT-QPSK	L	Inner_Full	23.49	20.44	34.77	PASS
n71	15	5	DFT-QPSK	L	Outer_Full	22.76	19.71	34.77	PASS
n71	15	5	DFT-16QAM	L	Inner_1RB_Left	22.66	19.61	34.77	PASS
n71	15	5	DFT-16QAM	L	Inner_1RB_Right	22.73	19.68	34.77	PASS
n71	15	5	DFT-16QAM	L	Inner_Full	22.8	19.75	34.77	PASS
n71	15	5	DFT-16QAM	L	Outer_Full	21.87	18.82	34.77	PASS
n71	15	5	DFT-64QAM	L	Inner_1RB_Left	21.43	18.38	34.77	PASS
n71	15	5	DFT-64QAM	L	Inner_1RB_Right	21.5	18.45	34.77	PASS
n71	15	5	DFT-64QAM	L	Inner_Full	21.42	18.37	34.77	PASS
n71	15	5	DFT-64QAM	L	Outer_Full	21.28	18.23	34.77	PASS
n71	15	5	DFT-256QAM	L	Inner_1RB_Left	18.79	15.74	34.77	PASS
n71	15	5	DFT-256QAM	L	Inner_1RB_Right	18.77	15.72	34.77	PASS
n71	15	5	DFT-256QAM	L	Inner_Full	19.22	16.17	34.77	PASS
n71	15	5	DFT-256QAM	L	Outer_Full	19.3	16.25	34.77	PASS
n71	15	5	DFT-BPSK	M	Inner_1RB_Left	23.55	20.5	34.77	PASS
n71	15	5	DFT-BPSK	M	Inner_1RB_Right	23.46	20.41	34.77	PASS
n71	15	5	DFT-BPSK	M	Inner_Full	23.43	20.38	34.77	PASS
n71	15	5	DFT-BPSK	M	Outer_Full	23.29	20.24	34.77	PASS
n71	15	5	DFT-QPSK	M	Inner_1RB_Left	23.49	20.44	34.77	PASS
n71	15	5	DFT-QPSK	M	Inner_1RB_Right	23.52	20.47	34.77	PASS
n71	15	5	DFT-QPSK	M	Inner_Full	23.51	20.46	34.77	PASS
n71	15	5	DFT-QPSK	M	Outer_Full	22.71	19.66	34.77	PASS
n71	15	5	DFT-16QAM	M	Inner_1RB_Left	22.8	19.75	34.77	PASS
n71	15	5	DFT-16QAM	M	Inner_1RB_Right	22.79	19.74	34.77	PASS
n71	15	5	DFT-16QAM	M	Inner_Full	22.92	19.87	34.77	PASS
n71	15	5	DFT-16QAM	M	Outer_Full	21.88	18.83	34.77	PASS
n71	15	5	DFT-64QAM	M	Inner_1RB_Left	21.43	18.38	34.77	PASS
n71	15	5	DFT-64QAM	M	Inner_1RB_Right	21.47	18.42	34.77	PASS
n71	15	5	DFT-64QAM	M	Inner_Full	21.41	18.36	34.77	PASS
n71	15	5	DFT-64QAM	M	Outer_Full	21.31	18.26	34.77	PASS
n71	15	5	DFT-256QAM	M	Inner_1RB_Left	18.8	15.75	34.77	PASS

n71	15	5	DFT-256QAM	M	Inner_1RB_Right	18.89	15.84	34.77	PASS
n71	15	5	DFT-256QAM	M	Inner_Full	19.32	16.27	34.77	PASS
n71	15	5	DFT-256QAM	M	Outer_Full	19.31	16.26	34.77	PASS
n71	15	5	DFT-BPSK	H	Inner_1RB_Left	23.43	20.38	34.77	PASS
n71	15	5	DFT-BPSK	H	Inner_1RB_Right	23.59	20.54	34.77	PASS
n71	15	5	DFT-BPSK	H	Inner_Full	23.54	20.49	34.77	PASS
n71	15	5	DFT-BPSK	H	Outer_Full	23.33	20.28	34.77	PASS
n71	15	5	DFT-QPSK	H	Inner_1RB_Left	23.53	20.48	34.77	PASS
n71	15	5	DFT-QPSK	H	Inner_1RB_Right	23.55	20.5	34.77	PASS
n71	15	5	DFT-QPSK	H	Inner_Full	23.53	20.48	34.77	PASS
n71	15	5	DFT-QPSK	H	Outer_Full	22.82	19.77	34.77	PASS
n71	15	5	DFT-16QAM	H	Inner_1RB_Left	22.73	19.68	34.77	PASS
n71	15	5	DFT-16QAM	H	Inner_1RB_Right	22.83	19.78	34.77	PASS
n71	15	5	DFT-16QAM	H	Inner_Full	22.86	19.81	34.77	PASS
n71	15	5	DFT-16QAM	H	Outer_Full	21.76	18.71	34.77	PASS
n71	15	5	DFT-64QAM	H	Inner_1RB_Left	21.46	18.41	34.77	PASS
n71	15	5	DFT-64QAM	H	Inner_1RB_Right	21.59	18.54	34.77	PASS
n71	15	5	DFT-64QAM	H	Inner_Full	21.4	18.35	34.77	PASS
n71	15	5	DFT-64QAM	H	Outer_Full	21.29	18.24	34.77	PASS
n71	15	5	DFT-256QAM	H	Inner_1RB_Left	18.8	15.75	34.77	PASS
n71	15	5	DFT-256QAM	H	Inner_1RB_Right	18.84	15.79	34.77	PASS
n71	15	5	DFT-256QAM	H	Inner_Full	19.32	16.27	34.77	PASS
n71	15	5	DFT-256QAM	H	Outer_Full	19.35	16.3	34.77	PASS
n71	15	10	DFT-BPSK	L	Inner_1RB_Left	23.47	20.42	34.77	PASS
n71	15	10	DFT-BPSK	L	Inner_1RB_Right	23.41	20.36	34.77	PASS
n71	15	10	DFT-BPSK	L	Inner_Full	23.51	20.46	34.77	PASS
n71	15	10	DFT-BPSK	L	Outer_Full	23.35	20.3	34.77	PASS
n71	15	10	DFT-QPSK	L	Inner_1RB_Left	23.45	20.4	34.77	PASS
n71	15	10	DFT-QPSK	L	Inner_1RB_Right	23.45	20.4	34.77	PASS
n71	15	10	DFT-QPSK	L	Inner_Full	23.49	20.44	34.77	PASS
n71	15	10	DFT-QPSK	L	Outer_Full	22.85	19.8	34.77	PASS
n71	15	10	DFT-16QAM	L	Inner_1RB_Left	22.66	19.61	34.77	PASS
n71	15	10	DFT-16QAM	L	Inner_1RB_Right	22.72	19.67	34.77	PASS
n71	15	10	DFT-16QAM	L	Inner_Full	22.76	19.71	34.77	PASS
n71	15	10	DFT-16QAM	L	Outer_Full	21.83	18.78	34.77	PASS
n71	15	10	DFT-64QAM	L	Inner_1RB_Left	21.38	18.33	34.77	PASS
n71	15	10	DFT-64QAM	L	Inner_1RB_Right	21.5	18.45	34.77	PASS
n71	15	10	DFT-64QAM	L	Inner_Full	21.33	18.28	34.77	PASS
n71	15	10	DFT-64QAM	L	Outer_Full	21.41	18.36	34.77	PASS
n71	15	10	DFT-256QAM	L	Inner_1RB_Left	18.96	15.91	34.77	PASS
n71	15	10	DFT-256QAM	L	Inner_1RB_Right	18.87	15.82	34.77	PASS
n71	15	10	DFT-256QAM	L	Inner_Full	19.25	16.2	34.77	PASS
n71	15	10	DFT-256QAM	L	Outer_Full	19.32	16.27	34.77	PASS
n71	15	10	DFT-BPSK	M	Inner_1RB_Left	23.45	20.4	34.77	PASS
n71	15	10	DFT-BPSK	M	Inner_1RB_Right	23.47	20.42	34.77	PASS

n71	15	10	DFT-BPSK	M	Inner_Full	23.52	20.47	34.77	PASS
n71	15	10	DFT-BPSK	M	Outer_Full	23.38	20.33	34.77	PASS
n71	15	10	DFT-QPSK	M	Inner_1RB_Left	23.47	20.42	34.77	PASS
n71	15	10	DFT-QPSK	M	Inner_1RB_Right	23.43	20.38	34.77	PASS
n71	15	10	DFT-QPSK	M	Inner_Full	23.56	20.51	34.77	PASS
n71	15	10	DFT-QPSK	M	Outer_Full	22.83	19.78	34.77	PASS
n71	15	10	DFT-16QAM	M	Inner_1RB_Left	22.61	19.56	34.77	PASS
n71	15	10	DFT-16QAM	M	Inner_1RB_Right	22.75	19.7	34.77	PASS
n71	15	10	DFT-16QAM	M	Inner_Full	22.8	19.75	34.77	PASS
n71	15	10	DFT-16QAM	M	Outer_Full	21.78	18.73	34.77	PASS
n71	15	10	DFT-64QAM	M	Inner_1RB_Left	21.37	18.32	34.77	PASS
n71	15	10	DFT-64QAM	M	Inner_1RB_Right	21.41	18.36	34.77	PASS
n71	15	10	DFT-64QAM	M	Inner_Full	21.26	18.21	34.77	PASS
n71	15	10	DFT-64QAM	M	Outer_Full	21.3	18.25	34.77	PASS
n71	15	10	DFT-256QAM	M	Inner_1RB_Left	18.96	15.91	34.77	PASS
n71	15	10	DFT-256QAM	M	Inner_1RB_Right	18.92	15.87	34.77	PASS
n71	15	10	DFT-256QAM	M	Inner_Full	19.2	16.15	34.77	PASS
n71	15	10	DFT-256QAM	M	Outer_Full	19.4	16.35	34.77	PASS
n71	15	10	DFT-BPSK	H	Inner_1RB_Left	23.48	20.43	34.77	PASS
n71	15	10	DFT-BPSK	H	Inner_1RB_Right	23.42	20.37	34.77	PASS
n71	15	10	DFT-BPSK	H	Inner_Full	23.53	20.48	34.77	PASS
n71	15	10	DFT-BPSK	H	Outer_Full	23.3	20.25	34.77	PASS
n71	15	10	DFT-QPSK	H	Inner_1RB_Left	23.52	20.47	34.77	PASS
n71	15	10	DFT-QPSK	H	Inner_1RB_Right	23.5	20.45	34.77	PASS
n71	15	10	DFT-QPSK	H	Inner_Full	23.43	20.38	34.77	PASS
n71	15	10	DFT-QPSK	H	Outer_Full	22.8	19.75	34.77	PASS
n71	15	10	DFT-16QAM	H	Inner_1RB_Left	22.75	19.7	34.77	PASS
n71	15	10	DFT-16QAM	H	Inner_1RB_Right	22.79	19.74	34.77	PASS
n71	15	10	DFT-16QAM	H	Inner_Full	22.78	19.73	34.77	PASS
n71	15	10	DFT-16QAM	H	Outer_Full	21.79	18.74	34.77	PASS
n71	15	10	DFT-64QAM	H	Inner_1RB_Left	21.45	18.4	34.77	PASS
n71	15	10	DFT-64QAM	H	Inner_1RB_Right	21.35	18.3	34.77	PASS
n71	15	10	DFT-64QAM	H	Inner_Full	21.32	18.27	34.77	PASS
n71	15	10	DFT-64QAM	H	Outer_Full	21.42	18.37	34.77	PASS
n71	15	10	DFT-256QAM	H	Inner_1RB_Left	19.02	15.97	34.77	PASS
n71	15	10	DFT-256QAM	H	Inner_1RB_Right	18.94	15.89	34.77	PASS
n71	15	10	DFT-256QAM	H	Inner_Full	19.18	16.13	34.77	PASS
n71	15	10	DFT-256QAM	H	Outer_Full	19.26	16.21	34.77	PASS
n71	15	15	DFT-BPSK	L	Inner_1RB_Left	23.31	20.26	34.77	PASS
n71	15	15	DFT-BPSK	L	Inner_1RB_Right	23.42	20.37	34.77	PASS
n71	15	15	DFT-BPSK	L	Inner_Full	23.44	20.39	34.77	PASS
n71	15	15	DFT-BPSK	L	Outer_Full	23.21	20.16	34.77	PASS
n71	15	15	DFT-QPSK	L	Inner_1RB_Left	23.39	20.34	34.77	PASS
n71	15	15	DFT-QPSK	L	Inner_1RB_Right	23.42	20.37	34.77	PASS
n71	15	15	DFT-QPSK	L	Inner_Full	23.42	20.37	34.77	PASS

n71	15	15	DFT-QPSK	L	Outer_Full	22.89	19.84	34.77	PASS
n71	15	15	DFT-16QAM	L	Inner_1RB_Left	22.68	19.63	34.77	PASS
n71	15	15	DFT-16QAM	L	Inner_1RB_Right	22.74	19.69	34.77	PASS
n71	15	15	DFT-16QAM	L	Inner_Full	22.72	19.67	34.77	PASS
n71	15	15	DFT-16QAM	L	Outer_Full	21.8	18.75	34.77	PASS
n71	15	15	DFT-64QAM	L	Inner_1RB_Left	21.39	18.34	34.77	PASS
n71	15	15	DFT-64QAM	L	Inner_1RB_Right	21.4	18.35	34.77	PASS
n71	15	15	DFT-64QAM	L	Inner_Full	21.24	18.19	34.77	PASS
n71	15	15	DFT-64QAM	L	Outer_Full	21.35	18.3	34.77	PASS
n71	15	15	DFT-256QAM	L	Inner_1RB_Left	18.97	15.92	34.77	PASS
n71	15	15	DFT-256QAM	L	Inner_1RB_Right	18.88	15.83	34.77	PASS
n71	15	15	DFT-256QAM	L	Inner_Full	19.16	16.11	34.77	PASS
n71	15	15	DFT-256QAM	L	Outer_Full	19.25	16.2	34.77	PASS
n71	15	15	DFT-BPSK	M	Inner_1RB_Left	23.4	20.35	34.77	PASS
n71	15	15	DFT-BPSK	M	Inner_1RB_Right	23.31	20.26	34.77	PASS
n71	15	15	DFT-BPSK	M	Inner_Full	23.41	20.36	34.77	PASS
n71	15	15	DFT-BPSK	M	Outer_Full	23.29	20.24	34.77	PASS
n71	15	15	DFT-QPSK	M	Inner_1RB_Left	23.49	20.44	34.77	PASS
n71	15	15	DFT-QPSK	M	Inner_1RB_Right	23.39	20.34	34.77	PASS
n71	15	15	DFT-QPSK	M	Inner_Full	23.38	20.33	34.77	PASS
n71	15	15	DFT-QPSK	M	Outer_Full	22.77	19.72	34.77	PASS
n71	15	15	DFT-16QAM	M	Inner_1RB_Left	22.6	19.55	34.77	PASS
n71	15	15	DFT-16QAM	M	Inner_1RB_Right	22.62	19.57	34.77	PASS
n71	15	15	DFT-16QAM	M	Inner_Full	22.79	19.74	34.77	PASS
n71	15	15	DFT-16QAM	M	Outer_Full	21.88	18.83	34.77	PASS
n71	15	15	DFT-64QAM	M	Inner_1RB_Left	21.28	18.23	34.77	PASS
n71	15	15	DFT-64QAM	M	Inner_1RB_Right	21.29	18.24	34.77	PASS
n71	15	15	DFT-64QAM	M	Inner_Full	21.15	18.1	34.77	PASS
n71	15	15	DFT-64QAM	M	Outer_Full	21.35	18.3	34.77	PASS
n71	15	15	DFT-256QAM	M	Inner_1RB_Left	19.06	16.01	34.77	PASS
n71	15	15	DFT-256QAM	M	Inner_1RB_Right	19.01	15.96	34.77	PASS
n71	15	15	DFT-256QAM	M	Inner_Full	19.21	16.16	34.77	PASS
n71	15	15	DFT-256QAM	M	Outer_Full	19.34	16.29	34.77	PASS
n71	15	15	DFT-BPSK	H	Inner_1RB_Left	23.47	20.42	34.77	PASS
n71	15	15	DFT-BPSK	H	Inner_1RB_Right	23.45	20.4	34.77	PASS
n71	15	15	DFT-BPSK	H	Inner_Full	23.45	20.4	34.77	PASS
n71	15	15	DFT-BPSK	H	Outer_Full	23.37	20.32	34.77	PASS
n71	15	15	DFT-QPSK	H	Inner_1RB_Left	23.42	20.37	34.77	PASS
n71	15	15	DFT-QPSK	H	Inner_1RB_Right	23.47	20.42	34.77	PASS
n71	15	15	DFT-QPSK	H	Inner_Full	23.45	20.4	34.77	PASS
n71	15	15	DFT-QPSK	H	Outer_Full	22.82	19.77	34.77	PASS
n71	15	15	DFT-16QAM	H	Inner_1RB_Left	22.67	19.62	34.77	PASS
n71	15	15	DFT-16QAM	H	Inner_1RB_Right	22.74	19.69	34.77	PASS
n71	15	15	DFT-16QAM	H	Inner_Full	22.83	19.78	34.77	PASS
n71	15	15	DFT-16QAM	H	Outer_Full	21.86	18.81	34.77	PASS

n71	15	15	DFT-64QAM	H	Inner_1RB_Left	21.41	18.36	34.77	PASS
n71	15	15	DFT-64QAM	H	Inner_1RB_Right	21.39	18.34	34.77	PASS
n71	15	15	DFT-64QAM	H	Inner_Full	21.35	18.3	34.77	PASS
n71	15	15	DFT-64QAM	H	Outer_Full	21.39	18.34	34.77	PASS
n71	15	15	DFT-256QAM	H	Inner_1RB_Left	19.07	16.02	34.77	PASS
n71	15	15	DFT-256QAM	H	Inner_1RB_Right	19.07	16.02	34.77	PASS
n71	15	15	DFT-256QAM	H	Inner_Full	19.28	16.23	34.77	PASS
n71	15	15	DFT-256QAM	H	Outer_Full	19.31	16.26	34.77	PASS
n71	15	20	DFT-BPSK	L	Inner_1RB_Left	23.28	20.23	34.77	PASS
n71	15	20	DFT-BPSK	L	Inner_1RB_Right	23.44	20.39	34.77	PASS
n71	15	20	DFT-BPSK	L	Inner_Full	23.42	20.37	34.77	PASS
n71	15	20	DFT-BPSK	L	Outer_Full	23.37	20.32	34.77	PASS
n71	15	20	DFT-QPSK	L	Inner_1RB_Left	23.29	20.24	34.77	PASS
n71	15	20	DFT-QPSK	L	Inner_1RB_Right	23.29	20.24	34.77	PASS
n71	15	20	DFT-QPSK	L	Inner_Full	23.45	20.4	34.77	PASS
n71	15	20	DFT-QPSK	L	Outer_Full	22.89	19.84	34.77	PASS
n71	15	20	DFT-16QAM	L	Inner_1RB_Left	22.41	19.36	34.77	PASS
n71	15	20	DFT-16QAM	L	Inner_1RB_Right	22.39	19.34	34.77	PASS
n71	15	20	DFT-16QAM	L	Inner_Full	22.72	19.67	34.77	PASS
n71	15	20	DFT-16QAM	L	Outer_Full	21.89	18.84	34.77	PASS
n71	15	20	DFT-64QAM	L	Inner_1RB_Left	21.13	18.08	34.77	PASS
n71	15	20	DFT-64QAM	L	Inner_1RB_Right	21.07	18.02	34.77	PASS
n71	15	20	DFT-64QAM	L	Inner_Full	21.34	18.29	34.77	PASS
n71	15	20	DFT-64QAM	L	Outer_Full	21.4	18.35	34.77	PASS
n71	15	20	DFT-256QAM	L	Inner_1RB_Left	19.24	16.19	34.77	PASS
n71	15	20	DFT-256QAM	L	Inner_1RB_Right	19.07	16.02	34.77	PASS
n71	15	20	DFT-256QAM	L	Inner_Full	19.24	16.19	34.77	PASS
n71	15	20	DFT-256QAM	L	Outer_Full	19.36	16.31	34.77	PASS
n71	15	20	DFT-BPSK	M	Inner_1RB_Left	23.31	20.26	34.77	PASS
n71	15	20	DFT-BPSK	M	Inner_1RB_Right	23.26	20.21	34.77	PASS
n71	15	20	DFT-BPSK	M	Inner_Full	23.47	20.42	34.77	PASS
n71	15	20	DFT-BPSK	M	Outer_Full	23.39	20.34	34.77	PASS
n71	15	20	DFT-QPSK	M	Inner_1RB_Left	23.41	20.36	34.77	PASS
n71	15	20	DFT-QPSK	M	Inner_1RB_Right	23.33	20.28	34.77	PASS
n71	15	20	DFT-QPSK	M	Inner_Full	23.44	20.39	34.77	PASS
n71	15	20	DFT-QPSK	M	Outer_Full	22.87	19.82	34.77	PASS
n71	15	20	DFT-16QAM	M	Inner_1RB_Left	22.6	19.55	34.77	PASS
n71	15	20	DFT-16QAM	M	Inner_1RB_Right	22.53	19.48	34.77	PASS
n71	15	20	DFT-16QAM	M	Inner_Full	22.73	19.68	34.77	PASS
n71	15	20	DFT-16QAM	M	Outer_Full	21.81	18.76	34.77	PASS
n71	15	20	DFT-64QAM	M	Inner_1RB_Left	21.35	18.3	34.77	PASS
n71	15	20	DFT-64QAM	M	Inner_1RB_Right	21.21	18.16	34.77	PASS
n71	15	20	DFT-64QAM	M	Inner_Full	21.26	18.21	34.77	PASS
n71	15	20	DFT-64QAM	M	Outer_Full	21.42	18.37	34.77	PASS
n71	15	20	DFT-256QAM	M	Inner_1RB_Left	19.2	16.15	34.77	PASS

n71	15	20	DFT-256QAM	M	Inner_1RB_Right	19.15	16.1	34.77	PASS
n71	15	20	DFT-256QAM	M	Inner_Full	19.19	16.14	34.77	PASS
n71	15	20	DFT-256QAM	M	Outer_Full	19.36	16.31	34.77	PASS
n71	15	20	DFT-BPSK	H	Inner_1RB_Left	23.38	20.33	34.77	PASS
n71	15	20	DFT-BPSK	H	Inner_1RB_Right	23.46	20.41	34.77	PASS
n71	15	20	DFT-BPSK	H	Inner_Full	23.44	20.39	34.77	PASS
n71	15	20	DFT-BPSK	H	Outer_Full	23.42	20.37	34.77	PASS
n71	15	20	DFT-QPSK	H	Inner_1RB_Left	23.43	20.38	34.77	PASS
n71	15	20	DFT-QPSK	H	Inner_1RB_Right	23.49	20.44	34.77	PASS
n71	15	20	DFT-QPSK	H	Inner_Full	23.46	20.41	34.77	PASS
n71	15	20	DFT-QPSK	H	Outer_Full	22.86	19.81	34.77	PASS
n71	15	20	DFT-16QAM	H	Inner_1RB_Left	22.67	19.62	34.77	PASS
n71	15	20	DFT-16QAM	H	Inner_1RB_Right	22.7	19.65	34.77	PASS
n71	15	20	DFT-16QAM	H	Inner_Full	22.71	19.66	34.77	PASS
n71	15	20	DFT-16QAM	H	Outer_Full	21.83	18.78	34.77	PASS
n71	15	20	DFT-64QAM	H	Inner_1RB_Left	21.42	18.37	34.77	PASS
n71	15	20	DFT-64QAM	H	Inner_1RB_Right	21.27	18.22	34.77	PASS
n71	15	20	DFT-64QAM	H	Inner_Full	21.26	18.21	34.77	PASS
n71	15	20	DFT-64QAM	H	Outer_Full	21.44	18.39	34.77	PASS
n71	15	20	DFT-256QAM	H	Inner_1RB_Left	19.28	16.23	34.77	PASS
n71	15	20	DFT-256QAM	H	Inner_1RB_Right	19.15	16.1	34.77	PASS
n71	15	20	DFT-256QAM	H	Inner_Full	19.2	16.15	34.77	PASS
n71	15	20	DFT-256QAM	H	Outer_Full	19.5	16.45	34.77	PASS

Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
n71	15	5	DFT-BPSK	L	Outer_Full	3.99	≤13dB	PASS
n71	15	5	DFT-QPSK	L	Outer_Full	8.44	≤13dB	PASS
n71	15	5	DFT-16QAM	L	Outer_Full	6.02	≤13dB	PASS
n71	15	5	DFT-64QAM	L	Outer_Full	6.27	≤13dB	PASS
n71	15	5	DFT-256QAM	L	Outer_Full	6.34	≤13dB	PASS
n71	15	5	CP-QPSK	L	Outer_Full	7.27	≤13dB	PASS
n71	15	5	CP-16QAM	L	Outer_Full	7.24	≤13dB	PASS
n71	15	5	CP-64QAM	L	Outer_Full	6.99	≤13dB	PASS
n71	15	5	CP-256QAM	L	Outer_Full	8.31	≤13dB	PASS
n71	15	5	DFT-BPSK	M	Outer_Full	4.1	≤13dB	PASS
n71	15	5	DFT-QPSK	M	Outer_Full	5.39	≤13dB	PASS
n71	15	5	DFT-16QAM	M	Outer_Full	6.21	≤13dB	PASS
n71	15	5	DFT-64QAM	M	Outer_Full	6.41	≤13dB	PASS
n71	15	5	DFT-256QAM	M	Outer_Full	6.4	≤13dB	PASS
n71	15	5	CP-QPSK	M	Outer_Full	6.8	≤13dB	PASS
n71	15	5	CP-16QAM	M	Outer_Full	6.84	≤13dB	PASS
n71	15	5	CP-64QAM	M	Outer_Full	7.31	≤13dB	PASS
n71	15	5	CP-256QAM	M	Outer_Full	8.3	≤13dB	PASS
n71	15	5	DFT-BPSK	H	Outer_Full	3.7	≤13dB	PASS
n71	15	5	DFT-QPSK	H	Outer_Full	5.02	≤13dB	PASS
n71	15	5	DFT-16QAM	H	Outer_Full	5.92	≤13dB	PASS
n71	15	5	DFT-64QAM	H	Outer_Full	6.24	≤13dB	PASS
n71	15	5	DFT-256QAM	H	Outer_Full	6.34	≤13dB	PASS
n71	15	5	CP-QPSK	H	Outer_Full	7.08	≤13dB	PASS
n71	15	5	CP-16QAM	H	Outer_Full	7.11	≤13dB	PASS
n71	15	5	CP-64QAM	H	Outer_Full	7.52	≤13dB	PASS
n71	15	5	CP-256QAM	H	Outer_Full	6.86	≤13dB	PASS
n71	15	10	DFT-BPSK	L	Outer_Full	4.33	≤13dB	PASS
n71	15	10	DFT-QPSK	L	Outer_Full	5.38	≤13dB	PASS
n71	15	10	DFT-16QAM	L	Outer_Full	6.18	≤13dB	PASS
n71	15	10	DFT-64QAM	L	Outer_Full	6.29	≤13dB	PASS
n71	15	10	DFT-256QAM	L	Outer_Full	6.54	≤13dB	PASS
n71	15	10	CP-QPSK	L	Outer_Full	7.1	≤13dB	PASS
n71	15	10	CP-16QAM	L	Outer_Full	7.25	≤13dB	PASS
n71	15	10	CP-64QAM	L	Outer_Full	7.64	≤13dB	PASS
n71	15	10	CP-256QAM	L	Outer_Full	8.51	≤13dB	PASS
n71	15	10	DFT-BPSK	M	Outer_Full	4.12	≤13dB	PASS
n71	15	10	DFT-QPSK	M	Outer_Full	5.36	≤13dB	PASS
n71	15	10	DFT-16QAM	M	Outer_Full	6.21	≤13dB	PASS
n71	15	10	DFT-64QAM	M	Outer_Full	6.32	≤13dB	PASS


n71	15	10	DFT-256QAM	M	Outer_Full	6.51	≤13dB	PASS
n71	15	10	CP-QPSK	M	Outer_Full	7.49	≤13dB	PASS
n71	15	10	CP-16QAM	M	Outer_Full	7.5	≤13dB	PASS
n71	15	10	CP-64QAM	M	Outer_Full	7.32	≤13dB	PASS
n71	15	10	CP-256QAM	M	Outer_Full	8.49	≤13dB	PASS
n71	15	10	DFT-BPSK	H	Outer_Full	4.18	≤13dB	PASS
n71	15	10	DFT-QPSK	H	Outer_Full	5.16	≤13dB	PASS
n71	15	10	DFT-16QAM	H	Outer_Full	5.97	≤13dB	PASS
n71	15	10	DFT-64QAM	H	Outer_Full	6.23	≤13dB	PASS
n71	15	10	DFT-256QAM	H	Outer_Full	6.46	≤13dB	PASS
n71	15	10	CP-QPSK	H	Outer_Full	7.11	≤13dB	PASS
n71	15	10	CP-16QAM	H	Outer_Full	7.17	≤13dB	PASS
n71	15	10	CP-64QAM	H	Outer_Full	7.65	≤13dB	PASS
n71	15	10	CP-256QAM	H	Outer_Full	8.47	≤13dB	PASS
n71	15	15	DFT-BPSK	L	Outer_Full	3.99	≤13dB	PASS
n71	15	15	DFT-QPSK	L	Outer_Full	5.22	≤13dB	PASS
n71	15	15	DFT-16QAM	L	Outer_Full	6.15	≤13dB	PASS
n71	15	15	DFT-64QAM	L	Outer_Full	6.28	≤13dB	PASS
n71	15	15	DFT-256QAM	L	Outer_Full	6.63	≤13dB	PASS
n71	15	15	CP-QPSK	L	Outer_Full	7.32	≤13dB	PASS
n71	15	15	CP-16QAM	L	Outer_Full	7.46	≤13dB	PASS
n71	15	15	CP-64QAM	L	Outer_Full	7.06	≤13dB	PASS
n71	15	15	CP-256QAM	L	Outer_Full	8.26	≤13dB	PASS
n71	15	15	DFT-BPSK	M	Outer_Full	4.13	≤13dB	PASS
n71	15	15	DFT-QPSK	M	Outer_Full	5.37	≤13dB	PASS
n71	15	15	DFT-16QAM	M	Outer_Full	6.21	≤13dB	PASS
n71	15	15	DFT-64QAM	M	Outer_Full	6.37	≤13dB	PASS
n71	15	15	DFT-256QAM	M	Outer_Full	6.6	≤13dB	PASS
n71	15	15	CP-QPSK	M	Outer_Full	7.59	≤13dB	PASS
n71	15	15	CP-16QAM	M	Outer_Full	7.69	≤13dB	PASS
n71	15	15	CP-64QAM	M	Outer_Full	7.28	≤13dB	PASS
n71	15	15	CP-256QAM	M	Outer_Full	8.26	≤13dB	PASS
n71	15	15	DFT-BPSK	H	Outer_Full	4.11	≤13dB	PASS
n71	15	15	DFT-QPSK	H	Outer_Full	5.22	≤13dB	PASS
n71	15	15	DFT-16QAM	H	Outer_Full	6.07	≤13dB	PASS
n71	15	15	DFT-64QAM	H	Outer_Full	6.26	≤13dB	PASS
n71	15	15	DFT-256QAM	H	Outer_Full	6.47	≤13dB	PASS
n71	15	15	CP-QPSK	H	Outer_Full	7.31	≤13dB	PASS
n71	15	15	CP-16QAM	H	Outer_Full	7.37	≤13dB	PASS
n71	15	15	CP-64QAM	H	Outer_Full	6.99	≤13dB	PASS
n71	15	15	CP-256QAM	H	Outer_Full	8.19	≤13dB	PASS
n71	15	20	DFT-BPSK	L	Outer_Full	4.03	≤13dB	PASS
n71	15	20	DFT-QPSK	L	Outer_Full	5.3	≤13dB	PASS
n71	15	20	DFT-16QAM	L	Outer_Full	6.14	≤13dB	PASS
n71	15	20	DFT-64QAM	L	Outer_Full	6.31	≤13dB	PASS


n71	15	20	DFT-256QAM	L	Outer_Full	6.61	≤13dB	PASS
n71	15	20	CP-QPSK	L	Outer_Full	5.27	≤13dB	PASS
n71	15	20	CP-16QAM	L	Outer_Full	7.58	≤13dB	PASS
n71	15	20	CP-64QAM	L	Outer_Full	7.21	≤13dB	PASS
n71	15	20	CP-256QAM	L	Outer_Full	8.39	≤13dB	PASS
n71	15	20	DFT-BPSK	M	Outer_Full	4.14	≤13dB	PASS
n71	15	20	DFT-QPSK	M	Outer_Full	5.39	≤13dB	PASS
n71	15	20	DFT-16QAM	M	Outer_Full	6.19	≤13dB	PASS
n71	15	20	DFT-64QAM	M	Outer_Full	6.32	≤13dB	PASS
n71	15	20	DFT-256QAM	M	Outer_Full	6.61	≤13dB	PASS
n71	15	20	CP-QPSK	M	Outer_Full	7.53	≤13dB	PASS
n71	15	20	CP-16QAM	M	Outer_Full	7.68	≤13dB	PASS
n71	15	20	CP-64QAM	M	Outer_Full	7.38	≤13dB	PASS
n71	15	20	CP-256QAM	M	Outer_Full	8.33	≤13dB	PASS
n71	15	20	DFT-BPSK	H	Outer_Full	4.11	≤13dB	PASS
n71	15	20	DFT-QPSK	H	Outer_Full	5.34	≤13dB	PASS
n71	15	20	DFT-16QAM	H	Outer_Full	6.11	≤13dB	PASS
n71	15	20	DFT-64QAM	H	Outer_Full	6.22	≤13dB	PASS
n71	15	20	DFT-256QAM	H	Outer_Full	6.57	≤13dB	PASS
n71	15	20	CP-QPSK	H	Outer_Full	6.88	≤13dB	PASS
n71	15	20	CP-16QAM	H	Outer_Full	6.98	≤13dB	PASS
n71	15	20	CP-64QAM	H	Outer_Full	7.43	≤13dB	PASS
n71	15	20	CP-256QAM	H	Outer_Full	8.28	≤13dB	PASS


Test Graphs



















































26dB Bandwidth and Occupied Bandwidth for SA**Test Result**


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n71	15	5	DFT-BPSK	L	Outer_Full	4.4780	5.026	PASS
n71	15	5	DFT-QPSK	L	Outer_Full	4.4598	4.884	PASS
n71	15	5	DFT-16QAM	L	Outer_Full	4.4849	5.067	PASS
n71	15	5	DFT-64QAM	L	Outer_Full	4.4747	4.985	PASS
n71	15	5	DFT-256QAM	L	Outer_Full	4.4741	4.941	PASS
n71	15	5	CP-QPSK	L	Outer_Full	4.4824	5.029	PASS
n71	15	5	CP-16QAM	L	Outer_Full	4.4798	5.154	PASS
n71	15	5	CP-64QAM	L	Outer_Full	4.4801	5.105	PASS
n71	15	5	CP-256QAM	L	Outer_Full	4.4787	5.114	PASS
n71	15	5	DFT-BPSK	M	Outer_Full	4.4659	4.934	PASS
n71	15	5	DFT-QPSK	M	Outer_Full	4.4797	4.963	PASS
n71	15	5	DFT-16QAM	M	Outer_Full	4.4832	5.050	PASS
n71	15	5	DFT-64QAM	M	Outer_Full	4.4706	4.955	PASS
n71	15	5	DFT-256QAM	M	Outer_Full	4.4748	5.081	PASS
n71	15	5	CP-QPSK	M	Outer_Full	4.4649	5.073	PASS
n71	15	5	CP-16QAM	M	Outer_Full	4.5101	5.120	PASS
n71	15	5	CP-64QAM	M	Outer_Full	4.4736	5.058	PASS
n71	15	5	CP-256QAM	M	Outer_Full	4.4736	5.222	PASS
n71	15	5	DFT-BPSK	H	Outer_Full	4.4760	4.970	PASS
n71	15	5	DFT-QPSK	H	Outer_Full	4.4702	4.896	PASS
n71	15	5	DFT-16QAM	H	Outer_Full	4.4789	4.939	PASS
n71	15	5	DFT-64QAM	H	Outer_Full	4.4702	4.908	PASS
n71	15	5	DFT-256QAM	H	Outer_Full	4.4799	5.066	PASS
n71	15	5	CP-QPSK	H	Outer_Full	4.4780	5.114	PASS
n71	15	5	CP-16QAM	H	Outer_Full	4.4990	5.146	PASS
n71	15	5	CP-64QAM	H	Outer_Full	4.4777	5.182	PASS
n71	15	5	CP-256QAM	H	Outer_Full	4.4717	5.095	PASS
n71	15	10	DFT-BPSK	L	Outer_Full	8.9085	9.600	PASS
n71	15	10	DFT-QPSK	L	Outer_Full	8.9268	9.659	PASS
n71	15	10	DFT-16QAM	L	Outer_Full	8.9400	9.685	PASS
n71	15	10	DFT-64QAM	L	Outer_Full	8.9434	9.680	PASS
n71	15	10	DFT-256QAM	L	Outer_Full	8.9284	9.710	PASS
n71	15	10	CP-QPSK	L	Outer_Full	9.2771	10.09	PASS
n71	15	10	CP-16QAM	L	Outer_Full	9.2695	10.08	PASS
n71	15	10	CP-64QAM	L	Outer_Full	9.2797	10.03	PASS
n71	15	10	CP-256QAM	L	Outer_Full	9.2811	10.04	PASS
n71	15	10	DFT-BPSK	M	Outer_Full	8.8998	9.564	PASS
n71	15	10	DFT-QPSK	M	Outer_Full	8.9326	9.676	PASS
n71	15	10	DFT-16QAM	M	Outer_Full	8.9448	9.661	PASS


n71	15	10	DFT-64QAM	M	Outer_Full	8.9389	9.610	PASS
n71	15	10	DFT-256QAM	M	Outer_Full	8.9298	9.734	PASS
n71	15	10	CP-QPSK	M	Outer_Full	9.2773	10.06	PASS
n71	15	10	CP-16QAM	M	Outer_Full	9.2730	10.09	PASS
n71	15	10	CP-64QAM	M	Outer_Full	9.2778	10.04	PASS
n71	15	10	CP-256QAM	M	Outer_Full	9.2860	10.09	PASS
n71	15	10	DFT-BPSK	H	Outer_Full	8.8950	9.630	PASS
n71	15	10	DFT-QPSK	H	Outer_Full	8.9113	9.653	PASS
n71	15	10	DFT-16QAM	H	Outer_Full	8.9370	9.633	PASS
n71	15	10	DFT-64QAM	H	Outer_Full	8.9211	9.531	PASS
n71	15	10	DFT-256QAM	H	Outer_Full	8.9155	9.669	PASS
n71	15	10	CP-QPSK	H	Outer_Full	9.2685	10.06	PASS
n71	15	10	CP-16QAM	H	Outer_Full	9.2638	10.10	PASS
n71	15	10	CP-64QAM	H	Outer_Full	9.2687	9.976	PASS
n71	15	10	CP-256QAM	H	Outer_Full	9.2755	10.08	PASS
n71	15	15	DFT-BPSK	L	Outer_Full	13.388	14.28	PASS
n71	15	15	DFT-QPSK	L	Outer_Full	13.392	14.27	PASS
n71	15	15	DFT-16QAM	L	Outer_Full	13.400	14.40	PASS
n71	15	15	DFT-64QAM	L	Outer_Full	13.387	14.23	PASS
n71	15	15	DFT-256QAM	L	Outer_Full	13.408	14.14	PASS
n71	15	15	CP-QPSK	L	Outer_Full	14.080	15.02	PASS
n71	15	15	CP-16QAM	L	Outer_Full	14.089	14.96	PASS
n71	15	15	CP-64QAM	L	Outer_Full	14.114	15.03	PASS
n71	15	15	CP-256QAM	L	Outer_Full	14.082	14.95	PASS
n71	15	15	DFT-BPSK	M	Outer_Full	13.397	14.39	PASS
n71	15	15	DFT-QPSK	M	Outer_Full	13.391	14.25	PASS
n71	15	15	DFT-16QAM	M	Outer_Full	13.407	14.29	PASS
n71	15	15	DFT-64QAM	M	Outer_Full	13.389	14.23	PASS
n71	15	15	DFT-256QAM	M	Outer_Full	13.423	14.32	PASS
n71	15	15	CP-QPSK	M	Outer_Full	14.084	14.96	PASS
n71	15	15	CP-16QAM	M	Outer_Full	14.083	15.03	PASS
n71	15	15	CP-64QAM	M	Outer_Full	14.111	15.03	PASS
n71	15	15	CP-256QAM	M	Outer_Full	14.086	15.04	PASS
n71	15	15	DFT-BPSK	H	Outer_Full	13.377	14.25	PASS
n71	15	15	DFT-QPSK	H	Outer_Full	13.383	14.32	PASS
n71	15	15	DFT-16QAM	H	Outer_Full	13.421	14.35	PASS
n71	15	15	DFT-64QAM	H	Outer_Full	13.386	14.20	PASS
n71	15	15	DFT-256QAM	H	Outer_Full	13.398	14.15	PASS
n71	15	15	CP-QPSK	H	Outer_Full	14.064	14.97	PASS
n71	15	15	CP-16QAM	H	Outer_Full	14.063	15.00	PASS
n71	15	15	CP-64QAM	H	Outer_Full	14.085	15.04	PASS
n71	15	15	CP-256QAM	H	Outer_Full	14.072	14.98	PASS
n71	15	20	DFT-BPSK	L	Outer_Full	17.858	18.82	PASS
n71	15	20	DFT-QPSK	L	Outer_Full	17.850	18.80	PASS
n71	15	20	DFT-16QAM	L	Outer_Full	17.860	18.84	PASS

n71	15	20	DFT-64QAM	L	Outer_Full	17.867	18.96	PASS
n71	15	20	DFT-256QAM	L	Outer_Full	17.842	18.78	PASS
n71	15	20	CP-QPSK	L	Outer_Full	18.880	19.94	PASS
n71	15	20	CP-16QAM	L	Outer_Full	18.899	20.01	PASS
n71	15	20	CP-64QAM	L	Outer_Full	18.898	19.87	PASS
n71	15	20	CP-256QAM	L	Outer_Full	18.976	19.92	PASS
n71	15	20	DFT-BPSK	M	Outer_Full	17.862	18.77	PASS
n71	15	20	DFT-QPSK	M	Outer_Full	17.853	18.84	PASS
n71	15	20	DFT-16QAM	M	Outer_Full	17.865	18.82	PASS
n71	15	20	DFT-64QAM	M	Outer_Full	17.866	18.87	PASS
n71	15	20	DFT-256QAM	M	Outer_Full	17.851	18.76	PASS
n71	15	20	CP-QPSK	M	Outer_Full	18.885	19.98	PASS
n71	15	20	CP-16QAM	M	Outer_Full	18.914	20.07	PASS
n71	15	20	CP-64QAM	M	Outer_Full	18.909	19.89	PASS
n71	15	20	CP-256QAM	M	Outer_Full	18.956	19.92	PASS
n71	15	20	DFT-BPSK	H	Outer_Full	17.849	18.74	PASS
n71	15	20	DFT-QPSK	H	Outer_Full	17.824	18.82	PASS
n71	15	20	DFT-16QAM	H	Outer_Full	17.838	18.75	PASS
n71	15	20	DFT-64QAM	H	Outer_Full	17.862	18.76	PASS
n71	15	20	DFT-256QAM	H	Outer_Full	17.824	18.70	PASS
n71	15	20	CP-QPSK	H	Outer_Full	18.874	19.97	PASS
n71	15	20	CP-16QAM	H	Outer_Full	18.914	20.01	PASS
n71	15	20	CP-64QAM	H	Outer_Full	18.878	19.87	PASS
n71	15	20	CP-256QAM	H	Outer_Full	18.948	19.89	PASS


Test Graphs









NTNV-n71-PC3-15-5-M-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n71-PC3-15-5-M-DFT-256QAM-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n71-PC3-15-5-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-H-DFT-BPSK-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-H-DFT-QPSK-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-H-DFT-16QAM-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-H-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n71-PC3-15-5-H-DFT-256QAM-Outer_Full-Ant1-PASS




NTNV-n71-PC3-15-5-H-CP-QPSK-Outer_Full-Ant1-PASS








NTNV-n71-PC3-15-10-M-DFT-BPSK-Outet_Full-Ant1-PASS



NTNV-n71-PC3-15-10-M-DFT-QPSK-Outet_Full-Ant1-PASS




NTNV-n71-PC3-15-10-M-DFT-16QAM-Outet_Full-Ant1-PASS



NTNV-n71-PC3-15-10-M-DFT-64QAM-Outet_Full-Ant1-PASS



NTNV-n71-PC3-15-10-M-DFT-256QAM-Outet_Full-Ant1-PASS



NTNV-n71-PC3-15-10-M-CP-QPSK-Outet_Full-Ant1-PASS

