

Appendix-A LTE Band 48

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	20.06	21.06	PASS
Band48	5MHz	QPSK	55265	1RB#12	20.02	21.02	PASS
Band48	5MHz	QPSK	55265	1RB#24	20.05	21.05	PASS
Band48	5MHz	QPSK	55265	25RB#0	20.19	21.19	PASS
Band48	5MHz	16QAM	55265	1RB#0	20.03	21.03	PASS
Band48	5MHz	16QAM	55265	1RB#12	20.1	21.1	PASS
Band48	5MHz	16QAM	55265	1RB#24	20.12	21.12	PASS
Band48	5MHz	16QAM	55265	25RB#0	20.05	21.05	PASS
Band48	5MHz	64QAM	55265	1RB#0	20.45	21.45	PASS
Band48	5MHz	64QAM	55265	1RB#12	20.4	21.4	PASS
Band48	5MHz	64QAM	55265	1RB#24	20.39	21.39	PASS
Band48	5MHz	64QAM	55265	25RB#0	20.08	21.08	PASS
Band48	5MHz	256QAM	55265	1RB#0	19.59	20.59	PASS
Band48	5MHz	256QAM	55265	1RB#12	19.6	20.6	PASS
Band48	5MHz	256QAM	55265	1RB#24	19.59	20.59	PASS
Band48	5MHz	256QAM	55265	25RB#0	19.63	20.63	PASS
Band48	5MHz	QPSK	55990	1RB#0	20.21	21.21	PASS
Band48	5MHz	QPSK	55990	1RB#12	20.34	21.34	PASS
Band48	5MHz	QPSK	55990	1RB#24	20.29	21.29	PASS
Band48	5MHz	QPSK	55990	25RB#0	20.28	21.28	PASS
Band48	5MHz	16QAM	55990	1RB#0	20.27	21.27	PASS
Band48	5MHz	16QAM	55990	1RB#12	20.33	21.33	PASS
Band48	5MHz	16QAM	55990	1RB#24	20.4	21.4	PASS
Band48	5MHz	16QAM	55990	25RB#0	20.26	21.26	PASS
Band48	5MHz	64QAM	55990	1RB#0	20.53	21.53	PASS
Band48	5MHz	64QAM	55990	1RB#12	20.51	21.51	PASS
Band48	5MHz	64QAM	55990	1RB#24	20.44	21.44	PASS
Band48	5MHz	64QAM	55990	25RB#0	20.31	21.31	PASS
Band48	5MHz	256QAM	55990	1RB#0	19.88	20.88	PASS
Band48	5MHz	256QAM	55990	1RB#12	20.07	21.07	PASS
Band48	5MHz	256QAM	55990	1RB#24	19.77	20.77	PASS
Band48	5MHz	256QAM	55990	25RB#0	19.64	20.64	PASS
Band48	5MHz	QPSK	56715	1RB#0	20.12	21.12	PASS
Band48	5MHz	QPSK	56715	1RB#12	20.15	21.15	PASS
Band48	5MHz	QPSK	56715	1RB#24	20.15	21.15	PASS
Band48	5MHz	QPSK	56715	25RB#0	20.26	21.26	PASS
Band48	5MHz	16QAM	56715	1RB#0	20.4	21.4	PASS

Band48	5MHz	16QAM	56715	1RB#12	20.43	21.43	PASS
Band48	5MHz	16QAM	56715	1RB#24	19.99	20.99	PASS
Band48	5MHz	16QAM	56715	25RB#0	20.22	21.22	PASS
Band48	5MHz	64QAM	56715	1RB#0	20.27	21.27	PASS
Band48	5MHz	64QAM	56715	1RB#12	20.28	21.28	PASS
Band48	5MHz	64QAM	56715	1RB#24	20.59	21.59	PASS
Band48	5MHz	64QAM	56715	25RB#0	20.18	21.18	PASS
Band48	5MHz	256QAM	56715	1RB#0	19.86	20.86	PASS
Band48	5MHz	256QAM	56715	1RB#12	19.74	20.74	PASS
Band48	5MHz	256QAM	56715	1RB#24	19.79	20.79	PASS
Band48	5MHz	256QAM	56715	25RB#0	19.65	20.65	PASS
Band48	10MHz	QPSK	55290	1RB#0	20.03	21.03	PASS
Band48	10MHz	QPSK	55290	1RB#24	20.09	21.09	PASS
Band48	10MHz	QPSK	55290	1RB#49	20.07	21.07	PASS
Band48	10MHz	QPSK	55290	50RB#0	20.28	21.28	PASS
Band48	10MHz	16QAM	55290	1RB#0	20.14	21.14	PASS
Band48	10MHz	16QAM	55290	1RB#24	20.22	21.22	PASS
Band48	10MHz	16QAM	55290	1RB#49	20.06	21.06	PASS
Band48	10MHz	16QAM	55290	50RB#0	20.26	21.26	PASS
Band48	10MHz	64QAM	55290	1RB#0	20.35	21.35	PASS
Band48	10MHz	64QAM	55290	1RB#24	20.29	21.29	PASS
Band48	10MHz	64QAM	55290	1RB#49	20.37	21.37	PASS
Band48	10MHz	64QAM	55290	50RB#0	20.31	21.31	PASS
Band48	10MHz	256QAM	55290	1RB#0	19.89	20.89	PASS
Band48	10MHz	256QAM	55290	1RB#24	19.65	20.65	PASS
Band48	10MHz	256QAM	55290	1RB#49	20.12	21.12	PASS
Band48	10MHz	256QAM	55290	50RB#0	19.75	20.75	PASS
Band48	10MHz	QPSK	55990	1RB#0	20.19	21.19	PASS
Band48	10MHz	QPSK	55990	1RB#24	20.23	21.23	PASS
Band48	10MHz	QPSK	55990	1RB#49	20.27	21.27	PASS
Band48	10MHz	QPSK	55990	50RB#0	20.32	21.32	PASS
Band48	10MHz	16QAM	55990	1RB#0	20.2	21.2	PASS
Band48	10MHz	16QAM	55990	1RB#24	20.35	21.35	PASS
Band48	10MHz	16QAM	55990	1RB#49	20.55	21.55	PASS
Band48	10MHz	16QAM	55990	50RB#0	20.3	21.3	PASS
Band48	10MHz	64QAM	55990	1RB#0	20.43	21.43	PASS
Band48	10MHz	64QAM	55990	1RB#24	20.48	21.48	PASS
Band48	10MHz	64QAM	55990	1RB#49	20.35	21.35	PASS
Band48	10MHz	64QAM	55990	50RB#0	20.45	21.45	PASS
Band48	10MHz	256QAM	55990	1RB#0	20.29	21.29	PASS
Band48	10MHz	256QAM	55990	1RB#24	19.86	20.86	PASS
Band48	10MHz	256QAM	55990	1RB#49	20.02	21.02	PASS
Band48	10MHz	256QAM	55990	50RB#0	19.8	20.8	PASS
Band48	10MHz	QPSK	56690	1RB#0	20.02	21.02	PASS
Band48	10MHz	QPSK	56690	1RB#24	20.18	21.18	PASS

Band48	10MHz	QPSK	56690	1RB#49	20.19	21.19	PASS
Band48	10MHz	QPSK	56690	50RB#0	20.26	21.26	PASS
Band48	10MHz	16QAM	56690	1RB#0	20.22	21.22	PASS
Band48	10MHz	16QAM	56690	1RB#24	20.27	21.27	PASS
Band48	10MHz	16QAM	56690	1RB#49	20.1	21.1	PASS
Band48	10MHz	16QAM	56690	50RB#0	20.33	21.33	PASS
Band48	10MHz	64QAM	56690	1RB#0	20.37	21.37	PASS
Band48	10MHz	64QAM	56690	1RB#24	20.62	21.62	PASS
Band48	10MHz	64QAM	56690	1RB#49	20.46	21.46	PASS
Band48	10MHz	64QAM	56690	50RB#0	20.4	21.4	PASS
Band48	10MHz	256QAM	56690	1RB#0	20.21	21.21	PASS
Band48	10MHz	256QAM	56690	1RB#24	19.96	20.96	PASS
Band48	10MHz	256QAM	56690	1RB#49	20.11	21.11	PASS
Band48	10MHz	256QAM	56690	50RB#0	19.75	20.75	PASS
Band48	15MHz	QPSK	55315	1RB#0	20	21	PASS
Band48	15MHz	QPSK	55315	1RB#38	20.15	21.15	PASS
Band48	15MHz	QPSK	55315	1RB#74	20.13	21.13	PASS
Band48	15MHz	QPSK	55315	75RB#0	20.22	21.22	PASS
Band48	15MHz	16QAM	55315	1RB#0	20.04	21.04	PASS
Band48	15MHz	16QAM	55315	1RB#38	20.27	21.27	PASS
Band48	15MHz	16QAM	55315	1RB#74	20.04	21.04	PASS
Band48	15MHz	16QAM	55315	75RB#0	20.21	21.21	PASS
Band48	15MHz	64QAM	55315	1RB#0	20.4	21.4	PASS
Band48	15MHz	64QAM	55315	1RB#38	20.36	21.36	PASS
Band48	15MHz	64QAM	55315	1RB#74	20.29	21.29	PASS
Band48	15MHz	64QAM	55315	75RB#0	20.14	21.14	PASS
Band48	15MHz	256QAM	55315	1RB#0	19.84	20.84	PASS
Band48	15MHz	256QAM	55315	1RB#38	19.69	20.69	PASS
Band48	15MHz	256QAM	55315	1RB#74	20.23	21.23	PASS
Band48	15MHz	256QAM	55315	75RB#0	19.75	20.75	PASS
Band48	15MHz	QPSK	55990	1RB#0	20.17	21.17	PASS
Band48	15MHz	QPSK	55990	1RB#38	20.8	21.8	PASS
Band48	15MHz	QPSK	55990	1RB#74	20.3	21.3	PASS
Band48	15MHz	QPSK	55990	75RB#0	20.71	21.71	PASS
Band48	15MHz	16QAM	55990	1RB#0	20.29	21.29	PASS
Band48	15MHz	16QAM	55990	1RB#38	20.61	21.61	PASS
Band48	15MHz	16QAM	55990	1RB#74	20.65	21.65	PASS
Band48	15MHz	16QAM	55990	75RB#0	20.31	21.31	PASS
Band48	15MHz	64QAM	55990	1RB#0	20.46	21.46	PASS
Band48	15MHz	64QAM	55990	1RB#38	20.61	21.61	PASS
Band48	15MHz	64QAM	55990	1RB#74	20.56	21.56	PASS
Band48	15MHz	64QAM	55990	75RB#0	20.42	21.42	PASS
Band48	15MHz	256QAM	55990	1RB#0	19.71	20.71	PASS
Band48	15MHz	256QAM	55990	1RB#38	19.84	20.84	PASS
Band48	15MHz	256QAM	55990	1RB#74	19.82	20.82	PASS

Band48	15MHz	256QAM	55990	75RB#0	19.83	20.83	PASS
Band48	15MHz	QPSK	56665	1RB#0	20.14	21.14	PASS
Band48	15MHz	QPSK	56665	1RB#38	20.16	21.16	PASS
Band48	15MHz	QPSK	56665	1RB#74	20.3	21.3	PASS
Band48	15MHz	QPSK	56665	75RB#0	20.27	21.27	PASS
Band48	15MHz	16QAM	56665	1RB#0	20.08	21.08	PASS
Band48	15MHz	16QAM	56665	1RB#38	20.11	21.11	PASS
Band48	15MHz	16QAM	56665	1RB#74	20.31	21.31	PASS
Band48	15MHz	16QAM	56665	75RB#0	20.34	21.34	PASS
Band48	15MHz	64QAM	56665	1RB#0	20.58	21.58	PASS
Band48	15MHz	64QAM	56665	1RB#38	20.65	21.65	PASS
Band48	15MHz	64QAM	56665	1RB#74	20.49	21.49	PASS
Band48	15MHz	64QAM	56665	75RB#0	20.25	21.25	PASS
Band48	15MHz	256QAM	56665	1RB#0	20.05	21.05	PASS
Band48	15MHz	256QAM	56665	1RB#38	20.02	21.02	PASS
Band48	15MHz	256QAM	56665	1RB#74	20.22	21.22	PASS
Band48	15MHz	256QAM	56665	75RB#0	19.78	20.78	PASS
Band48	20MHz	QPSK	55340	1RB#0	20.1	21.1	PASS
Band48	20MHz	QPSK	55340	1RB#49	20.11	21.11	PASS
Band48	20MHz	QPSK	55340	1RB#99	20.14	21.14	PASS
Band48	20MHz	QPSK	55340	100RB#0	20.35	21.35	PASS
Band48	20MHz	16QAM	55340	1RB#0	20.04	21.04	PASS
Band48	20MHz	16QAM	55340	1RB#49	20.23	21.23	PASS
Band48	20MHz	16QAM	55340	1RB#99	19.9	20.9	PASS
Band48	20MHz	16QAM	55340	100RB#0	20.31	21.31	PASS
Band48	20MHz	64QAM	55340	1RB#0	20.37	21.37	PASS
Band48	20MHz	64QAM	55340	1RB#49	20.32	21.32	PASS
Band48	20MHz	64QAM	55340	1RB#99	20.58	21.58	PASS
Band48	20MHz	64QAM	55340	100RB#0	20.33	21.33	PASS
Band48	20MHz	256QAM	55340	1RB#0	20.26	21.26	PASS
Band48	20MHz	256QAM	55340	1RB#49	19.86	20.86	PASS
Band48	20MHz	256QAM	55340	1RB#99	20.01	21.01	PASS
Band48	20MHz	256QAM	55340	100RB#0	19.85	20.85	PASS
Band48	20MHz	QPSK	55990	1RB#0	20.21	21.21	PASS
Band48	20MHz	QPSK	55990	1RB#49	20.73	21.73	PASS
Band48	20MHz	QPSK	55990	1RB#99	20.37	21.37	PASS
Band48	20MHz	QPSK	55990	100RB#0	20.68	21.68	PASS
Band48	20MHz	16QAM	55990	1RB#0	20.12	21.12	PASS
Band48	20MHz	16QAM	55990	1RB#49	20.19	21.19	PASS
Band48	20MHz	16QAM	55990	1RB#99	20.44	21.44	PASS
Band48	20MHz	16QAM	55990	100RB#0	20.49	21.49	PASS
Band48	20MHz	64QAM	55990	1RB#0	20.46	21.46	PASS
Band48	20MHz	64QAM	55990	1RB#49	20.62	21.62	PASS
Band48	20MHz	64QAM	55990	1RB#99	20.41	21.41	PASS
Band48	20MHz	64QAM	55990	100RB#0	20.36	21.36	PASS

Band48	20MHz	256QAM	55990	1RB#0	20.45	21.45	PASS
Band48	20MHz	256QAM	55990	1RB#49	19.83	20.83	PASS
Band48	20MHz	256QAM	55990	1RB#99	20.18	21.18	PASS
Band48	20MHz	256QAM	55990	100RB#0	19.86	20.86	PASS
Band48	20MHz	QPSK	56640	1RB#0	20.1	21.1	PASS
Band48	20MHz	QPSK	56640	1RB#49	20.16	21.16	PASS
Band48	20MHz	QPSK	56640	1RB#99	20.28	21.28	PASS
Band48	20MHz	QPSK	56640	100RB#0	20.38	21.38	PASS
Band48	20MHz	16QAM	56640	1RB#0	20.1	21.1	PASS
Band48	20MHz	16QAM	56640	1RB#49	20.17	21.17	PASS
Band48	20MHz	16QAM	56640	1RB#99	20.49	21.49	PASS
Band48	20MHz	16QAM	56640	100RB#0	20.35	21.35	PASS
Band48	20MHz	64QAM	56640	1RB#0	20.49	21.49	PASS
Band48	20MHz	64QAM	56640	1RB#49	20.64	21.64	PASS
Band48	20MHz	64QAM	56640	1RB#99	20.41	21.41	PASS
Band48	20MHz	64QAM	56640	100RB#0	20.29	21.29	PASS
Band48	20MHz	256QAM	56640	1RB#0	20.25	21.25	PASS
Band48	20MHz	256QAM	56640	1RB#49	19.89	20.89	PASS
Band48	20MHz	256QAM	56640	1RB#99	20.23	21.23	PASS
Band48	20MHz	256QAM	56640	100RB#0	19.89	20.89	PASS

Maximum EIRP and Maximum PSD

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm/10MHz)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	20.3	21.3	23.00	PASS
Band48	5MHz	QPSK	55265	1RB#12	20.32	21.32	23.00	PASS
Band48	5MHz	QPSK	55265	1RB#24	20.35	21.35	23.00	PASS
Band48	5MHz	QPSK	55265	25RB#0	20	21	23.00	PASS
Band48	5MHz	QPSK	55990	1RB#0	20.41	21.41	23.00	PASS
Band48	5MHz	QPSK	55990	1RB#12	20.46	21.46	23.00	PASS
Band48	5MHz	QPSK	55990	1RB#24	20.4	21.4	23.00	PASS
Band48	5MHz	QPSK	55990	25RB#0	20.07	21.07	23.00	PASS
Band48	5MHz	QPSK	56715	1RB#0	20	21	23.00	PASS
Band48	5MHz	QPSK	56715	1RB#12	20.03	21.03	23.00	PASS
Band48	5MHz	QPSK	56715	1RB#24	20.03	21.03	23.00	PASS
Band48	5MHz	QPSK	56715	25RB#0	19.82	20.82	23.00	PASS
Band48	10MHz	QPSK	55290	1RB#0	20.25	21.25	23.00	PASS
Band48	10MHz	QPSK	55290	1RB#24	20.36	21.36	23.00	PASS
Band48	10MHz	QPSK	55290	1RB#49	20.36	21.36	23.00	PASS
Band48	10MHz	QPSK	55290	50RB#0	19.52	20.52	23.00	PASS
Band48	10MHz	QPSK	55990	1RB#0	20.33	21.33	23.00	PASS
Band48	10MHz	QPSK	55990	1RB#24	20.41	21.41	23.00	PASS
Band48	10MHz	QPSK	55990	1RB#49	20.45	21.45	23.00	PASS
Band48	10MHz	QPSK	55990	50RB#0	19.49	20.49	23.00	PASS
Band48	10MHz	QPSK	56690	1RB#0	19.94	20.94	23.00	PASS
Band48	10MHz	QPSK	56690	1RB#24	20.01	21.01	23.00	PASS
Band48	10MHz	QPSK	56690	1RB#49	19.96	20.96	23.00	PASS
Band48	10MHz	QPSK	56690	50RB#0	19.12	20.12	23.00	PASS
Band48	15MHz	QPSK	55315	1RB#0	20.33	21.33	23.00	PASS
Band48	15MHz	QPSK	55315	1RB#38	20.4	21.4	23.00	PASS
Band48	15MHz	QPSK	55315	1RB#74	20.45	21.45	23.00	PASS
Band48	15MHz	QPSK	55315	75RB#0	18.13	19.13	23.00	PASS
Band48	15MHz	QPSK	55990	1RB#0	20.44	21.44	23.00	PASS
Band48	15MHz	QPSK	55990	1RB#38	20.49	21.49	23.00	PASS
Band48	15MHz	QPSK	55990	1RB#74	20.56	21.56	23.00	PASS
Band48	15MHz	QPSK	55990	75RB#0	18.34	19.34	23.00	PASS
Band48	15MHz	QPSK	56665	1RB#0	20.1	21.1	23.00	PASS
Band48	15MHz	QPSK	56665	1RB#38	20.04	21.04	23.00	PASS
Band48	15MHz	QPSK	56665	1RB#74	20.04	21.04	23.00	PASS
Band48	15MHz	QPSK	56665	75RB#0	17.9	18.9	23.00	PASS
Band48	20MHz	QPSK	55340	1RB#0	20.33	21.33	23.00	PASS
Band48	20MHz	QPSK	55340	1RB#49	20.45	21.45	23.00	PASS
Band48	20MHz	QPSK	55340	1RB#99	20.47	21.47	23.00	PASS

Band48	20MHz	QPSK	55340	100RB#0	16.96	17.96	23.00	PASS
Band48	20MHz	QPSK	55990	1RB#0	20.46	21.46	23.00	PASS
Band48	20MHz	QPSK	55990	1RB#49	20.49	21.49	23.00	PASS
Band48	20MHz	QPSK	55990	1RB#99	20.64	21.64	23.00	PASS
Band48	20MHz	QPSK	55990	100RB#0	17	18	23.00	PASS
Band48	20MHz	QPSK	56640	1RB#0	19.97	20.97	23.00	PASS
Band48	20MHz	QPSK	56640	1RB#49	20.21	21.21	23.00	PASS
Band48	20MHz	QPSK	56640	1RB#99	20.11	21.11	23.00	PASS
Band48	20MHz	QPSK	56640	100RB#0	16.69	17.69	23.00	PASS

Adjacent Channel Leakage Ratio

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	ACLR_Lower (dBm)	ACLR_Upper (dBm)	ACLR_Limit (dBm)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	42.36	51.6	≥30	PASS
Band48	5MHz	QPSK	55265	1RB#24	52.3	43.27	≥30	PASS
Band48	5MHz	QPSK	55265	25RB#0	38.64	38.31	≥30	PASS
Band48	5MHz	16QAM	55265	1RB#0	40.06	54.1	≥30	PASS
Band48	5MHz	16QAM	55265	1RB#24	53.48	38.16	≥30	PASS
Band48	5MHz	16QAM	55265	25RB#0	37.45	37.15	≥30	PASS
Band48	5MHz	64QAM	55265	1RB#0	38.21	53.99	≥30	PASS
Band48	5MHz	64QAM	55265	1RB#24	54.42	39.69	≥30	PASS
Band48	5MHz	64QAM	55265	25RB#0	38.78	38.59	≥30	PASS
Band48	5MHz	256QAM	55265	1RB#0	32.82	47.12	≥30	PASS
Band48	5MHz	256QAM	55265	1RB#24	47.73	33.59	≥30	PASS
Band48	5MHz	256QAM	55265	25RB#0	36.87	37.12	≥30	PASS
Band48	5MHz	QPSK	55990	1RB#0	42.53	51.3	≥30	PASS
Band48	5MHz	QPSK	55990	1RB#24	52	43.29	≥30	PASS
Band48	5MHz	QPSK	55990	25RB#0	38.35	38.21	≥30	PASS
Band48	5MHz	16QAM	55990	1RB#0	38.62	53.59	≥30	PASS
Band48	5MHz	16QAM	55990	1RB#24	53	36.95	≥30	PASS
Band48	5MHz	16QAM	55990	25RB#0	37.72	37.05	≥30	PASS
Band48	5MHz	64QAM	55990	1RB#0	37.11	53.47	≥30	PASS
Band48	5MHz	64QAM	55990	1RB#24	53.31	40.51	≥30	PASS
Band48	5MHz	64QAM	55990	25RB#0	38.63	38.11	≥30	PASS
Band48	5MHz	256QAM	55990	1RB#0	33.24	47.44	≥30	PASS
Band48	5MHz	256QAM	55990	1RB#24	46.21	32.08	≥30	PASS
Band48	5MHz	256QAM	55990	25RB#0	36.32	35.95	≥30	PASS
Band48	5MHz	QPSK	56715	1RB#0	41.63	51.5	≥30	PASS
Band48	5MHz	QPSK	56715	1RB#24	52.1	42.24	≥30	PASS
Band48	5MHz	QPSK	56715	25RB#0	38.84	38.61	≥30	PASS
Band48	5MHz	16QAM	56715	1RB#0	38.72	53.59	≥30	PASS
Band48	5MHz	16QAM	56715	1RB#24	53.64	38.98	≥30	PASS
Band48	5MHz	16QAM	56715	25RB#0	37.76	37.63	≥30	PASS
Band48	5MHz	64QAM	56715	1RB#0	37.85	54.15	≥30	PASS
Band48	5MHz	64QAM	56715	1RB#24	54.28	38.24	≥30	PASS
Band48	5MHz	64QAM	56715	25RB#0	39.26	38.6	≥30	PASS
Band48	5MHz	256QAM	56715	1RB#0	32.14	46.98	≥30	PASS
Band48	5MHz	256QAM	56715	1RB#24	46.97	32.6	≥30	PASS
Band48	5MHz	256QAM	56715	25RB#0	36.46	36.17	≥30	PASS
Band48	10MHz	QPSK	55290	1RB#0	45.77	49.34	≥30	PASS
Band48	10MHz	QPSK	55290	1RB#49	49.12	44.48	≥30	PASS
Band48	10MHz	QPSK	55290	50RB#0	39.56	38.92	≥30	PASS


Band48	10MHz	16QAM	55290	1RB#0	44.61	51.04	≥30	PASS
Band48	10MHz	16QAM	55290	1RB#49	50.58	43.45	≥30	PASS
Band48	10MHz	16QAM	55290	50RB#0	39.04	38.35	≥30	PASS
Band48	10MHz	64QAM	55290	1RB#0	44.56	51.52	≥30	PASS
Band48	10MHz	64QAM	55290	1RB#49	51.15	44.6	≥30	PASS
Band48	10MHz	64QAM	55290	50RB#0	39.32	38.77	≥30	PASS
Band48	10MHz	256QAM	55290	1RB#0	34.05	47.78	≥30	PASS
Band48	10MHz	256QAM	55290	1RB#49	48.44	34.74	≥30	PASS
Band48	10MHz	256QAM	55290	50RB#0	38.37	37.04	≥30	PASS
Band48	10MHz	QPSK	55990	1RB#0	45.45	49.15	≥30	PASS
Band48	10MHz	QPSK	55990	1RB#49	48.64	44.21	≥30	PASS
Band48	10MHz	QPSK	55990	50RB#0	39.67	39.24	≥30	PASS
Band48	10MHz	16QAM	55990	1RB#0	44.4	50.89	≥30	PASS
Band48	10MHz	16QAM	55990	1RB#49	49.87	44.39	≥30	PASS
Band48	10MHz	16QAM	55990	50RB#0	38.89	38.48	≥30	PASS
Band48	10MHz	64QAM	55990	1RB#0	43.28	51.18	≥30	PASS
Band48	10MHz	64QAM	55990	1RB#49	50.16	41.47	≥30	PASS
Band48	10MHz	64QAM	55990	50RB#0	39.29	38.88	≥30	PASS
Band48	10MHz	256QAM	55990	1RB#0	35.13	47.3	≥30	PASS
Band48	10MHz	256QAM	55990	1RB#49	47.1	35.03	≥30	PASS
Band48	10MHz	256QAM	55990	50RB#0	36.84	37.43	≥30	PASS
Band48	10MHz	QPSK	56690	1RB#0	45.38	49.31	≥30	PASS
Band48	10MHz	QPSK	56690	1RB#49	48.96	44.2	≥30	PASS
Band48	10MHz	QPSK	56690	50RB#0	39.34	39.29	≥30	PASS
Band48	10MHz	16QAM	56690	1RB#0	45.02	51.23	≥30	PASS
Band48	10MHz	16QAM	56690	1RB#49	50.14	43.7	≥30	PASS
Band48	10MHz	16QAM	56690	50RB#0	38.87	38.8	≥30	PASS
Band48	10MHz	64QAM	56690	1RB#0	43.37	51.29	≥30	PASS
Band48	10MHz	64QAM	56690	1RB#49	50.68	43.3	≥30	PASS
Band48	10MHz	64QAM	56690	50RB#0	40.05	39.48	≥30	PASS
Band48	10MHz	256QAM	56690	1RB#0	34.84	47.61	≥30	PASS
Band48	10MHz	256QAM	56690	1RB#49	47.82	34.1	≥30	PASS
Band48	10MHz	256QAM	56690	50RB#0	36.97	38.25	≥30	PASS
Band48	15MHz	QPSK	55315	1RB#0	45.52	48.04	≥30	PASS
Band48	15MHz	QPSK	55315	1RB#74	47.71	44.13	≥30	PASS
Band48	15MHz	QPSK	55315	75RB#0	39.6	38.66	≥30	PASS
Band48	15MHz	16QAM	55315	1RB#0	46.86	50.32	≥30	PASS
Band48	15MHz	16QAM	55315	1RB#74	48.46	43.37	≥30	PASS
Band48	15MHz	16QAM	55315	75RB#0	39.16	38.11	≥30	PASS
Band48	15MHz	64QAM	55315	1RB#0	46.17	50.3	≥30	PASS
Band48	15MHz	64QAM	55315	1RB#74	48.68	41.33	≥30	PASS
Band48	15MHz	64QAM	55315	75RB#0	39.36	38.59	≥30	PASS
Band48	15MHz	256QAM	55315	1RB#0	34.73	47.93	≥30	PASS
Band48	15MHz	256QAM	55315	1RB#74	48.02	34.94	≥30	PASS
Band48	15MHz	256QAM	55315	75RB#0	39.34	38.81	≥30	PASS

Band48	15MHz	QPSK	55990	1RB#0	45.08	47.72	≥30	PASS
Band48	15MHz	QPSK	55990	1RB#74	46.85	44.12	≥30	PASS
Band48	15MHz	QPSK	55990	75RB#0	39.63	38.79	≥30	PASS
Band48	15MHz	16QAM	55990	1RB#0	46.12	49.45	≥30	PASS
Band48	15MHz	16QAM	55990	1RB#74	47.42	41.22	≥30	PASS
Band48	15MHz	16QAM	55990	75RB#0	39.16	38.57	≥30	PASS
Band48	15MHz	64QAM	55990	1RB#0	46.13	50.49	≥30	PASS
Band48	15MHz	64QAM	55990	1RB#74	47.24	41.24	≥30	PASS
Band48	15MHz	64QAM	55990	75RB#0	38.87	38.49	≥30	PASS
Band48	15MHz	256QAM	55990	1RB#0	35.87	46.92	≥30	PASS
Band48	15MHz	256QAM	55990	1RB#74	46.93	33.86	≥30	PASS
Band48	15MHz	256QAM	55990	75RB#0	39.52	38.94	≥30	PASS
Band48	15MHz	QPSK	56665	1RB#0	45.03	47.81	≥30	PASS
Band48	15MHz	QPSK	56665	1RB#74	47.09	44.05	≥30	PASS
Band48	15MHz	QPSK	56665	75RB#0	39.4	39.39	≥30	PASS
Band48	15MHz	16QAM	56665	1RB#0	45.86	49.74	≥30	PASS
Band48	15MHz	16QAM	56665	1RB#74	48	43.63	≥30	PASS
Band48	15MHz	16QAM	56665	75RB#0	39.06	38.99	≥30	PASS
Band48	15MHz	64QAM	56665	1RB#0	45.78	51.01	≥30	PASS
Band48	15MHz	64QAM	56665	1RB#74	48.25	41.01	≥30	PASS
Band48	15MHz	64QAM	56665	75RB#0	39.5	39.22	≥30	PASS
Band48	15MHz	256QAM	56665	1RB#0	34.42	46.72	≥30	PASS
Band48	15MHz	256QAM	56665	1RB#74	47.99	36.27	≥30	PASS
Band48	15MHz	256QAM	56665	75RB#0	40.43	39.24	≥30	PASS
Band48	20MHz	QPSK	55340	1RB#0	45.23	46.57	≥30	PASS
Band48	20MHz	QPSK	55340	1RB#99	46.14	43.56	≥30	PASS
Band48	20MHz	QPSK	55340	100RB#0	40	38.77	≥30	PASS
Band48	20MHz	16QAM	55340	1RB#0	44.77	47.27	≥30	PASS
Band48	20MHz	16QAM	55340	1RB#99	47.03	43.36	≥30	PASS
Band48	20MHz	16QAM	55340	100RB#0	38.68	37.54	≥30	PASS
Band48	20MHz	64QAM	55340	1RB#0	44.2	47.67	≥30	PASS
Band48	20MHz	64QAM	55340	1RB#99	46.91	42.25	≥30	PASS
Band48	20MHz	64QAM	55340	100RB#0	38.5	37.5	≥30	PASS
Band48	20MHz	256QAM	55340	1RB#0	36.34	46.74	≥30	PASS
Band48	20MHz	256QAM	55340	1RB#99	46.47	36.38	≥30	PASS
Band48	20MHz	256QAM	55340	100RB#0	39.6	37.79	≥30	PASS
Band48	20MHz	QPSK	55990	1RB#0	44.26	46.47	≥30	PASS
Band48	20MHz	QPSK	55990	1RB#99	45.22	43.19	≥30	PASS
Band48	20MHz	QPSK	55990	100RB#0	39.69	39.28	≥30	PASS
Band48	20MHz	16QAM	55990	1RB#0	44.24	47.69	≥30	PASS
Band48	20MHz	16QAM	55990	1RB#99	45.99	43.05	≥30	PASS
Band48	20MHz	16QAM	55990	100RB#0	38.66	38.12	≥30	PASS
Band48	20MHz	64QAM	55990	1RB#0	43.65	47.8	≥30	PASS
Band48	20MHz	64QAM	55990	1RB#99	45.61	42.1	≥30	PASS
Band48	20MHz	64QAM	55990	100RB#0	37.69	37.31	≥30	PASS


Band48	20MHz	256QAM	55990	1RB#0	35.95	47	≥30	PASS
Band48	20MHz	256QAM	55990	1RB#99	46.17	37.11	≥30	PASS
Band48	20MHz	256QAM	55990	100RB#0	39.88	38	≥30	PASS
Band48	20MHz	QPSK	56640	1RB#0	44.13	46.85	≥30	PASS
Band48	20MHz	QPSK	56640	1RB#99	45.51	43.2	≥30	PASS
Band48	20MHz	QPSK	56640	100RB#0	39.32	39.78	≥30	PASS
Band48	20MHz	16QAM	56640	1RB#0	43.77	47.83	≥30	PASS
Band48	20MHz	16QAM	56640	1RB#99	46.57	43.18	≥30	PASS
Band48	20MHz	16QAM	56640	100RB#0	38.28	38.63	≥30	PASS
Band48	20MHz	64QAM	56640	1RB#0	44.36	48.29	≥30	PASS
Band48	20MHz	64QAM	56640	1RB#99	46.28	42.53	≥30	PASS
Band48	20MHz	64QAM	56640	100RB#0	39.08	39.05	≥30	PASS
Band48	20MHz	256QAM	56640	1RB#0	36.66	46.46	≥30	PASS
Band48	20MHz	256QAM	56640	1RB#99	46.86	36.85	≥30	PASS
Band48	20MHz	256QAM	56640	100RB#0	40.29	38.03	≥30	PASS

Test Graphs






Band48-5MHz-64QAM-55265-1RB#0-PASS




Band48-5MHz-64QAM-55265-1RB#24-PASS




Band48-5MHz-64QAM-55265-25RB#0-PASS




Band48-5MHz-256QAM-55265-1RB#0-PASS




Band48-5MHz-256QAM-55265-1RB#24-PASS



Band48-5MHz-256QAM-55265-25RB#0-PASS




Band48-5MHz-QPSK-55990-1RB#0-PASS




Band48-5MHz-QPSK-55990-1RB#24-PASS



Band48-5MHz-QPSK-55990-25RB#0-PASS




Band48-5MHz-16QAM-55990-1RB#0-PASS




Band48-5MHz-16QAM-55990-1RB#24-PASS



Band48-5MHz-16QAM-55990-25RB#0-PASS




Band48-5MHz-64QAM-55990-1RB#0-PASS




Band48-5MHz-64QAM-55990-1RB#24-PASS



Band48-5MHz-64QAM-55990-25RB#0-PASS




Band48-5MHz-256QAM-55990-1RB#0-PASS




Band48-5MHz-256QAM-55990-1RB#24-PASS



Band48-5MHz-256QAM-55990-25RB#0-PASS




Band48-5MHz-QPSK-56715-1RB#0-PASS




Band48-5MHz-QPSK-56715-1RB#24-PASS




Band48-5MHz-QPSK-56715-25RB#0-PASS




Band48-5MHz-16QAM-56715-1RB#0-PASS




Band48-5MHz-16QAM-56715-1RB#24-PASS



Band48-5MHz-16QAM-56715-25RB#0-PASS




Band48-5MHz-64QAM-56715-1RB#0-PASS




Band48-5MHz-64QAM-56715-1RB#24-PASS




Band48-5MHz-64QAM-56715-25RB#0-PASS




Band48-5MHz-256QAM-56715-1RB#0-PASS




Band48-5MHz-256QAM-56715-1RB#24-PASS




Band48-5MHz-256QAM-56715-25RB#0-PASS






Band48-10MHz-64QAM-55290-1RB#0-PASS




Band48-10MHz-64QAM-55290-1RB#49-PASS




Band48-10MHz-64QAM-55290-50RB#0-PASS




Band48-10MHz-256QAM-55290-1RB#0-PASS




Band48-10MHz-256QAM-55290-1RB#49-PASS



Band48-10MHz-256QAM-55290-50RB#0-PASS




Band48-10MHz-QPSK-55990-1RB#0-PASS




Band48-10MHz-QPSK-55990-1RB#49-PASS




Band48-10MHz-QPSK-55990-50RB#0-PASS




Band48-10MHz-16QAM-55990-1RB#0-PASS




Band48-10MHz-16QAM-55990-1RB#49-PASS




Band48-10MHz-16QAM-55990-50RB#0-PASS




Band48-10MHz-64QAM-55990-1RB#0-PASS




Band48-10MHz-64QAM-55990-1RB#49-PASS



Band48-10MHz-64QAM-55990-50RB#0-PASS




Band48-10MHz-256QAM-55990-1RB#0-PASS




Band48-10MHz-256QAM-55990-1RB#49-PASS



Band48-10MHz-256QAM-55990-50RB#0-PASS




Band48-10MHz-QPSK-56690-1RB#0-PASS




Band48-10MHz-QPSK-56690-1RB#49-PASS



Band48-10MHz-QPSK-56690-50RB#0-PASS




Band48-10MHz-16QAM-56690-1RB#0-PASS




Band48-10MHz-16QAM-56690-1RB#49-PASS



Band48-10MHz-16QAM-56690-50RB#0-PASS




Band48-10MHz-64QAM-56690-1RB#0-PASS




Band48-10MHz-64QAM-56690-1RB#49-PASS



Band48-10MHz-64QAM-56690-50RB#0-PASS




Band48-10MHz-256QAM-56690-1RB#0-PASS




Band48-10MHz-256QAM-56690-1RB#49-PASS




Band48-10MHz-256QAM-56690-50RB#0-PASS






Band48-15MHz-64QAM-55315-1RB#0-PASS




Band48-15MHz-64QAM-55315-1RB#74-PASS




Band48-15MHz-64QAM-55315-75RB#0-PASS




Band48-15MHz-256QAM-55315-1RB#0-PASS




Band48-15MHz-256QAM-55315-1RB#74-PASS



Band48-15MHz-256QAM-55315-75RB#0-PASS




Band48-15MHz-QPSK-55990-1RB#0-PASS




Band48-15MHz-QPSK-55990-1RB#74-PASS




Band48-15MHz-QPSK-55990-75RB#0-PASS




Band48-15MHz-16QAM-55990-1RB#0-PASS




Band48-15MHz-16QAM-55990-1RB#74-PASS




Band48-15MHz-16QAM-55990-75RB#0-PASS




Band48-15MHz-64QAM-55990-1RB#0-PASS




Band48-15MHz-64QAM-55990-1RB#74-PASS




Band48-15MHz-64QAM-55990-75RB#0-PASS




Band48-15MHz-256QAM-55990-1RB#0-PASS




Band48-15MHz-256QAM-55990-1RB#74-PASS




Band48-15MHz-256QAM-55990-75RB#0-PASS






Band48-15MHz-64QAM-56665-1RB#0-PASS




Band48-15MHz-64QAM-56665-1RB#74-PASS




Band48-15MHz-64QAM-56665-75RB#0-PASS




Band48-15MHz-256QAM-56665-1RB#0-PASS




Band48-15MHz-256QAM-56665-1RB#74-PASS



Band48-15MHz-256QAM-56665-75RB#0-PASS




Band48-20MHz-QPSK-55340-1RB#0-PASS




Band48-20MHz-QPSK-55340-1RB#99-PASS




Band48-20MHz-QPSK-55340-100RB#0-PASS




Band48-20MHz-16QAM-55340-1RB#0-PASS




Band48-20MHz-16QAM-55340-1RB#99-PASS




Band48-20MHz-16QAM-55340-100RB#0-PASS




Band48-20MHz-64QAM-55340-1RB#0-PASS




Band48-20MHz-64QAM-55340-1RB#99-PASS




Band48-20MHz-64QAM-55340-100RB#0-PASS




Band48-20MHz-256QAM-55340-1RB#0-PASS




Band48-20MHz-256QAM-55340-1RB#99-PASS




Band48-20MHz-256QAM-55340-100RB#0-PASS







Band48-20MHz-64QAM-55990-1RB#0-PASS




Band48-20MHz-64QAM-55990-1RB#99-PASS




Band48-20MHz-64QAM-55990-100RB#0-PASS




Band48-20MHz-256QAM-55990-1RB#0-PASS




Band48-20MHz-256QAM-55990-1RB#99-PASS



Band48-20MHz-256QAM-55990-100RB#0-PASS




Band48-20MHz-QPSK-56640-1RB#0-PASS




Band48-20MHz-QPSK-56640-1RB#99-PASS




Band48-20MHz-QPSK-56640-100RB#0-PASS




Band48-20MHz-16QAM-56640-1RB#0-PASS




Band48-20MHz-16QAM-56640-1RB#99-PASS




Band48-20MHz-16QAM-56640-100RB#0-PASS




Band48-20MHz-64QAM-56640-1RB#0-PASS




Band48-20MHz-64QAM-56640-1RB#99-PASS




Band48-20MHz-64QAM-56640-100RB#0-PASS



Band48-20MHz-256QAM-56640-1RB#0-PASS



Band48-20MHz-256QAM-56640-1RB#99-PASS



Band48-20MHz-256QAM-56640-100RB#0-PASS

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band48	5MHz	QPSK	55265	25RB#0	5.63	13	PASS
Band48	5MHz	16QAM	55265	25RB#0	6.43	13	PASS
Band48	5MHz	64QAM	55265	25RB#0	6.76	13	PASS
Band48	5MHz	256QAM	55265	25RB#0	6.95	13	PASS
Band48	5MHz	QPSK	55990	25RB#0	5.62	13	PASS
Band48	5MHz	16QAM	55990	25RB#0	6.42	13	PASS
Band48	5MHz	64QAM	55990	25RB#0	6.76	13	PASS
Band48	5MHz	256QAM	55990	25RB#0	6.89	13	PASS
Band48	5MHz	QPSK	56715	25RB#0	5.57	13	PASS
Band48	5MHz	16QAM	56715	25RB#0	6.36	13	PASS
Band48	5MHz	64QAM	56715	25RB#0	6.72	13	PASS
Band48	5MHz	256QAM	56715	25RB#0	6.92	13	PASS
Band48	10MHz	QPSK	55290	50RB#0	5.63	13	PASS
Band48	10MHz	16QAM	55290	50RB#0	6.43	13	PASS
Band48	10MHz	64QAM	55290	50RB#0	6.85	13	PASS
Band48	10MHz	256QAM	55290	50RB#0	6.85	13	PASS
Band48	10MHz	QPSK	55990	50RB#0	5.64	13	PASS
Band48	10MHz	16QAM	55990	50RB#0	6.43	13	PASS
Band48	10MHz	64QAM	55990	50RB#0	6.72	13	PASS
Band48	10MHz	256QAM	55990	50RB#0	6.83	13	PASS
Band48	10MHz	QPSK	56690	50RB#0	5.63	13	PASS
Band48	10MHz	16QAM	56690	50RB#0	6.39	13	PASS
Band48	10MHz	64QAM	56690	50RB#0	6.61	13	PASS
Band48	10MHz	256QAM	56690	50RB#0	6.76	13	PASS
Band48	15MHz	QPSK	55315	75RB#0	5.61	13	PASS
Band48	15MHz	16QAM	55315	75RB#0	6.38	13	PASS
Band48	15MHz	64QAM	55315	75RB#0	6.74	13	PASS
Band48	15MHz	256QAM	55315	75RB#0	6.81	13	PASS
Band48	15MHz	QPSK	55990	75RB#0	5.67	13	PASS
Band48	15MHz	16QAM	55990	75RB#0	6.42	13	PASS
Band48	15MHz	64QAM	55990	75RB#0	6.82	13	PASS
Band48	15MHz	256QAM	55990	75RB#0	6.82	13	PASS
Band48	15MHz	QPSK	56665	75RB#0	5.65	13	PASS
Band48	15MHz	16QAM	56665	75RB#0	6.37	13	PASS
Band48	15MHz	64QAM	56665	75RB#0	6.75	13	PASS
Band48	15MHz	256QAM	56665	75RB#0	6.80	13	PASS
Band48	20MHz	QPSK	55340	100RB#0	5.57	13	PASS
Band48	20MHz	16QAM	55340	100RB#0	6.41	13	PASS
Band48	20MHz	64QAM	55340	100RB#0	6.70	13	PASS

Band48	20MHz	256QAM	55340	100RB#0	7.02	13	PASS
Band48	20MHz	QPSK	55990	100RB#0	5.67	13	PASS
Band48	20MHz	16QAM	55990	100RB#0	6.47	13	PASS
Band48	20MHz	64QAM	55990	100RB#0	6.76	13	PASS
Band48	20MHz	256QAM	55990	100RB#0	6.88	13	PASS
Band48	20MHz	QPSK	56640	100RB#0	5.67	13	PASS
Band48	20MHz	16QAM	56640	100RB#0	6.43	13	PASS
Band48	20MHz	64QAM	56640	100RB#0	6.66	13	PASS
Band48	20MHz	256QAM	56640	100RB#0	7.05	13	PASS

Test Graphs

