













-26BW_NVNT_ANT1_802_11n(HT40)_5755








-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




-26BW_NVNT_ANT1_802_11ac(VHT80)_5775





3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	60.00	2.22
NVNT	ANT1	802.11a	5785.00	70.59	1.51
NVNT	ANT1	802.11a	5825.00	70.59	1.51
NVNT	ANT1	802.11n(HT20)	5745.00	64.71	1.89
NVNT	ANT1	802.11n(HT20)	5785.00	57.14	2.43
NVNT	ANT1	802.11n(HT20)	5825.00	66.67	1.76
NVNT	ANT1	802.11ac(VHT20)	5745.00	88.99	0.51
NVNT	ANT1	802.11ac(VHT20)	5785.00	90.57	0.43
NVNT	ANT1	802.11ac(VHT20)	5825.00	90.65	0.43
NVNT	ANT1	802.11n(HT40)	5755.00	82.46	0.84
NVNT	ANT1	802.11n(HT40)	5795.00	87.04	0.60
NVNT	ANT1	802.11ac(VHT40)	5755.00	81.36	0.90
NVNT	ANT1	802.11ac(VHT40)	5795.00	80.00	0.97
NVNT	ANT1	802.11ac(VHT80)	5775.00	71.88	1.43




Duty_Cycle_NVNT_ANT1_802_11a_5745








Duty_Cycle_NVNT_ANT1_802_11a_5785





Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745











Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755








4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	15.79	0.00	15.79	30	Pass
NVNT	ANT1	802.11a	5785.00	15.92	1.51	17.43	30	Pass
NVNT	ANT1	802.11a	5825.00	15.59	1.51	17.10	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	14.66	1.89	16.55	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	14.73	2.43	17.16	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	14.99	1.76	16.75	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	14.14	0.00	14.14	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	14.53	0.43	14.96	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	14.71	0.43	15.14	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	13.33	0.84	14.17	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	13.27	0.60	13.87	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	12.19	0.00	12.19	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	12.71	0.97	13.68	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	11.50	1.43	12.93	30	Pass



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745






Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785





Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825







Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775




5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-15.99	2.22	-0.09	-13.86	30	Pass
NVNT	ANT1	802.11a	5785.00	-16.18	1.51	-0.09	-14.76	30	Pass
NVNT	ANT1	802.11a	5825.00	-16.82	1.51	-0.09	-15.40	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-21.80	1.89	-0.09	-20.00	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-19.30	2.43	-0.09	-16.95	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-17.34	1.76	-0.09	-15.66	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-5.02	0.51	-0.09	-4.60	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-6.37	0.43	-0.09	-6.03	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-5.19	0.43	-0.09	-4.85	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-10.73	0.84	-0.09	-9.98	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-13.12	0.60	-0.09	-12.61	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-11.93	0.90	-0.09	-11.11	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-13.56	0.97	-0.09	-12.68	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-23.87	1.43	-0.09	-22.53	30	Pass



Power_Spectral_Density_NVNT_ANT1_802_11a_5745




Power Spectral Density NVNT_ANT1_802_11a_5785




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785





Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5645.280	-47.50	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5695.320	-40.90	6.15	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5716.980	-28.06	14.75	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5724.460	-19.20	25.77	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.575	-25.17	23.41	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5859.060	-28.64	14.46	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5876.755	-40.09	8.56	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5982.645	-43.31	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5636.010	-47.81	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5691.675	-43.29	3.16	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.920	-28.40	15.58	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.565	-21.21	26.01	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.965	-28.11	20.24	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5859.620	-33.42	14.31	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5879.500	-45.33	6.30	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5929.775	-43.00	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5653.650	-47.70	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5658.645	-47.28	-24.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.260	-32.02	15.39	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5722.915	-25.38	22.25	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5853.485	-34.08	19.05	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5856.880	-35.08	15.07	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5911.675	-46.50	-20.16	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5975.420	-42.92	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5637.120	-48.35	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5692.935	-43.48	4.19	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.340	-29.17	14.86	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5721.625	-27.90	19.30	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.485	-41.64	19.05	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5862.680	-42.52	13.45	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5889.220	-46.58	-1.69	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5954.685	-43.38	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5638.080	-48.32	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5689.560	-45.51	1.42	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5719.540	-31.13	15.47	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.185	-30.91	16.02	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.255	-39.07	19.58	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5857.780	-39.79	14.82	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5892.235	-46.43	-4.17	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5939.670	-43.25	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5650.380	-47.99	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5697.120	-39.86	7.63	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5708.640	-34.50	12.42	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.045	-33.48	15.70	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.270	-33.74	17.26	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5858.760	-33.52	14.55	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5879.275	-40.82	6.49	Pass

NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5924.905	-40.86	-27.00	Pass
------	------	-----------------	-----	-----------	----------	--------	--------	------



Bandedge_NVNT_ANT1_802_11a_5745






Bandedge_NVNT_ANT1_802_11a_5825





Bandedge_NVNT_ANT1_802_11n(HT20)_5745





Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745






Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up





7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25097.09	-36.83	-27	Pass
NVNT	ANT1	802.11a	5785.00	25073.27	-37.10	-27	Pass
NVNT	ANT1	802.11a	5825.00	25041.50	-37.31	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25052.09	-36.49	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25054.74	-36.40	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25004.44	-37.34	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25036.21	-37.22	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25046.80	-36.24	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25057.38	-36.97	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25049.44	-36.71	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25067.97	-36.87	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25046.80	-37.47	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25073.27	-36.82	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25052.09	-37.51	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5746.302	5733.720	5758.884	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5746.234	5736.356	5756.112	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5745.274	5736.708	5753.840	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5745.070	5736.812	5753.328	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5745.046	5736.884	5753.208	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5745.030	5736.944	5753.116	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5745.024	5736.996	5753.052	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5737.048	5753.020	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5745.036	5737.108	5752.964	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5745.044	5737.172	5752.916	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5745.054	5737.228	5752.880	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5745.054	5737.276	5752.832	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5785.966	5772.528	5799.404	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5785.914	5775.452	5796.376	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5785.670	5776.572	5794.768	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5785.112	5776.740	5793.484	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5785.026	5776.808	5793.244	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5785.022	5776.884	5793.160	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5785.006	5776.928	5793.084	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5785.002	5776.972	5793.032	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.994	5777.020	5792.968	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.990	5777.060	5792.920	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.990	5777.104	5792.876	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.976	5777.156	5792.796	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5825.692	5812.668	5838.716	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5825.778	5815.700	5835.856	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5825.182	5816.612	5833.752	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5825.038	5816.720	5833.356	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.996	5816.784	5833.208	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.988	5816.836	5833.140	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.988	5816.904	5833.072	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.986	5816.956	5833.016	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.988	5817.004	5832.972	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.988	5817.048	5832.928	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.992	5817.108	5832.876	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.984	5817.160	5832.808	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5746.306	5735.324	5757.288	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.120	5736.096	5754.144	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.032	5736.204	5753.860	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.024	5736.296	5753.752	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.376	5753.676	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.060	5736.460	5753.660	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.052	5736.528	5753.576	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.066	5736.604	5753.528	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.072	5736.672	5753.472	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5745.084	5736.740	5753.428	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.060	5736.788	5753.332	5725~5850	Pass

25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5745.106	5736.848	5753.364	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.844	5773.716	5797.972	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.584	5775.972	5795.196	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.056	5776.148	5793.964	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.032	5776.228	5793.836	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.032	5776.292	5793.772	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.010	5776.348	5793.672	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.396	5793.636	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.018	5776.460	5793.576	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.018	5776.520	5793.516	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5785.022	5776.580	5793.464	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.022	5776.636	5793.408	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5785.022	5776.692	5793.352	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.774	5814.076	5837.472	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.126	5815.972	5834.280	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.140	5833.904	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.236	5833.808	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.030	5816.320	5833.740	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.030	5816.384	5833.676	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.448	5833.624	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.028	5816.508	5833.548	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.564	5833.508	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5825.042	5816.616	5833.468	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.660	5833.412	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.704	5833.340	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.088	5735.932	5754.244	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.026	5736.168	5753.884	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.260	5753.752	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.004	5736.336	5753.672	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.404	5753.596	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.012	5736.476	5753.548	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.536	5753.476	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.010	5736.596	5753.424	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.018	5736.656	5753.380	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.708	5753.304	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.030	5736.760	5753.300	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5745.022	5736.812	5753.232	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.460	5775.676	5795.244	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.088	5793.976	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.004	5776.212	5793.796	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.300	5793.716	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.364	5793.640	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.004	5776.432	5793.576	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.026	5776.508	5793.544	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.012	5776.568	5793.456	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.020	5776.628	5793.412	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.684	5793.364	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.018	5776.740	5793.296	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5785.036	5776.796	5793.276	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.342	5815.828	5834.856	5725~5850	Pass

40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.144	5833.904	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.012	5816.248	5833.776	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.004	5816.324	5833.684	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.010	5816.400	5833.620	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.000	5816.456	5833.544	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.996	5816.512	5833.480	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.568	5833.420	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.992	5816.612	5833.372	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.988	5816.660	5833.316	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.980	5816.716	5833.244	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.990	5816.764	5833.216	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.120	5736.720	5773.520	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.084	5737.024	5773.144	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.192	5772.936	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.100	5737.416	5772.784	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.128	5737.568	5772.688	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.132	5737.728	5772.536	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.156	5737.864	5772.448	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.160	5738.040	5772.280	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.220	5738.192	5772.248	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5755.236	5738.344	5772.128	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.164	5738.472	5771.856	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5755.236	5738.616	5771.856	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.064	5776.760	5813.368	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.060	5777.024	5813.096	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.064	5777.200	5812.928	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.100	5777.408	5812.792	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.108	5777.552	5812.664	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.128	5777.704	5812.552	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.144	5777.840	5812.448	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.140	5777.984	5812.296	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.172	5778.120	5812.224	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5795.160	5778.304	5812.016	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.184	5778.464	5811.904	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5795.252	5778.616	5811.888	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.104	5736.816	5773.392	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.080	5737.064	5773.096	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.088	5737.256	5772.920	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.116	5737.448	5772.784	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.112	5737.560	5772.664	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.108	5737.704	5772.512	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.120	5737.840	5772.400	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.136	5737.984	5772.288	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.152	5738.128	5772.176	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5755.148	5738.272	5772.024	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.160	5738.376	5771.944	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5755.116	5738.512	5771.720	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.072	5776.776	5813.368	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.048	5777.016	5813.080	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.064	5777.200	5812.928	5725~5850	Pass

20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.100	5777.400	5812.800	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.128	5777.576	5812.680	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.152	5777.752	5812.552	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.172	5777.920	5812.424	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.200	5778.064	5812.336	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.160	5778.192	5812.128	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5795.228	5778.352	5812.104	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.244	5778.504	5811.984	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5795.252	5778.656	5811.848	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.138	5737.272	5813.004	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.252	5737.884	5812.620	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.198	5738.328	5812.068	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.312	5738.832	5811.792	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.294	5739.264	5811.324	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.396	5739.732	5811.060	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.396	5740.044	5810.748	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.546	5740.560	5810.532	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.486	5740.968	5810.004	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5775.582	5741.364	5809.800	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.660	5741.724	5809.596	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5775.684	5742.216	5809.152	5725~5850	Pass

***** End of Report *****