







Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230




Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210




Duty_Cycle_NVNT_ANT2_802_11ac(VHT80)_5210




3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	15.63	1.25	16.88	24	Pass
NVNT	ANT2	802.11a	5180.00	16.80	1.25	18.05	24	Pass
NVNT	ANT1	802.11a	5200.00	15.06	1.60	16.66	24	Pass
NVNT	ANT2	802.11a	5200.00	16.46	1.25	17.71	24	Pass
NVNT	ANT1	802.11a	5240.00	15.28	0.79	16.07	24	Pass
NVNT	ANT2	802.11a	5240.00	16.95	0.79	17.74	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	14.56	0.00	14.56	24	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	15.78	0.00	15.78	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	14.51	0.20	14.71	24	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	15.97	0.19	16.16	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	14.39	0.13	14.52	24	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	15.97	0.20	16.17	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	13.43	0.37	13.80	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	14.59	0.37	14.96	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	13.26	0.37	13.63	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	14.62	0.37	14.99	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	13.22	0.37	13.59	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	14.92	0.37	15.29	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	12.28	2.04	14.32	24	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	13.89	2.04	15.93	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	12.10	0.39	12.49	24	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	13.75	0.39	14.14	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	11.42	0.46	11.88	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	12.89	0.71	13.60	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	11.38	0.46	11.84	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	12.89	0.67	13.56	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	10.62	1.14	11.76	24	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	11.53	0.79	12.32	24	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5210_80M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT80)_5210_80M




4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-5.55	1.25	-4.30	11	Pass
NVNT	ANT2	802.11a	5180.00	-3.38	1.25	-2.13	11	Pass
NVNT	ANT1	802.11a	5200.00	-7.26	1.60	-5.66	11	Pass
NVNT	ANT2	802.11a	5200.00	-7.21	1.25	-5.96	11	Pass
NVNT	ANT1	802.11a	5240.00	-5.84	0.79	-5.05	11	Pass
NVNT	ANT2	802.11a	5240.00	-3.68	0.79	-2.89	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	0.77	0.19	0.96	11	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	0.58	0.20	0.78	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	0.49	0.20	0.69	11	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	1.30	0.19	1.49	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	0.91	0.13	1.04	11	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	2.25	0.20	2.45	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-1.92	0.37	-1.55	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	-0.67	0.37	-0.30	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-2.02	0.37	-1.65	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	-0.16	0.37	0.21	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-2.21	0.37	-1.84	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	-0.35	0.37	0.02	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-16.28	2.04	-14.24	11	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	-16.20	2.04	-14.16	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-5.77	0.39	-5.38	11	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	-3.12	0.39	-2.73	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-9.95	0.46	-9.49	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	-6.84	0.71	-6.13	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-8.09	0.46	-7.63	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	-6.01	0.67	-5.34	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-16.63	1.14	-15.48	11	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	-14.02	0.79	-13.23	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180




Power_Spectral_Density_NVNT_ANT2_802_11a_5180




Power_Spectral_Density_NVNT_ANT1_802_11a_5200




Power_Spectral_Density_NVNT_ANT2_802_11a_5200




Power_Spectral_Density_NVNT_ANT1_802_11a_5240




Power_Spectral_Density_NVNT_ANT2_802_11a_5240




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180




Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5180




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200




Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5200




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240




Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5240




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5180




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5200




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5240




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190




Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5190




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230




Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5230




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5190





Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5230




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5210




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5146.00	-34.05	-27	Pass
NVNT	ANT2	802.11a	5180.00	5149.60	-31.18	-27	Pass
NVNT	ANT1	802.11a	5240.00	5358.20	-40.76	-27	Pass
NVNT	ANT2	802.11a	5240.00	5352.20	-37.36	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.40	-35.71	-27	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	5143.00	-34.75	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5378.60	-39.98	-27	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	5360.40	-37.54	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5146.00	-38.23	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	5147.60	-35.43	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5403.40	-40.62	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	5411.20	-37.30	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.52	-31.42	-27	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	5148.68	-31.36	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5366.87	-40.61	-27	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	5364.35	-37.80	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5147.63	-33.16	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	5146.37	-33.15	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5352.59	-40.95	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	5357.42	-37.16	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5149.52	-36.13	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5360.36	-40.37	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	5144.90	-34.47	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	5389.34	-37.41	-27	Pass


Bandedge_NVNT_ANT1_802_11a_5180





Bandedge_NVNT_ANT2_802_11a_5180





Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT2_802_11a_5240







Bandedge_NVNT_ANT2_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180





Bandedge_NVNT_ANT2_802_11ac(VHT20)_5180





Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240






Bandedge_NVNT_ANT2_802_11ac(VHT20)_5240




Bandedge_NVNT_ANT2_802_11n(HT40)_5190









Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5210




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	24938.27	-36.78	-27	Pass
NVNT	ANT2	802.11a	5180.00	25017.68	-34.79	-27	Pass
NVNT	ANT1	802.11a	5200.00	24991.21	-36.80	-27	Pass
NVNT	ANT2	802.11a	5200.00	25017.68	-34.46	-27	Pass
NVNT	ANT1	802.11a	5240.00	24541.22	-37.06	-27	Pass
NVNT	ANT2	802.11a	5240.00	25070.62	-33.93	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25044.15	-36.87	-27	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	24514.75	-34.42	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25070.62	-36.53	-27	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	25150.03	-33.84	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25070.62	-35.72	-27	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	24991.21	-33.46	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25626.49	-37.64	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	25044.15	-34.68	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24991.21	-36.33	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	25044.15	-33.54	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	25070.62	-36.66	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	25070.62	-30.92	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24964.74	-37.29	-27	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	24964.74	-34.21	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25017.68	-36.64	-27	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	25017.68	-34.15	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25017.68	-36.79	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	24514.75	-33.98	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25044.15	-36.29	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	25070.62	-33.85	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	25123.56	-37.05	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	25044.15	-34.28	-27	Pass


Spurious_Emission_NVNT_2TXx2RX_802_11a_5180_20M




Spurious_Emission_NVNT_2TXx2RX_802_11a_5180_20M




Spurious_Emission_NVNT_2TXx2RX_802_11a_5200_20M




Spurious_Emission_NVNT_2TXx2RX_802_11a_5200_20M




Spurious_Emission_NVNT_2TXx2RX_802_11a_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11a_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_2Tx2RX_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_2Tx2RX_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_2Tx2RX_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_2Tx2RX_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_2TXx2RX_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT40)_5190_40M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT40)_5190_40M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT40)_5230_40M




Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_2TXx2RX_802_11ac(VHT80)_5210_80M



Spurious_Emission_NVNT_2Tx2RX_802_11ac(VHT80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5180.00	5179.964	5171.592	5188.336	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5180.00	5179.946	5171.720	5188.172	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.952	5171.808	5188.096	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.954	5171.876	5188.032	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.968	5171.944	5187.992	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5180.00	5179.950	5172.004	5187.896	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.956	5172.064	5187.848	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.960	5172.116	5187.804	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.974	5172.180	5187.768	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.960	5172.232	5187.688	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.966	5172.292	5187.640	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.944	5172.332	5187.556	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11a	5180.00	5179.942	5171.588	5188.296	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11a	5180.00	5179.956	5171.720	5188.192	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11a	5180.00	5179.950	5171.808	5188.092	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11a	5180.00	5179.946	5171.876	5188.016	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11a	5180.00	5179.940	5171.936	5187.944	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11a	5180.00	5179.952	5171.996	5187.908	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11a	5180.00	5179.952	5172.048	5187.856	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11a	5180.00	5179.942	5172.092	5187.792	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11a	5180.00	5179.944	5172.140	5187.748	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5180.00	5179.938	5172.188	5187.688	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5180.00	5179.964	5172.248	5187.680	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11a	5180.00	5179.934	5172.304	5187.564	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5200.00	5199.972	5191.636	5208.308	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5200.00	5199.978	5191.760	5208.196	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.968	5191.824	5208.112	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.980	5191.900	5208.060	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.988	5191.968	5208.008	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5200.00	5200.000	5192.040	5207.960	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5200.00	5200.010	5192.104	5207.916	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5192.168	5207.864	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5200.00	5200.006	5192.212	5207.800	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5200.002	5192.264	5207.740	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.004	5192.320	5207.688	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.018	5192.372	5207.664	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11a	5200.00	5199.968	5191.648	5208.288	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11a	5200.00	5199.974	5191.776	5208.172	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11a	5200.00	5199.970	5191.832	5208.108	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11a	5200.00	5199.960	5191.884	5208.036	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11a	5200.00	5199.948	5191.944	5207.952	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11a	5200.00	5199.976	5192.020	5207.932	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11a	5200.00	5199.994	5192.088	5207.900	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11a	5200.00	5199.982	5192.152	5207.812	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11a	5200.00	5199.992	5192.212	5207.772	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5200.00	5199.964	5192.244	5207.684	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5200.00	5199.978	5192.284	5207.672	5150~5250	Pass

25degrees C&&3.23V	ANT2	802.11a	5200.00	5199.992	5192.340	5207.644	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5240.00	5239.976	5231.616	5248.336	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5240.00	5239.962	5231.748	5248.176	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.964	5231.828	5248.100	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.952	5231.884	5248.020	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.950	5231.936	5247.964	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5240.00	5239.950	5231.984	5247.916	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.944	5232.032	5247.856	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.946	5232.076	5247.816	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.916	5232.116	5247.716	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.908	5232.148	5247.668	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.934	5232.212	5247.656	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.918	5232.272	5247.564	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11a	5240.00	5239.974	5231.628	5248.320	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11a	5240.00	5239.964	5231.744	5248.184	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11a	5240.00	5239.962	5231.828	5248.096	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11a	5240.00	5239.968	5231.888	5248.048	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11a	5240.00	5239.960	5231.956	5247.964	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11a	5240.00	5239.960	5232.008	5247.912	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11a	5240.00	5239.956	5232.048	5247.864	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11a	5240.00	5239.936	5232.096	5247.776	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11a	5240.00	5239.934	5232.148	5247.720	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5240.00	5239.928	5232.208	5247.648	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5240.00	5239.946	5232.264	5247.628	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11a	5240.00	5239.956	5232.324	5247.588	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.948	5171.016	5188.880	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.948	5171.172	5188.724	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.948	5171.256	5188.640	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.934	5171.312	5188.556	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.936	5171.376	5188.496	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.910	5171.432	5188.388	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.926	5171.496	5188.356	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.918	5171.544	5188.292	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.910	5171.604	5188.216	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5179.902	5171.656	5188.148	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.908	5171.708	5188.108	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5179.892	5171.752	5188.032	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.976	5171.068	5188.884	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.968	5171.192	5188.744	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.972	5171.268	5188.676	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.962	5171.340	5188.584	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.964	5171.416	5188.512	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.988	5171.508	5188.468	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.994	5171.592	5188.396	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.972	5171.648	5188.296	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.982	5171.700	5188.264	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5180.00	5179.974	5171.740	5188.208	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5179.982	5171.792	5188.172	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5180.00	5179.968	5171.844	5188.092	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.040	5208.912	5150~5250	Pass

40degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.972	5191.192	5208.752	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.970	5191.276	5208.664	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.364	5208.588	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.436	5208.516	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.988	5191.520	5208.456	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.994	5191.588	5208.400	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.992	5191.648	5208.336	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.992	5191.708	5208.276	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.002	5191.776	5208.228	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.000	5191.828	5208.172	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.006	5191.892	5208.120	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5199.980	5191.080	5208.880	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5199.992	5191.216	5208.768	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5199.990	5191.304	5208.676	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.010	5191.396	5208.624	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.010	5191.488	5208.532	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.036	5191.584	5208.488	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.034	5191.644	5208.424	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.024	5191.716	5208.332	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.032	5191.760	5208.304	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5200.00	5200.024	5191.836	5208.212	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.032	5191.884	5208.180	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5200.00	5200.040	5191.936	5208.144	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.964	5231.100	5248.828	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.948	5231.200	5248.696	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.938	5231.272	5248.604	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.934	5231.340	5248.528	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.948	5231.416	5248.480	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.930	5231.488	5248.372	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.942	5231.552	5248.332	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.926	5231.608	5248.244	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.924	5231.664	5248.184	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.922	5231.720	5248.124	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.920	5231.768	5248.072	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.918	5231.812	5248.024	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.964	5231.108	5248.820	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.964	5231.204	5248.724	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.960	5231.280	5248.640	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.956	5231.344	5248.568	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.970	5231.432	5248.508	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.962	5231.500	5248.424	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.960	5231.576	5248.344	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.956	5231.632	5248.280	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.960	5231.692	5248.228	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5240.00	5239.956	5231.732	5248.180	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.956	5231.768	5248.144	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5240.00	5239.934	5231.820	5248.048	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.948	5171.024	5188.872	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.944	5171.168	5188.720	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.948	5171.260	5188.636	5150~5250	Pass

20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.942	5171.324	5188.560	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.934	5171.396	5188.472	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.938	5171.464	5188.412	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.934	5171.516	5188.352	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.924	5171.576	5188.272	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.938	5171.632	5188.244	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5179.918	5171.680	5188.156	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.924	5171.744	5188.104	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5179.918	5171.804	5188.032	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.962	5171.048	5188.876	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.964	5171.180	5188.748	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.956	5171.256	5188.656	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.952	5171.320	5188.584	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.956	5171.380	5188.532	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.940	5171.452	5188.428	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.944	5171.528	5188.360	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.954	5171.604	5188.304	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.966	5171.672	5188.260	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5180.00	5179.964	5171.736	5188.192	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5179.978	5171.792	5188.164	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5180.00	5179.976	5171.844	5188.108	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.974	5191.056	5208.892	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.970	5191.196	5208.744	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.976	5191.284	5208.668	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.976	5191.364	5208.588	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.978	5191.424	5208.532	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.988	5191.496	5208.480	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.976	5191.560	5208.392	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.980	5191.624	5208.336	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.994	5191.688	5208.300	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5199.986	5191.736	5208.236	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.990	5191.788	5208.192	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5199.988	5191.836	5208.140	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.972	5191.068	5208.876	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.980	5191.216	5208.744	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.974	5191.288	5208.660	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.984	5191.364	5208.604	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.980	5191.432	5208.528	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.974	5191.528	5208.420	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.978	5191.592	5208.364	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.984	5191.660	5208.308	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.972	5191.704	5208.240	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5200.00	5199.968	5191.752	5208.184	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5199.988	5191.816	5208.160	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5200.00	5199.994	5191.884	5208.104	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.956	5231.088	5248.824	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.948	5231.204	5248.692	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.950	5231.292	5248.608	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.946	5231.356	5248.536	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.958	5231.432	5248.484	5150~5250	Pass

0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.934	5231.488	5248.380	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.926	5231.548	5248.304	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.928	5231.596	5248.260	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.922	5231.644	5248.200	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.920	5231.688	5248.152	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.890	5231.736	5248.044	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.906	5231.780	5248.032	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.960	5231.100	5248.820	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.956	5231.208	5248.704	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.960	5231.276	5248.644	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.958	5231.336	5248.580	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.948	5231.404	5248.492	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.932	5231.472	5248.392	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.936	5231.544	5248.328	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.932	5231.604	5248.260	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.946	5231.676	5248.216	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5240.00	5239.958	5231.720	5248.196	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.956	5231.756	5248.156	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5240.00	5239.926	5231.800	5248.052	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.972	5171.832	5208.112	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.968	5171.992	5207.944	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.980	5172.152	5207.808	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.940	5172.320	5207.560	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.960	5172.464	5207.456	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.992	5172.608	5207.376	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.008	5172.752	5207.264	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.980	5172.888	5207.072	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.004	5173.064	5206.944	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.048	5173.208	5206.888	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.036	5173.360	5206.712	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.084	5173.552	5206.616	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5189.996	5171.848	5208.144	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.020	5172.056	5207.984	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5189.972	5172.176	5207.768	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.000	5172.344	5207.656	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.024	5172.488	5207.560	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.064	5172.640	5207.488	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.100	5172.800	5207.400	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.080	5172.992	5207.168	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.108	5173.160	5207.056	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5190.00	5190.156	5173.336	5206.976	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.164	5173.504	5206.824	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5190.00	5190.204	5173.680	5206.728	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.964	5211.904	5248.024	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.956	5212.112	5247.800	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.940	5212.272	5247.608	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.920	5212.424	5247.416	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.908	5212.560	5247.256	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.940	5212.720	5247.160	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.928	5212.872	5246.984	5150~5250	Pass

-20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.920	5213.016	5246.824	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.912	5213.184	5246.640	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5229.900	5213.304	5246.496	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.896	5213.448	5246.344	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5229.912	5213.584	5246.240	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.976	5211.888	5248.064	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.964	5212.072	5247.856	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.964	5212.264	5247.664	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.972	5212.408	5247.536	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.936	5212.504	5247.368	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.888	5212.624	5247.152	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.936	5212.800	5247.072	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.928	5212.960	5246.896	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.912	5213.128	5246.696	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5230.00	5229.908	5213.232	5246.584	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.904	5213.400	5246.408	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5230.00	5229.896	5213.528	5246.264	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.972	5171.824	5208.120	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.980	5172.032	5207.928	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.968	5172.192	5207.744	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5172.336	5207.640	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.992	5172.472	5207.512	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.992	5172.600	5207.384	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5172.736	5207.240	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.960	5172.872	5207.048	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.960	5173.040	5206.880	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5173.184	5206.792	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.972	5173.304	5206.640	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.004	5173.448	5206.560	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5189.996	5171.872	5208.120	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.044	5172.136	5207.952	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.032	5172.328	5207.736	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.068	5172.472	5207.664	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.064	5172.616	5207.512	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.112	5172.816	5207.408	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.108	5172.952	5207.264	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.124	5173.088	5207.160	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.104	5173.224	5206.984	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5190.00	5190.140	5173.352	5206.928	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.156	5173.536	5206.776	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5190.00	5190.140	5173.664	5206.616	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.952	5211.896	5248.008	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.944	5212.088	5247.800	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.952	5212.280	5247.624	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.952	5212.416	5247.488	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.924	5212.568	5247.280	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.920	5212.728	5247.112	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.916	5212.904	5246.928	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.904	5213.048	5246.760	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.936	5213.168	5246.704	5150~5250	Pass


25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5229.888	5213.312	5246.464	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.904	5213.432	5246.376	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5229.844	5213.544	5246.144	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.972	5211.880	5248.064	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.944	5212.048	5247.840	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.944	5212.248	5247.640	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.928	5212.368	5247.488	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.940	5212.512	5247.368	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.900	5212.656	5247.144	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.916	5212.824	5247.008	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.928	5212.992	5246.864	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.968	5213.152	5246.784	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5230.00	5229.908	5213.256	5246.560	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.884	5213.400	5246.368	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5230.00	5229.888	5213.504	5246.272	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.958	5172.116	5247.800	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.000	5172.536	5247.464	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.018	5172.932	5247.104	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.048	5173.316	5246.780	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.976	5173.580	5246.372	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.910	5173.856	5245.964	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.880	5174.180	5245.580	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.886	5174.528	5245.244	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.910	5174.816	5245.004	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5209.898	5175.080	5244.716	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.850	5175.416	5244.284	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5209.850	5175.740	5243.960	5150~5250	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.024	5172.200	5247.848	5150~5250	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.030	5172.584	5247.476	5150~5250	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.084	5173.100	5247.068	5150~5250	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.126	5173.616	5246.636	5150~5250	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.084	5173.916	5246.252	5150~5250	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.180	5174.372	5245.988	5150~5250	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.264	5174.816	5245.712	5150~5250	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.186	5175.176	5245.196	5150~5250	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.276	5175.536	5245.016	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT80)	5210.00	5210.300	5175.872	5244.728	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.240	5176.256	5244.224	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT80)	5210.00	5210.222	5176.688	5243.756	5150~5250	Pass

FCC_5.8G_WIFI (Part15.407) Test Data


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.435	0.500	Pass
NVNT	ANT2	802.11a	5745.00	16.344	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.393	0.500	Pass
NVNT	ANT2	802.11a	5785.00	16.430	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.330	0.500	Pass
NVNT	ANT2	802.11a	5825.00	16.374	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.316	0.500	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	16.790	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.300	0.500	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	17.168	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.300	0.500	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	17.679	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	16.561	0.500	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	16.826	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.710	0.500	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	17.716	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	16.959	0.500	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	16.940	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.161	0.500	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	35.149	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.166	0.500	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	35.132	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.142	0.500	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	35.157	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.154	0.500	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	35.108	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.026	0.500	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	71.361	0.500	Pass


-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11a_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11n(HT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11n(HT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11n(HT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT2_802_11ac(VHT20)_5785_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M



-6dB_Emission_Bandwidth_NVNT_ANT2_802_11ac(VHT20)_5825_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M