



Profile: 2430820R	Page No.: 92
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.725	22.052	-13.275	74.000	38.673	PK

Profile: 2430820R	Page No.: 93
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.755	13.065	-3.245	54.000	37.691	AV

Profile: 2430820R	Page No.: 94
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5147.520	65.456	27.762	-8.544	74.000	37.694	PK
2		5150.000	63.368	25.678	-10.632	74.000	37.691	PK

Profile: 2430820R	Page No.: 95
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.797	10.107	-6.203	54.000	37.691	AV

Profile: 2430820R	Page No.: 96
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	60.902	23.212	-13.098	74.000	37.691	PK

Profile: 2430820R	Page No.: 97
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.425	12.402	-3.575	54.000	38.023	AV

Profile: 2430820R	Page No.: 98
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.909	27.886	-8.091	74.000	38.023	PK

Profile: 2430820R	Page No.: 99
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.227	9.204	-6.773	54.000	38.023	AV

Profile: 2430820R	Page No.: 100
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	60.823	22.800	-13.177	74.000	38.023	PK
2	*	5351.540	62.854	24.856	-11.146	74.000	37.998	PK

Profile: 2430820R	Page No.: 101
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.877	13.204	-2.123	54.000	38.673	AV

Profile: 2430820R	Page No.: 102
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	64.484	25.811	-9.516	74.000	38.673	PK

Profile: 2430820R	Page No.: 103
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.765	11.092	-4.235	54.000	38.673	AV

Profile: 2430820R	Page No.: 104
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.564	21.891	-13.436	74.000	38.673	PK

Profile: 2430820R	Page No.: 105
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5143.500	50.538	12.770	-3.462	54.000	37.768	AV
2		5150.000	48.873	11.183	-5.127	54.000	37.691	AV

Profile: 2430820R	Page No.: 106
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5129.250	61.598	23.629	-12.402	74.000	37.968	PK
2		5150.000	60.317	22.627	-13.683	74.000	37.691	PK

Profile: 2430820R	Page No.: 107
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.612	8.922	-7.388	54.000	37.691	AV

Profile: 2430820R	Page No.: 108
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.000	58.111	20.370	-15.889	74.000	37.740	PK
2		5150.000	57.461	19.771	-16.539	74.000	37.691	PK

Profile: 2430820R	Page No.: 109
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.683	11.660	-4.317	54.000	38.023	AV
2	*	5356.890	50.192	12.125	-3.808	54.000	38.067	AV

Profile: 2430820R	Page No.: 110
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.877	23.854	-12.123	74.000	38.023	PK
2	*	5354.790	65.892	27.858	-8.108	74.000	38.034	PK

Profile: 2430820R	Page No.: 111
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.216	8.193	-7.784	54.000	38.023	AV

Profile: 2430820R	Page No.: 112
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.254	21.231	-14.746	74.000	38.023	PK
2	*	5361.720	60.360	22.217	-13.640	74.000	38.143	PK

Profile: 2430820R	Page No.: 113
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.940	51.644	12.824	-2.356	54.000	38.820	AV
2		5460.000	51.600	12.927	-2.400	54.000	38.673	AV

Profile: 2430820R	Page No.: 114
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	63.525	24.852	-10.475	74.000	38.673	PK

Profile: 2430820R	Page No.: 115
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5452.740	48.788	9.989	-5.212	54.000	38.799	AV
2	*	5460.000	49.544	10.871	-4.456	54.000	38.673	AV

Profile: 2430820R	Page No.: 116
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5441.080	61.213	22.858	-12.787	74.000	38.354	PK
2		5460.000	60.784	22.111	-13.216	74.000	38.673	PK

Profile: 2430820R	Page No.: 117
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5123.040	48.878	11.021	-5.122	54.000	37.857	AV
2		5150.000	47.086	9.396	-6.914	54.000	37.691	AV
3		5350.000	47.311	9.288	-6.689	54.000	38.023	AV
4		5367.840	48.459	10.220	-5.541	54.000	38.239	AV

Profile: 2430820R	Page No.: 118
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5118.240	60.840	23.069	-13.160	74.000	37.771	PK
2		5150.000	57.582	19.892	-16.418	74.000	37.691	PK
3		5350.000	58.124	20.101	-15.876	74.000	38.023	PK
4	*	5404.320	61.276	23.122	-12.724	74.000	38.154	PK


Profile: 2430820R	Page No.: 119
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.041	7.351	-8.959	54.000	37.691	AV
2		5350.000	44.636	6.613	-9.364	54.000	38.023	AV




Profile: 2430820R	Page No.: 120
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5111.520	56.959	19.273	-17.041	74.000	37.686	PK
2		5150.000	55.490	17.800	-18.510	74.000	37.691	PK
3		5350.000	54.716	16.693	-19.284	74.000	38.023	PK
4		5381.280	56.423	18.131	-17.577	74.000	38.292	PK

Profile: 2430820R	Page No.: 121
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.200	52.770	13.987	-1.230	54.000	38.783	AV
2		5460.000	52.248	13.575	-1.752	54.000	38.673	AV

Profile: 2430820R	Page No.: 122
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.500	65.296	26.468	-8.704	74.000	38.827	PK
2		5460.000	63.773	25.100	-10.227	74.000	38.673	PK

Profile: 2430820R	Page No.: 123
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5451.700	49.763	11.004	-4.237	54.000	38.760	AV
2	*	5460.000	50.514	11.841	-3.486	54.000	38.673	AV

Profile: 2430820R	Page No.: 124
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5451.700	62.272	23.513	-11.728	74.000	38.760	PK
2		5460.000	60.406	21.733	-13.594	74.000	38.673	PK

Profile: 2430820R	Page No.: 1
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:01
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5745MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5667.325	65.808	27.011	-15.249	81.057	38.797	PK
2		5707.200	66.183	27.029	-41.036	107.218	39.153	PK
3		5723.975	74.519	35.599	-45.345	119.864	38.920	PK
4		5851.575	65.395	25.900	-53.213	118.608	39.494	PK
5		5872.750	66.240	26.943	-39.589	105.829	39.297	PK
6		5893.375	67.773	27.871	-23.793	91.566	39.902	PK

Profile: 2430820R	Page No.: 2
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5745MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5657.700	65.622	26.931	-8.297	73.919	38.691	PK
2		5705.825	65.888	26.749	-40.945	106.833	39.139	PK
3		5722.875	72.066	33.127	-45.290	117.356	38.939	PK
4		5853.225	65.639	26.174	-49.207	114.846	39.465	PK
5		5863.125	67.164	27.858	-41.359	108.523	39.306	PK
6		5893.100	67.531	27.640	-24.239	91.770	39.891	PK

Profile: 2430820R	Page No.: 3
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5785MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5672.825	65.945	27.085	-19.186	85.131	38.860	PK
2		5707.200	65.972	26.818	-41.247	107.218	39.153	PK
3		5722.325	65.724	26.776	-50.378	116.102	38.948	PK
4		5851.300	67.353	27.853	-51.882	119.235	39.500	PK
5		5866.700	65.500	26.197	-42.022	107.522	39.303	PK
6		5896.675	67.841	27.850	-21.281	89.122	39.991	PK

Profile: 2430820R	Page No.: 4
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5785MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5659.900	66.057	27.344	-9.495	75.552	38.713	PK
2		5706.650	64.872	25.724	-42.193	107.064	39.148	PK
3		5722.325	66.140	27.192	-49.962	116.102	38.948	PK
4		5851.025	65.436	25.931	-54.427	119.862	39.505	PK
5		5868.900	65.833	26.532	-41.073	106.906	39.301	PK
6		5898.325	67.118	27.184	-20.783	87.900	39.934	PK

Profile: 2430820R	Page No.: 5
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5825MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5654.950	65.360	26.670	-6.517	71.878	38.691	PK
2		5710.500	66.581	27.433	-41.562	108.142	39.148	PK
3		5723.150	65.814	26.880	-52.169	117.983	38.934	PK
4		5851.575	66.720	27.225	-51.888	118.608	39.494	PK
5		5863.400	67.424	28.118	-41.022	108.446	39.306	PK
6		5892.275	68.293	28.437	-24.088	92.381	39.856	PK

Profile: 2430820R	Page No.: 6
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5825MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5673.925	65.630	26.757	-20.315	85.945	38.872	PK
2		5708.850	66.901	27.730	-40.779	107.680	39.172	PK
3		5722.050	65.696	26.743	-49.780	115.475	38.953	PK
4		5852.400	69.605	30.125	-47.122	116.727	39.479	PK
5		5863.675	67.185	27.880	-41.183	108.369	39.305	PK
6		5892.550	67.625	27.758	-24.552	92.177	39.867	PK

Profile: 2430820R	Page No.: 7
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.800	66.111	27.411	-8.625	74.736	38.700	PK
2		5713.250	73.839	34.738	-35.073	108.912	39.102	PK
3		5722.600	81.750	42.807	-34.979	116.729	38.943	PK
4		5852.675	65.971	26.496	-50.129	116.100	39.475	PK
5		5865.325	66.877	27.573	-41.030	107.907	39.304	PK
6		5901.075	67.242	27.403	-18.623	85.865	39.839	PK

Profile: 2430820R	Page No.: 8
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5667.325	66.461	27.664	-14.596	81.057	38.797	PK
2		5713.525	73.775	34.678	-35.215	108.989	39.096	PK
3		5723.150	82.193	43.259	-35.790	117.983	38.934	PK
4		5851.850	65.829	26.339	-52.152	117.981	39.490	PK
5		5869.175	66.577	27.277	-40.252	106.829	39.300	PK
6		5898.325	67.914	27.980	-19.987	87.900	39.934	PK

Profile: 2430820R	Page No.: 9
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5667.600	65.958	27.157	-15.304	81.261	38.801	PK
2		5708.575	65.628	26.460	-41.975	107.603	39.168	PK
3		5723.150	64.620	25.686	-53.363	117.983	38.934	PK
4		5852.400	65.696	26.216	-51.031	116.727	39.479	PK
5		5864.500	66.893	27.588	-41.245	108.138	39.305	PK
6		5898.325	67.857	27.923	-20.044	87.900	39.934	PK

Profile: 2430820R	Page No.: 10
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.250	65.621	26.927	-8.707	74.328	38.693	PK
2		5708.850	66.096	26.925	-41.584	107.680	39.172	PK
3		5722.050	65.979	27.026	-49.497	115.475	38.953	PK
4		5852.400	65.562	26.082	-51.165	116.727	39.479	PK
5		5874.950	67.689	28.394	-37.525	105.214	39.295	PK
6		5895.300	67.781	27.797	-22.359	90.140	39.984	PK

Profile: 2430820R	Page No.: 11
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.800	65.623	26.923	-9.113	74.736	38.700	PK
2		5710.225	65.387	26.235	-42.678	108.065	39.153	PK
3		5722.600	65.534	26.591	-51.195	116.729	38.943	PK
4		5853.225	69.942	30.477	-44.904	114.846	39.465	PK
5		5867.250	66.468	27.166	-40.900	107.368	39.302	PK
6		5892.000	66.864	27.020	-25.721	92.585	39.844	PK

Profile: 2430820R	Page No.: 12
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5664.025	65.658	26.898	-12.954	78.611	38.760	PK
2		5711.325	65.590	26.456	-42.784	108.373	39.134	PK
3		5722.325	65.956	27.008	-50.146	116.102	38.948	PK
4		5852.950	71.377	31.907	-44.096	115.473	39.470	PK
5		5858.725	71.487	32.121	-38.269	109.756	39.366	PK
6		5895.575	66.950	26.954	-22.987	89.937	39.995	PK

Profile: 2430820R	Page No.: 13
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5654.400	66.245	27.555	-5.224	71.469	38.690	PK
2		5709.950	80.242	41.085	-27.746	107.988	39.157	PK
3		5722.325	83.687	44.739	-32.415	116.102	38.948	PK
4		5850.475	66.335	26.821	-54.781	121.117	39.515	PK
5		5865.600	66.563	27.259	-41.267	107.830	39.304	PK
6		5884.300	67.821	28.305	-30.473	98.294	39.516	PK

Profile: 2430820R	Page No.: 14
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5654.400	65.271	26.581	-6.198	71.469	38.690	PK
2		5712.975	81.730	42.624	-27.105	108.835	39.106	PK
3		5723.150	84.042	45.108	-33.941	117.983	38.934	PK
4		5852.675	65.616	26.141	-50.484	116.100	39.475	PK
5		5865.325	65.263	25.959	-42.644	107.907	39.304	PK
6		5899.700	67.824	27.938	-19.058	86.883	39.886	PK

Profile: 2430820R	Page No.: 15
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5660.450	65.583	26.864	-10.377	75.960	38.718	PK
2		5706.925	66.236	27.085	-40.906	107.141	39.150	PK
3		5722.325	66.663	27.715	-49.439	116.102	38.948	PK
4		5851.025	67.888	28.383	-51.975	119.862	39.505	PK
5		5868.075	67.536	28.235	-39.601	107.137	39.302	PK
6		5887.875	66.993	27.325	-28.649	95.642	39.668	PK

Profile: 2430820R	Page No.: 16
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.250	65.020	26.326	-9.308	74.328	38.693	PK
2		5711.600	65.468	26.339	-42.982	108.450	39.130	PK
3		5722.325	65.729	26.781	-50.373	116.102	38.948	PK
4		5852.125	70.249	30.764	-47.105	117.354	39.485	PK
5		5862.025	69.668	30.361	-39.163	108.831	39.307	PK
6		5901.900	68.151	28.340	-17.104	85.255	39.810	PK

Profile: 2430820R	Page No.: 17
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5663.200	65.086	26.336	-12.913	78.000	38.750	PK
2		5713.250	71.829	32.728	-37.083	108.912	39.102	PK
3		5721.775	79.208	40.251	-35.640	114.848	38.957	PK
4		5849.650	65.987	26.458	-56.213	122.200	39.530	PK
5		5867.250	66.508	27.206	-40.860	107.368	39.302	PK
6		5903.000	67.251	27.478	-17.191	84.441	39.773	PK

Profile: 2430820R	Page No.: 18
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:34
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5659.900	64.997	26.284	-10.555	75.552	38.713	PK
2		5713.800	74.059	34.967	-35.007	109.066	39.091	PK
3		5723.150	85.439	46.505	-32.544	117.983	38.934	PK
4		5852.400	65.832	26.352	-50.895	116.727	39.479	PK
5		5861.475	66.297	26.981	-42.687	108.985	39.316	PK
6		5898.875	66.952	27.037	-20.541	87.493	39.915	PK

Profile: 2430820R	Page No.: 19
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5662.375	66.845	28.104	-10.543	77.388	38.741	PK
2		5709.125	64.588	25.417	-43.170	107.757	39.171	PK
3		5723.700	65.873	26.948	-53.364	119.237	38.925	PK
4		5852.950	66.162	26.692	-49.311	115.473	39.470	PK
5		5862.575	66.852	27.546	-41.824	108.677	39.307	PK
6		5904.650	66.505	26.789	-16.716	83.221	39.716	PK

Profile: 2430820R	Page No.: 20
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5671.175	65.693	26.852	-18.216	83.909	38.842	PK
2		5708.025	65.915	26.753	-41.534	107.449	39.163	PK
3		5723.700	65.510	26.585	-53.727	119.237	38.925	PK
4		5852.125	65.569	26.084	-51.785	117.354	39.485	PK
5		5867.250	66.857	27.555	-40.511	107.368	39.302	PK
6		5889.800	68.058	28.308	-26.157	94.215	39.751	PK

Profile: 2430820R	Page No.: 21
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:40
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5677.500	65.713	26.813	-22.877	88.590	38.901	PK
2		5710.775	66.410	27.267	-41.809	108.219	39.143	PK
3		5723.150	65.076	26.142	-52.907	117.983	38.934	PK
4		5851.575	70.500	31.005	-48.108	118.608	39.494	PK
5		5872.475	67.994	28.697	-37.912	105.906	39.297	PK
6		5892.275	65.845	25.989	-26.536	92.381	39.856	PK

Profile: 2430820R	Page No.: 22
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5672.000	65.569	26.718	-18.951	84.520	38.851	PK
2		5706.925	66.804	27.653	-40.338	107.141	39.150	PK
3		5723.700	65.595	26.670	-53.642	119.237	38.925	PK
4		5852.950	71.483	32.013	-43.990	115.473	39.470	PK
5		5865.325	67.472	28.168	-40.435	107.907	39.304	PK
6	*	5909.050	67.967	28.403	-12.002	79.969	39.564	PK

Profile: 2430820R	Page No.: 23
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5673.650	65.951	27.081	-19.791	85.742	38.869	PK
2		5706.650	78.955	39.807	-28.110	107.064	39.148	PK
3		5723.150	83.778	44.844	-34.205	117.983	38.934	PK
4		5852.950	66.736	27.266	-48.737	115.473	39.470	PK
5		5861.750	66.762	27.451	-42.145	108.908	39.312	PK
6	*	5909.600	68.086	28.541	-11.476	79.563	39.545	PK

Profile: 2430820R	Page No.: 24
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5688.500	70.803	31.835	-25.916	96.719	38.968	PK
2		5714.075	83.973	44.886	-25.170	109.143	39.087	PK
3		5721.775	84.659	45.702	-30.189	114.848	38.957	PK
4		5852.675	65.752	26.277	-50.348	116.100	39.475	PK
5		5863.400	66.832	27.526	-41.614	108.446	39.306	PK
6	*	5904.375	67.817	28.092	-15.607	83.425	39.725	PK

Profile: 2430820R	Page No.: 25
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5668.150	66.000	27.193	-15.669	81.669	38.806	PK
2		5712.150	67.062	27.942	-41.543	108.604	39.120	PK
3		5722.600	65.922	26.979	-50.807	116.729	38.943	PK
4		5852.400	70.026	30.546	-46.701	116.727	39.479	PK
5		5869.725	68.321	29.021	-38.354	106.675	39.300	PK
6		5893.375	67.889	27.987	-23.677	91.566	39.902	PK

Profile: 2430820R	Page No.: 26
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:47
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5669.800	65.836	27.010	-17.055	82.891	38.826	PK
2		5710.775	66.428	27.285	-41.791	108.219	39.143	PK
3		5723.150	67.344	28.410	-50.639	117.983	38.934	PK
4		5852.675	69.259	29.784	-46.841	116.100	39.475	PK
5		5861.750	69.944	30.633	-38.963	108.908	39.312	PK
6	*	5907.400	68.124	28.503	-13.064	81.188	39.621	PK

Profile: 2430820R	Page No.: 27
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5653.300	68.980	30.290	-1.672	70.652	38.690	PK
2		5708.850	81.310	42.139	-26.370	107.680	39.172	PK
3		5723.150	80.681	41.747	-37.302	117.983	38.934	PK
4		5851.850	76.186	36.696	-41.795	117.981	39.490	PK
5		5865.325	76.232	36.928	-31.675	107.907	39.304	PK
6	*	5924.725	66.815	27.343	-1.588	68.403	39.473	PK

Profile: 2430820R	Page No.: 28
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:50
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5655.500	70.254	31.564	-2.032	72.286	38.690	PK
2		5715.725	85.160	46.101	-24.444	109.605	39.059	PK
3		5720.950	85.149	46.178	-27.818	112.967	38.971	PK
4		5852.950	77.961	38.491	-37.512	115.473	39.470	PK
5		5863.950	77.985	38.680	-30.306	108.292	39.305	PK
6		5916.200	68.006	28.566	-6.683	74.689	39.441	PK

Profile: 2430820R	Page No.: 29
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5665.950	65.599	26.817	-14.440	80.038	38.781	PK
2		5717.925	75.863	36.841	-34.357	110.220	39.022	PK
3		5723.975	80.901	41.981	-38.963	119.864	38.920	PK
4		5852.675	66.966	27.491	-49.134	116.100	39.475	PK
5		5863.950	66.037	26.732	-42.254	108.292	39.305	PK
6		5891.450	67.740	27.920	-25.252	92.992	39.821	PK

Profile: 2430820R	Page No.: 30
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5667.875	65.821	27.017	-15.644	81.465	38.804	PK
2		5718.200	79.490	40.472	-30.807	110.297	39.017	PK
3		5722.325	84.945	45.997	-31.157	116.102	38.948	PK
4		5853.225	65.725	26.260	-49.121	114.846	39.465	PK
5		5869.175	67.028	27.728	-39.801	106.829	39.300	PK
6	*	5906.025	67.891	28.223	-14.313	82.205	39.668	PK

Profile: 2430820R	Page No.: 31
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5672.550	65.035	26.178	-19.892	84.927	38.858	PK
2		5703.350	65.983	26.871	-40.157	106.139	39.112	PK
3		5722.325	64.861	25.913	-51.241	116.102	38.948	PK
4		5852.125	65.992	26.507	-51.362	117.354	39.485	PK
5		5862.575	66.795	27.489	-41.881	108.677	39.307	PK
6	*	5904.925	67.559	27.853	-15.458	83.018	39.707	PK

Profile: 2430820R	Page No.: 32
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 20:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5661.550	65.301	26.569	-11.475	76.776	38.732	PK
2		5710.225	65.669	26.517	-42.396	108.065	39.153	PK
3		5723.425	64.632	25.703	-53.978	118.610	38.930	PK
4		5851.850	66.153	26.663	-51.828	117.981	39.490	PK
5		5867.800	66.581	27.279	-40.633	107.214	39.301	PK
6		5901.900	67.744	27.933	-17.511	85.255	39.810	PK

Profile: 2430820R	Page No.: 33
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:00
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5661.825	65.711	26.976	-11.269	76.980	38.734	PK
2		5705.000	66.315	27.185	-40.287	106.602	39.129	PK
3		5723.425	64.498	25.569	-54.112	118.610	38.930	PK
4		5852.675	72.896	33.421	-43.204	116.100	39.475	PK
5		5862.850	70.635	31.329	-37.965	108.600	39.306	PK
6		5899.975	66.589	26.712	-20.090	86.679	39.877	PK

Profile: 2430820R	Page No.: 34
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:02
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5656.325	65.617	26.926	-7.282	72.899	38.691	PK
2		5704.450	66.100	26.976	-40.348	106.448	39.124	PK
3		5723.425	65.107	26.178	-53.503	118.610	38.930	PK
4		5852.400	74.535	35.055	-42.192	116.727	39.479	PK
5		5861.750	70.749	31.438	-38.158	108.908	39.312	PK
6		5893.650	66.921	27.007	-24.441	91.362	39.914	PK

Profile: 2430820R	Page No.: 35
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:03
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5663.750	65.371	26.614	-13.037	78.408	38.756	PK
2		5710.225	81.393	42.241	-26.672	108.065	39.153	PK
3		5721.775	83.709	44.752	-31.139	114.848	38.957	PK
4		5852.950	67.117	27.647	-48.356	115.473	39.470	PK
5		5864.775	66.010	26.706	-42.050	108.061	39.304	PK
6		5898.050	67.424	27.481	-20.680	88.104	39.943	PK

Profile: 2430820R	Page No.: 36
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5672.550	64.779	25.922	-20.148	84.927	38.858	PK
2		5712.425	81.197	42.082	-27.484	108.681	39.116	PK
3		5722.875	86.604	47.665	-30.752	117.356	38.939	PK
4		5852.950	66.142	26.672	-49.331	115.473	39.470	PK
5		5869.725	67.073	27.773	-39.602	106.675	39.300	PK
6	*	5901.625	67.504	27.684	-17.954	85.458	39.820	PK


Profile: 2430820R	Page No.: 37
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5654.125	65.731	27.041	-5.534	71.265	38.691	PK
2		5708.575	65.176	26.008	-42.427	107.603	39.168	PK
3		5722.325	66.521	27.573	-49.581	116.102	38.948	PK
4		5851.025	68.459	28.954	-51.404	119.862	39.505	PK
5		5862.300	67.784	28.477	-40.970	108.754	39.306	PK
6		5913.450	67.687	28.257	-9.032	76.719	39.430	PK




Profile: 2430820R	Page No.: 38
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.525	65.591	26.894	-8.941	74.532	38.697	PK
2		5718.750	68.851	29.843	-41.599	110.451	39.008	PK
3		5723.975	69.430	30.510	-50.434	119.864	38.920	PK
4		5851.300	72.317	32.817	-46.918	119.235	39.500	PK
5		5855.700	72.135	32.715	-38.468	110.604	39.420	PK
6		5892.825	66.989	27.110	-24.985	91.974	39.879	PK

Profile: 2430820R	Page No.: 39
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5652.750	67.946	29.256	-2.298	70.243	38.690	PK
2		5709.125	82.144	42.973	-25.614	107.757	39.171	PK
3		5722.050	83.173	44.220	-32.303	115.475	38.953	PK
4		5852.400	76.342	36.862	-40.385	116.727	39.479	PK
5		5871.375	74.295	34.997	-31.918	106.214	39.298	PK
6		5897.775	70.149	30.196	-18.159	88.308	39.953	PK

Profile: 2430820R	Page No.: 40
Engineer: Yuliu	
Site: AC5	Time: 2024/08/07 - 21:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5656.875	70.498	31.807	-2.809	73.307	38.690	PK
2		5676.950	79.316	40.419	-8.868	88.183	38.897	PK
3		5714.350	83.389	44.306	-25.831	109.220	39.082	PK
4		5852.125	78.704	39.219	-38.650	117.354	39.485	PK
5		5866.700	79.392	40.089	-28.130	107.522	39.303	PK
6		5902.450	70.714	30.922	-14.135	84.848	39.792	PK

Note :

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)
3. We have evaluated SISO, MIMO mode, shown in the report is the worst data.

Appendix I: Frequency Stability

Frequency Stability under Temperature at 0min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
0	5500.000	-9.15	±20	Pass
10	5500.000	6.33	±20	Pass
20	5500.000	4.52	±20	Pass
35	5500.000	-9.22	±20	Pass

Frequency Stability under Temperature at 2min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	5.22	±20	Pass
10	5500.000	-7.21	±20	Pass
20	5500.000	7.95	±20	Pass
35	5500.000	-9.32	±20	Pass

Frequency Stability under Temperature at 5min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	7.29	±20	Pass
10	5500.000	6.51	±20	Pass
20	5500.000	-7.98	±20	Pass
35	5500.000	8.12	±20	Pass

Frequency Stability under Temperature at 10min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	-8.12	±20	Pass
10	5500.000	6.89	±20	Pass
20	5500.000	7.81	±20	Pass
35	5500.000	6.59	±20	Pass

The End