



Table of Contents

1. -6dB Emission Bandwidth	2
2. -26dB and 99% Emission Bandwidth	12
3. Duty Cycle.....	31
4. Maximum Conducted Output Power	41
5. Power Spectral Density	42
6. Frequency Stability	52


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB Emission Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.395	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.403	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.417	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.627	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.659	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.679	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.628	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.653	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.646	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	19.010	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	18.939	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	19.044	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.423	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.441	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	36.425	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	36.382	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	38.156	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	38.085	0.500	Pass







-6dB Emission Bandwidth NVNT ANT1 802 11a 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802 11n(HT20) 5745 20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5785_20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5825_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB Emission Bandwidth NVNT ANT1 802 11ac(VHT20) 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802 11ax(HE20) 5745 20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT40) 5755_40M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT40) 5795_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M


2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	- 26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	24.71	17.29
NVNT	ANT1	802.11a	5785.00	25.93	17.46
NVNT	ANT1	802.11a	5825.00	25.42	17.41
NVNT	ANT1	802.11n(HT20)	5745.00	26.17	18.57
NVNT	ANT1	802.11n(HT20)	5785.00	26.01	18.71
NVNT	ANT1	802.11n(HT20)	5825.00	27.62	18.59
NVNT	ANT1	802.11ac(VHT20)	5745.00	27.72	18.56
NVNT	ANT1	802.11ac(VHT20)	5785.00	26.71	18.59
NVNT	ANT1	802.11ac(VHT20)	5825.00	27.29	18.66
NVNT	ANT1	802.11ax(HE20)	5745.00	24.43	19.40
NVNT	ANT1	802.11ax(HE20)	5785.00	25.28	19.42
NVNT	ANT1	802.11ax(HE20)	5825.00	25.64	19.45
NVNT	ANT1	802.11n(HT40)	5755.00	46.80	37.29
NVNT	ANT1	802.11n(HT40)	5795.00	46.36	37.40
NVNT	ANT1	802.11ac(VHT40)	5755.00	46.28	37.33
NVNT	ANT1	802.11ac(VHT40)	5795.00	47.61	37.33
NVNT	ANT1	802.11ax(HE40)	5755.00	44.87	38.35
NVNT	ANT1	802.11ax(HE40)	5795.00	46.65	38.31







99% OCB NVNT ANT1 802 11a 5785




-26BW NVNT ANT1 802 11a 5785




99% OCB NVNT ANT1 802 11a 5825




-26BW NVNT ANT1 802 11a 5825




99% OCB NVNT ANT1 802 11n(HT20) 5745




-26BW NVNT ANT1 802 11n(HT20) 5745




99% OCB NVNT ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99% OCB NVNT ANT1 802 11n(HT20) 5825




-26BW NVNT ANT1 802 11n(HT20) 5825




99% OCB NVNT ANT1 802 11ac(VHT20) 5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99% OCB NVNT ANT1 802 11ac(VHT20) 5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99% OCB NVNT ANT1 802 11ac(VHT20) 5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99% OCB NVNT ANT1_802_11ax(HE20)_5745




-26BW NVNT ANT1_802_11ax(HE20)_5745




99% OCB NVNT ANT1_802_11ax(HE20)_5785




-26BW NVNT ANT1_802_11ax(HE20)_5785




99% OCB NVNT ANT1_802_11ax(HE20)_5825




-26BW_NVNT_ANT1_802_11ax(HE20)_5825




99% OCB NVNT ANT1 802 11n(HT40) 5755




-26BW NVNT ANT1 802 11n(HT40) 5755




99% OCB NVNT ANT1 802 11n(HT40) 5795




-26BW NVNT ANT1 802 11n(HT40) 5795




99% OCB NVNT ANT1 802 11ac(VHT40) 5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755




99% OCB NVNT ANT1 802 11ac(VHT40) 5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




99% OCB NVNT ANT1_802_11ax(HE40)_5755




-26BW NVNT ANT1_802_11ax(HE40)_5755



99% OCB NVNT ANT1_802_11ax(HE40)_5795




-26BW NVNT ANT1_802_11ax(HE40)_5795




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	93.52	0.29
NVNT	ANT1	802.11a	5785.00	94.44	0.25
NVNT	ANT1	802.11a	5825.00	94.44	0.25
NVNT	ANT1	802.11n(HT20)	5745.00	96.95	0.13
NVNT	ANT1	802.11n(HT20)	5785.00	97.69	0.10
NVNT	ANT1	802.11n(HT20)	5825.00	97.69	0.10
NVNT	ANT1	802.11ac(VHT20)	5745.00	96.59	0.15
NVNT	ANT1	802.11ac(VHT20)	5785.00	96.96	0.13
NVNT	ANT1	802.11ac(VHT20)	5825.00	96.96	0.13
NVNT	ANT1	802.11ax(HE20)	5745.00	97.00	0.13
NVNT	ANT1	802.11ax(HE20)	5785.00	96.52	0.15
NVNT	ANT1	802.11ax(HE20)	5825.00	97.00	0.13
NVNT	ANT1	802.11n(HT40)	5755.00	97.60	0.11
NVNT	ANT1	802.11n(HT40)	5795.00	97.22	0.12
NVNT	ANT1	802.11ac(VHT40)	5755.00	96.84	0.14
NVNT	ANT1	802.11ac(VHT40)	5795.00	97.22	0.12
NVNT	ANT1	802.11ax(HE40)	5755.00	97.00	0.13
NVNT	ANT1	802.11ax(HE40)	5795.00	96.98	0.13




Duty Cycle NVNT ANT1 802 11a 5785




Duty Cycle NVNT ANT1 802_11a 5825




Duty Cycle NVNT ANT1 802_11n(HT20)_5745




Duty Cycle NVNT ANT1 802_11n(HT20)_5785




Duty Cycle NVNT ANT1 802_11n(HT20)_5825




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5745




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5785




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5825




Duty Cycle NVNT ANT1 802_11ax(HE20) 5745




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5785




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5825




Duty Cycle NVNT ANT1_802_11n(HT40)_5755




Duty Cycle NVNT ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5755



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5795




4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	11.61	30	Pass
NVNT	ANT1	802.11a	5785.00	12.10	30	Pass
NVNT	ANT1	802.11a	5825.00	11.50	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	10.70	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	11.07	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	10.61	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	10.61	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	11.17	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	10.63	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	10.44	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	10.90	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	10.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	9.59	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	9.74	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	9.59	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	9.68	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	9.49	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	9.44	30	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-8.16	0.29	-0.09	-7.96	30	Pass
NVNT	ANT1	802.11a	5785.00	-6.56	0.25	-0.09	-6.40	30	Pass
NVNT	ANT1	802.11a	5825.00	-12.91	0.25	-0.09	-12.75	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-7.21	0.13	-0.09	-7.16	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-7.08	0.10	-0.09	-7.06	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-6.72	0.10	-0.09	-6.71	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-6.70	0.15	-0.09	-6.63	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-6.15	0.13	-0.09	-6.10	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-6.84	0.13	-0.09	-6.79	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-7.81	0.13	-0.09	-7.76	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-7.06	0.15	-0.09	-7.00	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-9.16	0.13	-0.09	-9.12	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-10.56	0.11	-0.09	-10.53	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-10.86	0.12	-0.09	-10.83	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-12.77	0.14	-0.09	-12.72	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-9.47	0.12	-0.09	-9.43	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-11.90	0.18	-0.09	-11.81	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-12.50	0.13	-0.09	-12.46	30	Pass





Power Spectral Density NVNT ANT1 802 11a 5785




Power_Spectral_Density_NVNT_ANT1_802_11a_5825




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745







Power Spectral Density NVNT ANT1 802 11ac(VHT20) 5745




Power Spectral Density NVNT ANT1 802 11ac(VHT20) 5785




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5825




Power Spectral Density NVNT ANT1_802_11ax(HE20)_5745



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5785



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5825



Power Spectral Density NVNT ANT1 802 11n(HT40) 5755




Power Spectral Density NVNT ANT1 802 11n(HT40) 5795




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5755




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5795



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5755



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5795



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
70degrees C&&5.0V	ANT1	802.11a	5745.00	5744.968	5735.720	5754.216	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11a	5745.00	5745.016	5736.468	5753.564	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11a	5745.00	5745.000	5736.648	5753.352	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5745.00	5745.002	5736.776	5753.228	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5745.00	5745.004	5736.848	5753.160	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5745.00	5745.000	5736.904	5753.096	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5745.00	5744.998	5736.952	5753.044	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5745.00	5744.996	5736.996	5752.996	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5745.00	5744.994	5737.040	5752.948	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5745.00	5744.998	5737.088	5752.908	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5745.00	5745.010	5737.132	5752.888	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5745.00	5745.006	5737.168	5752.844	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5745.00	5744.990	5737.204	5752.776	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11a	5785.00	5784.986	5775.720	5794.252	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11a	5785.00	5785.022	5776.456	5793.588	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11a	5785.00	5785.024	5776.664	5793.384	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5785.00	5785.014	5776.792	5793.236	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5785.00	5785.022	5776.872	5793.172	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5785.00	5785.022	5776.936	5793.108	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5785.00	5785.032	5776.984	5793.080	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5785.00	5785.032	5777.028	5793.036	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5785.00	5785.026	5777.072	5792.980	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5785.00	5785.030	5777.124	5792.936	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5785.00	5785.024	5777.164	5792.884	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5785.00	5785.032	5777.216	5792.848	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5785.00	5785.036	5777.260	5792.812	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11a	5825.00	5824.996	5815.792	5834.200	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11a	5825.00	5824.990	5816.420	5833.560	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11a	5825.00	5824.996	5816.628	5833.364	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5825.00	5824.998	5816.768	5833.228	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5825.00	5825.008	5816.856	5833.160	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5825.00	5825.000	5816.912	5833.088	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5825.00	5825.006	5816.964	5833.048	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5825.00	5825.010	5817.016	5833.004	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5825.00	5825.010	5817.060	5832.960	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5825.00	5825.018	5817.108	5832.928	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5825.00	5825.020	5817.168	5832.872	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5825.00	5825.028	5817.216	5832.840	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5825.00	5825.012	5817.256	5832.768	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.016	5735.248	5754.784	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.038	5735.884	5754.192	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.014	5736.048	5753.980	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.036	5736.188	5753.884	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.264	5753.788	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.018	5736.320	5753.716	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.368	5753.676	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.028	5736.424	5753.632	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.476	5753.568	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.524	5753.528	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.024	5736.572	5753.476	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5745.00	5745.028	5736.620	5753.436	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.660	5753.384	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.046	5775.220	5794.872	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.032	5775.896	5794.168	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.026	5776.076	5793.976	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.026	5776.188	5793.864	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.030	5776.264	5793.796	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.032	5776.332	5793.732	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.392	5793.688	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.448	5793.632	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.034	5776.504	5793.564	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.052	5776.556	5793.548	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.596	5793.484	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5785.00	5785.036	5776.648	5793.424	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5785.00	5785.050	5776.708	5793.392	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.020	5815.276	5834.764	5725~5850	Pass

60degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.016	5815.896	5834.136	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.084	5833.988	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.028	5816.192	5833.864	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.268	5833.784	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.018	5816.324	5833.712	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.380	5833.672	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.024	5816.428	5833.620	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.484	5833.560	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.532	5833.532	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.580	5833.472	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5825.00	5825.030	5816.628	5833.432	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5825.00	5825.018	5816.668	5833.368	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5735.196	5754.844	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.018	5735.868	5754.168	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.018	5736.052	5753.984	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.022	5736.184	5753.860	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.028	5736.260	5753.796	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.324	5753.708	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.372	5753.660	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.424	5753.608	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.468	5753.564	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.022	5736.516	5753.528	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.572	5753.460	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5745.00	5745.034	5736.624	5753.444	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5745.00	5745.028	5736.668	5753.388	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.074	5775.296	5794.852	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.022	5775.892	5794.152	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.080	5793.968	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.028	5776.188	5793.868	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.268	5793.800	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.332	5793.732	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.388	5793.676	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.444	5793.620	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.496	5793.568	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.544	5793.524	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.028	5776.592	5793.464	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.652	5793.416	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5785.00	5785.046	5776.700	5793.392	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.022	5815.256	5834.788	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.050	5815.920	5834.180	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.050	5816.100	5834.000	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.040	5816.208	5833.872	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.030	5816.280	5833.780	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.336	5833.716	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.034	5816.392	5833.676	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.440	5833.612	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.036	5816.488	5833.584	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.540	5833.508	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.022	5816.584	5833.460	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5825.00	5825.016	5816.628	5833.404	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5825.00	5825.042	5816.680	5833.404	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.016	5735.136	5754.896	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.028	5735.404	5754.652	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.022	5735.516	5754.528	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.042	5735.584	5754.500	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.028	5735.640	5754.416	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.044	5735.712	5754.376	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.034	5735.776	5754.292	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.014	5735.832	5754.196	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.048	5735.872	5754.224	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.050	5735.928	5754.172	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5745.034	5735.964	5754.104	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5745.00	5745.042	5736.008	5754.076	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5745.00	5745.060	5736.048	5754.072	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.064	5775.180	5794.948	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.036	5775.416	5794.656	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.024	5775.512	5794.536	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.030	5775.588	5794.472	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.038	5775.652	5794.424	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.038	5775.712	5794.364	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.056	5775.748	5794.364	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.010	5775.788	5794.232	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.016	5775.832	5794.200	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.028	5775.872	5794.184	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.044	5775.920	5794.168	5725~5850	Pass

25degrees C&&4.5V	ANT1	802.11ax(HE20)	5785.00	5785.006	5775.972	5794.040	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5785.00	5785.012	5776.016	5794.008	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.064	5815.180	5834.948	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.054	5815.444	5834.664	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.042	5815.536	5834.548	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.032	5815.592	5834.472	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.032	5815.656	5834.408	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.040	5815.716	5834.364	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.046	5815.768	5834.324	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.056	5815.820	5834.292	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.046	5815.876	5834.216	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.058	5815.924	5834.192	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.038	5815.972	5834.104	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5825.00	5825.044	5816.028	5834.060	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5825.00	5825.060	5816.088	5834.032	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.060	5736.568	5773.552	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.060	5736.872	5773.248	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.060	5737.008	5773.112	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.056	5737.120	5772.992	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.060	5737.224	5772.896	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.336	5772.792	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.048	5737.440	5772.656	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.536	5772.592	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.080	5737.632	5772.528	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.056	5737.704	5772.408	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.032	5737.784	5772.280	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5755.00	5754.988	5737.872	5772.104	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5755.00	5754.888	5737.944	5771.832	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.100	5776.576	5813.624	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.096	5776.880	5813.312	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.076	5777.000	5813.152	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.096	5777.112	5813.080	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.104	5777.224	5812.984	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.116	5777.368	5812.864	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.152	5777.480	5812.824	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.164	5777.584	5812.744	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.168	5777.688	5812.648	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.184	5777.760	5812.608	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.148	5777.824	5812.472	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5795.00	5795.136	5777.912	5812.360	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5795.00	5795.168	5778.000	5812.336	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.092	5736.584	5773.600	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.064	5736.872	5773.256	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5736.992	5773.104	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.104	5772.976	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.052	5737.200	5772.904	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5737.288	5772.760	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.020	5737.360	5772.680	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.028	5737.456	5772.600	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.552	5772.528	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.032	5737.632	5772.432	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5754.984	5737.728	5772.240	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5755.00	5755.008	5737.808	5772.208	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.888	5772.208	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.080	5776.552	5813.608	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.104	5776.872	5813.336	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.080	5777.000	5813.160	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.084	5777.128	5813.040	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.116	5777.256	5812.976	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.128	5777.360	5812.896	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.124	5777.440	5812.808	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.108	5777.544	5812.672	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.112	5777.624	5812.600	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.132	5777.736	5812.528	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.180	5777.840	5812.520	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5795.00	5795.164	5777.952	5812.376	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5795.00	5795.160	5778.040	5812.280	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.032	5735.872	5774.192	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.044	5736.056	5774.032	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.056	5736.176	5773.936	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.296	5773.832	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.408	5773.736	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.488	5773.640	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.552	5773.576	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.012	5736.648	5773.376	5725~5850	Pass

-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.048	5736.768	5773.328	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.000	5736.896	5773.104	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.092	5737.000	5773.184	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5755.00	5755.048	5737.096	5773.000	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5755.00	5755.028	5737.184	5772.872	5725~5850	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.104	5775.912	5814.296	5725~5850	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.128	5776.136	5814.120	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.108	5776.256	5813.960	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.116	5776.352	5813.880	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.076	5776.432	5813.720	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.136	5776.528	5813.744	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.092	5776.608	5813.576	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.160	5776.720	5813.600	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.180	5776.856	5813.504	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.124	5776.984	5813.264	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.216	5777.080	5813.352	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5795.00	5795.236	5777.176	5813.296	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5795.00	5795.160	5777.304	5813.016	5725~5850	Pass