Appendix H Test Data for E-UTRA Band 2

Product Name: Model 6s

Test Model: Model 6s

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng

H.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	20.97	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	20.84	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	20.88	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	20.21	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	20.80	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	20.16	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	20.97	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	19.54	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	21.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	19.83	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	20.92	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	19.75	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	19.94	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	19.31	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	21.28	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	20.74	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	21.32	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	20.99	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	21.48	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	20.95	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	21.51	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	20.31	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	21.37	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	20.28	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	21.41	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	20.20	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	20.56	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	19.51	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.42	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.79	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.17	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.82	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.78	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.37	PASS

Band2	1.4MHz	QPSK	19193	3RB#0	22.91	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.69	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.87	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	20.85	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.17	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	20.85	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.06	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.13	PASS
Band2	3MHz	QPSK	18615	1RB#0	19.07	PASS
Band2	3MHz	16QAM	18615	1RB#0	18.06	PASS
Band2	3MHz	QPSK	18615	1RB#8	19.06	PASS
Band2	3MHz	16QAM	18615	1RB#8	18.19	PASS
Band2	3MHz	QPSK	18615	1RB#14	19.00	PASS
Band2	3MHz	16QAM	18615	1RB#14	18.17	PASS
Band2	3MHz	QPSK	18615	8RB#0	18.19	PASS
Band2	3MHz	16QAM	18615	8RB#0	17.29	PASS
Band2	3MHz	QPSK	18615	8RB#4	18.02	PASS
Band2	3MHz	16QAM	18615	8RB#4	17.31	PASS
Band2	3MHz	QPSK	18615	8RB#7	18.10	PASS
Band2	3MHz	16QAM	18615	8RB#7	17.30	PASS
Band2	3MHz	QPSK	18615	15RB#0	18.09	PASS
Band2	3MHz	16QAM	18615	15RB#0	17.24	PASS
Band2	3MHz	QPSK	18900	1RB#0	19.80	PASS
Band2	3MHz	16QAM	18900	1RB#0	18.80	PASS
Band2	3MHz	QPSK	18900	1RB#8	19.92	PASS
Band2	3MHz	16QAM	18900	1RB#8	18.94	PASS
Band2	3MHz	QPSK	18900	1RB#14	19.91	PASS
Band2	3MHz	16QAM	18900	1RB#14	19.08	PASS
Band2	3MHz	QPSK	18900	8RB#0	19.22	PASS
Band2	3MHz	16QAM	18900	8RB#0	18.43	PASS
Band2	3MHz	QPSK	18900	8RB#4	19.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	18.26	PASS
Band2	3MHz	QPSK	18900	8RB#7	18.93	PASS
Band2	3MHz	16QAM	18900	8RB#7	18.25	PASS
Band2	3MHz	QPSK	18900	15RB#0	18.93	PASS
Band2	3MHz	16QAM	18900	15RB#0	18.15	PASS
Band2	3MHz	QPSK	19185	1RB#0	20.64	PASS
Band2	3MHz	16QAM	19185	1RB#0	19.74	PASS
Band2	3MHz	QPSK	19185	1RB#8	20.94	PASS

Band2	3MHz	16QAM	19185	1RB#8	19.78	PASS
Band2	3MHz	QPSK	19185	1RB#14	20.94	PASS
Band2	3MHz	16QAM	19185	1RB#14	20.02	PASS
Band2	3MHz	QPSK	19185	8RB#0	20.03	PASS
Band2	3MHz	16QAM	19185	8RB#0	19.26	PASS
Band2	3MHz	QPSK	19185	8RB#4	19.91	PASS
Band2	3MHz	16QAM	19185	8RB#4	19.22	PASS
Band2	3MHz	QPSK	19185	8RB#7	19.90	PASS
Band2	3MHz	16QAM	19185	8RB#7	19.12	PASS
Band2	3MHz	QPSK	19185	15RB#0	19.92	PASS
Band2	3MHz	16QAM	19185	15RB#0	18.99	PASS
Band2	5MHz	QPSK	18625	1RB#0	19.30	PASS
Band2	5MHz	16QAM	18625	1RB#0	17.82	PASS
Band2	5MHz	QPSK	18625	1RB#12	19.20	PASS
Band2	5MHz	16QAM	18625	1RB#12	17.82	PASS
Band2	5MHz	QPSK	18625	1RB#24	19.24	PASS
Band2	5MHz	16QAM	18625	1RB#24	17.70	PASS
Band2	5MHz	QPSK	18625	12RB#0	18.34	PASS
Band2	5MHz	16QAM	18625	12RB#0	17.40	PASS
Band2	5MHz	QPSK	18625	12RB#6	18.34	PASS
Band2	5MHz	16QAM	18625	12RB#6	17.39	PASS
Band2	5MHz	QPSK	18625	12RB#13	18.26	PASS
Band2	5MHz	16QAM	18625	12RB#13	17.36	PASS
Band2	5MHz	QPSK	18625	25RB#0	18.30	PASS
Band2	5MHz	16QAM	18625	25RB#0	17.51	PASS
Band2	5MHz	QPSK	18900	1RB#0	19.93	PASS
Band2	5MHz	16QAM	18900	1RB#0	18.50	PASS
Band2	5MHz	QPSK	18900	1RB#12	19.90	PASS
Band2	5MHz	16QAM	18900	1RB#12	18.38	PASS
Band2	5MHz	QPSK	18900	1RB#24	19.94	PASS
Band2	5MHz	16QAM	18900	1RB#24	18.48	PASS
Band2	5MHz	QPSK	18900	12RB#0	19.06	PASS
Band2	5MHz	16QAM	18900	12RB#0	18.13	PASS
Band2	5MHz	QPSK	18900	12RB#6	19.07	PASS
Band2	5MHz	16QAM	18900	12RB#6	18.10	PASS
Band2	5MHz	QPSK	18900	12RB#13	18.98	PASS
Band2	5MHz	16QAM	18900	12RB#13	18.07	PASS
Band2	5MHz	QPSK	18900	25RB#0	19.03	PASS
Band2	5MHz	16QAM	18900	25RB#0	18.15	PASS

Band2	5MHz	QPSK	19175	1RB#0	20.91	PASS
Band2	5MHz	16QAM	19175	1RB#0	19.29	PASS
Band2	5MHz	QPSK	19175	1RB#12	20.93	PASS
Band2	5MHz	16QAM	19175	1RB#12	19.46	PASS
Band2	5MHz	QPSK	19175	1RB#24	21.06	PASS
Band2	5MHz	16QAM	19175	1RB#24	19.52	PASS
Band2	5MHz	QPSK	19175	12RB#0	19.96	PASS
Band2	5MHz	16QAM	19175	12RB#0	19.04	PASS
Band2	5MHz	QPSK	19175	12RB#6	19.96	PASS
Band2	5MHz	16QAM	19175	12RB#6	19.04	PASS
Band2	5MHz	QPSK	19175	12RB#13	20.07	PASS
Band2	5MHz	16QAM	19175	12RB#13	19.12	PASS
Band2	5MHz	QPSK	19175	25RB#0	20.00	PASS
Band2	5MHz	16QAM	19175	25RB#0	19.21	PASS
Band2	10MHz	QPSK	18650	1RB#0	19.23	PASS
Band2	10MHz	16QAM	18650	1RB#0	18.40	PASS
Band2	10MHz	QPSK	18650	1RB#24	19.17	PASS
Band2	10MHz	16QAM	18650	1RB#24	18.33	PASS
Band2	10MHz	QPSK	18650	1RB#49	19.24	PASS
Band2	10MHz	16QAM	18650	1RB#49	18.42	PASS
Band2	10MHz	QPSK	18650	25RB#0	18.26	PASS
Band2	10MHz	16QAM	18650	25RB#0	17.35	PASS
Band2	10MHz	QPSK	18650	25RB#12	18.30	PASS
Band2	10MHz	16QAM	18650	25RB#12	17.29	PASS
Band2	10MHz	QPSK	18650	25RB#25	18.32	PASS
Band2	10MHz	16QAM	18650	25RB#25	17.32	PASS
Band2	10MHz	QPSK	18650	50RB#0	18.14	PASS
Band2	10MHz	16QAM	18650	50RB#0	17.38	PASS
Band2	10MHz	QPSK	18900	1RB#0	19.82	PASS
Band2	10MHz	16QAM	18900	1RB#0	19.09	PASS
Band2	10MHz	QPSK	18900	1RB#24	19.79	PASS
Band2	10MHz	16QAM	18900	1RB#24	18.72	PASS
Band2	10MHz	QPSK	18900	1RB#49	19.81	PASS
Band2	10MHz	16QAM	18900	1RB#49	18.69	PASS
Band2	10MHz	QPSK	18900	25RB#0	18.99	PASS
Band2	10MHz	16QAM	18900	25RB#0	18.10	PASS
Band2	10MHz	QPSK	18900	25RB#12	19.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	18.10	PASS
Band2	10MHz	QPSK	18900	25RB#25	18.96	PASS

Band2	10MHz	16QAM	18900	25RB#25	18.05	PASS
Band2	10MHz	QPSK	18900	50RB#0	18.99	PASS
Band2	10MHz	16QAM	18900	50RB#0	18.16	PASS
Band2	10MHz	QPSK	19150	1RB#0	20.42	PASS
Band2	10MHz	16QAM	19150	1RB#0	19.48	PASS
Band2	10MHz	QPSK	19150	1RB#24	20.63	PASS
Band2	10MHz	16QAM	19150	1RB#24	19.70	PASS
Band2	10MHz	QPSK	19150	1RB#49	20.94	PASS
Band2	10MHz	16QAM	19150	1RB#49	19.81	PASS
Band2	10MHz	QPSK	19150	25RB#0	19.56	PASS
Band2	10MHz	16QAM	19150	25RB#0	18.64	PASS
Band2	10MHz	QPSK	19150	25RB#12	19.51	PASS
Band2	10MHz	16QAM	19150	25RB#12	18.62	PASS
Band2	10MHz	QPSK	19150	25RB#25	19.86	PASS
Band2	10MHz	16QAM	19150	25RB#25	18.91	PASS
Band2	10MHz	QPSK	19150	50RB#0	19.67	PASS
Band2	10MHz	16QAM	19150	50RB#0	18.72	PASS
Band2	15MHz	QPSK	18675	1RB#0	19.15	PASS
Band2	15MHz	16QAM	18675	1RB#0	18.28	PASS
Band2	15MHz	QPSK	18675	1RB#38	19.15	PASS
Band2	15MHz	16QAM	18675	1RB#38	18.05	PASS
Band2	15MHz	QPSK	18675	1RB#74	19.40	PASS
Band2	15MHz	16QAM	18675	1RB#74	18.37	PASS
Band2	15MHz	QPSK	18675	38RB#0	18.40	PASS
Band2	15MHz	16QAM	18675	38RB#0	18.29	PASS
Band2	15MHz	QPSK	18675	38RB#18	18.29	PASS
Band2	15MHz	16QAM	18675	38RB#18	18.29	PASS
Band2	15MHz	QPSK	18675	38RB#37	18.30	PASS
Band2	15MHz	16QAM	18675	38RB#37	18.30	PASS
Band2	15MHz	QPSK	18675	75RB#0	18.30	PASS
Band2	15MHz	16QAM	18675	75RB#0	17.44	PASS
Band2	15MHz	QPSK	18900	1RB#0	19.79	PASS
Band2	15MHz	16QAM	18900	1RB#0	19.11	PASS
Band2	15MHz	QPSK	18900	1RB#38	19.88	PASS
Band2	15MHz	16QAM	18900	1RB#38	18.81	PASS
Band2	15MHz	QPSK	18900	1RB#74	19.86	PASS
Band2	15MHz	16QAM	18900	1RB#74	18.70	PASS
Band2	15MHz	QPSK	18900	38RB#0	19.16	PASS
Band2	15MHz	16QAM	18900	38RB#0	19.17	PASS

Band2	15MHz	QPSK	18900	38RB#18	19.18	PASS
Band2	15MHz	16QAM	18900	38RB#18	19.18	PASS
Band2	15MHz	QPSK	18900	38RB#37	19.19	PASS
Band2	15MHz	16QAM	18900	38RB#37	19.20	PASS
Band2	15MHz	QPSK	18900	75RB#0	19.20	PASS
Band2	15MHz	16QAM	18900	75RB#0	18.32	PASS
Band2	15MHz	QPSK	19125	1RB#0	20.08	PASS
Band2	15MHz	16QAM	19125	1RB#0	19.16	PASS
Band2	15MHz	QPSK	19125	1RB#38	20.49	PASS
Band2	15MHz	16QAM	19125	1RB#38	19.50	PASS
Band2	15MHz	QPSK	19125	1RB#74	20.92	PASS
Band2	15MHz	16QAM	19125	1RB#74	19.84	PASS
Band2	15MHz	QPSK	19125	38RB#0	19.55	PASS
Band2	15MHz	16QAM	19125	38RB#0	19.54	PASS
Band2	15MHz	QPSK	19125	38RB#18	19.61	PASS
Band2	15MHz	16QAM	19125	38RB#18	19.59	PASS
Band2	15MHz	QPSK	19125	38RB#37	19.59	PASS
Band2	15MHz	16QAM	19125	38RB#37	19.57	PASS
Band2	15MHz	QPSK	19125	75RB#0	19.57	PASS
Band2	15MHz	16QAM	19125	75RB#0	18.64	PASS
Band2	20MHz	QPSK	18700	1RB#0	19.54	PASS
Band2	20MHz	16QAM	18700	1RB#0	18.97	PASS
Band2	20MHz	QPSK	18700	1RB#49	20.25	PASS
Band2	20MHz	16QAM	18700	1RB#49	18.53	PASS
Band2	20MHz	QPSK	18700	1RB#99	20.09	PASS
Band2	20MHz	16QAM	18700	1RB#99	18.65	PASS
Band2	20MHz	QPSK	18700	50RB#0	18.47	PASS
Band2	20MHz	16QAM	18700	50RB#0	17.70	PASS
Band2	20MHz	QPSK	18700	50RB#25	18.33	PASS
Band2	20MHz	16QAM	18700	50RB#25	17.58	PASS
Band2	20MHz	QPSK	18700	50RB#50	18.73	PASS
Band2	20MHz	16QAM	18700	50RB#50	17.89	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.63	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.68	PASS
Band2	20MHz	QPSK	18900	1RB#0	19.92	PASS
Band2	20MHz	16QAM	18900	1RB#0	19.12	PASS
Band2	20MHz	QPSK	18900	1RB#49	19.99	PASS
Band2	20MHz	16QAM	18900	1RB#49	19.09	PASS
Band2	20MHz	QPSK	18900	1RB#99	19.89	PASS

Band2	20MHz	16QAM	18900	1RB#99	19.05	PASS
Band2	20MHz	QPSK	18900	50RB#0	19.05	PASS
Band2	20MHz	16QAM	18900	50RB#0	18.21	PASS
Band2	20MHz	QPSK	18900	50RB#25	19.07	PASS
Band2	20MHz	16QAM	18900	50RB#25	18.26	PASS
Band2	20MHz	QPSK	18900	50RB#50	19.09	PASS
Band2	20MHz	16QAM	18900	50RB#50	18.16	PASS
Band2	20MHz	QPSK	18900	100RB#0	19.04	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.07	PASS
Band2	20MHz	QPSK	19100	1RB#0	20.44	PASS
Band2	20MHz	16QAM	19100	1RB#0	19.16	PASS
Band2	20MHz	QPSK	19100	1RB#49	20.52	PASS
Band2	20MHz	16QAM	19100	1RB#49	20.36	PASS
Band2	20MHz	QPSK	19100	1RB#99	21.48	PASS
Band2	20MHz	16QAM	19100	1RB#99	20.14	PASS
Band2	20MHz	QPSK	19100	50RB#0	19.26	PASS
Band2	20MHz	16QAM	19100	50RB#0	18.44	PASS
Band2	20MHz	QPSK	19100	50RB#25	19.21	PASS
Band2	20MHz	16QAM	19100	50RB#25	18.30	PASS
Band2	20MHz	QPSK	19100	50RB#50	19.72	PASS
Band2	20MHz	16QAM	19100	50RB#50	18.94	PASS
Band2	20MHz	QPSK	19100	100RB#0	19.45	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.63	PASS

H.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.60	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	5.25	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.17	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.90	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	4.11	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	4.91	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	4.87	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.63	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	4.05	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	4.97	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.88	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.60	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	4.86	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	5.72	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.32	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.07	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	4.53	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	5.49	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.01	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.79	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	4.31	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	5.15	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	4.91	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.69	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	4.91	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.58	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.45	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.09	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	4.63	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	5.32	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.32	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.99	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	4.32	13	PASS

Band2	5MHz	16QAM	19175	1RB#0	5.11	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.15	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.80	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	4.82	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	5.72	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.49	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.19	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	4.52	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.47	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.34	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.04	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	4.25	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	5.02	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.19	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.89	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	4.78	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	5.68	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.79	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.28	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	4.57	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	5.54	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.67	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.15	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	4.31	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	5.20	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.49	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.00	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	4.62	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	5.34	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.48	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.21	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	4.47	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	5.08	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.38	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.11	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	4.16	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	4.80	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.25	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	5.96	13	PASS

Test Graphs



Band2-1.4MHz-QPSK-18607-1RB#0-PASS



Band2-1.4MHz-16QAM-18607-1RB#0-PASS



Band2-1.4MHz-QPSK-18607-6RB#0-PASS



Band2-1.4MHz-16QAM-18607-6RB#0-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-PASS



Band2-1.4MHz-16QAM-18900-1RB#0-PASS



Band2-1.4MHz-QPSK-18900-6RB#0-PASS



Band2-1.4MHz-16QAM-18900-6RB#0-PASS



Band2-1.4MHz-QPSK-19193-1RB#0-PASS



Band2-1.4MHz-16QAM-19193-1RB#0-PASS



Band2-1.4MHz-QPSK-19193-6RB#0-PASS



Band2-1.4MHz-16QAM-19193-6RB#0-PASS



Band2-3MHz-QPSK-18615-1RB#0-PASS



Band2-3MHz-16QAM-18615-1RB#0-PASS



Band2-3MHz-QPSK-18615-15RB#0-PASS



Band2-3MHz-16QAM-18615-15RB#0-PASS



Band2-3MHz-QPSK-18900-1RB#0-PASS



Band2-3MHz-16QAM-18900-1RB#0-PASS



Band2-3MHz-QPSK-18900-15RB#0-PASS



Band2-3MHz-16QAM-18900-15RB#0-PASS



Band2-3MHz-QPSK-19185-1RB#0-PASS



Band2-3MHz-16QAM-19185-1RB#0-PASS



Band2-3MHz-QPSK-19185-15RB#0-PASS



Band2-3MHz-16QAM-19185-15RB#0-PASS



Band2-5MHz-QPSK-18625-1RB#0-PASS



Band2-5MHz-16QAM-18625-1RB#0-PASS



Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-16QAM-18625-25RB#0-PASS



Band2-5MHz-QPSK-18900-1RB#0-PASS



Band2-5MHz-16QAM-18900-1RB#0-PASS



Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-1RB#0-PASS



Band2-5MHz-16QAM-19175-1RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS



Band2-10MHz-QPSK-18650-1RB#0-PASS



Band2-10MHz-16QAM-18650-1RB#0-PASS



Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-16QAM-18650-50RB#0-PASS



Band2-10MHz-QPSK-18900-1RB#0-PASS



Band2-10MHz-16QAM-18900-1RB#0-PASS



Band2-10MHz-QPSK-18900-50RB#0-PASS



Band2-10MHz-16QAM-18900-50RB#0-PASS



Band2-10MHz-QPSK-19150-1RB#0-PASS



Band2-10MHz-16QAM-19150-1RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-16QAM-19150-50RB#0-PASS



Band2-15MHz-QPSK-18675-1RB#0-PASS



Band2-15MHz-16QAM-18675-1RB#0-PASS



Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-16QAM-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-1RB#0-PASS



Band2-15MHz-16QAM-18900-1RB#0-PASS



Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-15MHz-QPSK-19125-1RB#0-PASS



Band2-15MHz-16QAM-19125-1RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-16QAM-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-16QAM-18700-1RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-1RB#0-PASS



Band2-20MHz-16QAM-18900-1RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-16QAM-19100-1RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS

H.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0944	1.286	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1045	1.291	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0978	1.289	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0980	1.265	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0961	1.288	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1072	1.302	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7062	3.039	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7016	3.097	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7215	3.208	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7034	3.073	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7146	3.087	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7035	3.090	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5224	5.317	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5242	5.349	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5247	5.331	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5249	5.309	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5191	5.353	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5177	5.218	PASS
Band2	10MHz	QPSK	18650	50RB#0	9.0159	10.10	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.0161	10.15	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0158	10.15	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0123	10.08	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.0002	10.08	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9901	10.06	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.527	15.22	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.485	15.03	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.515	15.43	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.514	15.12	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.498	15.33	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.470	14.89	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.043	19.87	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.020	20.25	PASS

Band2	20MHz	QPSK	18900	100RB#0	18.046	20.11	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.021	20.25	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.032	19.91	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.017	19.77	PASS

Test Graphs



Band2-1.4MHz-QPSK-18607-6RB#0-PASS



Band2-1.4MHz-16QAM-18607-6RB#0-PASS



Band2-1.4MHz-QPSK-18900-6RB#0-PASS



Band2-1.4MHz-16QAM-18900-6RB#0-PASS



Band2-1.4MHz-QPSK-19193-6RB#0-PASS



Band2-1.4MHz-16QAM-19193-6RB#0-PASS



Band2-3MHz-QPSK-18615-15RB#0-PASS



Band2-3MHz-16QAM-18615-15RB#0-PASS



Band2-3MHz-QPSK-18900-15RB#0-PASS



Band2-3MHz-16QAM-18900-15RB#0-PASS



Band2-3MHz-QPSK-19185-15RB#0-PASS



Band2-3MHz-16QAM-19185-15RB#0-PASS



Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-16QAM-18625-25RB#0-PASS



Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS



Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-16QAM-18650-50RB#0-PASS



Band2-10MHz-QPSK-18900-50RB#0-PASS



Band2-10MHz-16QAM-18900-50RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-16QAM-19150-50RB#0-PASS



Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-16QAM-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-16QAM-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS

H.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frenquency	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1849.96	-32.22	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1849.98	-33.04	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1910.09	-29.30	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1910.02	-30.63	PASS
Band2	3MHz	QPSK	18615	15RB#0	1850.00	-27.47	PASS
Band2	3MHz	16QAM	18615	15RB#0	1850.00	-29.53	PASS
Band2	3MHz	QPSK	19185	15RB#0	1910.01	-25.94	PASS
Band2	3MHz	16QAM	19185	15RB#0	1910.00	-26.82	PASS
Band2	5MHz	QPSK	18625	25RB#0	1849.98	-32.36	PASS
Band2	5MHz	16QAM	18625	25RB#0	1849.99	-34.09	PASS
Band2	5MHz	QPSK	19175	25RB#0	1910.02	-30.99	PASS
Band2	5MHz	16QAM	19175	25RB#0	1910.00	-31.38	PASS
Band2	10MHz	QPSK	18650	50RB#0	1849.97	-36.42	PASS
Band2	10MHz	16QAM	18650	50RB#0	1849.98	-36.25	PASS
Band2	10MHz	QPSK	19150	50RB#0	1910.01	-33.05	PASS
Band2	10MHz	16QAM	19150	50RB#0	1910.03	-33.94	PASS
Band2	15MHz	QPSK	18675	75RB#0	1849.94	-35.43	PASS
Band2	15MHz	16QAM	18675	75RB#0	1849.96	-36.93	PASS
Band2	15MHz	QPSK	19125	75RB#0	1910.02	-30.64	PASS
Band2	15MHz	16QAM	19125	75RB#0	1910.12	-33.16	PASS
Band2	20MHz	QPSK	18700	100RB#0	1849.97	-37.37	PASS
Band2	20MHz	16QAM	18700	100RB#0	1849.92	-37.53	PASS
Band2	20MHz	QPSK	19100	100RB#0	1910.03	-32.88	PASS
Band2	20MHz	16QAM	19100	100RB#0	1910.01	-33.97	PASS

Test Graphs



Band2_1.4MHz_QPSK_18607_6RB#0



Band2_1.4MHz_16QAM_18607_6RB#0



Band2_1.4MHz_QPSK_19193_6RB#0



Band2_1.4MHz_16QAM_19193_6RB#0



Band2_3MHz_QPSK_18615_15RB#0



Band2_3MHz_16QAM_18615_15RB#0



Band2_3MHz_QPSK_19185_15RB#0



Band2_3MHz_16QAM_19185_15RB#0



Band2_5MHz_QPSK_18625_25RB#0



Band2_5MHz_16QAM_18625_25RB#0



Band2_5MHz_QPSK_19175_25RB#0



Band2_5MHz_16QAM_19175_25RB#0



Band2_10MHz_QPSK_18650_50RB#0



Band2_10MHz_16QAM_18650_50RB#0



Band2_10MHz_QPSK_19150_50RB#0



Band2_10MHz_16QAM_19150_50RB#0



Band2_15MHz_QPSK_18675_75RB#0



Band2_15MHz_16QAM_18675_75RB#0



Band2_15MHz_QPSK_19125_75RB#0



Band2_15MHz_16QAM_19125_75RB#0



Band2_20MHz_QPSK_18700_100RB#0



Band2_20MHz_16QAM_18700_100RB#0



Band2_20MHz_QPSK_19100_100RB#0



Band2_20MHz_16QAM_19100_100RB#0

H.5 Conducted Spurious Emission

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-55.77	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-52.59	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-61.98	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-28.21	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-32.91	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-57.67	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-53.61	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-61.97	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-23.38	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-32.96	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-53.98	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-52.59	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-62.29	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-27.48	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-33.30	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-60.12	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-51.22	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-61.87	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-20.90	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-56.60	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-54.04	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-62.23	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-25.47	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-31.56	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-58.78	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-52.17	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-62.26	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-19.89	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-32.26	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-59.62	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-50.96	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-62.08	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-31.33	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-33.32	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-56.59	PASS

Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-52.69	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-62.10	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-28.66	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-32.88	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-55.79	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-53.13	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-61.95	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-29.80	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-32.69	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-56.70	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-51.23	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-62.24	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-31.43	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-33.09	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-57.33	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-51.99	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-62.09	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-30.49	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-33.21	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-56.96	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-52.54	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-62.25	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-30.08	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-32.38	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-57.25	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-52.57	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-62.16	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-41.40	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-32.84	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-56.49	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-52.50	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-62.04	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-43.89	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-33.21	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-55.31	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-51.39	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-62.00	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-38.28	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-33.09	PASS

Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-57.41	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-52.96	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-62.08	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-39.75	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-33.20	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-55.72	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-53.15	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-62.35	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-38.33	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-33.31	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-53.78	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-49.67	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-62.24	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-37.79	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-32.85	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-58.62	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-52.99	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-61.83	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-47.94	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-32.87	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-56.25	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-52.84	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-62.25	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-48.16	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-33.20	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-56.98	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-53.83	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-61.63	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-47.68	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-32.75	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-58.62	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-51.22	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-62.02	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-47.76	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-33.28	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-58.94	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-52.04	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-62.15	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-47.69	PASS

Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-29.86	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-58.17	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-54.44	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-62.21	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-47.73	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-29.85	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-57.52	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-53.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-62.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-47.56	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-33.05	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-56.04	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-52.68	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-61.85	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-47.86	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-33.25	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-57.45	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-51.57	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-62.29	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-47.97	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-33.05	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-57.35	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-53.15	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-62.32	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-47.52	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-32.66	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-56.79	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-52.43	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-62.08	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-47.64	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-29.43	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-58.13	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-51.92	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-62.08	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-47.91	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-30.95	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-56.53	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-52.04	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-62.33	PASS

Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-42.19	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-33.09	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-58.18	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-51.19	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-62.43	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-44.37	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-33.20	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-56.56	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-51.58	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-62.15	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-47.96	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-33.31	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-59.07	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-51.95	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-62.15	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-47.92	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-32.97	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-58.10	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-52.65	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-62.20	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-47.61	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-33.00	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-58.48	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-53.03	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-62.12	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-46.10	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-32.81	PASS

Test Graphs



Band2_1.4MHz_QPSK_18607_1RB#0_0.009~0.15_0.009~0.15



Band2_1.4MHz_QPSK_18607_1RB#0_0.15~30_0.15~30



Band2_1.4MHz_QPSK_18607_1RB#0_30~1000_30~1000



Band2_1.4MHz_QPSK_18607_1RB#0_1000~3000_1000~3000



Band2_1.4MHz_QPSK_18607_1RB#0_3000~20000_3000~20000



Band2_1.4MHz_16QAM_18607_1RB#0_0.009~0.15_0.009~0.15



Band2_1.4MHz_16QAM_18607_1RB#0_0.15~30_0.15~30



Band2_1.4MHz_16QAM_18607_1RB#0_30~1000_30~1000



Band2_1.4MHz_16QAM_18607_1RB#0_1000~3000_1000~3000



Band2_1.4MHz_16QAM_18607_1RB#0_3000~20000_3000~20000



Band2_1.4MHz_QPSK_18900_1RB#0_0.009~0.15_0.009~0.15



Band2_1.4MHz_QPSK_18900_1RB#0_0.15~30_0.15~30



Band2_1.4MHz_QPSK_18900_1RB#0_30~1000_30~1000



Band2_1.4MHz_QPSK_18900_1RB#0_1000~3000_1000~3000



Band2_1.4MHz_QPSK_18900_1RB#0_3000~20000_3000~20000



Band2_1.4MHz_16QAM_18900_1RB#0_0.009~0.15_0.009~0.15



Band2_1.4MHz_16QAM_18900_1RB#0_0.15~30_0.15~30



Band2_1.4MHz_16QAM_18900_1RB#0_30~1000_30~1000



Band2_1.4MHz_16QAM_18900_1RB#0_1000~3000_1000~3000



Band2_1.4MHz_16QAM_18900_1RB#0_3000~20000_3000~20000



Band2_1.4MHz_QPSK_19193_1RB#0_0.009~0.15_0.009~0.15



Band2_1.4MHz_QPSK_19193_1RB#0_0.15~30_0.15~30



Band2_1.4MHz_QPSK_19193_1RB#0_30~1000_30~1000



Band2_1.4MHz_QPSK_19193_1RB#0_1000~3000_1000~3000