

Appendix-D NR Band n66

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant8:

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	24.24	21.14	30	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	24.27	21.17	30	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	24.14	21.04	30	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	23.36	20.26	30	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	24.22	21.12	30	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	24.34	21.24	30	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	24.2	21.1	30	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	23.51	20.41	30	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	23.49	20.39	30	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	23.49	20.39	30	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	23.42	20.32	30	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	22.36	19.26	30	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	22.33	19.23	30	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	22.01	18.91	30	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	22.07	18.97	30	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	22.03	18.93	30	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	19.85	16.75	30	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	20.37	17.27	30	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	19.98	16.88	30	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	19.94	16.84	30	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	24.2	21.1	30	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	24.12	21.02	30	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	24.37	21.27	30	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	23.99	20.89	30	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	23.71	20.61	30	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	23.67	20.57	30	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	24.31	21.21	30	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	23.37	20.27	30	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	23.33	20.23	30	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	23.42	20.32	30	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	23.63	20.53	30	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	22.4	19.3	30	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	21.89	18.79	30	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	22.03	18.93	30	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	21.93	18.83	30	PASS

n66	15	5	DFT-64QAM	M	Outer_Full	21.99	18.89	30	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Left	19.96	16.86	30	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Right	20.22	17.12	30	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	20.19	17.09	30	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	19.89	16.79	30	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	24.25	21.15	30	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	24.21	21.11	30	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	24.27	21.17	30	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	23.75	20.65	30	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	24.32	21.22	30	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	23.84	20.74	30	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	24.25	21.15	30	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	22.93	19.83	30	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	23.3	20.2	30	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	23.46	20.36	30	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	23.33	20.23	30	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	22.4	19.3	30	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	21.82	18.72	30	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	21.73	18.63	30	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	21.84	18.74	30	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	21.97	18.87	30	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	19.85	16.75	30	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	19.46	16.36	30	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	19.52	16.42	30	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	19.81	16.71	30	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	24.28	21.18	30	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	24.35	21.25	30	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	24.33	21.23	30	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	24.03	20.93	30	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	24.36	21.26	30	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	24.36	21.26	30	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	24.36	21.26	30	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	23.56	20.46	30	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	23.59	20.49	30	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	23.53	20.43	30	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	23.62	20.52	30	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	22.57	19.47	30	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	21.77	18.67	30	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	21.84	18.74	30	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	22.11	19.01	30	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	22.05	18.95	30	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	19.99	16.89	30	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	19.92	16.82	30	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	20.03	16.93	30	PASS

n66	15	10	DFT-256QAM	L	Outer_Full	20.02	16.92	30	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Left	24.29	21.19	30	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	24.27	21.17	30	PASS
n66	15	10	DFT-BPSK	M	Inner_Full	24.24	21.14	30	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	24.01	20.91	30	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	24.06	20.96	30	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	24.13	21.03	30	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	24.35	21.25	30	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	23.4	20.3	30	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	23.27	20.17	30	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	23.34	20.24	30	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	23.6	20.5	30	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	22.5	19.4	30	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	21.98	18.88	30	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	21.93	18.83	30	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	21.91	18.81	30	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	22.06	18.96	30	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	20.13	17.03	30	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	20.23	17.13	30	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	20	16.9	30	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	19.94	16.84	30	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	24.26	21.16	30	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	24.11	21.01	30	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	24.26	21.16	30	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	23.71	20.61	30	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	24.01	20.91	30	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	24.28	21.18	30	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	24.22	21.12	30	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	22.86	19.76	30	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	23.68	20.58	30	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	23.41	20.31	30	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	23.62	20.52	30	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	22.39	19.29	30	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	21.78	18.68	30	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	22.1	19	30	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	21.56	18.46	30	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	20.87	17.77	30	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	19.31	16.21	30	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	19.35	16.25	30	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	19.82	16.72	30	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	19.77	16.67	30	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	24.32	21.22	30	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	24.25	21.15	30	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	24.29	21.19	30	PASS

n66	15	15	DFT-BPSK	L	Outer_Full	23.95	20.85	30	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Left	24.3	21.2	30	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	24.26	21.16	30	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	24.26	21.16	30	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	23.53	20.43	30	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	23.64	20.54	30	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	23.16	20.06	30	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	23.52	20.42	30	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	22.47	19.37	30	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	22.18	19.08	30	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	22.18	19.08	30	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	22.03	18.93	30	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	22.04	18.94	30	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	19.52	16.42	30	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	19.45	16.35	30	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	19.93	16.83	30	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	19.98	16.88	30	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	24.35	21.25	30	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	24.26	21.16	30	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	24.35	21.25	30	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	23.91	20.81	30	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	24.39	21.29	30	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	24.23	21.13	30	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	24.35	21.25	30	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	23.55	20.45	30	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	23.41	20.31	30	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	23.21	20.11	30	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	23.38	20.28	30	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	22.38	19.28	30	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	22.41	19.31	30	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	22.01	18.91	30	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	21.89	18.79	30	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	21.93	18.83	30	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	19.83	16.73	30	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	20.22	17.12	30	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	19.91	16.81	30	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	20.04	16.94	30	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	24.22	21.12	30	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	24.1	21	30	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	24.12	21.02	30	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	23.69	20.59	30	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.86	20.76	30	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	24.25	21.15	30	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	24.26	21.16	30	PASS

n66	15	15	DFT-QPSK	H	Outer_Full	22.97	19.87	30	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Left	23.6	20.5	30	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	23.32	20.22	30	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	23.47	20.37	30	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	22.35	19.25	30	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Left	21.88	18.78	30	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	21.79	18.69	30	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	21.72	18.62	30	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	21.88	18.78	30	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	19.34	16.24	30	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	19.64	16.54	30	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	19.76	16.66	30	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	19.8	16.7	30	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	24.2	21.1	30	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	24.22	21.12	30	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	24.27	21.17	30	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	23.89	20.79	30	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	24.21	21.11	30	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	24.21	21.11	30	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	24.22	21.12	30	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	23.43	20.33	30	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	23.67	20.57	30	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	23.4	20.3	30	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	23.5	20.4	30	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	22.51	19.41	30	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	22.14	19.04	30	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	22.08	18.98	30	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	21.98	18.88	30	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	22.05	18.95	30	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	19.93	16.83	30	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	19.88	16.78	30	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	20.01	16.91	30	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	19.9	16.8	30	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	24.22	21.12	30	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	24.38	21.28	30	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	24.22	21.12	30	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	24.08	20.98	30	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	24.1	21	30	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	24.07	20.97	30	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	24.32	21.22	30	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	23.44	20.34	30	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	23.45	20.35	30	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	23.16	20.06	30	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	23.4	20.3	30	PASS

n66	15	20	DFT-16QAM	M	Outer_Full	22.56	19.46	30	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Left	21.89	18.79	30	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	21.85	18.75	30	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	21.98	18.88	30	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	21.85	18.75	30	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	19.35	16.25	30	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Right	19.25	16.15	30	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	19.95	16.85	30	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	19.97	16.87	30	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	24.38	21.28	30	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	24.05	20.95	30	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	24.27	21.17	30	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	23.19	20.09	30	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	24.25	21.15	30	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	24.38	21.28	30	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	24.31	21.21	30	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	23.4	20.3	30	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	23.17	20.07	30	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	23.23	20.13	30	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	23.54	20.44	30	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	21.9	18.8	30	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	22.29	19.19	30	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	21.64	18.54	30	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	21.63	18.53	30	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	21.55	18.45	30	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	19.29	16.19	30	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	19.71	16.61	30	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	19.71	16.61	30	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	19.73	16.63	30	PASS

Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.49	≤13dB	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	5.65	≤13dB	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	6.41	≤13dB	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	6.54	≤13dB	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	6.7	≤13dB	PASS
n66	15	5	CP-QPSK	L	Outer_Full	7.95	≤13dB	PASS
n66	15	5	CP-16QAM	L	Outer_Full	7.92	≤13dB	PASS
n66	15	5	CP-64QAM	L	Outer_Full	8.21	≤13dB	PASS
n66	15	5	CP-256QAM	L	Outer_Full	8.5	≤13dB	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.53	≤13dB	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	5.65	≤13dB	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	6.36	≤13dB	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	6.56	≤13dB	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	6.66	≤13dB	PASS
n66	15	5	CP-QPSK	M	Outer_Full	7.87	≤13dB	PASS
n66	15	5	CP-16QAM	M	Outer_Full	7.72	≤13dB	PASS
n66	15	5	CP-64QAM	M	Outer_Full	8.21	≤13dB	PASS
n66	15	5	CP-256QAM	M	Outer_Full	8.25	≤13dB	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.43	≤13dB	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	5.43	≤13dB	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	6.34	≤13dB	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	6.46	≤13dB	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	6.84	≤13dB	PASS
n66	15	5	CP-QPSK	H	Outer_Full	5.48	≤13dB	PASS
n66	15	5	CP-16QAM	H	Outer_Full	7.51	≤13dB	PASS
n66	15	5	CP-64QAM	H	Outer_Full	7.97	≤13dB	PASS
n66	15	5	CP-256QAM	H	Outer_Full	8.62	≤13dB	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	4.54	≤13dB	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	5.57	≤13dB	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	6.4	≤13dB	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	6.44	≤13dB	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	6.58	≤13dB	PASS
n66	15	10	CP-QPSK	L	Outer_Full	7.99	≤13dB	PASS
n66	15	10	CP-16QAM	L	Outer_Full	7.96	≤13dB	PASS
n66	15	10	CP-64QAM	L	Outer_Full	8.24	≤13dB	PASS
n66	15	10	CP-256QAM	L	Outer_Full	8.37	≤13dB	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	4.42	≤13dB	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	5.6	≤13dB	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	6.36	≤13dB	PASS


n66	15	10	DFT-64QAM	M	Outer_Full	6.47	≤13dB	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	6.6	≤13dB	PASS
n66	15	10	CP-QPSK	M	Outer_Full	7.9	≤13dB	PASS
n66	15	10	CP-16QAM	M	Outer_Full	7.82	≤13dB	PASS
n66	15	10	CP-64QAM	M	Outer_Full	8.14	≤13dB	PASS
n66	15	10	CP-256QAM	M	Outer_Full	8.37	≤13dB	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	4.24	≤13dB	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	5.36	≤13dB	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	6.15	≤13dB	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	6.47	≤13dB	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	6.62	≤13dB	PASS
n66	15	10	CP-QPSK	H	Outer_Full	7.44	≤13dB	PASS
n66	15	10	CP-16QAM	H	Outer_Full	7.39	≤13dB	PASS
n66	15	10	CP-64QAM	H	Outer_Full	7.91	≤13dB	PASS
n66	15	10	CP-256QAM	H	Outer_Full	8.45	≤13dB	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	4.59	≤13dB	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	5.49	≤13dB	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	6.32	≤13dB	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	6.48	≤13dB	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	6.73	≤13dB	PASS
n66	15	15	CP-QPSK	L	Outer_Full	8.06	≤13dB	PASS
n66	15	15	CP-16QAM	L	Outer_Full	8.07	≤13dB	PASS
n66	15	15	CP-64QAM	L	Outer_Full	8.25	≤13dB	PASS
n66	15	15	CP-256QAM	L	Outer_Full	8.14	≤13dB	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	4.3	≤13dB	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	5.55	≤13dB	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	6.25	≤13dB	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	6.37	≤13dB	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	6.6	≤13dB	PASS
n66	15	15	CP-QPSK	M	Outer_Full	7.81	≤13dB	PASS
n66	15	15	CP-16QAM	M	Outer_Full	7.88	≤13dB	PASS
n66	15	15	CP-64QAM	M	Outer_Full	8	≤13dB	PASS
n66	15	15	CP-256QAM	M	Outer_Full	8.46	≤13dB	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	4.33	≤13dB	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	5.39	≤13dB	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	6.13	≤13dB	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	6.33	≤13dB	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	6.6	≤13dB	PASS
n66	15	15	CP-QPSK	H	Outer_Full	7.73	≤13dB	PASS
n66	15	15	CP-16QAM	H	Outer_Full	7.68	≤13dB	PASS
n66	15	15	CP-64QAM	H	Outer_Full	8.07	≤13dB	PASS
n66	15	15	CP-256QAM	H	Outer_Full	8.46	≤13dB	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	4.69	≤13dB	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	5.62	≤13dB	PASS


n66	15	20	DFT-16QAM	L	Outer_Full	6.41	≤13dB	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	6.55	≤13dB	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	6.66	≤13dB	PASS
n66	15	20	CP-QPSK	L	Outer_Full	8.09	≤13dB	PASS
n66	15	20	CP-16QAM	L	Outer_Full	8.04	≤13dB	PASS
n66	15	20	CP-64QAM	L	Outer_Full	8.39	≤13dB	PASS
n66	15	20	CP-256QAM	L	Outer_Full	8.57	≤13dB	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	4.57	≤13dB	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	5.62	≤13dB	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	6.44	≤13dB	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	6.41	≤13dB	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	6.84	≤13dB	PASS
n66	15	20	CP-QPSK	M	Outer_Full	7.9	≤13dB	PASS
n66	15	20	CP-16QAM	M	Outer_Full	7.82	≤13dB	PASS
n66	15	20	CP-64QAM	M	Outer_Full	8.21	≤13dB	PASS
n66	15	20	CP-256QAM	M	Outer_Full	8.38	≤13dB	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	4.18	≤13dB	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	5.3	≤13dB	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	6.26	≤13dB	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	6.51	≤13dB	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	6.69	≤13dB	PASS
n66	15	20	CP-QPSK	H	Outer_Full	7.68	≤13dB	PASS
n66	15	20	CP-16QAM	H	Outer_Full	7.59	≤13dB	PASS
n66	15	20	CP-64QAM	H	Outer_Full	7.99	≤13dB	PASS
n66	15	20	CP-256QAM	H	Outer_Full	8.4	≤13dB	PASS


Test Graphs


















































26dB Bandwidth and Occupied Bandwidth for SA**Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.4765	5.022	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.4836	5.139	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	4.4789	5.003	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	4.4773	5.028	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	4.4815	5.024	PASS
n66	15	5	CP-QPSK	L	Outer_Full	4.4818	5.129	PASS
n66	15	5	CP-16QAM	L	Outer_Full	4.4754	5.131	PASS
n66	15	5	CP-64QAM	L	Outer_Full	4.4780	5.059	PASS
n66	15	5	CP-256QAM	L	Outer_Full	4.4766	5.092	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.4722	5.027	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.4814	5.155	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	4.4671	5.045	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	4.4810	4.995	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	4.4782	5.033	PASS
n66	15	5	CP-QPSK	M	Outer_Full	4.4702	5.138	PASS
n66	15	5	CP-16QAM	M	Outer_Full	4.4832	5.036	PASS
n66	15	5	CP-64QAM	M	Outer_Full	4.4716	5.100	PASS
n66	15	5	CP-256QAM	M	Outer_Full	4.4717	5.149	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.4893	5.036	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.4754	5.119	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	4.4835	4.954	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	4.4741	5.034	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	4.4872	5.062	PASS
n66	15	5	CP-QPSK	H	Outer_Full	4.4850	5.082	PASS
n66	15	5	CP-16QAM	H	Outer_Full	4.4832	5.154	PASS
n66	15	5	CP-64QAM	H	Outer_Full	4.4838	5.066	PASS
n66	15	5	CP-256QAM	H	Outer_Full	4.4758	5.052	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	8.9354	9.644	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	8.9182	9.654	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	8.9434	9.728	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	8.9357	9.626	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	8.9172	9.663	PASS
n66	15	10	CP-QPSK	L	Outer_Full	9.2886	10.13	PASS
n66	15	10	CP-16QAM	L	Outer_Full	9.2751	10.03	PASS
n66	15	10	CP-64QAM	L	Outer_Full	9.2864	10.11	PASS
n66	15	10	CP-256QAM	L	Outer_Full	9.2772	9.955	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	8.9248	9.625	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	8.9250	9.734	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	8.9540	9.584	PASS

n66	15	10	DFT-64QAM	M	Outer_Full	8.9182	9.671	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	8.9199	9.649	PASS
n66	15	10	CP-QPSK	M	Outer_Full	9.2767	10.06	PASS
n66	15	10	CP-16QAM	M	Outer_Full	9.2876	12.63	PASS
n66	15	10	CP-64QAM	M	Outer_Full	9.2770	10.04	PASS
n66	15	10	CP-256QAM	M	Outer_Full	9.3038	10.04	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	8.9289	9.622	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	8.9116	9.532	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	8.9336	9.649	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	8.9130	9.710	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.9441	9.740	PASS
n66	15	10	CP-QPSK	H	Outer_Full	9.2892	10.00	PASS
n66	15	10	CP-16QAM	H	Outer_Full	9.2814	10.06	PASS
n66	15	10	CP-64QAM	H	Outer_Full	9.2988	10.10	PASS
n66	15	10	CP-256QAM	H	Outer_Full	9.2750	9.908	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	13.404	14.23	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	13.418	14.41	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	13.396	14.31	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	13.400	14.32	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	13.380	14.30	PASS
n66	15	15	CP-QPSK	L	Outer_Full	14.087	15.04	PASS
n66	15	15	CP-16QAM	L	Outer_Full	14.100	15.01	PASS
n66	15	15	CP-64QAM	L	Outer_Full	14.119	15.02	PASS
n66	15	15	CP-256QAM	L	Outer_Full	14.104	14.98	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	13.408	14.18	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	13.404	14.25	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	13.407	14.33	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	13.405	14.27	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	13.409	14.28	PASS
n66	15	15	CP-QPSK	M	Outer_Full	14.096	15.00	PASS
n66	15	15	CP-16QAM	M	Outer_Full	14.108	20.87	PASS
n66	15	15	CP-64QAM	M	Outer_Full	14.118	15.00	PASS
n66	15	15	CP-256QAM	M	Outer_Full	14.095	14.96	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	13.394	14.27	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	13.411	14.30	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	13.385	14.30	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	13.402	14.93	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	13.373	14.17	PASS
n66	15	15	CP-QPSK	H	Outer_Full	14.082	14.93	PASS
n66	15	15	CP-16QAM	H	Outer_Full	14.112	14.95	PASS
n66	15	15	CP-64QAM	H	Outer_Full	14.111	15.03	PASS
n66	15	15	CP-256QAM	H	Outer_Full	14.096	14.91	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	17.855	18.83	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	17.857	18.87	PASS

n66	15	20	DFT-16QAM	L	Outer_Full	17.854	18.78	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	17.871	18.88	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.849	18.79	PASS
n66	15	20	CP-QPSK	L	Outer_Full	18.912	19.99	PASS
n66	15	20	CP-16QAM	L	Outer_Full	18.910	20.10	PASS
n66	15	20	CP-64QAM	L	Outer_Full	18.916	19.92	PASS
n66	15	20	CP-256QAM	L	Outer_Full	18.959	19.98	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	17.862	18.91	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	17.851	18.84	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	17.870	18.94	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	17.847	18.82	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.854	18.85	PASS
n66	15	20	CP-QPSK	M	Outer_Full	18.912	19.96	PASS
n66	15	20	CP-16QAM	M	Outer_Full	18.919	25.40	PASS
n66	15	20	CP-64QAM	M	Outer_Full	18.899	19.98	PASS
n66	15	20	CP-256QAM	M	Outer_Full	18.930	20.00	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	17.850	18.83	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	17.839	18.90	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	17.862	18.84	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	17.849	18.86	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	17.858	18.97	PASS
n66	15	20	CP-QPSK	H	Outer_Full	18.878	19.95	PASS
n66	15	20	CP-16QAM	H	Outer_Full	18.924	20.03	PASS
n66	15	20	CP-64QAM	H	Outer_Full	18.899	19.93	PASS
n66	15	20	CP-256QAM	H	Outer_Full	18.947	20.00	PASS

Test Graphs

