

Appendix B LTE Band 12

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B12_1.4MHz_ERP

Band: 12 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	23.84	-4.10	17.59	<=34.77	Pass
			2	23.88	-4.10	17.63	<=34.77	Pass
			5	23.81	-4.10	17.56	<=34.77	Pass
		3	0	23.91	-4.10	17.66	<=34.77	Pass
			2	23.85	-4.10	17.60	<=34.77	Pass
			3	23.89	-4.10	17.64	<=34.77	Pass
		6	0	22.95	-4.10	16.70	<=34.77	Pass
	707.5	1	0	23.80	-4.10	17.55	<=34.77	Pass
			2	23.91	-4.10	17.66	<=34.77	Pass
			5	23.91	-4.10	17.66	<=34.77	Pass
		3	0	23.83	-4.10	17.58	<=34.77	Pass
			2	23.84	-4.10	17.59	<=34.77	Pass
			3	23.84	-4.10	17.59	<=34.77	Pass
		6	0	22.76	-4.10	16.51	<=34.77	Pass
	715.3	1	0	23.63	-4.10	17.38	<=34.77	Pass
			2	23.67	-4.10	17.42	<=34.77	Pass
			5	23.64	-4.10	17.39	<=34.77	Pass
		3	0	23.62	-4.10	17.37	<=34.77	Pass
			2	23.65	-4.10	17.40	<=34.77	Pass
			3	23.63	-4.10	17.38	<=34.77	Pass
16QAM	699.7	1	0	23.04	-4.10	16.79	<=34.77	Pass
			2	23.20	-4.10	16.95	<=34.77	Pass
			5	22.97	-4.10	16.72	<=34.77	Pass
		3	0	23.08	-4.10	16.83	<=34.77	Pass
			2	23.07	-4.10	16.82	<=34.77	Pass
			3	23.02	-4.10	16.77	<=34.77	Pass
		6	0	21.95	-4.10	15.70	<=34.77	Pass
	707.5	1	0	22.93	-4.10	16.68	<=34.77	Pass
			2	23.06	-4.10	16.81	<=34.77	Pass
			5	22.94	-4.10	16.69	<=34.77	Pass
		3	0	22.96	-4.10	16.71	<=34.77	Pass
			2	22.96	-4.10	16.71	<=34.77	Pass
			3	22.96	-4.10	16.71	<=34.77	Pass
		6	0	21.85	-4.10	15.60	<=34.77	Pass
	715.3	1	0	22.92	-4.10	16.67	<=34.77	Pass
			2	22.94	-4.10	16.69	<=34.77	Pass
			5	22.76	-4.10	16.51	<=34.77	Pass
		3	0	22.80	-4.10	16.55	<=34.77	Pass
			2	22.79	-4.10	16.54	<=34.77	Pass
			3	22.72	-4.10	16.47	<=34.77	Pass
64QAM	699.7	1	0	21.73	-4.10	15.48	<=34.77	Pass
			2	21.97	-4.10	15.72	<=34.77	Pass
			5	22.02	-4.10	15.77	<=34.77	Pass
		3	0	21.98	-4.10	15.73	<=34.77	Pass
			2	21.87	-4.10	15.62	<=34.77	Pass
			3	21.87	-4.10	15.62	<=34.77	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

	707.5	6	2	21.89	-4.10	15.64	<=34.77	Pass
			3	21.84	-4.10	15.59	<=34.77	Pass
			0	20.81	-4.10	14.56	<=34.77	Pass
		1	0	21.95	-4.10	15.70	<=34.77	Pass
			2	21.97	-4.10	15.72	<=34.77	Pass
			5	21.90	-4.10	15.65	<=34.77	Pass
		3	0	21.76	-4.10	15.51	<=34.77	Pass
			2	21.82	-4.10	15.57	<=34.77	Pass
			3	21.76	-4.10	15.51	<=34.77	Pass
		6	0	20.54	-4.10	14.29	<=34.77	Pass
	715.3	1	0	21.65	-4.10	15.40	<=34.77	Pass
			2	21.75	-4.10	15.50	<=34.77	Pass
			5	21.61	-4.10	15.36	<=34.77	Pass
		3	0	21.70	-4.10	15.45	<=34.77	Pass
			2	21.64	-4.10	15.39	<=34.77	Pass
			3	21.66	-4.10	15.41	<=34.77	Pass
		6	0	20.55	-4.10	14.30	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B12_3MHz_ERP

Band: 12 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	23.93	-4.10	17.68	<=34.77	Pass
			7	24.04	-4.10	17.79	<=34.77	Pass
			14	23.90	-4.10	17.65	<=34.77	Pass
		8	0	23.01	-4.10	16.76	<=34.77	Pass
			4	23.00	-4.10	16.75	<=34.77	Pass
			7	22.98	-4.10	16.73	<=34.77	Pass
		15	0	23.01	-4.10	16.76	<=34.77	Pass
	707.5	1	0	23.90	-4.10	17.65	<=34.77	Pass
			7	23.96	-4.10	17.71	<=34.77	Pass
			14	23.85	-4.10	17.60	<=34.77	Pass
		8	0	22.89	-4.10	16.64	<=34.77	Pass
			4	22.86	-4.10	16.61	<=34.77	Pass
			7	22.89	-4.10	16.64	<=34.77	Pass
		15	0	22.83	-4.10	16.58	<=34.77	Pass
	714.5	1	0	23.70	-4.10	17.45	<=34.77	Pass
			7	23.81	-4.10	17.56	<=34.77	Pass
			14	23.67	-4.10	17.42	<=34.77	Pass
		8	0	22.71	-4.10	16.46	<=34.77	Pass
			4	22.79	-4.10	16.54	<=34.77	Pass
			7	22.78	-4.10	16.53	<=34.77	Pass
		15	0	22.69	-4.10	16.44	<=34.77	Pass
16QAM	700.5	1	0	23.16	-4.10	16.91	<=34.77	Pass
			7	23.12	-4.10	16.87	<=34.77	Pass
			14	23.10	-4.10	16.85	<=34.77	Pass
		8	0	22.05	-4.10	15.80	<=34.77	Pass
			4	22.03	-4.10	15.78	<=34.77	Pass
			7	22.03	-4.10	15.78	<=34.77	Pass
		15	0	22.00	-4.10	15.75	<=34.77	Pass
	707.5	1	0	22.94	-4.10	16.69	<=34.77	Pass
			7	23.15	-4.10	16.90	<=34.77	Pass
			14	22.93	-4.10	16.68	<=34.77	Pass
		8	0	21.88	-4.10	15.63	<=34.77	Pass
			4	21.90	-4.10	15.65	<=34.77	Pass
			7	21.91	-4.10	15.66	<=34.77	Pass
		15	0	21.86	-4.10	15.61	<=34.77	Pass
	714.5	1	0	22.88	-4.10	16.63	<=34.77	Pass
			7	23.04	-4.10	16.79	<=34.77	Pass
			14	22.91	-4.10	16.66	<=34.77	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	700.5	8	0	21.73	-4.10	15.48	<=34.77	Pass
			4	21.82	-4.10	15.57	<=34.77	Pass
			7	21.80	-4.10	15.55	<=34.77	Pass
		15	0	21.73	-4.10	15.48	<=34.77	Pass
			0	21.81	-4.10	15.56	<=34.77	Pass
			7	22.02	-4.10	15.77	<=34.77	Pass
		8	14	21.81	-4.10	15.56	<=34.77	Pass
			0	20.83	-4.10	14.58	<=34.77	Pass
			4	20.91	-4.10	14.66	<=34.77	Pass
	707.5	8	7	20.76	-4.10	14.51	<=34.77	Pass
			0	20.86	-4.10	14.61	<=34.77	Pass
			0	21.91	-4.10	15.66	<=34.77	Pass
		1	7	22.05	-4.10	15.80	<=34.77	Pass
			14	21.89	-4.10	15.64	<=34.77	Pass
			0	20.71	-4.10	14.46	<=34.77	Pass
		8	4	20.63	-4.10	14.38	<=34.77	Pass
			7	20.76	-4.10	14.51	<=34.77	Pass
			0	20.67	-4.10	14.42	<=34.77	Pass
	714.5	1	0	21.77	-4.10	15.52	<=34.77	Pass
			7	21.82	-4.10	15.57	<=34.77	Pass
			14	21.79	-4.10	15.54	<=34.77	Pass
		8	0	20.59	-4.10	14.34	<=34.77	Pass
			4	20.70	-4.10	14.45	<=34.77	Pass
			7	20.55	-4.10	14.30	<=34.77	Pass
		15	0	20.50	-4.10	14.25	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B12_5MHz_ERP

Band: 12 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	24.05	-4.10	17.80	<=34.77	Pass
			13	24.09	-4.10	17.84	<=34.77	Pass
			24	23.98	-4.10	17.73	<=34.77	Pass
		12	0	22.97	-4.10	16.72	<=34.77	Pass
			6	23.05	-4.10	16.80	<=34.77	Pass
			13	23.03	-4.10	16.78	<=34.77	Pass
		25	0	23.01	-4.10	16.76	<=34.77	Pass
	707.5	1	0	24.03	-4.10	17.78	<=34.77	Pass
			13	23.96	-4.10	17.71	<=34.77	Pass
			24	23.87	-4.10	17.62	<=34.77	Pass
		12	0	22.91	-4.10	16.66	<=34.77	Pass
			6	22.90	-4.10	16.65	<=34.77	Pass
			13	22.90	-4.10	16.65	<=34.77	Pass
		25	0	22.83	-4.10	16.58	<=34.77	Pass
	713.5	1	0	23.94	-4.10	17.69	<=34.77	Pass
			13	23.85	-4.10	17.60	<=34.77	Pass
			24	23.81	-4.10	17.56	<=34.77	Pass
		12	0	22.80	-4.10	16.55	<=34.77	Pass
			6	22.81	-4.10	16.56	<=34.77	Pass
			13	22.77	-4.10	16.52	<=34.77	Pass
		25	0	22.78	-4.10	16.53	<=34.77	Pass
16QAM	701.5	1	0	23.24	-4.10	16.99	<=34.77	Pass
			13	23.28	-4.10	17.03	<=34.77	Pass
			24	23.10	-4.10	16.85	<=34.77	Pass
		12	0	22.01	-4.10	15.76	<=34.77	Pass
			6	22.10	-4.10	15.85	<=34.77	Pass
			13	22.10	-4.10	15.85	<=34.77	Pass
		25	0	22.05	-4.10	15.80	<=34.77	Pass
	707.5	1	0	23.26	-4.10	17.01	<=34.77	Pass
			13	23.28	-4.10	17.03	<=34.77	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


		12	24	23.14	-4.10	16.89	<=34.77	Pass		
			0	21.95	-4.10	15.70	<=34.77	Pass		
			6	21.90	-4.10	15.65	<=34.77	Pass		
			13	21.90	-4.10	15.65	<=34.77	Pass		
		25	0	21.89	-4.10	15.64	<=34.77	Pass		
	713.5	1	0	22.96	-4.10	16.71	<=34.77	Pass		
			13	23.04	-4.10	16.79	<=34.77	Pass		
			24	22.95	-4.10	16.70	<=34.77	Pass		
		12	0	21.88	-4.10	15.63	<=34.77	Pass		
			6	21.85	-4.10	15.60	<=34.77	Pass		
			13	21.84	-4.10	15.59	<=34.77	Pass		
		25	0	21.81	-4.10	15.56	<=34.77	Pass		
		64QAM	701.5	1	0	21.98	-4.10	15.73	<=34.77	Pass
					13	22.02	-4.10	15.77	<=34.77	Pass
	24				21.88	-4.10	15.63	<=34.77	Pass	
	12			0	20.79	-4.10	14.54	<=34.77	Pass	
				6	20.86	-4.10	14.61	<=34.77	Pass	
				13	20.84	-4.10	14.59	<=34.77	Pass	
	25		0	20.82	-4.10	14.57	<=34.77	Pass		
707.5	1		0	21.87	-4.10	15.62	<=34.77	Pass		
			13	22.03	-4.10	15.78	<=34.77	Pass		
			24	21.90	-4.10	15.65	<=34.77	Pass		
	12		0	20.72	-4.10	14.47	<=34.77	Pass		
			6	20.71	-4.10	14.46	<=34.77	Pass		
			13	20.72	-4.10	14.47	<=34.77	Pass		
25	0		20.67	-4.10	14.42	<=34.77	Pass			
713.5	1	0	21.69	-4.10	15.44	<=34.77	Pass			
		13	21.72	-4.10	15.47	<=34.77	Pass			
		24	21.69	-4.10	15.44	<=34.77	Pass			
	12	0	20.65	-4.10	14.40	<=34.77	Pass			
		6	20.62	-4.10	14.37	<=34.77	Pass			
		13	20.60	-4.10	14.35	<=34.77	Pass			
25	0	20.60	-4.10	14.35	<=34.77	Pass				
Note1: ERP=Conducted Power+Antenna Gain-2.15										

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B12_10MHz_ERP

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	23.92	-4.10	17.67	<=34.77	Pass
			25	23.87	-4.10	17.62	<=34.77	Pass
			49	23.77	-4.10	17.52	<=34.77	Pass
		25	0	23.01	-4.10	16.76	<=34.77	Pass
			13	23.03	-4.10	16.78	<=34.77	Pass
			25	22.99	-4.10	16.74	<=34.77	Pass
		50	0	23.03	-4.10	16.78	<=34.77	Pass
			0	23.95	-4.10	17.70	<=34.77	Pass
			25	23.91	-4.10	17.66	<=34.77	Pass
	707.5	1	49	23.71	-4.10	17.46	<=34.77	Pass
			0	22.94	-4.10	16.69	<=34.77	Pass
			13	22.90	-4.10	16.65	<=34.77	Pass
		25	25	22.90	-4.10	16.65	<=34.77	Pass
			0	22.89	-4.10	16.64	<=34.77	Pass
			0	23.94	-4.10	17.69	<=34.77	Pass
		50	25	23.86	-4.10	17.61	<=34.77	Pass
			49	23.72	-4.10	17.47	<=34.77	Pass
			0	22.87	-4.10	16.62	<=34.77	Pass
	711	1	13	22.91	-4.10	16.66	<=34.77	Pass
			25	22.85	-4.10	16.60	<=34.77	Pass
			0	22.87	-4.10	16.62	<=34.77	Pass
		25	0	23.17	-4.10	16.92	<=34.77	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	707.5	25	25	23.19	-4.10	16.94	<=34.77	Pass
			49	23.05	-4.10	16.80	<=34.77	Pass
			0	22.01	-4.10	15.76	<=34.77	Pass
			13	22.07	-4.10	15.82	<=34.77	Pass
			25	22.02	-4.10	15.77	<=34.77	Pass
		50	0	22.03	-4.10	15.78	<=34.77	Pass
		1	0	23.16	-4.10	16.91	<=34.77	Pass
			25	23.07	-4.10	16.82	<=34.77	Pass
			49	22.92	-4.10	16.67	<=34.77	Pass
			0	21.96	-4.10	15.71	<=34.77	Pass
			13	21.91	-4.10	15.66	<=34.77	Pass
			25	21.93	-4.10	15.68	<=34.77	Pass
		50	0	21.88	-4.10	15.63	<=34.77	Pass
	711	1	0	23.10	-4.10	16.85	<=34.77	Pass
			25	22.92	-4.10	16.67	<=34.77	Pass
			49	22.92	-4.10	16.67	<=34.77	Pass
		25	0	21.86	-4.10	15.61	<=34.77	Pass
			13	21.96	-4.10	15.71	<=34.77	Pass
			25	21.88	-4.10	15.63	<=34.77	Pass
		50	0	21.90	-4.10	15.65	<=34.77	Pass
	704	1	0	21.95	-4.10	15.70	<=34.77	Pass
			25	22.06	-4.10	15.81	<=34.77	Pass
			49	21.70	-4.10	15.45	<=34.77	Pass
		25	0	20.80	-4.10	14.55	<=34.77	Pass
			13	20.84	-4.10	14.59	<=34.77	Pass
			25	20.79	-4.10	14.54	<=34.77	Pass
		50	0	20.86	-4.10	14.61	<=34.77	Pass
		1	0	22.00	-4.10	15.75	<=34.77	Pass
			25	21.96	-4.10	15.71	<=34.77	Pass
			49	21.83	-4.10	15.58	<=34.77	Pass
		25	0	20.73	-4.10	14.48	<=34.77	Pass
			13	20.70	-4.10	14.45	<=34.77	Pass
			25	20.68	-4.10	14.43	<=34.77	Pass
		50	0	20.70	-4.10	14.45	<=34.77	Pass
	711	1	0	21.94	-4.10	15.69	<=34.77	Pass
			25	21.96	-4.10	15.71	<=34.77	Pass
			49	21.72	-4.10	15.47	<=34.77	Pass
		25	0	20.68	-4.10	14.43	<=34.77	Pass
			13	20.67	-4.10	14.42	<=34.77	Pass
			25	20.62	-4.10	14.37	<=34.77	Pass
		50	0	20.68	-4.10	14.43	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	699.7	6	0	20	3.27	-12.975	-0.0185	-2.5 to 2.5	Pass
					3.85	-8.326	-0.0119	-2.5 to 2.5	Pass
					4.43	-4.234	-0.0061	-2.5 to 2.5	Pass
				-30	3.85	-1.974	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	-1.202	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-1.187	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				40	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-1.302	-0.0019	-2.5 to 2.5	Pass
				20	3.27	9.871	0.0140	-2.5 to 2.5	Pass
					3.85	13.819	0.0195	-2.5 to 2.5	Pass
					4.43	14.148	0.0200	-2.5 to 2.5	Pass
				-30	3.85	9.055	0.0128	-2.5 to 2.5	Pass
				-20	3.85	5.937	0.0084	-2.5 to 2.5	Pass
				-10	3.85	4.349	0.0061	-2.5 to 2.5	Pass
				0	3.85	3.519	0.0050	-2.5 to 2.5	Pass
				10	3.85	1.831	0.0026	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.558	0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				20	3.27	-18.711	-0.0262	-2.5 to 2.5	Pass
					3.85	-12.431	-0.0174	-2.5 to 2.5	Pass
					4.43	-8.626	-0.0121	-2.5 to 2.5	Pass
				-30	3.85	-4.649	-0.0065	-2.5 to 2.5	Pass
				-20	3.85	-3.805	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-2.332	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-1.774	-0.0025	-2.5 to 2.5	Pass
				10	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				30	3.85	-1.917	-0.0027	-2.5 to 2.5	Pass
				40	3.85	-0.944	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-0.916	-0.0013	-2.5 to 2.5	Pass
16QAM	699.7	6	0	20	3.27	0.100	0.0001	-2.5 to 2.5	Pass
					3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.916	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	1.044	0.0015	-2.5 to 2.5	Pass
				-20	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				0	3.85	-1.388	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-0.901	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-1.702	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-0.587	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.114	-0.0002	-2.5 to 2.5	Pass
				20	3.27	1.173	0.0017	-2.5 to 2.5	Pass
					3.85	0.057	0.0001	-2.5 to 2.5	Pass
					4.43	-0.601	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.415	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.815	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-1.144	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-1.359	-0.0019	-2.5 to 2.5	Pass
	707.5	6	0	20	3.27	-1.173	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
					4.43	0.186	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.587	-0.0008	-2.5 to 2.5	Pass
				0	3.85	1.230	0.0017	-2.5 to 2.5	Pass
				10	3.85	1.073	0.0015	-2.5 to 2.5	Pass
				30	3.85	-1.016	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-1.101	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-0.529	-0.0007	-2.5 to 2.5	Pass
64QAM	699.7	6	0	20	3.27	0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-1.273	-0.0018	-2.5 to 2.5	Pass
					4.43	-0.401	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.100	0.0001	-2.5 to 2.5	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				-10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.730	0.0010	-2.5 to 2.5	Pass
				30	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.186	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.858	-0.0012	-2.5 to 2.5	Pass
	707.5	6	0	20	3.27	-0.200	-0.0003	-2.5 to 2.5	Pass
					3.85	0.916	0.0013	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.930	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	0.801	0.0011	-2.5 to 2.5	Pass
				-10	3.85	-0.257	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-1.101	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-1.159	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-0.644	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.186	-0.0003	-2.5 to 2.5	Pass
	715.3	6	0	20	3.27	-0.157	-0.0002	-2.5 to 2.5	Pass
					3.85	0.815	0.0011	-2.5 to 2.5	Pass
					4.43	-0.701	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.987	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass

2.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	700.5	15	0	20	3.27	1.173	0.0017	-2.5 to 2.5	Pass
					3.85	1.917	0.0027	-2.5 to 2.5	Pass
					4.43	0.415	0.0006	-2.5 to 2.5	Pass
				-30	3.85	1.059	0.0015	-2.5 to 2.5	Pass
				-20	3.85	0.529	0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.758	0.0011	-2.5 to 2.5	Pass
				0	3.85	0.272	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.830	0.0012	-2.5 to 2.5	Pass
				30	3.85	0.801	0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
				50	3.85	0.458	0.0007	-2.5 to 2.5	Pass
	707.5	15	0	20	3.27	1.645	0.0023	-2.5 to 2.5	Pass
					3.85	0.587	0.0008	-2.5 to 2.5	Pass
					4.43	1.073	0.0015	-2.5 to 2.5	Pass
				-30	3.85	0.830	0.0012	-2.5 to 2.5	Pass
				-20	3.85	1.416	0.0020	-2.5 to 2.5	Pass
				-10	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.801	0.0011	-2.5 to 2.5	Pass
				50	3.85	0.257	0.0004	-2.5 to 2.5	Pass
	714.5	15	0	20	3.27	1.774	0.0025	-2.5 to 2.5	Pass
					3.85	0.443	0.0006	-2.5 to 2.5	Pass
					4.43	0.629	0.0009	-2.5 to 2.5	Pass
				-30	3.85	1.302	0.0018	-2.5 to 2.5	Pass
				-20	3.85	1.016	0.0014	-2.5 to 2.5	Pass
				-10	3.85	1.302	0.0018	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

				0	3.85	1.960	0.0027	-2.5 to 2.5	Pass
				10	3.85	1.116	0.0016	-2.5 to 2.5	Pass
				30	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				40	3.85	1.302	0.0018	-2.5 to 2.5	Pass
				50	3.85	0.973	0.0014	-2.5 to 2.5	Pass
16QAM	700.5	15	0	20	3.27	0.129	0.0002	-2.5 to 2.5	Pass
					3.85	-0.014	0.0000	-2.5 to 2.5	Pass
					4.43	-0.529	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.386	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.672	0.0010	-2.5 to 2.5	Pass
				40	3.85	1.030	0.0015	-2.5 to 2.5	Pass
				50	3.85	0.587	0.0008	-2.5 to 2.5	Pass
	707.5	15	0	20	3.27	-0.129	-0.0002	-2.5 to 2.5	Pass
					3.85	0.572	0.0008	-2.5 to 2.5	Pass
					4.43	-0.143	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.801	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
				0	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				50	3.85	0.372	0.0005	-2.5 to 2.5	Pass
	714.5	15	0	20	3.27	1.101	0.0015	-2.5 to 2.5	Pass
					3.85	1.359	0.0019	-2.5 to 2.5	Pass
					4.43	1.302	0.0018	-2.5 to 2.5	Pass
				-30	3.85	1.373	0.0019	-2.5 to 2.5	Pass
				-20	3.85	1.659	0.0023	-2.5 to 2.5	Pass
				-10	3.85	1.717	0.0024	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0011	-2.5 to 2.5	Pass
				10	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.901	0.0013	-2.5 to 2.5	Pass
				50	3.85	0.629	0.0009	-2.5 to 2.5	Pass
64QAM	700.5	15	0	20	3.27	0.100	0.0001	-2.5 to 2.5	Pass
					3.85	0.229	0.0003	-2.5 to 2.5	Pass
					4.43	0.372	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.701	0.0010	-2.5 to 2.5	Pass
				-10	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0009	-2.5 to 2.5	Pass
				10	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				30	3.85	0.286	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.744	0.0011	-2.5 to 2.5	Pass
	707.5	15	0	20	3.27	0.858	0.0012	-2.5 to 2.5	Pass
					3.85	1.073	0.0015	-2.5 to 2.5	Pass
					4.43	0.987	0.0014	-2.5 to 2.5	Pass
				-30	3.85	0.944	0.0013	-2.5 to 2.5	Pass
				-20	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.544	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.672	0.0009	-2.5 to 2.5	Pass
				10	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				30	3.85	0.715	0.0010	-2.5 to 2.5	Pass
				40	3.85	1.216	0.0017	-2.5 to 2.5	Pass
				50	3.85	1.445	0.0020	-2.5 to 2.5	Pass
	714.5	15	0	20	3.27	0.858	0.0012	-2.5 to 2.5	Pass
					3.85	0.615	0.0009	-2.5 to 2.5	Pass
					3.85	0.615	0.0009	-2.5 to 2.5	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

					4.43	0.973	0.0014	-2.5 to 2.5	Pass
				-30	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.472	0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.858	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.587	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.944	-0.0013	-2.5 to 2.5	Pass

2.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	701.5	25	0	20	3.27	-0.501	-0.0007	-2.5 to 2.5	Pass
					3.85	0.043	0.0001	-2.5 to 2.5	Pass
					4.43	0.114	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				-20	3.85	1.044	0.0015	-2.5 to 2.5	Pass
				-10	3.85	1.287	0.0018	-2.5 to 2.5	Pass
				0	3.85	2.131	0.0030	-2.5 to 2.5	Pass
				10	3.85	2.532	0.0036	-2.5 to 2.5	Pass
				30	3.85	1.202	0.0017	-2.5 to 2.5	Pass
				40	3.85	1.030	0.0015	-2.5 to 2.5	Pass
				50	3.85	1.860	0.0027	-2.5 to 2.5	Pass
	707.5	25	0	20	3.27	1.273	0.0018	-2.5 to 2.5	Pass
					3.85	1.202	0.0017	-2.5 to 2.5	Pass
					4.43	0.715	0.0010	-2.5 to 2.5	Pass
				-30	3.85	0.730	0.0010	-2.5 to 2.5	Pass
				-20	3.85	1.030	0.0015	-2.5 to 2.5	Pass
				-10	3.85	1.044	0.0015	-2.5 to 2.5	Pass
				0	3.85	1.245	0.0018	-2.5 to 2.5	Pass
				10	3.85	1.545	0.0022	-2.5 to 2.5	Pass
				30	3.85	0.358	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.386	0.0005	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	0.343	0.0005	-2.5 to 2.5	Pass
					3.85	0.215	0.0003	-2.5 to 2.5	Pass
					4.43	0.043	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0011	-2.5 to 2.5	Pass
				10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.286	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.629	0.0009	-2.5 to 2.5	Pass
16QAM	701.5	25	0	20	3.27	1.817	0.0026	-2.5 to 2.5	Pass
					3.85	2.475	0.0035	-2.5 to 2.5	Pass
					4.43	2.904	0.0041	-2.5 to 2.5	Pass
				-30	3.85	3.233	0.0046	-2.5 to 2.5	Pass
				-20	3.85	3.233	0.0046	-2.5 to 2.5	Pass
				-10	3.85	2.789	0.0040	-2.5 to 2.5	Pass
				0	3.85	2.618	0.0037	-2.5 to 2.5	Pass
				10	3.85	2.546	0.0036	-2.5 to 2.5	Pass
				30	3.85	2.818	0.0040	-2.5 to 2.5	Pass
				40	3.85	2.632	0.0038	-2.5 to 2.5	Pass
				50	3.85	2.804	0.0040	-2.5 to 2.5	Pass
	707.5	25	0	20	3.27	0.429	0.0006	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.687	-0.0010	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				-30	3.85	-0.844	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	0.687	0.0010	-2.5 to 2.5	Pass
					3.85	1.402	0.0020	-2.5 to 2.5	Pass
					4.43	1.616	0.0023	-2.5 to 2.5	Pass
				-30	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				-10	3.85	0.644	0.0009	-2.5 to 2.5	Pass
				0	3.85	1.888	0.0026	-2.5 to 2.5	Pass
				10	3.85	1.817	0.0025	-2.5 to 2.5	Pass
				30	3.85	1.574	0.0022	-2.5 to 2.5	Pass
				40	3.85	2.360	0.0033	-2.5 to 2.5	Pass
				50	3.85	2.604	0.0036	-2.5 to 2.5	Pass
64QAM	701.5	25	0	20	3.27	1.316	0.0019	-2.5 to 2.5	Pass
					3.85	0.901	0.0013	-2.5 to 2.5	Pass
					4.43	1.345	0.0019	-2.5 to 2.5	Pass
				-30	3.85	1.144	0.0016	-2.5 to 2.5	Pass
				-20	3.85	1.287	0.0018	-2.5 to 2.5	Pass
				-10	3.85	1.159	0.0017	-2.5 to 2.5	Pass
				0	3.85	0.930	0.0013	-2.5 to 2.5	Pass
				10	3.85	1.001	0.0014	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.930	0.0013	-2.5 to 2.5	Pass
	707.5	25	0	20	3.27	-0.358	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.229	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.257	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.157	0.0002	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	2.403	0.0034	-2.5 to 2.5	Pass
					3.85	2.618	0.0037	-2.5 to 2.5	Pass
					4.43	2.646	0.0037	-2.5 to 2.5	Pass
				-30	3.85	2.875	0.0040	-2.5 to 2.5	Pass
				-20	3.85	2.918	0.0041	-2.5 to 2.5	Pass
				-10	3.85	2.761	0.0039	-2.5 to 2.5	Pass
				0	3.85	2.618	0.0037	-2.5 to 2.5	Pass
				10	3.85	2.332	0.0033	-2.5 to 2.5	Pass
				30	3.85	2.003	0.0028	-2.5 to 2.5	Pass
				40	3.85	2.031	0.0028	-2.5 to 2.5	Pass
				50	3.85	0.429	0.0006	-2.5 to 2.5	Pass

2.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	704	50	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	0.257	0.0004	-2.5 to 2.5	Pass
					4.43	-0.072	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

16QAM	707.5	50	0	-20	3.85	-1.187	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-0.987	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-0.257	-0.0004	-2.5 to 2.5	Pass
				10	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.801	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
	711	50	0	20	3.27	0.257	0.0004	-2.5 to 2.5	Pass
					3.85	0.401	0.0006	-2.5 to 2.5	Pass
					4.43	-0.544	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0009	-2.5 to 2.5	Pass
				10	3.85	1.159	0.0016	-2.5 to 2.5	Pass
				30	3.85	1.287	0.0018	-2.5 to 2.5	Pass
				40	3.85	1.030	0.0015	-2.5 to 2.5	Pass
				50	3.85	1.745	0.0025	-2.5 to 2.5	Pass
	711	50	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
					4.43	-0.072	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.458	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.830	0.0012	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.329	-0.0005	-2.5 to 2.5	Pass
	704	50	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	-1.187	-0.0017	-2.5 to 2.5	Pass
					4.43	-0.715	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-1.101	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-0.987	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-1.202	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.715	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.844	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-0.758	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
	707.5	50	0	20	3.27	1.559	0.0022	-2.5 to 2.5	Pass
					3.85	-1.172	-0.0002	-2.5 to 2.5	Pass
					4.43	0.257	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.815	0.0012	-2.5 to 2.5	Pass
				-10	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0009	-2.5 to 2.5	Pass
				10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.672	0.0009	-2.5 to 2.5	Pass
				40	3.85	0.801	0.0011	-2.5 to 2.5	Pass
				50	3.85	0.701	0.0010	-2.5 to 2.5	Pass
	711	50	0	20	3.27	-0.243	-0.0003	-2.5 to 2.5	Pass
					3.85	0.329	0.0005	-2.5 to 2.5	Pass
					4.43	0.329	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.458	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.701	0.0010	-2.5 to 2.5	Pass
				40	3.85	0.401	0.0006	-2.5 to 2.5	Pass
				50	3.85	0.372	0.0005	-2.5 to 2.5	Pass

64QAM	704	50	0	20	3.27	-0.472	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
					4.43	-1.988	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-0.730	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-0.858	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.930	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.572	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.601	-0.0009	-2.5 to 2.5	Pass
	707.5	50	0	20	3.27	0.844	0.0012	-2.5 to 2.5	Pass
					3.85	0.772	0.0011	-2.5 to 2.5	Pass
					4.43	-0.730	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	0.973	0.0014	-2.5 to 2.5	Pass
				-20	3.85	0.358	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.486	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				50	3.85	0.343	0.0005	-2.5 to 2.5	Pass
	711	50	0	20	3.27	0.372	0.0005	-2.5 to 2.5	Pass
					3.85	0.629	0.0009	-2.5 to 2.5	Pass
					4.43	0.601	0.0008	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.114	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
				30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.658	-0.0009	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	6	0	Refer To Test Graph		Pass
16QAM	707.5	6	0	Refer To Test Graph		Pass
64QAM	707.5	6	0	Refer To Test Graph		Pass

3.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	15	0	Refer To Test Graph		Pass
16QAM	707.5	15	0	Refer To Test Graph		Pass
64QAM	707.5	15	0	Refer To Test Graph		Pass

3.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV						
-----------------------------------	--	--	--	--	--	--

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	25	0	Refer To Test Graph		Pass
16QAM	707.5	25	0	Refer To Test Graph		Pass
64QAM	707.5	25	0	Refer To Test Graph		Pass

3.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	50	0	Refer To Test Graph		Pass
16QAM	707.5	50	0	Refer To Test Graph		Pass
64QAM	707.5	50	0	Refer To Test Graph		Pass





Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2 Test Graph

3.2.1 B12_1.4MHz






Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.2 B12_3MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.3 B12_5MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

3.2.4 B12_10MHz





Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band12_OBW

Band: 12 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	699.7	6	0	1.086	/	Pass
		707.5	6	0	1.088	/	Pass
		715.3	6	0	1.091	/	Pass
	16QAM	699.7	6	0	1.090	/	Pass
		707.5	6	0	1.096	/	Pass
		715.3	6	0	1.092	/	Pass
	64QAM	699.7	6	0	1.091	/	Pass
		707.5	6	0	1.093	/	Pass
		715.3	6	0	1.087	/	Pass
3	QPSK	700.5	15	0	2.688	/	Pass
		707.5	15	0	2.685	/	Pass
		714.5	15	0	2.685	/	Pass
	16QAM	700.5	15	0	2.690	/	Pass
		707.5	15	0	2.699	/	Pass
		714.5	15	0	2.689	/	Pass
	64QAM	700.5	15	0	2.687	/	Pass
		707.5	15	0	2.692	/	Pass
		714.5	15	0	2.687	/	Pass
5	QPSK	701.5	25	0	4.521	/	Pass
		707.5	25	0	4.527	/	Pass
		713.5	25	0	4.521	/	Pass
	16QAM	701.5	25	0	4.513	/	Pass
		707.5	25	0	4.519	/	Pass
		713.5	25	0	4.540	/	Pass
	64QAM	701.5	25	0	4.508	/	Pass
		707.5	25	0	4.524	/	Pass
		713.5	25	0	4.517	/	Pass
10	QPSK	704	50	0	8.955	/	Pass
		707.5	50	0	8.964	/	Pass
		711	50	0	8.952	/	Pass
	16QAM	704	50	0	8.949	/	Pass
		707.5	50	0	8.957	/	Pass
		711	50	0	8.947	/	Pass
	64QAM	704	50	0	8.962	/	Pass
		707.5	50	0	8.960	/	Pass
		711	50	0	8.972	/	Pass

4.1.2 Band12_XDB

Band: 12 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	699.7	6	0	1.305	/	Pass
		707.5	6	0	1.317	/	Pass
		715.3	6	0	1.340	/	Pass
	16QAM	699.7	6	0	1.380	/	Pass
		707.5	6	0	1.343	/	Pass
		715.3	6	0	1.334	/	Pass
	64QAM	699.7	6	0	1.378	/	Pass
		707.5	6	0	1.335	/	Pass
		715.3	6	0	1.335	/	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

		715.3	6	0	1.327	/	Pass
3	QPSK	700.5	15	0	2.978	/	Pass
		707.5	15	0	2.989	/	Pass
		714.5	15	0	2.985	/	Pass
		700.5	15	0	2.994	/	Pass
	16QAM	707.5	15	0	3.006	/	Pass
		714.5	15	0	2.970	/	Pass
		700.5	15	0	2.987	/	Pass
	64QAM	707.5	15	0	2.954	/	Pass
		714.5	15	0	2.957	/	Pass
5	QPSK	701.5	25	0	5.088	/	Pass
		707.5	25	0	5.127	/	Pass
		713.5	25	0	5.108	/	Pass
	16QAM	701.5	25	0	5.115	/	Pass
		707.5	25	0	5.190	/	Pass
		713.5	25	0	5.148	/	Pass
	64QAM	701.5	25	0	5.102	/	Pass
		707.5	25	0	5.178	/	Pass
		713.5	25	0	5.019	/	Pass
10	QPSK	704	50	0	9.812	/	Pass
		707.5	50	0	9.844	/	Pass
		711	50	0	9.909	/	Pass
	16QAM	704	50	0	9.780	/	Pass
		707.5	50	0	9.830	/	Pass
		711	50	0	9.813	/	Pass
	64QAM	704	50	0	9.769	/	Pass
		707.5	50	0	9.849	/	Pass
		711	50	0	9.739	/	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4.2 Test Graph


4.2.1 Band12_OBW




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV



Band12 1.4MHz 64QAM LCH 699.7MHz RB 6 0 NTN




Band12 1.4MHz 64QAM MCH 707.5MHz RB 6 0 NTN




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_64QAM_HCH_715.3MHz_RB_6_0_NTNV




Band12_3MHz_QPSK_LCH_700.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_3MHz_QPSK_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV



Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




Band12_3MHz_64QAM_LCH_700.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_3MHz_64QAM_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_64QAM_HCH_714.5MHz_RB_15_0_NTNV



Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV



Band12_5MHz_64QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_64QAM_MCH_707.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_64QAM_HCH_713.5MHz_RB_25_0_NTNV




Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_10MHz_QPSK_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV



Band12_10MHz_16QAM_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_MCH_707.5MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_16QAM_HCH_711MHz_RB_50_0_NTNV




Band12_10MHz_64QAM_LCH_704MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_10MHz_64QAM_MCH_707.5MHz_RB_50_0_NTNV



Band12_10MHz_64QAM_HCH_711MHz_RB_50_0_NTNV




4.2.2 Band12_XDB




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV



Band12 1.4MHz 64QAM LCH 699.7MHz RB 6 0 NTN




Band12 1.4MHz 64QAM MCH 707.5MHz RB 6 0 NTN




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_64QAM_HCH_715.3MHz_RB_6_0_NTNV




Band12_3MHz_QPSK_LCH_700.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_3MHz_QPSK_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV



Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV



Band12_3MHz_64QAM_LCH_700.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band12_3MHz_64QAM_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_64QAM_HCH_714.5MHz_RB_15_0_NTNV



Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV



Band12_5MHz_64QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_64QAM_MCH_707.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_64QAM_HCH_713.5MHz_RB_25_0_NTNV




Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_10MHz_QPSK_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV



Band12_10MHz_16QAM_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_MCH_707.5MHz_RB_50_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_16QAM_HCH_711MHz_RB_50_0_NTNV




Band12_10MHz_64QAM_LCH_704MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_64QAM_MCH_707.5MHz_RB_50_0_NTNV



Band12_10MHz_64QAM_HCH_711MHz_RB_50_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	699.7	6	0	4.33	<=13	Pass
	707.5	6	0	4.36	<=13	Pass
	715.3	6	0	4.54	<=13	Pass
16QAM	699.7	6	0	5.31	<=13	Pass
	707.5	6	0	5.34	<=13	Pass
	715.3	6	0	5.52	<=13	Pass
64QAM	699.7	6	0	6.21	<=13	Pass
	707.5	6	0	6.27	<=13	Pass
	715.3	6	0	6.48	<=13	Pass

5.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	700.5	15	0	4.35	<=13	Pass
	707.5	15	0	4.31	<=13	Pass
	714.5	15	0	4.42	<=13	Pass
16QAM	700.5	15	0	5.34	<=13	Pass
	707.5	15	0	5.35	<=13	Pass
	714.5	15	0	5.47	<=13	Pass
64QAM	700.5	15	0	6.34	<=13	Pass
	707.5	15	0	6.30	<=13	Pass
	714.5	15	0	6.44	<=13	Pass

5.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	701.5	25	0	4.41	<=13	Pass
	707.5	25	0	4.44	<=13	Pass
	713.5	25	0	4.39	<=13	Pass
16QAM	701.5	25	0	5.49	<=13	Pass
	707.5	25	0	5.52	<=13	Pass
	713.5	25	0	5.47	<=13	Pass
64QAM	701.5	25	0	6.36	<=13	Pass
	707.5	25	0	6.40	<=13	Pass
	713.5	25	0	6.33	<=13	Pass

5.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	704	50	0	4.52	<=13	Pass
	707.5	50	0	4.50	<=13	Pass
	711	50	0	4.52	<=13	Pass
16QAM	704	50	0	5.58	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	707.5	50	0	5.59	≤ 13	Pass
	711	50	0	5.61	≤ 13	Pass
	704	50	0	6.43	≤ 13	Pass
	707.5	50	0	6.45	≤ 13	Pass
	711	50	0	6.43	≤ 13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

5.2 Test Graph


5.2.1 B12_1.4MHz



Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV



2026-04-03 23:41:52

Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV




2026-04-03 23:42:28

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

Band12 1.4MHz 64QAM LCH 699.7MHz RB 6 0 NTN




2026-04-03 23:41:30

Band12 1.4MHz 64QAM MCH 707.5MHz RB 6 0 NTN




2026-04-03 23:42:06



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.2 B12_3MHz



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV




2026-04-03 23:43:55

Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




2026-04-03 23:43:03

Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV



Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12_3MHz_64QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_64QAM_MCH_707.5MHz_RB_15_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


5.2.3 B12_5MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




2026-04-03 23:45:08

Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV




2026-04-03 23:45:39

Band12_5MHz_64QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_64QAM_MCH_707.5MHz_RB_25_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

5.2.4 B12_10MHz




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV



2026-04-03 23:47:30

Band12_10MHz_16QAM_LCH_704MHz_RB_50_0_NTNV




2026-04-03 23:46:22



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
 Shenzhen, Guangdong Province, China
 Tel: +86 0755 23080694

Band12_10MHz_16QAM_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_HCH_711MHz_RB_50_0_NTNV


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band12_10MHz_64QAM_LCH_704MHz_RB_50_0_NTNV



Band12_10MHz_64QAM_MCH_707.5MHz_RB_50_0_NTNV





Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

6. Spurious Emission

6.1 Test Result

6.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	699.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	699.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
64QAM	699.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

6.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	700.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
16QAM	700.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
64QAM	700.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

6.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	701.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

	707.5	1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	701.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
64QAM	701.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	707.5	1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	704	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	704	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	704	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

6.2 Test Graph


6.2.1 B12_1.4MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_QPSK_LCH_699.7MHz_RB_6_0_NTNV




Band12_1.4MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_1_0_NTNV




Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.006	-18.21	-13	Pass
716.1	719	0.1	CHP	2	716.156	-31.02	-13	Pass

Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV



Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12 1.4MHz 16QAM LCH 699.7MHz RB_1_0 NTV



Band12 1.4MHz 16QAM LCH 699.7MHz RB_6_0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
696	698.9	0.1	CHP	1	698.844	-26.09	-13	Pass
698.9	699	0.03	/	2	698.976	-23.38	-13	Pass
699	702	0.03	/	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_1_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_1_0_NTNV



Band12 1.4MHz 16QAM HCH 715.3MHz RB 1 5 NTNV



Band12 1.4MHz 16QAM HCH 715.3MHz RB 6 0 NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12 1.4MHz 64QAM LCH 699.7MHz RB_1_0 NTN




Band12 1.4MHz 64QAM LCH 699.7MHz RB_1_0 NTN




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12 1.4MHz 64QAM LCH 699.7MHz RB 6 0 NTN




Band12 1.4MHz 64QAM MCH 707.5MHz RB 1 0 NTN



Band12_1.4MHz_64QAM_HCH_715.3MHz_RB_1_0_NTNV



Band12_1.4MHz_64QAM_HCH_715.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.006	-21.97	-13	Pass
716.1	719	0.1	CHP	2	716.102	-28.00	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_1.4MHz_64QAM_HCH_715.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.030	-25.93	-13	Pass
716.1	719	0.1	CHP	2	716.168	-27.75	-13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


6.2.2 B12_3MHz



Band12_3MHz_QPSK_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_QPSK_HCH_714.5MHz_RB_1_0_NTNV



Band12_3MHz_QPSK_HCH_714.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.018	-20.39	-13	Pass
716.1	719	0.1	CHP	2	716.156	-28.46	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.018	-27.06	-13	Pass
716.1	719	0.1	CHP	2	716.156	-27.56	-13	Pass

Band12_3MHz_16QAM_LCH_700.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
696	698.9	0.1	CHP	1	698.844	-28.96	-13	Pass
698.9	699	0.03	/	2	698.994	-23.10	-13	Pass
699	702	0.03	/	/	/	/	/	/

Band12_3MHz_16QAM_LCH_700.5MHz_RB_1_0_NTNV



Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
696	698.9	0.1	CHP	1	698.844	-28.84	-13	Pass
698.9	699	0.03	/	2	698.994	-25.99	-13	Pass
699	702	0.03	/	/	/	/	/	/


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_16QAM_MCH_707.5MHz_RB_1_0_NTNV




Band12_3MHz_16QAM_HCH_714.5MHz_RB_1_0_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_16QAM_HCH_714.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.006	-23.21	-13	Pass
716.1	719	0.1	CHP	2	716.156	-30.00	-13	Pass

Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.006	-28.00	-13	Pass
716.1	719	0.1	CHP	2	716.156	-29.43	-13	Pass

Band12_3MHz_64QAM_LCH_700.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
696	698.9	0.1	CHP	1	698.844	-30.34	-13	Pass
698.9	699	0.03	/	2	698.994	-23.40	-13	Pass
699	702	0.03	/	/	/	/	/	/


Band12_3MHz_64QAM_LCH_700.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_64QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_64QAM_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_3MHz_64QAM_HCH_714.5MHz_RB_1_0_NTNV




Band12_3MHz_64QAM_HCH_714.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.012	-25.42	-13	Pass
716.1	719	0.1	CHP	2	716.156	-31.03	-13	Pass

Band12 3MHz 64QAM_HCH 714.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
713	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.054	-30.02	-13	Pass
716.1	719	0.1	CHP	2	716.156	-30.62	-13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


6.2.3 B12_5MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV



Band12_5MHz_QPSK_HCH_713.5MHz_RB_1_0_NTNV



Band12_5MHz_QPSK_HCH_713.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-24.97	-13	Pass
716.1	721	0.1	CHP	2	716.160	-31.00	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV



Band12_5MHz_16QAM_LCH_701.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12_5MHz_16QAM_LCH_701.5MHz_RB_1_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.840	-28.55	-13	Pass
698.9	699	0.03	/	2	698.990	-29.99	-13	Pass
699	704	0.03	/	/	/	/	/	/

Band12_5MHz_16QAM_MCH_707.5MHz_RB_1_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_16QAM_HCH_713.5MHz_RB_1_24_NTNV



Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band12_5MHz_64QAM_LCH_701.5MHz_RB_1_0_NTNV




Band12_5MHz_64QAM_LCH_701.5MHz_RB_1_0_NTNV



Band12_5MHz_64QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_64QAM_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_5MHz_64QAM_HCH_713.5MHz_RB_1_0_NTNV



Band12_5MHz_64QAM_HCH_713.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-27.50	-13	Pass
716.1	721	0.1	CHP	2	716.160	-34.38	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band12 5MHz 64QAM_HCH 713.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.070	-31.94	-13	Pass
716.1	721	0.1	CHP	2	716.160	-31.54	-13	Pass


6.2.4 B12_10MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_QPSK_HCH_711MHz_RB_1_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-35.74	-13	Pass
716.1	726	0.1	CHP	2	716.158	-36.22	-13	Pass

Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV



Band12_10MHz_16QAM_LCH_704MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12_10MHz_16QAM_LCH_704MHz_RB_1_0_NTNV



Band12_10MHz_16QAM_LCH_704MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
689	698.9	0.1	CHP	1	698.842	-33.15	-13	Pass
698.9	699	0.03	/	2	698.977	-36.51	-13	Pass
699	709	0.03	/	/	/	/	/	/

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band12_10MHz_16QAM_MCH_707.5MHz_RB_1_0_NTNV




Band12_10MHz_16QAM_HCH_711MHz_RB_1_0_NTNV



Band12_10MHz_16QAM_HCH_711MHz_RB_1_49_NTNV




Band12_10MHz_16QAM_HCH_711MHz_RB_50_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_64QAM_LCH_704MHz_RB_1_0_NTNV




Band12_10MHz_64QAM_LCH_704MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_64QAM_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_64QAM_MCH_707.5MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band12_10MHz_64QAM_HCH_711MHz_RB_1_0_NTNV



Band12_10MHz_64QAM_HCH_711MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-39.45	-13	Pass
716.1	726	0.1	CHP	2	716.158	-38.34	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band12_10MHz_64QAM_HCH_711MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-39.84	-13	Pass
716.1	726	0.1	CHP	2	716.158	-38.87	-13	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

7. Frequency Stability (IC)

7.1 Test Result

7.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	699.7	6	0	20	3.27	699.100	700.306	698 to 704	Pass
					3.85	699.098	700.298	698 to 704	Pass
					4.43	699.103	700.304	698 to 704	Pass
				-30	3.85	699.096	700.296	698 to 704	Pass
				-20	3.85	699.102	700.293	698 to 704	Pass
				-10	3.85	699.092	700.297	698 to 704	Pass
				0	3.85	699.101	700.300	698 to 704	Pass
				10	3.85	699.100	700.296	698 to 704	Pass
				30	3.85	699.084	700.317	698 to 704	Pass
				40	3.85	699.098	700.320	698 to 704	Pass
				50	3.85	699.094	700.297	698 to 704	Pass
	707.5	6	0	20	3.27	706.902	708.096	704 to 710	Pass
					3.85	706.893	708.093	704 to 710	Pass
					4.43	706.896	708.088	704 to 710	Pass
				-30	3.85	706.899	708.099	704 to 710	Pass
				-20	3.85	706.896	708.092	704 to 710	Pass
				-10	3.85	706.900	708.097	704 to 710	Pass
				0	3.85	706.905	708.094	704 to 710	Pass
				10	3.85	706.904	708.099	704 to 710	Pass
				30	3.85	706.897	708.100	704 to 710	Pass
				40	3.85	706.905	708.096	704 to 710	Pass
				50	3.85	706.894	708.094	704 to 710	Pass
	715.3	6	0	20	3.27	714.706	715.904	710 to 716	Pass
					3.85	714.695	715.899	710 to 716	Pass
					4.43	714.698	715.905	710 to 716	Pass
				-30	3.85	714.698	715.889	710 to 716	Pass
				-20	3.85	714.697	715.891	710 to 716	Pass
				-10	3.85	714.703	715.892	710 to 716	Pass
				0	3.85	714.700	715.896	710 to 716	Pass
				10	3.85	714.707	715.893	710 to 716	Pass
				30	3.85	714.694	715.903	710 to 716	Pass
				40	3.85	714.699	715.885	710 to 716	Pass
				50	3.85	714.706	715.894	710 to 716	Pass
16QAM	699.7	6	0	20	3.27	699.105	700.298	698 to 704	Pass
					3.85	699.093	700.294	698 to 704	Pass
					4.43	699.098	700.298	698 to 704	Pass
				-30	3.85	699.094	700.304	698 to 704	Pass
				-20	3.85	699.102	700.299	698 to 704	Pass
				-10	3.85	699.105	700.293	698 to 704	Pass
				0	3.85	699.097	700.295	698 to 704	Pass
				10	3.85	699.101	700.296	698 to 704	Pass
				30	3.85	699.101	700.295	698 to 704	Pass
				40	3.85	699.098	700.293	698 to 704	Pass
				50	3.85	699.100	700.296	698 to 704	Pass
	707.5	6	0	20	3.27	706.902	708.102	704 to 710	Pass
					3.85	706.902	708.092	704 to 710	Pass
					4.43	706.908	708.100	704 to 710	Pass
				-30	3.85	706.887	708.100	704 to 710	Pass
				-20	3.85	706.893	708.095	704 to 710	Pass
				-10	3.85	706.887	708.088	704 to 710	Pass
				0	3.85	706.898	708.093	704 to 710	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

64QAM	715.3	6	0	10	3.85	706.899	708.092	704 to 710	Pass
				30	3.85	706.896	708.092	704 to 710	Pass
				40	3.85	706.893	708.095	704 to 710	Pass
				50	3.85	706.897	708.108	704 to 710	Pass
				20	3.27	714.698	715.891	710 to 716	Pass
					3.85	714.697	715.891	710 to 716	Pass
					4.43	714.693	715.892	710 to 716	Pass
				-30	3.85	714.693	715.906	710 to 716	Pass
				-20	3.85	714.686	715.895	710 to 716	Pass
				-10	3.85	714.694	715.896	710 to 716	Pass
				0	3.85	714.687	715.901	710 to 716	Pass
				10	3.85	714.686	715.902	710 to 716	Pass
				30	3.85	714.703	715.897	710 to 716	Pass
				40	3.85	714.693	715.900	710 to 716	Pass
				50	3.85	714.698	715.895	710 to 716	Pass
	699.7	6	0	20	3.27	699.095	700.292	698 to 704	Pass
					3.85	699.097	700.300	698 to 704	Pass
					4.43	699.102	700.309	698 to 704	Pass
				-30	3.85	699.096	700.299	698 to 704	Pass
				-20	3.85	699.099	700.305	698 to 704	Pass
				-10	3.85	699.088	700.307	698 to 704	Pass
				0	3.85	699.098	700.303	698 to 704	Pass
				10	3.85	699.098	700.302	698 to 704	Pass
				30	3.85	699.102	700.301	698 to 704	Pass
				40	3.85	699.099	700.309	698 to 704	Pass
				50	3.85	699.092	700.305	698 to 704	Pass
	707.5	6	0	20	3.27	706.890	708.092	704 to 710	Pass
					3.85	706.895	708.100	704 to 710	Pass
					4.43	706.902	708.093	704 to 710	Pass
				-30	3.85	706.896	708.095	704 to 710	Pass
				-20	3.85	706.902	708.096	704 to 710	Pass
				-10	3.85	706.894	708.095	704 to 710	Pass
				0	3.85	706.894	708.101	704 to 710	Pass
				10	3.85	706.897	708.102	704 to 710	Pass
				30	3.85	706.904	708.103	704 to 710	Pass
				40	3.85	706.899	708.101	704 to 710	Pass
				50	3.85	706.907	708.093	704 to 710	Pass
	715.3	6	0	20	3.27	714.710	715.890	710 to 716	Pass
					3.85	714.702	715.891	710 to 716	Pass
					4.43	714.701	715.897	710 to 716	Pass
				-30	3.85	714.698	715.899	710 to 716	Pass
				-20	3.85	714.690	715.901	710 to 716	Pass
				-10	3.85	714.690	715.904	710 to 716	Pass
				0	3.85	714.698	715.888	710 to 716	Pass
				10	3.85	714.699	715.895	710 to 716	Pass
				30	3.85	714.705	715.892	710 to 716	Pass
				40	3.85	714.697	715.893	710 to 716	Pass
				50	3.85	714.701	715.898	710 to 716	Pass

7.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	700.5	15	0	20	3.27	699.135	701.877	698 to 704	Pass
					3.85	699.125	701.878	698 to 704	Pass
					4.43	699.124	701.882	698 to 704	Pass
				-30	3.85	699.122	701.877	698 to 704	Pass
				-20	3.85	699.135	701.882	698 to 704	Pass
				-10	3.85	699.132	701.870	698 to 704	Pass
				0	3.85	699.125	701.867	698 to 704	Pass
				10	3.85	699.129	701.878	698 to 704	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				30	3.85	699.128	701.887	698 to 704	Pass
				40	3.85	699.112	701.882	698 to 704	Pass
				50	3.85	699.125	701.880	698 to 704	Pass
	707.5	15	0	20	3.27	706.130	708.877	704 to 710	Pass
					3.85	706.126	708.875	704 to 710	Pass
					4.43	706.118	708.873	704 to 710	Pass
				-30	3.85	706.131	708.880	704 to 710	Pass
				-20	3.85	706.122	708.875	704 to 710	Pass
				-10	3.85	706.117	708.869	704 to 710	Pass
				0	3.85	706.120	708.870	704 to 710	Pass
				10	3.85	706.124	708.879	704 to 710	Pass
				30	3.85	706.119	708.871	704 to 710	Pass
				40	3.85	706.121	708.878	704 to 710	Pass
				50	3.85	706.126	708.869	704 to 710	Pass
	714.5	15	0	20	3.27	713.121	715.870	710 to 716	Pass
					3.85	713.114	715.877	710 to 716	Pass
					4.43	713.111	715.873	710 to 716	Pass
				-30	3.85	713.126	715.874	710 to 716	Pass
				-20	3.85	713.123	715.878	710 to 716	Pass
				-10	3.85	713.114	715.874	710 to 716	Pass
				0	3.85	713.120	715.870	710 to 716	Pass
				10	3.85	713.129	715.875	710 to 716	Pass
				30	3.85	713.117	715.867	710 to 716	Pass
				40	3.85	713.121	715.879	710 to 716	Pass
				50	3.85	713.124	715.873	710 to 716	Pass
16QAM	700.5	15	0	20	3.27	699.129	701.878	698 to 704	Pass
					3.85	699.125	701.869	698 to 704	Pass
					4.43	699.120	701.877	698 to 704	Pass
				-30	3.85	699.123	701.880	698 to 704	Pass
				-20	3.85	699.136	701.877	698 to 704	Pass
				-10	3.85	699.130	701.882	698 to 704	Pass
				0	3.85	699.129	701.878	698 to 704	Pass
				10	3.85	699.118	701.875	698 to 704	Pass
				30	3.85	699.134	701.877	698 to 704	Pass
				40	3.85	699.126	701.879	698 to 704	Pass
				50	3.85	699.127	701.875	698 to 704	Pass
	707.5	15	0	20	3.27	706.123	708.870	704 to 710	Pass
					3.85	706.130	708.892	704 to 710	Pass
					4.43	706.126	708.886	704 to 710	Pass
				-30	3.85	706.128	708.879	704 to 710	Pass
				-20	3.85	706.126	708.869	704 to 710	Pass
				-10	3.85	706.124	708.877	704 to 710	Pass
				0	3.85	706.116	708.869	704 to 710	Pass
				10	3.85	706.128	708.887	704 to 710	Pass
				30	3.85	706.123	708.876	704 to 710	Pass
				40	3.85	706.114	708.877	704 to 710	Pass
				50	3.85	706.119	708.886	704 to 710	Pass
	714.5	15	0	20	3.27	713.119	715.885	710 to 716	Pass
					3.85	713.120	715.874	710 to 716	Pass
					4.43	713.133	715.874	710 to 716	Pass
				-30	3.85	713.131	715.875	710 to 716	Pass
				-20	3.85	713.123	715.870	710 to 716	Pass
				-10	3.85	713.129	715.877	710 to 716	Pass
				0	3.85	713.129	715.868	710 to 716	Pass
				10	3.85	713.126	715.876	710 to 716	Pass
				30	3.85	713.132	715.874	710 to 716	Pass
				40	3.85	713.135	715.871	710 to 716	Pass
				50	3.85	713.121	715.882	710 to 716	Pass
64QAM	700.5	15	0	20	3.27	699.128	701.882	698 to 704	Pass
					3.85	699.130	701.870	698 to 704	Pass
					4.43	699.130	701.875	698 to 704	Pass
				-30	3.85	699.132	701.873	698 to 704	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

				-20	3.85	699.126	701.882	698 to 704	Pass
				-10	3.85	699.124	701.876	698 to 704	Pass
				0	3.85	699.125	701.882	698 to 704	Pass
				10	3.85	699.128	701.873	698 to 704	Pass
				30	3.85	699.125	701.879	698 to 704	Pass
				40	3.85	699.135	701.877	698 to 704	Pass
				50	3.85	699.123	701.877	698 to 704	Pass
	707.5	15	0	20	3.27	706.123	708.878	704 to 710	Pass
					3.85	706.133	708.870	704 to 710	Pass
					4.43	706.119	708.879	704 to 710	Pass
				-30	3.85	706.121	708.877	704 to 710	Pass
				-20	3.85	706.128	708.884	704 to 710	Pass
				-10	3.85	706.123	708.880	704 to 710	Pass
				0	3.85	706.117	708.873	704 to 710	Pass
				10	3.85	706.131	708.879	704 to 710	Pass
				30	3.85	706.126	708.878	704 to 710	Pass
				40	3.85	706.129	708.874	704 to 710	Pass
				50	3.85	706.119	708.869	704 to 710	Pass
	714.5	15	0	20	3.27	713.127	715.885	710 to 716	Pass
					3.85	713.127	715.866	710 to 716	Pass
					4.43	713.115	715.875	710 to 716	Pass
				-30	3.85	713.124	715.875	710 to 716	Pass
				-20	3.85	713.118	715.870	710 to 716	Pass
				-10	3.85	713.124	715.879	710 to 716	Pass
				0	3.85	713.128	715.877	710 to 716	Pass
				10	3.85	713.121	715.871	710 to 716	Pass
				30	3.85	713.122	715.878	710 to 716	Pass
				40	3.85	713.123	715.875	710 to 716	Pass
				50	3.85	713.130	715.874	710 to 716	Pass

7.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	701.5	25	0	20	3.27	699.216	703.792	698 to 704	Pass
					3.85	699.202	703.801	698 to 704	Pass
					4.43	699.195	703.799	698 to 704	Pass
				-30	3.85	699.193	703.794	698 to 704	Pass
				-20	3.85	699.199	703.794	698 to 704	Pass
				-10	3.85	699.196	703.798	698 to 704	Pass
				0	3.85	699.190	703.818	698 to 704	Pass
				10	3.85	699.185	703.812	698 to 704	Pass
				30	3.85	699.208	703.798	698 to 704	Pass
				40	3.85	699.210	703.785	698 to 704	Pass
				50	3.85	699.197	703.803	698 to 704	Pass
	707.5	25	0	20	3.27	705.197	709.792	704 to 710	Pass
					3.85	705.183	709.790	704 to 710	Pass
					4.43	705.203	709.796	704 to 710	Pass
				-30	3.85	705.200	709.788	704 to 710	Pass
				-20	3.85	705.202	709.797	704 to 710	Pass
				-10	3.85	705.195	709.812	704 to 710	Pass
				0	3.85	705.216	709.792	704 to 710	Pass
				10	3.85	705.202	709.808	704 to 710	Pass
				30	3.85	705.192	709.794	704 to 710	Pass
				40	3.85	705.206	709.804	704 to 710	Pass
				50	3.85	705.196	709.795	704 to 710	Pass
	713.5	25	0	20	3.27	711.191	715.796	710 to 716	Pass
					3.85	711.202	715.789	710 to 716	Pass
					4.43	711.195	715.804	710 to 716	Pass
				-30	3.85	711.213	715.788	710 to 716	Pass
				-20	3.85	711.205	715.797	710 to 716	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

				-10	3.85	711.209	715.809	710 to 716	Pass
				0	3.85	711.205	715.788	710 to 716	Pass
				10	3.85	711.205	715.808	710 to 716	Pass
				30	3.85	711.212	715.807	710 to 716	Pass
				40	3.85	711.192	715.791	710 to 716	Pass
				50	3.85	711.212	715.788	710 to 716	Pass
16QAM	701.5	25	0	20	3.27	699.199	703.796	698 to 704	Pass
					3.85	699.201	703.813	698 to 704	Pass
					4.43	699.209	703.809	698 to 704	Pass
				-30	3.85	699.209	703.796	698 to 704	Pass
				-20	3.85	699.204	703.810	698 to 704	Pass
				-10	3.85	699.208	703.789	698 to 704	Pass
				0	3.85	699.213	703.814	698 to 704	Pass
				10	3.85	699.190	703.816	698 to 704	Pass
				30	3.85	699.212	703.792	698 to 704	Pass
				40	3.85	699.187	703.798	698 to 704	Pass
				50	3.85	699.219	703.795	698 to 704	Pass
	707.5	25	0	20	3.27	705.205	709.791	704 to 710	Pass
					3.85	705.188	709.800	704 to 710	Pass
					4.43	705.184	709.791	704 to 710	Pass
				-30	3.85	705.217	709.798	704 to 710	Pass
				-20	3.85	705.182	709.795	704 to 710	Pass
				-10	3.85	705.206	709.798	704 to 710	Pass
				0	3.85	705.208	709.804	704 to 710	Pass
				10	3.85	705.204	709.801	704 to 710	Pass
				30	3.85	705.206	709.794	704 to 710	Pass
				40	3.85	705.204	709.806	704 to 710	Pass
				50	3.85	705.176	709.809	704 to 710	Pass
	713.5	25	0	20	3.27	711.214	715.797	710 to 716	Pass
					3.85	711.202	715.801	710 to 716	Pass
					4.43	711.196	715.788	710 to 716	Pass
				-30	3.85	711.201	715.797	710 to 716	Pass
				-20	3.85	711.205	715.800	710 to 716	Pass
				-10	3.85	711.209	715.799	710 to 716	Pass
				0	3.85	711.203	715.794	710 to 716	Pass
				10	3.85	711.211	715.804	710 to 716	Pass
				30	3.85	711.202	715.799	710 to 716	Pass
				40	3.85	711.210	715.803	710 to 716	Pass
				50	3.85	711.197	715.781	710 to 716	Pass
64QAM	701.5	25	0	20	3.27	699.200	703.807	698 to 704	Pass
					3.85	699.202	703.809	698 to 704	Pass
					4.43	699.204	703.795	698 to 704	Pass
				-30	3.85	699.205	703.801	698 to 704	Pass
				-20	3.85	699.205	703.797	698 to 704	Pass
				-10	3.85	699.208	703.810	698 to 704	Pass
				0	3.85	699.194	703.805	698 to 704	Pass
				10	3.85	699.207	703.798	698 to 704	Pass
				30	3.85	699.208	703.794	698 to 704	Pass
				40	3.85	699.202	703.802	698 to 704	Pass
				50	3.85	699.219	703.795	698 to 704	Pass
	707.5	25	0	20	3.27	705.186	709.796	704 to 710	Pass
					3.85	705.205	709.796	704 to 710	Pass
					4.43	705.194	709.804	704 to 710	Pass
				-30	3.85	705.192	709.793	704 to 710	Pass
				-20	3.85	705.195	709.807	704 to 710	Pass
				-10	3.85	705.193	709.799	704 to 710	Pass
				0	3.85	705.195	709.807	704 to 710	Pass
				10	3.85	705.191	709.796	704 to 710	Pass
				30	3.85	705.202	709.793	704 to 710	Pass
				40	3.85	705.199	709.803	704 to 710	Pass
				50	3.85	705.201	709.811	704 to 710	Pass
	713.5	25	0	20	3.27	711.184	715.797	710 to 716	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

					3.85	711.220	715.788	710 to 716	Pass
					4.43	711.194	715.794	710 to 716	Pass
				-30	3.85	711.190	715.792	710 to 716	Pass
				-20	3.85	711.209	715.817	710 to 716	Pass
				-10	3.85	711.202	715.792	710 to 716	Pass
				0	3.85	711.213	715.795	710 to 716	Pass
				10	3.85	711.215	715.794	710 to 716	Pass
				30	3.85	711.209	715.804	710 to 716	Pass
				40	3.85	711.184	715.796	710 to 716	Pass
				50	3.85	711.214	715.782	710 to 716	Pass

7.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	704	50	0	20	3.27	699.483	708.528	698 to 710	Pass
					3.85	699.477	708.532	698 to 710	Pass
					4.43	699.469	708.563	698 to 710	Pass
				-30	3.85	699.467	708.548	698 to 710	Pass
				-20	3.85	699.465	708.556	698 to 710	Pass
				-10	3.85	699.467	708.534	698 to 710	Pass
				0	3.85	699.458	708.532	698 to 710	Pass
				10	3.85	699.477	708.545	698 to 710	Pass
				30	3.85	699.471	708.559	698 to 710	Pass
				40	3.85	699.462	708.519	698 to 710	Pass
				50	3.85	699.455	708.540	698 to 710	Pass
	707.5	50	0	20	3.27	702.980	712.028	698 to 716	Pass
					3.85	702.965	712.049	698 to 716	Pass
					4.43	702.971	712.037	698 to 716	Pass
				-30	3.85	702.966	712.023	698 to 716	Pass
				-20	3.85	702.940	712.047	698 to 716	Pass
				-10	3.85	702.943	712.034	698 to 716	Pass
				0	3.85	702.988	712.051	698 to 716	Pass
				10	3.85	702.982	712.049	698 to 716	Pass
				30	3.85	702.982	712.036	698 to 716	Pass
				40	3.85	702.970	712.057	698 to 716	Pass
				50	3.85	702.967	712.034	698 to 716	Pass
	711	50	0	20	3.27	706.484	715.534	704 to 716	Pass
					3.85	706.462	715.539	704 to 716	Pass
					4.43	706.480	715.531	704 to 716	Pass
				-30	3.85	706.470	715.541	704 to 716	Pass
				-20	3.85	706.464	715.534	704 to 716	Pass
				-10	3.85	706.461	715.555	704 to 716	Pass
				0	3.85	706.483	715.527	704 to 716	Pass
				10	3.85	706.453	715.533	704 to 716	Pass
				30	3.85	706.462	715.552	704 to 716	Pass
				40	3.85	706.476	715.562	704 to 716	Pass
				50	3.85	706.468	715.532	704 to 716	Pass
16QAM	704	50	0	20	3.27	699.449	708.531	698 to 710	Pass
					3.85	699.475	708.539	698 to 710	Pass
					4.43	699.471	708.534	698 to 710	Pass
				-30	3.85	699.482	708.545	698 to 710	Pass
				-20	3.85	699.487	708.528	698 to 710	Pass
				-10	3.85	699.467	708.558	698 to 710	Pass
				0	3.85	699.472	708.521	698 to 710	Pass
				10	3.85	699.479	708.534	698 to 710	Pass
				30	3.85	699.468	708.548	698 to 710	Pass
				40	3.85	699.476	708.545	698 to 710	Pass
				50	3.85	699.469	708.518	698 to 710	Pass
	707.5	50	0	20	3.27	702.978	712.058	698 to 716	Pass
					3.85	702.980	712.051	698 to 716	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

					4.43	702.949	712.058	698 to 716	Pass
				-30	3.85	702.958	712.034	698 to 716	Pass
				-20	3.85	702.971	712.024	698 to 716	Pass
				-10	3.85	702.961	712.052	698 to 716	Pass
				0	3.85	702.976	712.054	698 to 716	Pass
				10	3.85	702.954	712.049	698 to 716	Pass
				30	3.85	702.982	712.066	698 to 716	Pass
				40	3.85	702.964	712.049	698 to 716	Pass
				50	3.85	702.950	712.051	698 to 716	Pass
	711	50	0	20	3.27	706.468	715.547	704 to 716	Pass
					3.85	706.482	715.558	704 to 716	Pass
					4.43	706.488	715.551	704 to 716	Pass
				-30	3.85	706.497	715.578	704 to 716	Pass
				-20	3.85	706.481	715.536	704 to 716	Pass
				-10	3.85	706.480	715.554	704 to 716	Pass
				0	3.85	706.469	715.554	704 to 716	Pass
				10	3.85	706.465	715.532	704 to 716	Pass
				30	3.85	706.473	715.562	704 to 716	Pass
				40	3.85	706.457	715.530	704 to 716	Pass
				50	3.85	706.440	715.560	704 to 716	Pass
64QAM	704	50	0	20	3.27	699.472	708.528	698 to 710	Pass
					3.85	699.477	708.524	698 to 710	Pass
					4.43	699.465	708.528	698 to 710	Pass
				-30	3.85	699.465	708.565	698 to 710	Pass
				-20	3.85	699.483	708.531	698 to 710	Pass
				-10	3.85	699.453	708.542	698 to 710	Pass
				0	3.85	699.473	708.524	698 to 710	Pass
				10	3.85	699.475	708.529	698 to 710	Pass
				30	3.85	699.477	708.531	698 to 710	Pass
				40	3.85	699.485	708.549	698 to 710	Pass
				50	3.85	699.462	708.563	698 to 710	Pass
	707.5	50	0	20	3.27	702.974	712.031	698 to 716	Pass
					3.85	702.977	712.048	698 to 716	Pass
					4.43	702.976	712.031	698 to 716	Pass
				-30	3.85	702.969	712.081	698 to 716	Pass
				-20	3.85	702.971	712.053	698 to 716	Pass
				-10	3.85	702.986	712.028	698 to 716	Pass
				0	3.85	702.975	712.063	698 to 716	Pass
				10	3.85	702.954	712.045	698 to 716	Pass
				30	3.85	702.953	712.049	698 to 716	Pass
				40	3.85	702.969	712.040	698 to 716	Pass
				50	3.85	702.944	712.035	698 to 716	Pass
	711	50	0	20	3.27	706.483	715.556	704 to 716	Pass
					3.85	706.470	715.561	704 to 716	Pass
					4.43	706.476	715.571	704 to 716	Pass
				-30	3.85	706.502	715.559	704 to 716	Pass
				-20	3.85	706.489	715.551	704 to 716	Pass
				-10	3.85	706.474	715.553	704 to 716	Pass
				0	3.85	706.475	715.556	704 to 716	Pass
				10	3.85	706.470	715.545	704 to 716	Pass
				30	3.85	706.475	715.528	704 to 716	Pass
				40	3.85	706.491	715.563	704 to 716	Pass
				50	3.85	706.493	715.545	704 to 716	Pass



8. Form731

8.1 Test Result

8.1.1 Form731_Power

Band	BW	Lower	High	MAX	Value	Hz/ppm	Emission	Rule	MAX
------	----	-------	------	-----	-------	--------	----------	------	-----

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

		Freq	Freq	Power (W)			Designator	Parts	Power (dBm)
12	1.4	699.7	715.3	0.2460	99.0000	ppm	1M09G7D	27H	23.91
12	1.4	699.7	715.3	0.2089	99.0000	ppm	1M10W7D	27H	23.20
12	3	700.5	714.5	0.2535	99.0000	ppm	2M69G7D	27H	24.04
12	3	700.5	714.5	0.2070	99.0000	ppm	2M70W7D	27H	23.16
12	5	701.5	713.5	0.2564	99.0000	ppm	4M53G7D	27H	24.09
12	5	701.5	713.5	0.2128	99.0000	ppm	4M54W7D	27H	23.28
12	10	704	711	0.2483	99.0000	ppm	8M96G7D	27H	23.95
12	10	704	711	0.2084	99.0000	ppm	8M97W7D	27H	23.19

8.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
12	1.4	699.7	715.3	0.0583	99.0000	ppm	1M09G7D	27H	17.66
12	1.4	699.7	715.3	0.0495	99.0000	ppm	1M10W7D	27H	16.95
12	3	700.5	714.5	0.0601	99.0000	ppm	2M69G7D	27H	17.79
12	3	700.5	714.5	0.0491	99.0000	ppm	2M70W7D	27H	16.91
12	5	701.5	713.5	0.0608	99.0000	ppm	4M53G7D	27H	17.84
12	5	701.5	713.5	0.0505	99.0000	ppm	4M54W7D	27H	17.03
12	10	704	711	0.0589	99.0000	ppm	8M96G7D	27H	17.70
12	10	704	711	0.0494	99.0000	ppm	8M97W7D	27H	16.94



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694