



Band42_20MHz_64QAM_LCH_3410MHz_RB_1_0_NTNV




Band42_20MHz_64QAM_LCH_3410MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694



Band42_20MHz_64QAM_LCH_3410MHz_RB_100_0_NTNV




Band42_20MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_20MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV



Band42_20MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_20MHz_64QAM_HCH_3590MHz_RB_1_0_NTNV




Band42_20MHz_64QAM_HCH_3590MHz_RB_1_0_NTNV



Band42_20MHz_64QAM_HCH_3590MHz_RB_1_0_NTNV



Band42_20MHz_64QAM_HCH_3590MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3580	3600	0.003	/	/	/	/	/	/
3600	3601	0.003	/	1	3600.003	-46.82	-13	Pass
3601	3620	1	CHP	2	3601.500	-37.44	-13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_20MHz_64QAM_HCH_3590MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3580	3600	0.189	CHP	/	/	/	/	/
3600	3601	0.189	CHP	1	3600.040	-38.60	-13	Pass
3601	3620	1	CHP	2	3601.520	-35.06	-13	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

7. Adjacent Channel Leakage Ratio

7.1 Test Result

7.1.1 B42_5MHz

Band: 42 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3402.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3500	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3597.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
16QAM	3402.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3500	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3597.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
64QAM	3402.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3500	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	3597.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	



7.1.2 B42_10MHz

Band: 42 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3405	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3595	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	3405	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3595	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

		50	0	Refer To Test Graph	Pass
64QAM	3405	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3500	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	3595	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

7.1.3 B42_15MHz

Band: 42 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3407.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3592.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	3407.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3592.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
64QAM	3407.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3592.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

7.1.4 B42_20MHz

Band: 42 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3410	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3500	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3590	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	3410	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	3500	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	3590	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	64QAM	3410	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
		3500	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
			100	Refer To Test Graph	Pass
		3590	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
			100	Refer To Test Graph	Pass




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

7.2 Test Graph

7.2.1 B42_5MHz




Band42_5MHz_QPSK_LCH_3402.5MHz_RB_25_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.28	/	/	/	/
Adjacent	-5	5.00	-21.01	-40.29	-30	10.29	Pass
Adjacent	5	5.00	-21.05	-40.33	-30	10.33	Pass

Band42_5MHz_QPSK_MCH_3500MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.37	/	/	/	/
Adjacent	-5	5.00	-20.23	-40.60	-30	10.60	Pass
Adjacent	5	5.00	-37.67	-58.04	-30	28.04	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_5MHz_QPSK_MCH_3500MHz_RB_1_24_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.23	/	/	/	/
Adjacent	-5	5.00	-37.20	-57.43	-30	27.43	Pass
Adjacent	5	5.00	-21.93	-42.16	-30	12.16	Pass

Band42_5MHz_QPSK_MCH_3500MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.54	/	/	/	/
Adjacent	-5	5.00	-21.08	-40.62	-30	10.62	Pass
Adjacent	5	5.00	-22.33	-41.87	-30	11.87	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_5MHz_QPSK_HCH_3597.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.20	/	/	/	/
Adjacent	-5	5.00	-20.90	-40.10	-30	10.10	Pass
Adjacent	5	5.00	-37.88	-57.08	-30	27.08	Pass

Band42_5MHz_QPSK_HCH_3597.5MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.12	/	/	/	/
Adjacent	-5	5.00	-38.00	-58.12	-30	28.12	Pass
Adjacent	5	5.00	-21.92	-42.04	-30	12.04	Pass

Band42_5MHz_QPSK_HCH_3597.5MHz_RB_25_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.92	/	/	/	/
Adjacent	-5	5.00	-21.62	-39.54	-30	9.54	Pass
Adjacent	5	5.00	-21.38	-39.30	-30	9.30	Pass

Band42_5MHz_16QAM_LCH_3402.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.36	/	/	/	/
Adjacent	-5	5.00	-21.86	-41.22	-30	11.22	Pass
Adjacent	5	5.00	-37.96	-57.32	-30	27.32	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_5MHz_16QAM_LCH_3402.5MHz_RB_1_24_NTNV



Band42_5MHz_16QAM_LCH_3402.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_5MHz_16QAM_MCH_3500MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.74	/	/	/	/
Adjacent	-5	5.00	-20.96	-40.70	-30	10.70	Pass
Adjacent	5	5.00	-38.82	-58.56	-30	28.56	Pass

Band42_5MHz_16QAM_MCH_3500MHz_RB_1_24_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.53	/	/	/	/
Adjacent	-5	5.00	-38.32	-57.85	-30	27.85	Pass
Adjacent	5	5.00	-22.24	-41.77	-30	11.77	Pass

Band42_5MHz_16QAM_MCH_3500MHz_RB_25_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.57	/	/	/	/
Adjacent	-5	5.00	-21.20	-39.77	-30	9.77	Pass
Adjacent	5	5.00	-22.21	-40.78	-30	10.78	Pass

Band42_5MHz_16QAM_HCH_3597.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.49	/	/	/	/
Adjacent	-5	5.00	-24.76	-43.25	-30	13.25	Pass
Adjacent	5	5.00	-37.41	-55.90	-30	25.90	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_5MHz_16QAM_HCH_3597.5MHz_RB_1_24_NTNV



Band42_5MHz_16QAM_HCH_3597.5MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_5MHz_64QAM_LCH_3402.5MHz_RB_1_0_NTNV




Band42_5MHz_64QAM_LCH_3402.5MHz_RB_1_24_NTNV



Band42_5MHz_64QAM_LCH_3402.5MHz_RB_25_0_NTNV



Band42_5MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

Band42_5MHz_64QAM_MCH_3500MHz_RB_1_24_NTNV



Band42_5MHz_64QAM_MCH_3500MHz_RB_25_0_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_5MHz_64QAM_HCH_3597.5MHz_RB_1_0_NTNV



Band42_5MHz_64QAM_HCH_3597.5MHz_RB_1_24_NTNV



Band42_5MHz_64QAM_HCH_3597.5MHz_RB_25_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.36	/	/	/	/
Adjacent	-5	5.00	-23.88	-40.24	-30	10.24	Pass
Adjacent	5	5.00	-25.52	-41.88	-30	11.88	Pass



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


7.2.2 B42_10MHz




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


Band42_10MHz_QPSK_LCH_3405MHz_RB_50_0_NTNV



Band42_10MHz_QPSK_MCH_3500MHz_RB_1_0_NTNV




Band42_10MHz_QPSK_MCH_3500MHz_RB_1_49_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.16	/	/	/	/
Adjacent	-10	10.00	-38.20	-58.36	-30	28.36	Pass
Adjacent	10	10.00	-25.81	-45.97	-30	15.97	Pass

Band42_10MHz_QPSK_MCH_3500MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.35	/	/	/	/
Adjacent	-10	10.00	-21.51	-40.86	-30	10.86	Pass
Adjacent	10	10.00	-22.35	-41.70	-30	11.70	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_10MHz_QPSK_HCH_3595MHz_RB_1_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.10	/	/	/	/
Adjacent	-10	10.00	-25.53	-44.63	-30	14.63	Pass
Adjacent	10	10.00	-36.64	-55.74	-30	25.74	Pass

Band42_10MHz_QPSK_HCH_3595MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.76	/	/	/	/
Adjacent	-10	10.00	-36.63	-55.39	-30	25.39	Pass
Adjacent	10	10.00	-26.52	-45.28	-30	15.28	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_10MHz QPSK HCH 3595MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.03	/	/	/	/
Adjacent	-10	10.00	-22.60	-40.63	-30	10.63	Pass
Adjacent	10	10.00	-23.97	-42.00	-30	12.00	Pass

Band42_10MHz 16QAM LCH 3405MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.11	/	/	/	/
Adjacent	-10	10.00	-25.05	-44.16	-30	14.16	Pass
Adjacent	10	10.00	-38.76	-57.87	-30	27.87	Pass

Band42_10MHz_16QAM_LCH_3405MHz_RB_1_49_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.09	/	/	/	/
Adjacent	-10	10.00	-38.73	-57.82	-30	27.82	Pass
Adjacent	10	10.00	-27.22	-46.31	-30	16.31	Pass

Band42_10MHz_16QAM_LCH_3405MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.46	/	/	/	/
Adjacent	-10	10.00	-23.43	-41.89	-30	11.89	Pass
Adjacent	10	10.00	-22.17	-40.63	-30	10.63	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_10MHz_16QAM_MCH_3500MHz_RB_1_0_NTNV



Band42_10MHz_16QAM_MCH_3500MHz_RB_1_49_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


Band42_10MHz_16QAM_MCH_3500MHz_RB_50_0_NTNV



Band42_10MHz_16QAM_HCH_3595MHz_RB_1_0_NTNV




Band42_10MHz_16QAM_HCH_3595MHz_RB_1_49_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.23	/	/	/	/
Adjacent	-10	10.00	-36.89	-55.12	-30	25.12	Pass
Adjacent	10	10.00	-28.24	-46.47	-30	16.47	Pass

Band42_10MHz_16QAM_HCH_3595MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.30	/	/	/	/
Adjacent	-10	10.00	-23.46	-40.76	-30	10.76	Pass
Adjacent	10	10.00	-25.08	-42.38	-30	12.38	Pass


Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_10MHz_64QAM_LCH_3405MHz_RB_1_0_NTNV



Band42_10MHz_64QAM_LCH_3405MHz_RB_1_49_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_10MHz_64QAM_LCH_3405MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.98	/	/	/	/
Adjacent	-10	10.00	-26.43	-44.41	-30	14.41	Pass
Adjacent	10	10.00	-26.18	-44.16	-30	14.16	Pass

Band42_10MHz_64QAM_MCH_3500MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.95	/	/	/	/
Adjacent	-10	10.00	-25.07	-43.02	-30	13.02	Pass
Adjacent	10	10.00	-38.93	-56.88	-30	26.88	Pass

Band42_10MHz_64QAM_MCH_3500MHz_RB_1_49_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.18	/	/	/	/
Adjacent	-10	10.00	-38.92	-57.10	-30	27.10	Pass
Adjacent	10	10.00	-26.64	-44.82	-30	14.82	Pass

Band42_10MHz_64QAM_MCH_3500MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.96	/	/	/	/
Adjacent	-10	10.00	-25.17	-43.13	-30	13.13	Pass
Adjacent	10	10.00	-27.37	-45.33	-30	15.33	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

Band42_10MHz_64QAM_HCH_3595MHz_RB_1_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.16	/	/	/	/
Adjacent	-10	10.00	-28.51	-45.67	-30	15.67	Pass
Adjacent	10	10.00	-37.00	-54.16	-30	24.16	Pass

Band42_10MHz_64QAM_HCH_3595MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.39	/	/	/	/
Adjacent	-10	10.00	-36.91	-54.30	-30	24.30	Pass
Adjacent	10	10.00	-28.90	-46.29	-30	16.29	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

Band42_10MHz_64QAM_HCH_3595MHz_RB_50_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.32	/	/	/	/
Adjacent	-10	10.00	-26.83	-43.15	-30	13.15	Pass
Adjacent	10	10.00	-28.17	-44.49	-30	14.49	Pass

7.2.3 B42_15MHz



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694