



802.11be-EHT80 26 dB Bandwidth

Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)



802.11be-EHT160 26 dB Bandwidth

Channel 47 (6185 MHz)




Channel 79 (6345 MHz)




Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)



Channel 207 (6985 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 95 (6425 MHz)




Channel 159 (6745 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 63 (6265 MHz)



Channel 127 (6585 MHz)



Channel 191 (6905 MHz)



Test Site	WJ-SR2	Test Engineer	Layla Gui
Test Date	2025-12-07 ~ 2025-12-10	Test Mode	Mode B, Nss = 1

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11ax-HE20	MCS0	33	6115	20.98	19.021	≤ 320
802.11ax-HE20	MCS0	61	6255	21.09	19.025	≤ 320
802.11ax-HE20	MCS0	93	6415	21.44	19.013	≤ 320
802.11ax-HE20	MCS0	97	6435	21.20	19.042	≤ 320
802.11ax-HE20	MCS0	105	6475	21.04	19.061	≤ 320
802.11ax-HE20	MCS0	113	6515	21.56	19.073	≤ 320
802.11ax-HE20	MCS0	117	6535	21.64	19.022	≤ 320
802.11ax-HE20	MCS0	149	6695	21.96	19.011	≤ 320
802.11ax-HE20	MCS0	181	6855	21.61	18.978	≤ 320
802.11ax-HE20	MCS0	185	6875	21.26	19.063	≤ 320
802.11ax-HE20	MCS0	189	6895	21.20	18.990	≤ 320
802.11ax-HE20	MCS0	209	6995	21.57	18.985	≤ 320
802.11ax-HE20	MCS0	229	7095	22.10	19.003	≤ 320
802.11ax-HE40	MCS0	35	6125	41.84	37.848	≤ 320
802.11ax-HE40	MCS0	59	6245	42.96	38.039	≤ 320
802.11ax-HE40	MCS0	91	6405	41.97	37.958	≤ 320
802.11ax-HE40	MCS0	99	6445	41.96	37.961	≤ 320
802.11ax-HE40	MCS0	107	6485	42.53	37.893	≤ 320
802.11ax-HE40	MCS0	115	6525	42.28	37.857	≤ 320
802.11ax-HE40	MCS0	123	6565	40.97	37.912	≤ 320
802.11ax-HE40	MCS0	147	6685	42.60	37.987	≤ 320
802.11ax-HE40	MCS0	179	6845	42.05	37.958	≤ 320
802.11ax-HE40	MCS0	187	6885	41.84	38.038	≤ 320
802.11ax-HE40	MCS0	195	6925	42.56	38.037	≤ 320
802.11ax-HE40	MCS0	211	7005	43.09	37.901	≤ 320
802.11ax-HE40	MCS0	227	7085	42.73	37.961	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11ax-HE80	MCS0	39	6145	86.27	77.546	≤ 320
802.11ax-HE80	MCS0	55	6225	85.31	77.466	≤ 320
802.11ax-HE80	MCS0	87	6385	85.96	77.554	≤ 320
802.11ax-HE80	MCS0	103	6465	86.92	77.620	≤ 320
802.11ax-HE80	MCS0	119	6545	83.91	77.497	≤ 320
802.11ax-HE80	MCS0	135	6625	84.33	77.389	≤ 320
802.11ax-HE80	MCS0	151	6705	83.76	77.655	≤ 320
802.11ax-HE80	MCS0	167	6785	85.05	77.586	≤ 320
802.11ax-HE80	MCS0	183	6865	82.33	77.546	≤ 320
802.11ax-HE80	MCS0	199	6945	84.09	77.528	≤ 320
802.11ax-HE80	MCS0	215	7025	83.54	77.483	≤ 320
802.11ax-HE160	MCS0	47	6185	162.3	156.79	≤ 320
802.11ax-HE160	MCS0	79	6345	162.3	157.01	≤ 320
802.11ax-HE160	MCS0	111	6505	163.6	156.64	≤ 320
802.11ax-HE160	MCS0	143	6665	162.4	156.88	≤ 320
802.11ax-HE160	MCS0	175	6825	162.4	156.61	≤ 320
802.11ax-HE160	MCS0	207	6985	162.4	156.79	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11be-EHT20	MCS0	33	6115	20.96	19.040	≤ 320
802.11be-EHT20	MCS0	61	6255	21.74	18.974	≤ 320
802.11be-EHT20	MCS0	93	6415	21.87	19.050	≤ 320
802.11be-EHT20	MCS0	97	6435	21.60	19.029	≤ 320
802.11be-EHT20	MCS0	105	6475	21.46	19.040	≤ 320
802.11be-EHT20	MCS0	113	6515	21.63	19.039	≤ 320
802.11be-EHT20	MCS0	117	6535	20.96	19.022	≤ 320
802.11be-EHT20	MCS0	149	6695	21.65	19.048	≤ 320
802.11be-EHT20	MCS0	181	6855	21.59	19.061	≤ 320
802.11be-EHT20	MCS0	185	6875	21.87	18.986	≤ 320
802.11be-EHT20	MCS0	189	6895	21.14	19.024	≤ 320
802.11be-EHT20	MCS0	209	6995	21.46	18.980	≤ 320
802.11be-EHT20	MCS0	229	7095	21.45	19.084	≤ 320
802.11be-EHT40	MCS0	35	6125	43.07	37.917	≤ 320
802.11be-EHT40	MCS0	59	6245	41.46	37.801	≤ 320
802.11be-EHT40	MCS0	91	6405	42.21	37.930	≤ 320
802.11be-EHT40	MCS0	99	6445	41.07	37.970	≤ 320
802.11be-EHT40	MCS0	107	6485	41.46	37.921	≤ 320
802.11be-EHT40	MCS0	115	6525	42.24	37.752	≤ 320
802.11be-EHT40	MCS0	123	6565	41.47	37.825	≤ 320
802.11be-EHT40	MCS0	147	6685	42.21	37.992	≤ 320
802.11be-EHT40	MCS0	179	6845	42.42	37.919	≤ 320
802.11be-EHT40	MCS0	187	6885	42.64	38.006	≤ 320
802.11be-EHT40	MCS0	195	6925	41.89	37.932	≤ 320
802.11be-EHT40	MCS0	211	7005	42.49	38.025	≤ 320
802.11be-EHT40	MCS0	227	7085	42.09	37.916	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11be-EHT80	MCS0	39	6145	86.71	77.540	≤ 320
802.11be-EHT80	MCS0	55	6225	85.45	77.461	≤ 320
802.11be-EHT80	MCS0	87	6385	85.00	77.506	≤ 320
802.11be-EHT80	MCS0	103	6465	84.57	77.501	≤ 320
802.11be-EHT80	MCS0	119	6545	87.10	77.636	≤ 320
802.11be-EHT80	MCS0	135	6625	87.23	77.779	≤ 320
802.11be-EHT80	MCS0	151	6705	85.60	77.526	≤ 320
802.11be-EHT80	MCS0	167	6785	85.00	77.608	≤ 320
802.11be-EHT80	MCS0	183	6865	86.50	77.426	≤ 320
802.11be-EHT80	MCS0	199	6945	84.40	77.727	≤ 320
802.11be-EHT80	MCS0	215	7025	85.03	77.499	≤ 320
802.11be-EHT160	MCS0	47	6185	162.3	156.90	≤ 320
802.11be-EHT160	MCS0	79	6345	162.4	156.85	≤ 320
802.11be-EHT160	MCS0	111	6505	162.9	156.63	≤ 320
802.11be-EHT160	MCS0	143	6665	162.9	157.04	≤ 320
802.11be-EHT160	MCS0	175	6825	162.3	156.86	≤ 320
802.11be-EHT160	MCS0	207	6985	163.1	156.89	≤ 320
802.11be-EHT320	MCS0	95	6425	326.8	315.04	≤ 320
802.11be-EHT320	MCS0	159	6745	327.3	315.60	≤ 320
802.11be-EHT320	MCS0	63	6265	326.9	315.58	≤ 320
802.11be-EHT320	MCS0	127	6585	327.1	315.41	≤ 320
802.11be-EHT320	MCS0	191	6905	326.8	315.13	≤ 320


Note:

For channels with a nominal bandwidth less than 320 MHz compliance is demonstrated by way of the 26 dB EBW.


For channels with a nominal bandwidth of 320 MHz compliance is demonstrated by way of the 99% BW.

802.11ax-HE20 26 dB Bandwidth


Channel 33 (6115 MHz)




Channel 61 (6255 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11ax-HE20 26 dB Bandwidth


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)



Channel 189 (6895 MHz)




Channel 209 (6995 MHz)




802.11ax-HE20 26 dB Bandwidth

Channel 229 (7095 MHz)




802.11ax-HE40 26 dB Bandwidth


Channel 35 (6125 MHz)




Channel 59 (6245 MHz)




Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11ax-HE40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)



Channel 179 (6845 MHz)




Channel 187 (6885 MHz)



Channel 195 (6925 MHz)



Channel 211 (7005 MHz)




802.11ax-HE40 26 dB Bandwidth

Channel 227 (7085 MHz)




802.11ax-HE80 26 dB Bandwidth

Channel 39 (6145 MHz)




Channel 55 (6225 MHz)




Channel 87 (6385 MHz)




Channel 103 (6465 MHz)



Channel 119 (6545 MHz)




Channel 135 (6625 MHz)




802.11ax-HE80 26 dB Bandwidth

Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)



Channel 215 (7025 MHz)



802.11ax-HE160 26 dB Bandwidth

Channel 47 (6185 MHz)




Channel 79 (6345 MHz)



Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)



Channel 207 (6985 MHz)




802.11be-EHT20 26 dB Bandwidth

Channel 33 (6115 MHz)




Channel 61 (6255 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11be-EHT20 26 dB Bandwidth


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)




Channel 209 (6995 MHz)






802.11be-EHT40 26 dB Bandwidth

Channel 35 (6125 MHz)




Channel 59 (6245 MHz)




Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)




Channel 211 (7005 MHz)






802.11be-EHT80 26 dB Bandwidth


Channel 39 (6145 MHz)




Channel 55 (6225 MHz)




Channel 87 (6385 MHz)



Channel 103 (6465 MHz)



Channel 119 (6545 MHz)




Channel 135 (6625 MHz)




802.11be-EHT80 26 dB Bandwidth


Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)



802.11be-EHT160 26 dB Bandwidth

Channel 47 (6185 MHz)




Channel 79 (6345 MHz)




Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 95 (6425 MHz)




Channel 159 (6745 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 63 (6265 MHz)



Channel 127 (6585 MHz)



Channel 191 (6905 MHz)



Test Site	WJ-SR2	Test Engineer	Layla Gui
Test Date	2025-12-07 ~ 2025-12-11	Test Mode	Mode B, Nss = 4

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11ax-HE20	MCS0	33	6115	21.11	18.960	≤ 320
802.11ax-HE20	MCS0	61	6255	20.78	19.019	≤ 320
802.11ax-HE20	MCS0	93	6415	20.74	19.039	≤ 320
802.11ax-HE20	MCS0	97	6435	21.24	19.001	≤ 320
802.11ax-HE20	MCS0	105	6475	21.58	19.018	≤ 320
802.11ax-HE20	MCS0	113	6515	21.15	19.055	≤ 320
802.11ax-HE20	MCS0	117	6535	21.74	19.014	≤ 320
802.11ax-HE20	MCS0	149	6695	21.54	19.063	≤ 320
802.11ax-HE20	MCS0	181	6855	21.33	19.044	≤ 320
802.11ax-HE20	MCS0	185	6875	21.25	19.042	≤ 320
802.11ax-HE20	MCS0	189	6895	21.51	19.074	≤ 320
802.11ax-HE20	MCS0	209	6995	21.15	19.009	≤ 320
802.11ax-HE20	MCS0	229	7095	22.21	19.137	≤ 320
802.11ax-HE40	MCS0	35	6125	43.29	37.967	≤ 320
802.11ax-HE40	MCS0	59	6245	42.25	37.903	≤ 320
802.11ax-HE40	MCS0	91	6405	41.97	37.803	≤ 320
802.11ax-HE40	MCS0	99	6445	41.88	37.859	≤ 320
802.11ax-HE40	MCS0	107	6485	41.68	37.868	≤ 320
802.11ax-HE40	MCS0	115	6525	42.41	37.976	≤ 320
802.11ax-HE40	MCS0	123	6565	42.57	37.890	≤ 320
802.11ax-HE40	MCS0	147	6685	42.53	37.987	≤ 320
802.11ax-HE40	MCS0	179	6845	42.50	38.080	≤ 320
802.11ax-HE40	MCS0	187	6885	42.68	37.843	≤ 320
802.11ax-HE40	MCS0	195	6925	41.34	37.808	≤ 320
802.11ax-HE40	MCS0	211	7005	42.17	37.869	≤ 320
802.11ax-HE40	MCS0	227	7085	42.68	38.014	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11ax-HE80	MCS0	39	6145	83.34	77.533	≤ 320
802.11ax-HE80	MCS0	55	6225	84.57	77.536	≤ 320
802.11ax-HE80	MCS0	87	6385	86.39	77.702	≤ 320
802.11ax-HE80	MCS0	103	6465	85.07	77.573	≤ 320
802.11ax-HE80	MCS0	119	6545	83.80	77.623	≤ 320
802.11ax-HE80	MCS0	135	6625	84.73	77.390	≤ 320
802.11ax-HE80	MCS0	151	6705	85.01	77.567	≤ 320
802.11ax-HE80	MCS0	167	6785	84.16	77.552	≤ 320
802.11ax-HE80	MCS0	183	6865	86.94	77.613	≤ 320
802.11ax-HE80	MCS0	199	6945	84.93	77.505	≤ 320
802.11ax-HE80	MCS0	215	7025	86.68	77.383	≤ 320
802.11ax-HE160	MCS0	47	6185	162.4	156.70	≤ 320
802.11ax-HE160	MCS0	79	6345	162.3	156.96	≤ 320
802.11ax-HE160	MCS0	111	6505	162.5	156.42	≤ 320
802.11ax-HE160	MCS0	143	6665	162.5	156.83	≤ 320
802.11ax-HE160	MCS0	175	6825	162.5	156.69	≤ 320
802.11ax-HE160	MCS0	207	6985	164.5	156.74	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11be-EHT20	MCS0	33	6115	20.92	19.004	≤ 320
802.11be-EHT20	MCS0	61	6255	21.90	18.993	≤ 320
802.11be-EHT20	MCS0	93	6415	21.64	19.009	≤ 320
802.11be-EHT20	MCS0	97	6435	20.73	19.061	≤ 320
802.11be-EHT20	MCS0	105	6475	21.16	18.964	≤ 320
802.11be-EHT20	MCS0	113	6515	21.27	19.023	≤ 320
802.11be-EHT20	MCS0	117	6535	21.16	19.004	≤ 320
802.11be-EHT20	MCS0	149	6695	21.72	19.005	≤ 320
802.11be-EHT20	MCS0	181	6855	20.98	19.048	≤ 320
802.11be-EHT20	MCS0	185	6875	21.18	19.063	≤ 320
802.11be-EHT20	MCS0	189	6895	21.06	19.093	≤ 320
802.11be-EHT20	MCS0	209	6995	21.15	19.007	≤ 320
802.11be-EHT20	MCS0	229	7095	23.68	18.985	≤ 320
802.11be-EHT40	MCS0	35	6125	42.74	37.917	≤ 320
802.11be-EHT40	MCS0	59	6245	40.57	37.958	≤ 320
802.11be-EHT40	MCS0	91	6405	42.32	37.889	≤ 320
802.11be-EHT40	MCS0	99	6445	40.63	37.898	≤ 320
802.11be-EHT40	MCS0	107	6485	41.26	37.889	≤ 320
802.11be-EHT40	MCS0	115	6525	42.59	37.949	≤ 320
802.11be-EHT40	MCS0	123	6565	42.85	37.890	≤ 320
802.11be-EHT40	MCS0	147	6685	42.24	37.878	≤ 320
802.11be-EHT40	MCS0	179	6845	42.22	37.938	≤ 320
802.11be-EHT40	MCS0	187	6885	42.35	37.919	≤ 320
802.11be-EHT40	MCS0	195	6925	41.72	37.904	≤ 320
802.11be-EHT40	MCS0	211	7005	42.17	37.911	≤ 320
802.11be-EHT40	MCS0	227	7085	41.95	37.945	≤ 320

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11be-EHT80	MCS0	39	6145	85.49	77.625	≤ 320
802.11be-EHT80	MCS0	55	6225	84.99	77.518	≤ 320
802.11be-EHT80	MCS0	87	6385	83.01	77.404	≤ 320
802.11be-EHT80	MCS0	103	6465	86.35	77.500	≤ 320
802.11be-EHT80	MCS0	119	6545	87.69	77.492	≤ 320
802.11be-EHT80	MCS0	135	6625	85.22	77.554	≤ 320
802.11be-EHT80	MCS0	151	6705	84.36	77.481	≤ 320
802.11be-EHT80	MCS0	167	6785	85.96	77.475	≤ 320
802.11be-EHT80	MCS0	183	6865	87.57	77.648	≤ 320
802.11be-EHT80	MCS0	199	6945	84.06	77.547	≤ 320
802.11be-EHT80	MCS0	215	7025	86.89	77.551	≤ 320
802.11be-EHT160	MCS0	47	6185	162.5	156.68	≤ 320
802.11be-EHT160	MCS0	79	6345	162.5	156.99	≤ 320
802.11be-EHT160	MCS0	111	6505	162.3	156.53	≤ 320
802.11be-EHT160	MCS0	143	6665	162.7	156.82	≤ 320
802.11be-EHT160	MCS0	175	6825	162.6	156.68	≤ 320
802.11be-EHT160	MCS0	207	6985	162.7	156.78	≤ 320
802.11be-EHT320	MCS0	95	6425	328.2	315.00	≤ 320
802.11be-EHT320	MCS0	159	6745	327.4	315.76	≤ 320
802.11be-EHT320	MCS0	63	6265	327.0	315.29	≤ 320
802.11be-EHT320	MCS0	127	6585	326.8	315.47	≤ 320
802.11be-EHT320	MCS0	191	6905	327.0	315.15	≤ 320


Note:

For channels with a nominal bandwidth less than 320 MHz compliance is demonstrated by way of the 26 dB EBW.


For channels with a nominal bandwidth of 320 MHz compliance is demonstrated by way of the 99% BW.

802.11ax-HE20 26 dB Bandwidth


Channel 33 (6115 MHz)




Channel 61 (6255 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11ax-HE20 26 dB Bandwidth

Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)



Channel 189 (6895 MHz)



Channel 209 (6995 MHz)




802.11ax-HE20 26 dB Bandwidth

Channel 229 (7095 MHz)




802.11ax-HE40 26 dB Bandwidth


Channel 35 (6125 MHz)




Channel 59 (6245 MHz)



Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11ax-HE40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)




Channel 211 (7005 MHz)






802.11ax-HE80 26 dB Bandwidth


Channel 39 (6145 MHz)



Channel 55 (6225 MHz)




Channel 87 (6385 MHz)




Channel 103 (6465 MHz)



Channel 119 (6545 MHz)




Channel 135 (6625 MHz)




802.11ax-HE80 26 dB Bandwidth


Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)



802.11ax-HE160 26 dB Bandwidth


Channel 47 (6185 MHz)




Channel 79 (6345 MHz)



Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)




802.11be-EHT20 26 dB Bandwidth


Channel 33 (6115 MHz)




Channel 61 (6255 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11be-EHT20 26 dB Bandwidth


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)




Channel 209 (6995 MHz)






802.11be-EHT40 26 dB Bandwidth


Channel 35 (6125 MHz)




Channel 59 (6245 MHz)




Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)



Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)






802.11be-EHT80 26 dB Bandwidth


Channel 39 (6145 MHz)




Channel 55 (6225 MHz)



Channel 87 (6385 MHz)




Channel 103 (6465 MHz)



Channel 119 (6545 MHz)



Channel 135 (6625 MHz)




802.11be-EHT80 26 dB Bandwidth

Channel 151 (6705 MHz)




Channel 167 (6785 MHz)



Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)




802.11be-EHT160 26 dB Bandwidth

Channel 47 (6185 MHz)



Channel 79 (6345 MHz)



Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 95 (6425 MHz)




Channel 159 (6745 MHz)



802.11be-EHT320 26 dB Bandwidth

Channel 63 (6265 MHz)



Channel 127 (6585 MHz)



Channel 191 (6905 MHz)



A.3 Output Power Test Result

Test Site	WJ-SR2	Test Engineer	Layla Gui
Test Date	2025-11-19 ~ 2025-12-04	Test Mode	Mode A, Nss = 1

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11ax-HE20	MCS0	33	6115	3.51	3.89	4.15	3.79	9.86	2.16	12.02	≤ 30.00
802.11ax-HE20	MCS0	61	6255	3.93	4.37	4.11	4.13	10.16	2.16	12.32	≤ 30.00
802.11ax-HE20	MCS0	93	6415	3.64	3.49	3.44	2.96	9.41	2.16	11.57	≤ 30.00
802.11ax-HE20	MCS0	97	6435	3.54	3.50	3.44	3.63	9.55	2.11	11.66	≤ 30.00
802.11ax-HE20	MCS0	105	6475	4.21	3.80	3.94	3.79	9.96	2.11	12.07	≤ 30.00
802.11ax-HE20	MCS0	113	6515	3.73	3.62	3.67	3.54	9.66	2.11	11.77	≤ 30.00
802.11ax-HE20	MCS0	117	6535	3.57	3.06	3.40	3.36	9.37	2.71	12.08	≤ 30.00
802.11ax-HE20	MCS0	149	6695	3.79	3.66	4.21	3.95	9.93	2.71	12.64	≤ 30.00
802.11ax-HE20	MCS0	181	6855	3.96	3.84	4.01	3.57	9.87	2.71	12.58	≤ 30.00
802.11ax-HE20	MCS0	185	6875	3.63	3.22	3.42	3.03	9.35	2.71	12.06	≤ 30.00
802.11ax-HE20	MCS0	189	6895	3.80	3.53	3.99	3.53	9.74	1.50	11.24	≤ 30.00
802.11ax-HE20	MCS0	209	6995	3.71	3.89	3.98	3.77	9.86	1.50	11.36	≤ 30.00
802.11ax-HE20	MCS0	229	7095	3.07	3.28	3.85	3.74	9.52	1.50	11.02	≤ 30.00
802.11ax-HE40	MCS0	35	6125	5.90	6.24	6.51	6.39	12.29	2.16	14.45	≤ 30.00
802.11ax-HE40	MCS0	59	6245	6.04	6.45	6.67	6.61	12.47	2.16	14.63	≤ 30.00
802.11ax-HE40	MCS0	91	6405	5.92	6.13	6.36	5.87	12.09	2.16	14.25	≤ 30.00
802.11ax-HE40	MCS0	99	6445	5.47	5.42	5.87	5.53	11.60	2.11	13.71	≤ 30.00
802.11ax-HE40	MCS0	107	6485	5.73	5.76	6.03	5.96	11.89	2.11	14.00	≤ 30.00
802.11ax-HE40	MCS0	115	6525	6.16	5.70	5.89	6.06	11.98	2.71	14.69	≤ 30.00
802.11ax-HE40	MCS0	123	6565	6.27	5.57	5.94	5.75	11.91	2.71	14.62	≤ 30.00
802.11ax-HE40	MCS0	147	6685	6.17	5.79	6.45	5.79	12.08	2.71	14.79	≤ 30.00
802.11ax-HE40	MCS0	179	6845	6.71	6.09	6.42	6.04	12.34	2.71	15.05	≤ 30.00
802.11ax-HE40	MCS0	187	6885	6.55	6.35	6.66	6.38	12.51	2.71	15.22	≤ 30.00
802.11ax-HE40	MCS0	195	6925	6.86	6.23	6.37	6.51	12.52	1.50	14.02	≤ 30.00
802.11ax-HE40	MCS0	211	7005	6.70	6.26	6.77	6.79	12.66	1.50	14.16	≤ 30.00
802.11ax-HE40	MCS0	227	7085	6.79	6.84	6.89	6.50	12.78	1.50	14.28	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11ax-HE80	MCS0	39	6145	8.61	9.27	9.60	9.18	15.20	2.16	17.36	≤ 30.00
802.11ax-HE80	MCS0	55	6225	8.99	9.48	9.65	9.39	15.40	2.16	17.56	≤ 30.00
802.11ax-HE80	MCS0	87	6385	9.07	8.98	9.35	8.57	15.02	2.16	17.18	≤ 30.00
802.11ax-HE80	MCS0	103	6465	8.72	8.63	8.73	8.07	14.57	2.11	16.68	≤ 30.00
802.11ax-HE80	MCS0	119	6545	9.32	8.75	8.71	8.47	14.84	2.71	17.55	≤ 30.00
802.11ax-HE80	MCS0	135	6625	8.98	8.39	8.81	8.14	14.61	2.71	17.32	≤ 30.00
802.11ax-HE80	MCS0	151	6705	9.21	8.99	9.57	9.04	15.23	2.71	17.94	≤ 30.00
802.11ax-HE80	MCS0	167	6785	9.39	8.90	9.41	9.08	15.22	2.71	17.93	≤ 30.00
802.11ax-HE80	MCS0	183	6865	9.28	8.64	8.82	8.97	14.95	2.71	17.66	≤ 30.00
802.11ax-HE80	MCS0	199	6945	9.71	9.04	9.31	8.67	15.22	1.50	16.72	≤ 30.00
802.11ax-HE80	MCS0	215	7025	9.45	9.54	9.82	9.43	15.58	1.50	17.08	≤ 30.00
802.11ax-HE160	MCS0	47	6185	11.19	11.23	11.74	11.28	17.39	2.16	19.55	≤ 30.00
802.11ax-HE160	MCS0	79	6345	11.45	11.59	11.95	11.64	17.68	2.16	19.84	≤ 30.00
802.11ax-HE160	MCS0	111	6505	11.49	11.14	11.77	11.23	17.44	2.71	20.15	≤ 30.00
802.11ax-HE160	MCS0	143	6665	11.83	11.27	12.14	11.59	17.74	2.71	20.45	≤ 30.00
802.11ax-HE160	MCS0	175	6825	11.68	11.28	11.35	11.69	17.52	2.71	20.23	≤ 30.00
802.11ax-HE160	MCS0	207	6985	12.83	12.37	12.94	12.95	18.80	1.50	20.30	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \times \log \{10^{(\text{Ant 7 Average Power} / 10)} + 10^{(\text{Ant 8 Average Power} / 10)} + 10^{(\text{Ant 9 Average Power} / 10)} + 10^{(\text{Ant 10 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11be-EHT20	MCS0	33	6115	3.73	3.85	3.95	3.81	9.86	2.16	12.02	≤ 30.00
802.11be-EHT20	MCS0	61	6255	3.35	3.75	3.45	3.61	9.56	2.16	11.72	≤ 30.00
802.11be-EHT20	MCS0	93	6415	3.66	3.50	3.48	3.27	9.50	2.16	11.66	≤ 30.00
802.11be-EHT20	MCS0	97	6435	3.24	3.12	3.19	3.02	9.16	2.11	11.27	≤ 30.00
802.11be-EHT20	MCS0	105	6475	3.93	3.38	3.54	3.19	9.54	2.11	11.65	≤ 30.00
802.11be-EHT20	MCS0	113	6515	3.43	2.98	3.22	2.88	9.15	2.11	11.26	≤ 30.00
802.11be-EHT20	MCS0	117	6535	4.01	3.34	3.68	3.18	9.58	2.71	12.29	≤ 30.00
802.11be-EHT20	MCS0	149	6695	3.23	3.13	3.74	3.41	9.40	2.71	12.11	≤ 30.00
802.11be-EHT20	MCS0	181	6855	3.59	3.23	3.54	3.19	9.41	2.71	12.12	≤ 30.00
802.11be-EHT20	MCS0	185	6875	3.65	3.20	3.45	3.22	9.40	2.71	12.11	≤ 30.00
802.11be-EHT20	MCS0	189	6895	3.88	3.50	4.11	3.79	9.85	1.50	11.35	≤ 30.00
802.11be-EHT20	MCS0	209	6995	3.81	3.88	4.15	3.70	9.91	1.50	11.41	≤ 30.00
802.11be-EHT20	MCS0	229	7095	3.05	3.29	3.88	3.74	9.52	1.50	11.02	≤ 30.00
802.11be-EHT40	MCS0	35	6125	5.90	6.21	6.47	6.15	12.21	2.16	14.37	≤ 30.00
802.11be-EHT40	MCS0	59	6245	5.58	5.90	6.19	6.05	11.96	2.16	14.12	≤ 30.00
802.11be-EHT40	MCS0	91	6405	5.54	5.35	5.90	5.47	11.59	2.16	13.75	≤ 30.00
802.11be-EHT40	MCS0	99	6445	5.38	5.37	5.96	5.50	11.58	2.11	13.69	≤ 30.00
802.11be-EHT40	MCS0	107	6485	5.67	5.69	6.11	5.75	11.83	2.11	13.94	≤ 30.00
802.11be-EHT40	MCS0	115	6525	6.14	5.66	6.01	5.99	11.97	2.71	14.68	≤ 30.00
802.11be-EHT40	MCS0	123	6565	6.33	5.57	5.99	5.62	11.91	2.71	14.62	≤ 30.00
802.11be-EHT40	MCS0	147	6685	6.21	5.78	6.51	5.83	12.11	2.71	14.82	≤ 30.00
802.11be-EHT40	MCS0	179	6845	6.66	6.04	6.44	5.87	12.28	2.71	14.99	≤ 30.00
802.11be-EHT40	MCS0	187	6885	6.54	6.23	6.66	6.10	12.41	2.71	15.12	≤ 30.00
802.11be-EHT40	MCS0	195	6925	6.87	6.26	6.35	6.15	12.44	1.50	13.94	≤ 30.00
802.11be-EHT40	MCS0	211	7005	6.71	6.23	6.78	6.79	12.65	1.50	14.15	≤ 30.00
802.11be-EHT40	MCS0	227	7085	6.81	6.83	6.92	6.48	12.78	1.50	14.28	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11be-EHT80	MCS0	39	6145	8.58	9.21	9.58	9.17	15.17	2.16	17.33	≤ 30.00
802.11be-EHT80	MCS0	55	6225	8.46	8.78	9.16	8.40	14.73	2.16	16.89	≤ 30.00
802.11be-EHT80	MCS0	87	6385	9.06	9.15	9.35	8.58	15.06	2.16	17.22	≤ 30.00
802.11be-EHT80	MCS0	103	6465	8.37	8.58	8.79	8.34	14.54	2.11	16.65	≤ 30.00
802.11be-EHT80	MCS0	119	6545	8.88	8.15	8.27	8.13	14.39	2.71	17.10	≤ 30.00
802.11be-EHT80	MCS0	135	6625	9.08	8.35	8.82	8.27	14.66	2.71	17.37	≤ 30.00
802.11be-EHT80	MCS0	151	6705	9.22	8.91	9.63	9.07	15.24	2.71	17.95	≤ 30.00
802.11be-EHT80	MCS0	167	6785	9.38	8.82	9.47	9.06	15.21	2.71	17.92	≤ 30.00
802.11be-EHT80	MCS0	183	6865	9.27	8.64	8.86	8.94	14.95	2.71	17.66	≤ 30.00
802.11be-EHT80	MCS0	199	6945	9.68	9.01	9.31	8.39	15.14	1.50	16.64	≤ 30.00
802.11be-EHT80	MCS0	215	7025	9.42	9.56	9.77	9.43	15.57	1.50	17.07	≤ 30.00
802.11be-EHT160	MCS0	47	6185	11.75	11.79	12.17	11.78	17.90	2.16	20.06	≤ 30.00
802.11be-EHT160	MCS0	79	6345	11.48	11.47	11.95	11.57	17.64	2.16	19.80	≤ 30.00
802.11be-EHT160	MCS0	111	6505	11.45	11.15	11.68	11.39	17.44	2.71	20.15	≤ 30.00
802.11be-EHT160	MCS0	143	6665	11.52	10.77	11.64	11.15	17.30	2.71	20.01	≤ 30.00
802.11be-EHT160	MCS0	175	6825	11.75	11.26	11.68	11.41	17.55	2.71	20.26	≤ 30.00
802.11be-EHT160	MCS0	207	6985	12.85	12.40	13.02	12.99	18.84	1.50	20.34	≤ 30.00
802.11be-EHT320	MCS0	95	6425	14.96	14.01	14.87	14.17	20.54	2.71	23.25	≤ 30.00
802.11be-EHT320	MCS0	159	6745	15.38	14.31	14.84	14.85	20.88	2.71	23.59	≤ 30.00
802.11be-EHT320	MCS0	63	6265	13.74	14.31	14.33	14.44	20.23	2.16	22.39	≤ 30.00
802.11be-EHT320	MCS0	127	6585	14.45	14.67	15.02	14.51	20.69	2.71	23.40	≤ 30.00
802.11be-EHT320	MCS0	191	6905	14.63	14.28	14.71	14.72	20.61	2.71	23.32	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \times \log \{10^{(\text{Ant 7 Average Power} / 10)} + 10^{(\text{Ant 8 Average Power} / 10)} + 10^{(\text{Ant 9 Average Power} / 10)} + 10^{(\text{Ant 10 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

Test Site	WJ-SR2	Test Engineer	Layla Gui
Test Date	2025-11-21 ~ 2025-12-04	Test Mode	Mode A, Nss = 4

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11ax-HE20	MCS0	33	6115	8.81	8.45	8.49	8.41	14.56	2.16	16.72	≤ 30.00
802.11ax-HE20	MCS0	61	6255	8.19	8.38	8.55	8.62	14.46	2.16	16.62	≤ 30.00
802.11ax-HE20	MCS0	93	6415	8.48	8.42	8.58	7.99	14.39	2.16	16.55	≤ 30.00
802.11ax-HE20	MCS0	97	6435	8.54	8.52	8.46	8.31	14.48	2.11	16.59	≤ 30.00
802.11ax-HE20	MCS0	105	6475	8.81	8.79	8.77	8.74	14.80	2.11	16.91	≤ 30.00
802.11ax-HE20	MCS0	113	6515	9.23	8.84	8.85	8.99	15.00	2.11	17.11	≤ 30.00
802.11ax-HE20	MCS0	117	6535	8.34	7.63	7.96	7.84	13.97	2.71	16.68	≤ 30.00
802.11ax-HE20	MCS0	149	6695	8.11	7.78	8.57	7.97	14.14	2.71	16.85	≤ 30.00
802.11ax-HE20	MCS0	181	6855	7.95	7.68	8.32	7.91	13.99	2.71	16.70	≤ 30.00
802.11ax-HE20	MCS0	185	6875	8.37	7.81	7.90	7.94	14.03	2.71	16.74	≤ 30.00
802.11ax-HE20	MCS0	189	6895	9.54	8.94	8.98	9.38	15.24	1.50	16.74	≤ 30.00
802.11ax-HE20	MCS0	209	6995	9.71	9.39	9.98	9.22	15.61	1.50	17.11	≤ 30.00
802.11ax-HE20	MCS0	229	7095	9.46	9.48	9.78	9.38	15.55	1.50	17.05	≤ 30.00
802.11ax-HE40	MCS0	35	6125	10.45	11.32	11.61	11.54	17.27	2.16	19.43	≤ 30.00
802.11ax-HE40	MCS0	59	6245	11.27	11.56	11.73	11.83	17.62	2.16	19.78	≤ 30.00
802.11ax-HE40	MCS0	91	6405	11.09	11.21	11.53	11.07	17.25	2.16	19.41	≤ 30.00
802.11ax-HE40	MCS0	99	6445	11.15	11.16	11.28	11.02	17.17	2.11	19.28	≤ 30.00
802.11ax-HE40	MCS0	107	6485	10.75	10.89	11.10	10.25	16.78	2.11	18.89	≤ 30.00
802.11ax-HE40	MCS0	115	6525	10.80	10.41	10.72	10.67	16.67	2.71	19.38	≤ 30.00
802.11ax-HE40	MCS0	123	6565	10.67	10.27	10.64	10.31	16.50	2.71	19.21	≤ 30.00
802.11ax-HE40	MCS0	147	6685	11.37	10.93	11.73	10.81	17.25	2.71	19.96	≤ 30.00
802.11ax-HE40	MCS0	179	6845	10.99	10.84	11.26	10.87	17.01	2.71	19.72	≤ 30.00
802.11ax-HE40	MCS0	187	6885	11.29	11.07	11.26	10.31	17.02	2.71	19.73	≤ 30.00
802.11ax-HE40	MCS0	195	6925	12.59	11.02	11.12	12.25	17.82	1.50	19.32	≤ 30.00
802.11ax-HE40	MCS0	211	7005	12.31	11.63	12.30	12.32	18.17	1.50	19.67	≤ 30.00
802.11ax-HE40	MCS0	227	7085	12.60	12.07	12.84	12.23	18.47	1.50	19.97	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11ax-HE80	MCS0	39	6145	13.89	14.55	14.83	14.73	20.54	2.16	22.70	≤ 30.00
802.11ax-HE80	MCS0	55	6225	14.35	14.21	13.44	14.15	20.07	2.16	22.23	≤ 30.00
802.11ax-HE80	MCS0	87	6385	13.78	13.65	14.28	13.52	19.84	2.16	22.00	≤ 30.00
802.11ax-HE80	MCS0	103	6465	13.69	13.65	13.87	13.10	19.61	2.11	21.72	≤ 30.00
802.11ax-HE80	MCS0	119	6545	13.79	13.24	13.51	13.22	19.47	2.71	22.18	≤ 30.00
802.11ax-HE80	MCS0	135	6625	13.84	13.18	14.06	13.37	19.65	2.71	22.36	≤ 30.00
802.11ax-HE80	MCS0	151	6705	14.49	13.76	14.30	14.06	20.18	2.71	22.89	≤ 30.00
802.11ax-HE80	MCS0	167	6785	14.33	14.06	14.49	14.49	20.37	2.71	23.08	≤ 30.00
802.11ax-HE80	MCS0	183	6865	14.26	14.29	14.27	14.36	20.32	2.71	23.03	≤ 30.00
802.11ax-HE80	MCS0	199	6945	15.38	14.74	14.92	14.82	20.99	1.50	22.49	≤ 30.00
802.11ax-HE80	MCS0	215	7025	14.79	14.35	15.04	14.69	20.75	1.50	22.25	≤ 30.00
802.11ax-HE160	MCS0	47	6185	16.22	16.42	16.71	16.66	22.53	2.16	24.69	≤ 30.00
802.11ax-HE160	MCS0	79	6345	16.60	16.69	17.19	16.75	22.83	2.16	24.99	≤ 30.00
802.11ax-HE160	MCS0	111	6505	16.24	15.86	16.25	15.87	22.08	2.71	24.79	≤ 30.00
802.11ax-HE160	MCS0	143	6665	16.35	15.73	16.82	16.26	22.33	2.71	25.04	≤ 30.00
802.11ax-HE160	MCS0	175	6825	16.46	16.02	16.96	16.27	22.46	2.71	25.17	≤ 30.00
802.11ax-HE160	MCS0	207	6985	17.43	16.93	17.60	17.36	23.36	1.50	24.86	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \times \log \{10^{(\text{Ant 7 Average Power} / 10)} + 10^{(\text{Ant 8 Average Power} / 10)} + 10^{(\text{Ant 9 Average Power} / 10)} + 10^{(\text{Ant 10 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)				Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 7	Ant 8	Ant 9	Ant 10				
802.11be-EHT20	MCS0	33	6115	7.49	8.55	8.92	7.79	14.25	2.16	16.41	≤ 30.00
802.11be-EHT20	MCS0	61	6255	7.16	8.44	8.68	7.57	14.03	2.16	16.19	≤ 30.00
802.11be-EHT20	MCS0	93	6415	7.66	8.31	8.76	6.91	13.99	2.16	16.15	≤ 30.00
802.11be-EHT20	MCS0	97	6435	7.69	8.42	8.74	7.58	14.16	2.11	16.27	≤ 30.00
802.11be-EHT20	MCS0	105	6475	8.01	8.63	8.87	7.95	14.40	2.11	16.51	≤ 30.00
802.11be-EHT20	MCS0	113	6515	7.90	8.34	8.36	7.52	14.06	2.11	16.17	≤ 30.00
802.11be-EHT20	MCS0	117	6535	7.35	7.66	7.96	7.03	13.53	2.71	16.24	≤ 30.00
802.11be-EHT20	MCS0	149	6695	7.17	7.93	8.44	6.93	13.68	2.71	16.39	≤ 30.00
802.11be-EHT20	MCS0	181	6855	7.33	7.58	8.10	6.72	13.48	2.71	16.19	≤ 30.00
802.11be-EHT20	MCS0	185	6875	7.31	7.72	8.04	6.88	13.53	2.71	16.24	≤ 30.00
802.11be-EHT20	MCS0	189	6895	8.57	8.92	9.04	8.29	14.74	1.50	16.24	≤ 30.00
802.11be-EHT20	MCS0	209	6995	9.65	10.02	9.38	9.28	15.61	1.50	17.11	≤ 30.00
802.11be-EHT20	MCS0	229	7095	9.46	9.47	9.88	9.42	15.58	1.50	17.08	≤ 30.00
802.11be-EHT40	MCS0	35	6125	11.28	11.32	11.75	10.63	17.28	2.16	19.44	≤ 30.00
802.11be-EHT40	MCS0	59	6245	11.18	11.61	10.76	11.95	17.42	2.16	19.58	≤ 30.00
802.11be-EHT40	MCS0	91	6405	11.06	11.11	11.65	9.91	17.00	2.16	19.16	≤ 30.00
802.11be-EHT40	MCS0	99	6445	10.59	11.09	11.63	9.90	16.87	2.11	18.98	≤ 30.00
802.11be-EHT40	MCS0	107	6485	10.23	10.87	11.32	10.07	16.67	2.11	18.78	≤ 30.00
802.11be-EHT40	MCS0	115	6525	9.95	10.38	10.74	9.79	16.25	2.71	18.96	≤ 30.00
802.11be-EHT40	MCS0	123	6565	10.05	10.27	10.67	9.51	16.17	2.71	18.88	≤ 30.00
802.11be-EHT40	MCS0	147	6685	9.79	10.51	11.24	9.71	16.38	2.71	19.09	≤ 30.00
802.11be-EHT40	MCS0	179	6845	9.93	10.70	11.36	9.81	16.52	2.71	19.23	≤ 30.00
802.11be-EHT40	MCS0	187	6885	10.10	10.99	11.45	10.15	16.73	2.71	19.44	≤ 30.00
802.11be-EHT40	MCS0	195	6925	12.56	11.96	11.21	12.19	18.03	1.50	19.53	≤ 30.00
802.11be-EHT40	MCS0	211	7005	11.19	11.77	12.44	11.36	17.74	1.50	19.24	≤ 30.00
802.11be-EHT40	MCS0	227	7085	11.74	12.10	12.79	11.15	18.01	1.50	19.51	≤ 30.00