



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310



11AC40SISO_Ant1_5510



11AC40SISO_Ant1_5550



11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775



6. Band edge measurements

6.1. Test Result


TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-28.91	≤-27	PASS
		High	5320	-32.32	≤-27	PASS
		Low	5500	-30.53	≤-27	PASS
		High	5700	-31.18	≤-27	PASS
11N20SISO	Ant1	Low	5180	-29.74	≤-27	PASS
		High	5320	-29.59	≤-27	PASS
		Low	5500	-32.58	≤-27	PASS
		High	5700	-29.65	≤-27	PASS
11N40SISO	Ant1	Low	5190	-29.88	≤-27	PASS
		High	5310	-29.58	≤-27	PASS
		Low	5510	-33.36	≤-27	PASS
		High	5670	-31.19	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-30.02	≤-27	PASS
		High	5320	-32.25	≤-27	PASS
		Low	5500	-32.52	≤-27	PASS
		High	5700	-29.62	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-29.44	≤-27	PASS
		High	5310	-28.89	≤-27	PASS
		Low	5510	-34.73	≤-27	PASS
		High	5670	-32.47	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-30.2	≤-27	PASS
		High	5290	-32.71	≤-27	PASS
		Low	5530	-32.94	≤-27	PASS
		High	5610	-35.11	≤-27	PASS

TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-43.09	≤9.38	PASS
				5700~5720	-23.52	≤15.46	PASS
				5720~5725	-19.83	≤24.72	PASS
				5760~5650	-47.82	≤-27	PASS
		High	5825	5850~5855	-27.87	≤17.58	PASS
				5855~5875	-34.06	≤10.05	PASS
				5875~5925	-45.39	≤-13.44	PASS
				5925~5935	-46.99	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-34.37	≤8.27	PASS
				5700~5720	-24.51	≤15.60	PASS
				5720~5725	-15.07	≤27.00	PASS
				5760~5650	-47.09	≤-27	PASS


		High	5825	5850~5855	-25.78	≤16.69	PASS
				5855~5875	-33.08	≤10.43	PASS
				5875~5925	-44.71	≤-26.61	PASS
				5925~5935	-46.75	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-31.6	≤7.67	PASS
				5700~5720	-19.67	≤15.58	PASS
				5720~5725	-19.35	≤26.60	PASS
				5780~5650	-46.85	≤-27	PASS
		High	5795	5850~5855	-33.83	≤16.39	PASS
				5855~5875	-36.51	≤11.51	PASS
				5875~5925	-42.69	≤-26.84	PASS
				5925~5935	-47.26	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-39.79	≤8.40	PASS
				5700~5720	-24.89	≤15.60	PASS
				5720~5725	-20.07	≤27.00	PASS
				5760~5650	-47.93	≤-27	PASS
		High	5825	5850~5855	-23.8	≤15.80	PASS
				5855~5875	-30.11	≤10.05	PASS
				5875~5925	-43.69	≤-19.66	PASS
				5925~5935	-45.99	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-31.4	≤3.76	PASS
				5700~5720	-22.08	≤14.98	PASS
				5720~5725	-20.83	≤23.93	PASS
				5780~5650	-45.68	≤-27	PASS
		High	5795	5850~5855	-33.28	≤26.21	PASS
				5855~5875	-33.93	≤10.04	PASS
				5875~5925	-43.19	≤-21.18	PASS
				5925~5935	-47.29	≤-27	PASS
11AC80SISO	Ant1	Low	5775	5650~5700	-25.83	≤7.20	PASS
				5700~5720	-22.29	≤15.48	PASS
				5720~5725	-22.11	≤25.91	PASS
				5800~5650	-34.21	≤-27	PASS
		High	5775	5850~5855	-20.15	≤15.62	PASS
				5855~5875	-23.3	≤11.76	PASS
				5875~5925	-28.14	≤-24.86	PASS
				5925~5935	-35.94	≤-27	PASS

6.2. Test Graphs







11A_Ant1_High_5700




11N20SISO_Ant1_Low_5180



11N20SISO_Ant1_High_5320




11N20SISO_Ant1_Low_5500




11N20SISO_Ant1_High_5700




11N40SISO_Ant1_Low_5190




11N40SISO_Ant1_High_5310




11N40SISO_Ant1_Low_5510




11N40SISO_Ant1_High_5670




11AC20SISO_Ant1_Low_5180




11AC20SISO_Ant1_High_5320




11AC20SISO_Ant1_Low_5500




11AC20SISO_Ant1_High_5700



11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5310




11AC40SISO_Ant1_Low_5510




11AC40SISO_Ant1_High_5670




11AC80SISO_Ant1_Low_5210




11AC80SISO_Ant1_High_5290



11AC80SISO_Ant1_Low_5530




11AC80SISO_Ant1_High_5610



11A_Ant1_Low_5745




11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745



11N20SISO_Ant1_High_5825



11N40SISO_Ant1_Low_5755




11N40SISO_Ant1_High_5795




11AC20SISO_Ant1_Low_5745



11AC20SISO_Ant1_High_5825




11AC40SISO_Ant1_Low_5755




11AC40SISO_Ant1_High_5795



11AC80SISO_Ant1_Low_5775



11AC80SISO_Ant1_High_5775



7. Emissions in Restricted Bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-51.61	≤-41.20	PASS
				AV	5149.275	-43.52	≤-41.20	PASS
				AV	5150.000	-42.65	≤-41.20	PASS
				Peak	4500.000	-38.32	≤-21.20	PASS
				Peak	5147.246	-25.86	≤-21.20	PASS
				Peak	5150.000	-28.54	≤-21.20	PASS
		High	5320	AV	5350.000	-43.32	≤-41.20	PASS
				AV	5350.087	-43.61	≤-41.20	PASS
				AV	5460.000	-56.57	≤-41.20	PASS
				Peak	5350.000	-24.35	≤-21.20	PASS
				Peak	5350.551	-23.89	≤-21.20	PASS
				Peak	5460.000	-49.34	≤-21.20	PASS
		Low	5500	AV	5350.000	-57.09	≤-41.20	PASS
				AV	5459.783	-45.49	≤-41.20	PASS
				AV	5460.000	-45.36	≤-41.20	PASS
				Peak	5350.000	-48.34	≤-21.20	PASS
				Peak	5453.391	-31.36	≤-21.20	PASS
				Peak	5460.000	-33.65	≤-21.20	PASS
			5745	AV	5650.000	-54.65	≤-27.00	PASS
				AV	5700.000	-50.21	≤10.00	PASS
				AV	5720.000	-34.24	≤15.60	PASS
				AV	5725.000	-30.24	≤27.00	PASS
				Peak	5650.000	-47.3	≤-27.00	PASS
				Peak	5700.000	-32.9	≤10.00	PASS
				Peak	5720.000	-23.37	≤15.60	PASS
				Peak	5725.000	-16.97	≤27.00	PASS
		High	5825	AV	5850.000	-37.58	≤15.60	PASS
				AV	5855.000	-42.93	≤27.00	PASS
				AV	5875.000	-53.05	≤15.60	PASS
				AV	5925.000	-55	≤10.00	PASS
				Peak	5850.000	-26.36	≤15.60	PASS
				Peak	5855.000	-27.68	≤27.00	PASS
				Peak	5875.000	-44.23	≤15.60	PASS
				Peak	5925.000	-46.07	≤10.00	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-58.3	≤-41.20	PASS
				AV	5149.275	-42.26	≤-41.20	PASS
				AV	5150.000	-41.51	≤-41.20	PASS
				Peak	4500.000	-49.13	≤-21.20	PASS
				Peak	5149.275	-26.37	≤-21.20	PASS

		High	5320	Peak	5150.000	-22.95	≤-21.20	PASS
				AV	5350.000	-43.63	≤-41.20	PASS
				AV	5350.087	-44.03	≤-41.20	PASS
				AV	5460.000	-55.98	≤-41.20	PASS
				Peak	5350.000	-28.34	≤-21.20	PASS
				Peak	5352.638	-26.35	≤-21.20	PASS
				Peak	5460.000	-47.33	≤-21.20	PASS
		Low	5500	AV	5350.000	-57.1	≤-41.20	PASS
				AV	5458.870	-49.19	≤-41.20	PASS
				AV	5460.000	-49.14	≤-41.20	PASS
				Peak	5350.000	-49.33	≤-21.20	PASS
				Peak	5459.783	-35.63	≤-21.20	PASS
				Peak	5460.000	-35.37	≤-21.20	PASS
			5745	AV	5650.000	-55.34	≤-27.00	PASS
				AV	5700.000	-48.34	≤10.00	PASS
				AV	5720.000	-33.14	≤15.60	PASS
				AV	5725.000	-29.13	≤27.00	PASS
				Peak	5650.000	-47.4	≤-27.00	PASS
				Peak	5700.000	-35.29	≤10.00	PASS
				Peak	5720.000	-22.63	≤15.60	PASS
				Peak	5725.000	-17.67	≤27.00	PASS
		High	5825	AV	5850.000	-36.97	≤15.60	PASS
				AV	5855.000	-41.77	≤27.00	PASS
				AV	5875.000	-52.63	≤15.60	PASS
				AV	5925.000	-54.73	≤10.00	PASS
				Peak	5850.000	-19.25	≤15.60	PASS
				Peak	5855.000	-25.96	≤27.00	PASS
				Peak	5875.000	-43.7	≤15.60	PASS
				Peak	5925.000	-45.02	≤10.00	PASS
11N40SISO	Ant1	Low	5190	AV	4500.000	-58.66	≤-41.20	PASS
				AV	5149.275	-43.03	≤-41.20	PASS
				AV	5150.000	-43.22	≤-41.20	PASS
				Peak	4500.000	-48.89	≤-21.20	PASS
				Peak	5148.261	-27.48	≤-21.20	PASS
				Peak	5150.000	-26.7	≤-21.20	PASS
		High	5310	AV	5350.000	-43.95	≤-41.20	PASS
				AV	5350.551	-43.31	≤-41.20	PASS
				AV	5460.000	-56.1	≤-41.20	PASS
				Peak	5350.000	-27.86	≤-21.20	PASS
				Peak	5350.319	-26.4	≤-21.20	PASS
				Peak	5460.000	-47.34	≤-21.20	PASS
		Low	5510	AV	5350.000	-56.9	≤-41.20	PASS
				AV	5459.739	-45.87	≤-41.20	PASS
				AV	5460.000	-45.09	≤-41.20	PASS

			5755	Peak	5350.000	-47.55	≤-21.20	PASS
				Peak	5459.739	-35.32	≤-21.20	PASS
				Peak	5460.000	-34.9	≤-21.20	PASS
				AV	5650.000	-54.52	≤-27.00	PASS
				AV	5700.000	-39.3	≤10.00	PASS
				AV	5720.000	-32.75	≤15.60	PASS
				AV	5725.000	-30.61	≤27.00	PASS
				Peak	5650.000	-43.78	≤-27.00	PASS
				Peak	5700.000	-28.23	≤10.00	PASS
				Peak	5720.000	-22.14	≤15.60	PASS
				Peak	5725.000	-21.01	≤27.00	PASS
		High	5795	AV	5850.000	-42.24	≤15.60	PASS
				AV	5855.000	-43.01	≤27.00	PASS
				AV	5875.000	-50.62	≤15.60	PASS
				AV	5925.000	-54.6	≤10.00	PASS
				Peak	5850.000	-30.99	≤15.60	PASS
				Peak	5855.000	-34.01	≤27.00	PASS
				Peak	5875.000	-40.4	≤15.60	PASS
				Peak	5925.000	-46.28	≤10.00	PASS
11AC20SIS O	Ant1	Low	5180	AV	4500.000	-58.12	≤-41.20	PASS
				AV	5148.261	-44.82	≤-41.20	PASS
				AV	5150.000	-44.47	≤-41.20	PASS
				Peak	4500.000	-48.99	≤-21.20	PASS
				Peak	5149.275	-24.62	≤-21.20	PASS
				Peak	5150.000	-23.35	≤-21.20	PASS
		High	5320	AV	5350.000	-43.9	≤-41.20	PASS
				AV	5350.087	-44.28	≤-41.20	PASS
				AV	5460.000	-56.01	≤-41.20	PASS
				Peak	5350.000	-28.48	≤-21.20	PASS
				Peak	5351.014	-28.04	≤-21.20	PASS
				Peak	5460.000	-47.42	≤-21.20	PASS
		Low	5500	AV	5350.000	-57.22	≤-41.20	PASS
				AV	5459.783	-48.08	≤-41.20	PASS
				AV	5460.000	-47.95	≤-41.20	PASS
				Peak	5350.000	-48.13	≤-21.20	PASS
				Peak	5458.565	-36.12	≤-21.20	PASS
				Peak	5460.000	-35.55	≤-21.20	PASS
			5745	AV	5650.000	-55.64	≤-27.00	PASS
				AV	5700.000	-48.47	≤10.00	PASS
				AV	5720.000	-32.44	≤15.60	PASS
				AV	5725.000	-27.9	≤27.00	PASS
				Peak	5650.000	-47.07	≤-27.00	PASS
				Peak	5700.000	-33.93	≤10.00	PASS
				Peak	5720.000	-20.54	≤15.60	PASS

11AC40SIS O	Ant1	High	5825	Peak	5725.000	-16.17	≤27.00	PASS
				AV	5850.000	-35.88	≤15.60	PASS
				AV	5855.000	-41.54	≤27.00	PASS
				AV	5875.000	-53.04	≤15.60	PASS
				AV	5925.000	-55.22	≤10.00	PASS
				Peak	5850.000	-22.26	≤15.60	PASS
				Peak	5855.000	-30.85	≤27.00	PASS
				Peak	5875.000	-41.84	≤15.60	PASS
				Peak	5925.000	-46.61	≤10.00	PASS
		Low	5190	AV	4500.000	-58.49	≤-41.20	PASS
				AV	5149.275	-43.36	≤-41.20	PASS
				AV	5150.000	-43.85	≤-41.20	PASS
				Peak	4500.000	-48.57	≤-21.20	PASS
				Peak	5149.275	-23.92	≤-21.20	PASS
				Peak	5150.000	-23.94	≤-21.20	PASS
		High	5310	AV	5350.000	-43.09	≤-41.20	PASS
				AV	5350.087	-43.29	≤-41.20	PASS
				AV	5460.000	-56.73	≤-41.20	PASS
				Peak	5350.000	-26.6	≤-21.20	PASS
				Peak	5350.087	-26.61	≤-21.20	PASS
				Peak	5460.000	-47.11	≤-21.20	PASS
11AC80SIS	Ant1	Low	5510	AV	5350.000	-56.77	≤-41.20	PASS
				AV	5458.783	-44.13	≤-41.20	PASS
				AV	5460.000	-44.3	≤-41.20	PASS
				Peak	5350.000	-47.82	≤-21.20	PASS
				Peak	5459.739	-34.82	≤-21.20	PASS
				Peak	5460.000	-35.06	≤-21.20	PASS
			5755	AV	5650.000	-55.15	≤-27.00	PASS
				AV	5700.000	-38.78	≤10.00	PASS
				AV	5720.000	-32.01	≤15.60	PASS
				AV	5725.000	-30.01	≤27.00	PASS
				Peak	5650.000	-46.52	≤-27.00	PASS
				Peak	5700.000	-29.65	≤10.00	PASS
				Peak	5720.000	-21.7	≤15.60	PASS
				Peak	5725.000	-18.12	≤27.00	PASS
		High	5795	AV	5850.000	-41.74	≤15.60	PASS
				AV	5855.000	-44.1	≤27.00	PASS
				AV	5875.000	-51.31	≤15.60	PASS
				AV	5925.000	-55.03	≤10.00	PASS
				Peak	5850.000	-27.82	≤15.60	PASS
				Peak	5855.000	-32.5	≤27.00	PASS
				Peak	5875.000	-40.47	≤15.60	PASS
				Peak	5925.000	-46.56	≤10.00	PASS
11AC80SIS	Ant1	Low	5210	AV	4500.000	-58.55	≤-41.20	PASS


O				AV	5146.739	-42.85	≤-41.20	PASS
				AV	5150.000	-43.44	≤-41.20	PASS
				Peak	4500.000	-48.13	≤-21.20	PASS
				Peak	5150.000	-24.95	≤-21.20	PASS
		High	5290	AV	5350.000	-44.83	≤-41.20	PASS
				AV	5355.072	-44.38	≤-41.20	PASS
				AV	5460.000	-56.28	≤-41.20	PASS
				Peak	5350.000	-30.82	≤-21.20	PASS
				Peak	5351.594	-29.1	≤-21.20	PASS
				Peak	5460.000	-44.5	≤-21.20	PASS
		Low	5530	AV	5350.000	-55.37	≤-41.20	PASS
				AV	5459.884	-41.39	≤-41.20	PASS
				AV	5460.000	-41.39	≤-41.20	PASS
				Peak	5350.000	-47.18	≤-21.20	PASS
				Peak	5458.667	-32.5	≤-21.20	PASS
				Peak	5460.000	-33.14	≤-21.20	PASS
			5775	AV	5650.000	-44	≤-27.00	PASS
				AV	5700.000	-34.78	≤10.00	PASS
				AV	5720.000	-31.17	≤15.60	PASS
				AV	5725.000	-31.38	≤27.00	PASS
				Peak	5650.000	-33.54	≤-27.00	PASS
				Peak	5700.000	-25.45	≤10.00	PASS
				Peak	5720.000	-20.16	≤15.60	PASS
				Peak	5725.000	-17.62	≤27.00	PASS
		High	5775	AV	5850.000	-31.47	≤15.60	PASS
				AV	5855.000	-31.79	≤27.00	PASS
				AV	5875.000	-37.56	≤15.60	PASS
				AV	5925.000	-47.54	≤10.00	PASS
				Peak	5850.000	-21.17	≤15.60	PASS
				Peak	5855.000	-20.58	≤27.00	PASS
				Peak	5875.000	-25.71	≤15.60	PASS
				Peak	5925.000	-35.26	≤10.00	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

7.2. Test Graphs






11A_Ant1_High_5320_Peak




11A_Ant1_Low_5500_AV



11A_Ant1_Low_5500_Peak




11A_Ant1_Low_5745_AV




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_AV




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV



11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_Low_5745_AV




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_AV




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak



11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak




11N40SISO_Ant1_Low_5755_AV




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_AV




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak




11AC20SISO_Ant1_Low_5500_AV




11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_Low_5745_AV




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_AV




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC40SISO_Ant1_Low_5510_AV




11AC40SISO_Ant1_Low_5510_Peak




11AC40SISO_Ant1_Low_5755_AV




11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_AV




11AC40SISO_Ant1_High_5795_Peak




11AC80SISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5290_AV




11AC80SISO_Ant1_High_5290_Peak




11AC80SISO_Ant1_Low_5530_AV




11AC80SISO_Ant1_Low_5530_Peak




11AC80SISO_Ant1_Low_5775_AV




11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_AV



11AC80SISO_Ant1_High_5775_Peak



8. Conducted Spurious Emission


8.1. Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	892.38	-44.68	≤-27	PASS
			1000~40000	1924.3	-34.7	≤-27	PASS
		5200	30~1000	510.22	-45.69	≤-27	PASS
			1000~40000	6769.4	-37.95	≤-27	PASS
		5240	30~1000	863.57	-45.89	≤-27	PASS
			1000~40000	6994.3	-37.28	≤-27	PASS
		5260	30~1000	868.52	-45.03	≤-27	PASS
			1000~40000	6846.1	-38.58	≤-27	PASS
		5280	30~1000	895.2	-44.58	≤-27	PASS
			1000~40000	6957.9	-38.32	≤-27	PASS
		5320	30~1000	511.51	-46.15	≤-27	PASS
			1000~40000	15951.3	-37.19	≤-27	PASS
		5500	30~1000	888.41	-44.84	≤-27	PASS
			30~1000	509.44	-44.53	≤-27	PASS
		5580	30~1000	509.44	-44.53	≤-27	PASS
			1000~40000	1921.7	-33.97	≤-27	PASS
		5700	30~1000	862.64	-43.97	≤-27	PASS
			1000~40000	17097.9	-34.97	≤-27	PASS
		5745	30~1000	962.25	-43.97	≤-27	PASS
			1000~40000	17224	-35.83	≤-27	PASS
		5785	30~1000	968.27	-45.38	≤-27	PASS
			1000~40000	17354	-34.78	≤-27	PASS
11N20SISO	Ant1	5180	30~1000	960.54	-45.52	≤-27	PASS
			1000~40000	6922.8	-38.45	≤-27	PASS
		5200	30~1000	889.6	-44.52	≤-27	PASS
			1000~40000	6974.8	-37.69	≤-27	PASS
		5240	30~1000	862.8	-44.55	≤-27	PASS
			1000~40000	6977.4	-37.65	≤-27	PASS
		5260	30~1000	868.72	-46.02	≤-27	PASS
			1000~40000	6860.4	-38.3	≤-27	PASS
		5280	30~1000	890.6	-45.13	≤-27	PASS
			1000~40000	6931.9	-37.97	≤-27	PASS
		5320	30~1000	961.51	-46.48	≤-27	PASS
			1000~40000	15966.9	-36.9	≤-27	PASS
		5500	30~1000	894.42	-45.12	≤-27	PASS
			1000~40000	6900.7	-37.31	≤-27	PASS
		5580	30~1000	867.23	-44.9	≤-27	PASS
			1000~40000	6987.8	-36.88	≤-27	PASS

		5700	30~1000	808.77	-45.43	≤-27	PASS
			1000~40000	17096.6	-37.87	≤-27	PASS
		5745	30~1000	958.79	-43.95	≤-27	PASS
			1000~40000	17231.8	-35.28	≤-27	PASS
		5785	30~1000	889.18	-43.78	≤-27	PASS
			1000~40000	17357.9	-37.16	≤-27	PASS
11N40SISO	Ant1	5825	30~1000	863.96	-44.9	≤-27	PASS
			1000~40000	6883.8	-38.05	≤-27	PASS
		5190	30~1000	863.09	-44.54	≤-27	PASS
			1000~40000	4727.1	-38.4	≤-27	PASS
		5230	30~1000	889.67	-44.96	≤-27	PASS
			1000~40000	4764.8	-37.35	≤-27	PASS
		5270	30~1000	890.8	-44.08	≤-27	PASS
			1000~40000	6859.1	-37.92	≤-27	PASS
		5310	30~1000	889.6	-44.57	≤-27	PASS
			1000~40000	6887.7	-37.97	≤-27	PASS
		5510	30~1000	863.67	-45.41	≤-27	PASS
			1000~40000	6954	-37.67	≤-27	PASS
		5550	30~1000	860.57	-44.86	≤-27	PASS
			1000~40000	6846.1	-36.97	≤-27	PASS
		5670	30~1000	861.76	-45.63	≤-27	PASS
			1000~40000	17019.9	-35.35	≤-27	PASS
		5755	30~1000	960.86	-45.35	≤-27	PASS
			1000~40000	6963.1	-37.91	≤-27	PASS
11AC20SISO	Ant1	5795	30~1000	888.18	-45.44	≤-27	PASS
			1000~40000	6768.1	-38.19	≤-27	PASS
		5180	30~1000	889.18	-46.01	≤-27	PASS
			1000~40000	6969.6	-37.5	≤-27	PASS
		5200	30~1000	510.89	-45.79	≤-27	PASS
			1000~40000	38915.8	-38.82	≤-27	PASS
		5240	30~1000	862.51	-45.96	≤-27	PASS
			1000~40000	6913.7	-36.86	≤-27	PASS
		5260	30~1000	846.24	-45.56	≤-27	PASS
			1000~40000	6987.8	-38.42	≤-27	PASS
		5280	30~1000	938.36	-46.06	≤-27	PASS
			1000~40000	6756.4	-38.38	≤-27	PASS
		5320	30~1000	862.25	-45.22	≤-27	PASS
			1000~40000	6839.6	-38.5	≤-27	PASS
		5500	30~1000	888.05	-44.52	≤-27	PASS
			1000~40000	6918.9	-37.8	≤-27	PASS
		5580	30~1000	962.64	-45.1	≤-27	PASS
			1000~40000	16740.4	-37.86	≤-27	PASS
		5700	30~1000	968.78	-44.25	≤-27	PASS
			1000~40000	6970.9	-38.12	≤-27	PASS


		5745	30~1000	862.73	-44.64	≤ -27	PASS
			1000~40000	17240.9	-33.63	≤ -27	PASS
		5785	30~1000	863.35	-44.24	≤ -27	PASS
			1000~40000	6952.7	-37.81	≤ -27	PASS
		5825	30~1000	897.39	-45.48	≤ -27	PASS
			1000~40000	6993	-37.78	≤ -27	PASS
11AC40SISO	Ant1	5190	30~1000	864.71	-45.59	≤ -27	PASS
			1000~40000	6807.1	-37.5	≤ -27	PASS
		5230	30~1000	892.12	-44.99	≤ -27	PASS
			1000~40000	6981.3	-38.08	≤ -27	PASS
		5270	30~1000	862.64	-44.5	≤ -27	PASS
			1000~40000	6998.2	-38.43	≤ -27	PASS
		5310	30~1000	960.96	-45.26	≤ -27	PASS
			1000~40000	4844.1	-37.92	≤ -27	PASS
		5510	30~1000	958.34	-45.25	≤ -27	PASS
			1000~40000	6896.8	-38.52	≤ -27	PASS
		5550	30~1000	582.64	-45.3	≤ -27	PASS
			1000~40000	6969.6	-38.22	≤ -27	PASS
		5670	30~1000	888.44	-45.74	≤ -27	PASS
			1000~40000	16997.8	-37.31	≤ -27	PASS
		5755	30~1000	865.58	-44.92	≤ -27	PASS
			1000~40000	5291.3	-36.57	≤ -27	PASS
		5795	30~1000	860.31	-43.59	≤ -27	PASS
			1000~40000	6964.4	-38.42	≤ -27	PASS
11AC80SISO	Ant1	5210	30~1000	895.45	-45.17	≤ -27	PASS
			1000~40000	6933.2	-37.78	≤ -27	PASS
		5290	30~1000	862.35	-45.17	≤ -27	PASS
			1000~40000	6976.1	-38.24	≤ -27	PASS
		5530	30~1000	860.05	-44.92	≤ -27	PASS
			1000~40000	6986.5	-37.97	≤ -27	PASS
		5610	30~1000	890.18	-44.83	≤ -27	PASS
			1000~40000	6956.6	-37.31	≤ -27	PASS
		5775	30~1000	860.92	-44.57	≤ -27	PASS
			1000~40000	6708.3	-37.84	≤ -27	PASS

8.2.Test Graphs







11A_Ant1_5200_1000~40000




11A_Ant1_5240_30~1000




11A_Ant1_5240_1000~40000




11A_Ant1_5260_30~1000




11A_Ant1_5260_1000~40000




11A_Ant1_5280_30~1000




11A_Ant1_5280_1000~40000




11A_Ant1_5320_30~1000




11A_Ant1_5320_1000~40000




11A_Ant1_5500_30~1000




11A_Ant1_5580_30~1000




11A_Ant1_5580_1000~40000



11A_Ant1_5700_30~1000



11A_Ant1_5700_1000~40000



11A_Ant1_5745_30~1000