



## **TABLE OF CONTENTS**

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Appendix A: Effective (Isotropic) Radiated Power Output Data ..... | 2  |
| Appendix B: Peak-to-Average Ratio(CCDF) .....                      | 7  |
| Appendix C: 26dB Bandwidth and Occupied Bandwidth .....            | 17 |
| Appendix D: Band Edge .....                                        | 22 |
| Appendix E: Conducted Spurious Emission .....                      | 28 |
| Appendix F: Frequency Stability .....                              | 36 |



## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Conducted power (dBm) | ERP(dBm) or EIRP(dBm) | Limit | Verdict |
|--------|-----------|------------|---------|------------------|-----------------------|-----------------------|-------|---------|
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | 22.79                 | 22.89                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#12           | 22.85                 | 22.95                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#24           | 22.91                 | 23.01                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 12RB#0           | 22.06                 | 22.16                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 12RB#6           | 22.07                 | 22.17                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 12RB#13          | 22.07                 | 22.17                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 25RB#0           | 22.01                 | 22.11                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#0            | 23.11                 | 23.21                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#12           | 23.21                 | 23.31                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#24           | 23.31                 | 23.41                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 12RB#0           | 22.14                 | 22.24                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 12RB#6           | 22.08                 | 22.18                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 12RB#13          | 22.08                 | 22.18                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 25RB#0           | 22.10                 | 22.2                  | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | 22.94                 | 23.04                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#12           | 23.04                 | 23.14                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#24           | 23.06                 | 23.16                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 12RB#0           | 22.14                 | 22.24                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 12RB#6           | 22.12                 | 22.22                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 12RB#13          | 22.14                 | 22.24                 | 33.01 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 25RB#0           | 22.10                 | 22.2                  | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#0            | 22.89                 | 22.99                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#12           | 22.91                 | 23.01                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#24           | 22.96                 | 23.06                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 12RB#0           | 21.02                 | 21.12                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 12RB#6           | 21.02                 | 21.12                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 12RB#13          | 20.98                 | 21.08                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 25RB#0           | 20.96                 | 21.06                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 1RB#0            | 23.15                 | 23.25                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 1RB#12           | 23.25                 | 23.35                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 1RB#24           | 23.27                 | 23.37                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 12RB#0           | 21.01                 | 21.11                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 12RB#6           | 21.01                 | 21.11                 | 33.01 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 12RB#13          | 21.03                 | 21.13                 | 33.01 | PASS    |



|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 5MHz  | 16QAM | 40620 | 25RB#0  | 21.03 | 21.13 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 1RB#0   | 22.07 | 22.17 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 1RB#12  | 22.12 | 22.22 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 1RB#24  | 22.20 | 22.3  | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 12RB#0  | 21.17 | 21.27 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 12RB#6  | 21.14 | 21.24 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 12RB#13 | 21.14 | 21.24 | 33.01 | PASS |
| Band41 | 5MHz  | 16QAM | 41565 | 25RB#0  | 21.18 | 21.28 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#0   | 23.05 | 23.15 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#24  | 23.21 | 23.31 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 1RB#49  | 23.24 | 23.34 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#0  | 22.12 | 22.22 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#12 | 22.10 | 22.2  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 25RB#25 | 22.19 | 22.29 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 39700 | 50RB#0  | 22.05 | 22.15 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#0   | 23.14 | 23.24 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#24  | 22.73 | 22.83 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 1RB#49  | 22.78 | 22.88 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#0  | 21.59 | 21.69 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#12 | 21.60 | 21.7  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 25RB#25 | 22.14 | 22.24 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 40620 | 50RB#0  | 21.62 | 21.72 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#0   | 23.17 | 23.27 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#24  | 22.70 | 22.8  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 1RB#49  | 22.70 | 22.8  | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#0  | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#12 | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 25RB#25 | 21.77 | 21.87 | 33.01 | PASS |
| Band41 | 10MHz | QPSK  | 41540 | 50RB#0  | 21.71 | 21.81 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#0   | 22.19 | 22.29 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#24  | 22.28 | 22.38 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 1RB#49  | 22.30 | 22.4  | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#0  | 21.51 | 21.61 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#12 | 21.50 | 21.6  | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 25RB#25 | 21.51 | 21.61 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 39700 | 50RB#0  | 20.68 | 20.78 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#0   | 22.11 | 22.21 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#24  | 21.83 | 21.93 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 1RB#49  | 21.80 | 21.9  | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 25RB#0  | 21.08 | 21.18 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 25RB#12 | 21.08 | 21.18 | 33.01 | PASS |



|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 10MHz | 16QAM | 40620 | 25RB#25 | 21.09 | 21.19 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 40620 | 50RB#0  | 20.67 | 20.77 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 1RB#0   | 20.94 | 21.04 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 1RB#24  | 20.99 | 21.09 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 1RB#49  | 21.02 | 21.12 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#0  | 21.32 | 21.42 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#12 | 21.32 | 21.42 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 25RB#25 | 21.35 | 21.45 | 33.01 | PASS |
| Band41 | 10MHz | 16QAM | 41540 | 50RB#0  | 20.64 | 20.74 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#0   | 23.07 | 23.17 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#38  | 23.26 | 23.36 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 1RB#74  | 23.29 | 23.39 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 38RB#0  | 22.13 | 22.23 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 38RB#18 | 22.15 | 22.25 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 38RB#37 | 22.18 | 22.28 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 39725 | 75RB#0  | 22.17 | 22.27 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#0   | 23.19 | 23.29 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#38  | 23.31 | 23.41 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 1RB#74  | 22.87 | 22.97 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 38RB#0  | 22.11 | 22.21 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 38RB#18 | 21.65 | 21.75 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 38RB#37 | 21.71 | 21.81 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 40620 | 75RB#0  | 21.72 | 21.82 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 1RB#0   | 22.96 | 23.06 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 1RB#38  | 22.56 | 22.66 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 1RB#74  | 22.59 | 22.69 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 38RB#0  | 21.78 | 21.88 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 38RB#18 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 38RB#37 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 15MHz | QPSK  | 41515 | 75RB#0  | 21.73 | 21.83 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#0   | 22.17 | 22.27 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#38  | 22.32 | 22.42 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 1RB#74  | 22.30 | 22.4  | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 38RB#0  | 22.17 | 22.27 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 38RB#18 | 22.19 | 22.29 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 38RB#37 | 22.17 | 22.27 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 39725 | 75RB#0  | 21.19 | 21.29 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#0   | 22.24 | 22.34 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#38  | 21.88 | 21.98 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 1RB#74  | 21.81 | 21.91 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 38RB#0  | 21.71 | 21.81 | 33.01 | PASS |



|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 15MHz | 16QAM | 40620 | 38RB#18 | 21.71 | 21.81 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 38RB#37 | 21.72 | 21.82 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 40620 | 75RB#0  | 20.99 | 21.09 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#0   | 22.28 | 22.38 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#38  | 22.32 | 22.42 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 1RB#74  | 22.34 | 22.44 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 38RB#0  | 21.78 | 21.88 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 38RB#18 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 38RB#37 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 15MHz | 16QAM | 41515 | 75RB#0  | 20.70 | 20.8  | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#0   | 22.98 | 23.08 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#49  | 22.61 | 22.71 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#99  | 22.94 | 23.04 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#0  | 21.68 | 21.78 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#25 | 21.68 | 21.78 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 50RB#50 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 100RB#0 | 22.32 | 22.42 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#0   | 23.12 | 23.22 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#49  | 22.74 | 22.84 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#99  | 22.75 | 22.85 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#0  | 21.58 | 21.68 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#25 | 21.57 | 21.67 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 50RB#50 | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 100RB#0 | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#0   | 23.20 | 23.3  | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#49  | 22.80 | 22.9  | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#99  | 22.83 | 22.93 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#0  | 21.73 | 21.83 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#25 | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 50RB#50 | 21.74 | 21.84 | 33.01 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 100RB#0 | 21.67 | 21.77 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#0   | 22.15 | 22.25 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#49  | 21.72 | 21.82 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#99  | 21.77 | 21.87 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#0  | 21.32 | 21.42 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#25 | 20.84 | 20.94 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 50RB#50 | 20.87 | 20.97 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 100RB#0 | 20.72 | 20.82 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#0   | 23.02 | 23.12 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#49  | 22.61 | 22.71 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#99  | 22.67 | 22.77 | 33.01 | PASS |



|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band41 | 20MHz | 16QAM | 40620 | 50RB#0  | 20.77 | 20.87 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 50RB#25 | 20.78 | 20.88 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 50RB#50 | 20.79 | 20.89 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 100RB#0 | 20.70 | 20.8  | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 1RB#0   | 21.82 | 21.92 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 1RB#49  | 21.87 | 21.97 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 1RB#99  | 22.04 | 22.14 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 50RB#0  | 20.76 | 20.86 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 50RB#25 | 20.77 | 20.87 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 50RB#50 | 20.79 | 20.89 | 33.01 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 100RB#0 | 20.70 | 20.8  | 33.01 | PASS |

$EIRP = PT + GT - LC$ ,  $ERP = EIRP - 2.15$ , where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);



## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | 9.46       | 13        | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 25RB#0           | 10.18      | 13        | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#0            | 9.82       | 13        | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 25RB#0           | 10.60      | 13        | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | 10.36      | 13        | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 25RB#0           | 10.04      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#0            | 11.14      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 25RB#0           | 11.70      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 1RB#0            | 11.16      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 25RB#0           | 11.22      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 1RB#0            | 12.58      | 13        | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 25RB#0           | 11.30      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#0            | 12.42      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 50RB#0           | 10.56      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 1RB#0            | 10.12      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 50RB#0           | 12.06      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#0            | 11.08      | 13        | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 50RB#0           | 10.52      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 39700   | 1RB#0            | 12.78      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 39700   | 50RB#0           | 11.92      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 40620   | 1RB#0            | 11.32      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 40620   | 50RB#0           | 11.94      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 41540   | 1RB#0            | 12.04      | 13        | PASS    |
| Band41 | 10MHz     | 16QAM      | 41540   | 50RB#0           | 12.88      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#0            | 10.06      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 75RB#0           | 10.38      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 1RB#0            | 11.14      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 75RB#0           | 10.12      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#0            | 11.58      | 13        | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 75RB#0           | 11.40      | 13        | PASS    |
| Band41 | 15MHz     | 16QAM      | 39725   | 1RB#0            | 11.70      | 13        | PASS    |
| Band41 | 15MHz     | 16QAM      | 39725   | 75RB#0           | 12.88      | 13        | PASS    |
| Band41 | 15MHz     | 16QAM      | 40620   | 1RB#0            | 11.76      | 13        | PASS    |
| Band41 | 15MHz     | 16QAM      | 40620   | 75RB#0           | 12.36      | 13        | PASS    |
| Band41 | 15MHz     | 16QAM      | 41515   | 1RB#0            | 11.28      | 13        | PASS    |




|        |       |       |       |         |       |    |      |
|--------|-------|-------|-------|---------|-------|----|------|
| Band41 | 15MHz | 16QAM | 41515 | 75RB#0  | 11.76 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 1RB#0   | 11.30 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 39750 | 100RB#0 | 10.34 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 1RB#0   | 12.52 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 40620 | 100RB#0 | 12.10 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 1RB#0   | 12.32 | 13 | PASS |
| Band41 | 20MHz | QPSK  | 41490 | 100RB#0 | 10.60 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 1RB#0   | 12.54 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 39750 | 100RB#0 | 12.70 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 1RB#0   | 12.42 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 40620 | 100RB#0 | 11.02 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 1RB#0   | 11.46 | 13 | PASS |
| Band41 | 20MHz | 16QAM | 41490 | 100RB#0 | 11.64 | 13 | PASS |




## Test Graphs




Band41-5MHz-QPSK-39675-1RB#0-PASS




Band41-5MHz-QPSK-39675-25RB#0-PASS




Band41-5MHz-QPSK-40620-1RB#0-PASS




Band41-5MHz-QPSK-40620-25RB#0-PASS




Band41-5MHz-QPSK-41565-1RB#0-PASS




Band41-5MHz-QPSK-41565-25RB#0-PASS




Band41-5MHz-16QAM-39675-1RB#0-PASS




Band41-5MHz-16QAM-39675-25RB#0-PASS




Band41-5MHz-16QAM-40620-1RB#0-PASS




Band41-5MHz-16QAM-40620-25RB#0-PASS




Band41-5MHz-16QAM-41565-1RB#0-PASS




Band41-5MHz-16QAM-41565-25RB#0-PASS




Band41-10MHz-QPSK-39700-1RB#0-PASS




Band41-10MHz-QPSK-39700-50RB#0-PASS




Band41-10MHz-QPSK-40620-1RB#0-PASS




Band41-10MHz-QPSK-40620-50RB#0-PASS




Band41-10MHz-QPSK-41540-1RB#0-PASS




Band41-10MHz-QPSK-41540-50RB#0-PASS




Band41-10MHz-16QAM-39700-1RB#0-PASS




Band41-10MHz-16QAM-39700-50RB#0-PASS




Band41-10MHz-16QAM-40620-1RB#0-PASS




Band41-10MHz-16QAM-40620-50RB#0-PASS




Band41-10MHz-16QAM-41540-1RB#0-PASS




Band41-10MHz-16QAM-41540-50RB#0-PASS




Band41-15MHz-QPSK-39725-1RB#0-PASS




Band41-15MHz-QPSK-39725-75RB#0-PASS




Band41-15MHz-QPSK-40620-1RB#0-PASS




Band41-15MHz-QPSK-40620-75RB#0-PASS




Band41-15MHz-QPSK-41515-1RB#0-PASS




Band41-15MHz-QPSK-41515-75RB#0-PASS




Band41-15MHz-16QAM-39725-1RB#0-PASS




Band41-15MHz-16QAM-39725-75RB#0-PASS




Band41-15MHz-16QAM-40620-1RB#0-PASS




Band41-15MHz-16QAM-40620-75RB#0-PASS




Band41-15MHz-16QAM-41515-1RB#0-PASS




Band41-15MHz-16QAM-41515-75RB#0-PASS




Band41-20MHz-QPSK-39750-1RB#0-PASS




Band41-20MHz-QPSK-39750-100RB#0-PASS




Band41-20MHz-QPSK-40620-1RB#0-PASS




Band41-20MHz-QPSK-40620-100RB#0-PASS




Band41-20MHz-QPSK-41490-1RB#0-PASS




Band41-20MHz-QPSK-41490-100RB#0-PASS




Band41-20MHz-16QAM-39750-1RB#0-PASS




Band41-20MHz-16QAM-39750-100RB#0-PASS




Band41-20MHz-16QAM-40620-1RB#0-PASS



Band41-20MHz-16QAM-40620-100RB#0-PASS



Band41-20MHz-16QAM-41490-1RB#0-PASS



Band41-20MHz-16QAM-41490-100RB#0-PASS





## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|--------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band41 | 5MHz      | QPSK       | 39675   | 25RB#0           | 4.489                    | 4.93                 | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 25RB#0           | 4.511                    | 4.89                 | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 25RB#0           | 4.455                    | 4.81                 | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 25RB#0           | 4.49                     | 4.96                 | PASS    |
| Band41 | 5MHz      | 16QAM      | 40620   | 25RB#0           | 4.463                    | 4.87                 | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 25RB#0           | 4.491                    | 4.84                 | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 50RB#0           | 8.973                    | 9.57                 | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 50RB#0           | 9.009                    | 9.60                 | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 50RB#0           | 9.054                    | 9.57                 | PASS    |
| Band41 | 10MHz     | 16QAM      | 39700   | 50RB#0           | 8.987                    | 9.83                 | PASS    |
| Band41 | 10MHz     | 16QAM      | 40620   | 50RB#0           | 8.982                    | 9.73                 | PASS    |
| Band41 | 10MHz     | 16QAM      | 41540   | 50RB#0           | 9.012                    | 9.90                 | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 75RB#0           | 13.359                   | 14.60                | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 75RB#0           | 13.384                   | 14.40                | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 75RB#0           | 13.456                   | 14.40                | PASS    |
| Band41 | 15MHz     | 16QAM      | 39725   | 75RB#0           | 13.456                   | 14.35                | PASS    |
| Band41 | 15MHz     | 16QAM      | 40620   | 75RB#0           | 13.399                   | 14.55                | PASS    |
| Band41 | 15MHz     | 16QAM      | 41515   | 75RB#0           | 13.497                   | 14.50                | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 100RB#0          | 17.948                   | 19.47                | PASS    |
| Band41 | 20MHz     | QPSK       | 40620   | 100RB#0          | 17.832                   | 19.00                | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 100RB#0          | 18.033                   | 19.33                | PASS    |
| Band41 | 20MHz     | 16QAM      | 39750   | 100RB#0          | 17.92                    | 19.07                | PASS    |
| Band41 | 20MHz     | 16QAM      | 40620   | 100RB#0          | 17.771                   | 19.47                | PASS    |
| Band41 | 20MHz     | 16QAM      | 41490   | 100RB#0          | 17.891                   | 19.33                | PASS    |




## Test Graphs



Band41-5MHz-QPSK-39675-25RB#0-PASS

Band41-5MHz-QPSK-40620-25RB#0-PASS



Band41-5MHz-QPSK-41565-25RB#0-PASS

Band41-5MHz-16QAM-39675-25RB#0-PASS



Band41-5MHz-16QAM-40620-25RB#0-PASS


Band41-5MHz-16QAM-41565-25RB#0-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2024-0064-RF4-A11

Page 19 of 40




07:26:50 下午 09/14/2024




07:27:09 下午 09/14/2024

## Band41-10MHz-QPSK-39700-50RB#0-PASS

## Band41-10MHz-QPSK-40620-50RB#0-PASS




07:27:40 下午 09/14/2024




07:26:56 下午 09/14/2024

## Band41-10MHz-QPSK-41540-50RB#0-PASS

## Band41-10MHz-16QAM-39700-50RB#0-PASS




07:27:15 下午 09/14/2024




07:27:46 下午 09/14/2024

## Band41-10MHz-16QAM-40620-50RB#0-PASS


## Band41-10MHz-16QAM-41540-50RB#0-PASS




Band41-15MHz-QPSK-39725-75RB#0-PASS




Band41-15MHz-QPSK-40620-75RB#0-PASS




Band41-15MHz-QPSK-41515-75RB#0-PASS




Band41-15MHz-16QAM-39725-75RB#0-PASS




Band41-15MHz-16QAM-40620-75RB#0-PASS



Band41-15MHz-16QAM-41515-75RB#0-PASS




07:56:13 下午 09/14/2024




07:56:32 下午 09/14/2024

Band41-20MHz-QPSK-39750-100RB#0-PASS

Band41-20MHz-QPSK-40620-100RB#0-PASS




07:56:51 下午 09/14/2024




07:56:50 下午 09/14/2024

Band41-20MHz-QPSK-41490-100RB#0-PASS

Band41-20MHz-16QAM-39750-100RB#0-PASS



07:56:39 下午 09/14/2024



07:56:58 下午 09/14/2024

Band41-20MHz-16QAM-40620-100RB#0-PASS

Band41-20MHz-16QAM-41490-100RB#0-PASS



## Appendix D: Band Edge

### Test Result

| Band   | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-------------|---------|
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | -22.04      | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#24           | -41.27      | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 25RB#0           | -20.65      | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | -41.70      | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#24           | -17.74      | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 25RB#0           | -34.05      | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#0            | -22.46      | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 1RB#24           | -41.83      | PASS    |
| Band41 | 5MHz      | 16QAM      | 39675   | 25RB#0           | -21.20      | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 1RB#0            | -41.74      | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 1RB#24           | -19.68      | PASS    |
| Band41 | 5MHz      | 16QAM      | 41565   | 25RB#0           | -34.51      | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#0            | -25.37      | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#49           | -38.66      | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 50RB#0           | -32.21      | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#0            | -44.55      | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#49           | -21.98      | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 50RB#0           | -39.30      | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#0            | -24.68      | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#74           | -40.52      | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 75RB#0           | -31.91      | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#0            | -44.70      | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#74           | -20.44      | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 75RB#0           | -39.48      | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 1RB#0            | -38.73      | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 1RB#99           | -41.18      | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 100RB#0          | -32.98      | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 1RB#0            | -44.64      | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 1RB#99           | -23.47      | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 100RB#0          | -41.94      | PASS    |




## Test Graphs



Band41\_5MHz\_QPSK\_39675\_1RB#0




Band41\_5MHz\_QPSK\_39675\_1RB#24




Band41\_5MHz\_QPSK\_39675\_25RB#0



Band41\_5MHz\_QPSK\_41565\_1RB#0



Band41\_5MHz\_QPSK\_41565\_1RB#24





Band41\_5MHz\_QPSK\_41565\_25RB#0





Band41\_5MHz\_16QAM\_39675\_1RB#0

Band41\_5MHz\_16QAM\_39675\_1RB#24



Band41\_5MHz\_16QAM\_39675\_25RB#0

Band41\_5MHz\_16QAM\_41565\_1RB#0




Band41\_5MHz\_16QAM\_41565\_1RB#24

Band41\_5MHz\_16QAM\_41565\_25RB#0




07:28:53 下午 09/14/2024




07:29:50 下午 09/14/2024

Band41\_10MHz\_QPSK\_39700\_1RB#0

Band41\_10MHz\_QPSK\_39700\_1RB#49



07:30:47 下午 09/14/2024




07:32:02 下午 09/14/2024

Band41\_10MHz\_QPSK\_39700\_50RB#0

Band41\_10MHz\_QPSK\_41540\_1RB#0





07:33:12 下午 09/14/2024



07:34:21 下午 09/14/2024

Band41\_10MHz\_QPSK\_41540\_1RB#49

Band41\_10MHz\_QPSK\_41540\_50RB#0





Band41\_15MHz\_QPSK\_39725\_1RB#0

Band41\_15MHz\_QPSK\_39725\_1RB#74




Band41\_15MHz\_QPSK\_39725\_75RB#0

Band41\_15MHz\_QPSK\_41515\_1RB#0



Band41\_15MHz\_QPSK\_41515\_1RB#74

Band41\_15MHz\_QPSK\_41515\_75RB#0




07:58:05 下午 09/14/2024




07:59:02 下午 09/14/2024

Band41\_20MHz\_QPSK\_39750\_1RB#0

Band41\_20MHz\_QPSK\_39750\_1RB#99




07:59:59 下午 09/14/2024




08:01:14 下午 09/14/2024

Band41\_20MHz\_QPSK\_39750\_100RB#0

Band41\_20MHz\_QPSK\_41490\_1RB#0



08:02:24 下午 09/14/2024



08:03:33 下午 09/14/2024

Band41\_20MHz\_QPSK\_41490\_1RB#99

Band41\_20MHz\_QPSK\_41490\_100RB#0



## Appendix E: Conducted Spurious Emission

### Test Result


| Band   | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range | Result (dBm) | Verdict |
|--------|-----------|------------|---------|------------------|-----------------|--------------|---------|
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | 30~1000         | -53.96       | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | 1000~20000      | -36.17       | PASS    |
| Band41 | 5MHz      | QPSK       | 39675   | 1RB#0            | 20000~27000     | -34.85       | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#0            | 30~1000         | -53.63       | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#0            | 1000~20000      | -36.06       | PASS    |
| Band41 | 5MHz      | QPSK       | 40620   | 1RB#0            | 20000~27000     | -35.02       | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | 30~1000         | -53.67       | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | 1000~20000      | -36.03       | PASS    |
| Band41 | 5MHz      | QPSK       | 41565   | 1RB#0            | 20000~27000     | -34.81       | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#0            | 30~1000         | -53.82       | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#0            | 1000~20000      | -35.91       | PASS    |
| Band41 | 10MHz     | QPSK       | 39700   | 1RB#0            | 20000~27000     | -34.56       | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 1RB#0            | 30~1000         | -53.70       | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 1RB#0            | 1000~20000      | -36.28       | PASS    |
| Band41 | 10MHz     | QPSK       | 40620   | 1RB#0            | 20000~27000     | -34.95       | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#0            | 30~1000         | -53.79       | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#0            | 1000~20000      | -36.09       | PASS    |
| Band41 | 10MHz     | QPSK       | 41540   | 1RB#0            | 20000~27000     | -34.72       | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#0            | 30~1000         | -53.55       | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#0            | 1000~20000      | -34.21       | PASS    |
| Band41 | 15MHz     | QPSK       | 39725   | 1RB#0            | 20000~27000     | -34.63       | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 1RB#0            | 30~1000         | -53.80       | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 1RB#0            | 1000~20000      | -35.92       | PASS    |
| Band41 | 15MHz     | QPSK       | 40620   | 1RB#0            | 20000~27000     | -35.04       | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#0            | 30~1000         | -53.82       | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#0            | 1000~20000      | -36.08       | PASS    |
| Band41 | 15MHz     | QPSK       | 41515   | 1RB#0            | 20000~27000     | -34.86       | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 1RB#0            | 30~1000         | -53.54       | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 1RB#0            | 1000~20000      | -36.23       | PASS    |
| Band41 | 20MHz     | QPSK       | 39750   | 1RB#0            | 20000~27000     | -34.72       | PASS    |
| Band41 | 20MHz     | QPSK       | 40620   | 1RB#0            | 30~1000         | -53.72       | PASS    |
| Band41 | 20MHz     | QPSK       | 40620   | 1RB#0            | 1000~20000      | -36.11       | PASS    |
| Band41 | 20MHz     | QPSK       | 40620   | 1RB#0            | 20000~27000     | -34.62       | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 1RB#0            | 30~1000         | -53.74       | PASS    |
| Band41 | 20MHz     | QPSK       | 41490   | 1RB#0            | 1000~20000      | -35.76       | PASS    |




|        |       |      |       |       |             |        |      |
|--------|-------|------|-------|-------|-------------|--------|------|
| Band41 | 20MHz | QPSK | 41490 | 1RB#0 | 20000~27000 | -34.69 | PASS |
|--------|-------|------|-------|-------|-------------|--------|------|




## Test Graphs




Band41\_5MHz\_QPSK\_39675\_1RB#0\_30~1000\_30~1000




Band41\_5MHz\_QPSK\_39675\_1RB#0\_1000~20000\_1000~2000  
0




Band41\_5MHz\_QPSK\_39675\_1RB#0\_20000~27000\_20000~27000  
000





Band41\_5MHz\_QPSK\_40620\_1RB#0\_30~1000\_30~1000



Band41\_5MHz\_QPSK\_40620\_1RB#0\_1000~20000\_1000~2000  
0





Band41\_5MHz\_QPSK\_40620\_1RB#0\_20000~27000\_20000~27000  
000



Band41\_5MHz\_QPSK\_41565\_1RB#0\_30~1000\_30~1000

Band41\_5MHz\_QPSK\_41565\_1RB#0\_1000~20000\_1000~2000



0



Band41\_5MHz\_QPSK\_41565\_1RB#0\_20000~27000\_20000~27000

Band41\_10MHz\_QPSK\_39700\_1RB#0\_30~1000\_30~1000

000





Band41\_10MHz\_QPSK\_39700\_1RB#0\_1000~20000\_1000~2000

Band41\_10MHz\_QPSK\_39700\_1RB#0\_20000~27000\_20000~27000



00

7000





Band41\_10MHz\_QPSK\_40620\_1RB#0\_30~1000\_30~1000

Band41\_10MHz\_QPSK\_40620\_1RB#0\_1000~20000\_1000~2000





Band41\_10MHz\_QPSK\_40620\_1RB#0\_20000~27000\_20000~27000

Band41\_10MHz\_QPSK\_41540\_1RB#0\_30~1000\_30~1000





Band41\_10MHz\_QPSK\_41540\_1RB#0\_1000~20000\_1000~2000

Band41\_10MHz\_QPSK\_41540\_1RB#0\_20000~27000\_20000~27000





Band41\_15MHz\_QPSK\_39725\_1RB#0\_30~1000\_30~1000

Band41\_15MHz\_QPSK\_39725\_1RB#0\_1000~20000\_1000~2000





Band41\_15MHz\_QPSK\_39725\_1RB#0\_20000~27000\_20000~27000

Band41\_15MHz\_QPSK\_40620\_1RB#0\_30~1000\_30~1000





Band41\_15MHz\_QPSK\_40620\_1RB#0\_1000~20000\_1000~2000

Band41\_15MHz\_QPSK\_40620\_1RB#0\_20000~27000\_20000~27000





Band41\_15MHz\_QPSK\_41515\_1RB#0\_30~1000\_30~1000

Band41\_15MHz\_QPSK\_41515\_1RB#0\_1000~20000\_1000~20000




Band41\_15MHz\_QPSK\_41515\_1RB#0\_20000~27000\_20000~27000

Band41\_20MHz\_QPSK\_39750\_1RB#0\_30~1000\_30~1000




Band41\_20MHz\_QPSK\_39750\_1RB#0\_1000~20000\_1000~20000

Band41\_20MHz\_QPSK\_39750\_1RB#0\_20000~27000\_20000~27000




08:05:10 下午 09/14/2024




08:05:37 下午 09/14/2024

Band41\_20MHz\_QPSK\_40620\_1RB#0\_30~1000\_30~1000

Band41\_20MHz\_QPSK\_40620\_1RB#0\_1000~20000\_1000~20000




08:05:55 下午 09/14/2024




08:06:20 下午 09/14/2024

Band41\_20MHz\_QPSK\_40620\_1RB#0\_20000~27000\_20000~27000

Band41\_20MHz\_QPSK\_41490\_1RB#0\_30~1000\_30~1000



08:06:46 下午 09/14/2024



08:07:04 下午 09/14/2024

Band41\_20MHz\_QPSK\_41490\_1RB#0\_1000~20000\_1000~20000

Band41\_20MHz\_QPSK\_41490\_1RB#0\_20000~27000\_20000~27000



## Appendix F: Frequency Stability

### Test Result

| Voltage |                |            |         |                 |                  |                     |                   |                    |                |         |
|---------|----------------|------------|---------|-----------------|------------------|---------------------|-------------------|--------------------|----------------|---------|
| Band    | Bandwidth<br>h | Modulation | Channel | RB<br>Configure | Voltage<br>[Vdc] | Temperature<br>(°C) | Deviation<br>(Hz) | Deviation<br>(ppm) | Limit<br>(ppm) | Verdict |
| Band41  | 5MHz           | QPSK       | 39675   | 25RB#0          | VN               | NT                  | -7.64             | -0.003058          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 39675   | 25RB#0          | VL               | NT                  | 5.48              | 0.002193           | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 39675   | 25RB#0          | VH               | NT                  | 4.02              | 0.001609           | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 40620   | 25RB#0          | VN               | NT                  | -18.26            | -0.007042          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 40620   | 25RB#0          | VL               | NT                  | -7.20             | -0.002777          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 40620   | 25RB#0          | VH               | NT                  | -4.13             | -0.001593          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 41565   | 25RB#0          | VN               | NT                  | -17.85            | -0.006642          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 41565   | 25RB#0          | VL               | NT                  | -6.65             | -0.002474          | ±2.5           | PASS    |
| Band41  | 5MHz           | QPSK       | 41565   | 25RB#0          | VH               | NT                  | -3.70             | -0.001377          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 39700   | 50RB#0          | VN               | NT                  | -13.41            | -0.005362          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 39700   | 50RB#0          | VL               | NT                  | -6.88             | -0.002751          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 39700   | 50RB#0          | VH               | NT                  | -6.68             | -0.002671          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 40620   | 50RB#0          | VN               | NT                  | -19.97            | -0.007702          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 40620   | 50RB#0          | VL               | NT                  | -8.91             | -0.003436          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 40620   | 50RB#0          | VH               | NT                  | 4.45              | 0.001716           | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 41540   | 50RB#0          | VN               | NT                  | -8.03             | -0.002991          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 41540   | 50RB#0          | VL               | NT                  | -4.14             | -0.001542          | ±2.5           | PASS    |
| Band41  | 10MHz          | QPSK       | 41540   | 50RB#0          | VH               | NT                  | -3.46             | -0.001289          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 39725   | 75RB#0          | VN               | NT                  | -9.05             | -0.003615          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 39725   | 75RB#0          | VL               | NT                  | -4.87             | -0.001945          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 39725   | 75RB#0          | VH               | NT                  | -7.50             | -0.002996          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 40620   | 75RB#0          | VN               | NT                  | -22.24            | -0.008577          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 40620   | 75RB#0          | VL               | NT                  | -5.32             | -0.002052          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 40620   | 75RB#0          | VH               | NT                  | 4.35              | 0.001678           | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 41515   | 75RB#0          | VN               | NT                  | -17.23            | -0.006423          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 41515   | 75RB#0          | VL               | NT                  | -7.52             | -0.002803          | ±2.5           | PASS    |
| Band41  | 15MHz          | QPSK       | 41515   | 75RB#0          | VH               | NT                  | 6.36              | 0.002371           | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 39750   | 100RB#0         | VN               | NT                  | -12.33            | -0.004920          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 39750   | 100RB#0         | VL               | NT                  | -8.21             | -0.003276          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 39750   | 100RB#0         | VH               | NT                  | -5.51             | -0.002199          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 40620   | 100RB#0         | VN               | NT                  | -21.37            | -0.008241          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 40620   | 100RB#0         | VL               | NT                  | -7.94             | -0.003062          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 40620   | 100RB#0         | VH               | NT                  | -2.73             | -0.001053          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 41490   | 100RB#0         | VN               | NT                  | -11.17            | -0.004168          | ±2.5           | PASS    |
| Band41  | 20MHz          | QPSK       | 41490   | 100RB#0         | VL               | NT                  | -6.53             | -0.002437          | ±2.5           | PASS    |



|        |       |      |       |         |    |    |      |          |      |      |
|--------|-------|------|-------|---------|----|----|------|----------|------|------|
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | VH | NT | 5.86 | 0.002187 | ±2.5 | PASS |
|--------|-------|------|-------|---------|----|----|------|----------|------|------|



| Temperature |           |            |         |              |               |                  |                |                 |             |         |
|-------------|-----------|------------|---------|--------------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Bandwidth | Modulation | Channel | RB Configure | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | -30              | 4.55           | 0.001821        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | -20              | 3.47           | 0.001389        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | -10              | 7.77           | 0.003110        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 0                | 5.81           | 0.002325        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 10               | 3.20           | 0.001281        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 20               | 6.74           | 0.002698        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 30               | 5.56           | 0.002225        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 40               | 2.94           | 0.001177        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 39675   | 25RB#0       | NV            | 50               | 3.14           | 0.001257        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | -30              | 7.17           | 0.002765        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | -20              | 2.69           | 0.001037        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | -10              | 6.37           | 0.002457        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 0                | 5.28           | 0.002036        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 10               | 3.83           | 0.001477        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 20               | 5.12           | 0.001975        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 30               | 9.56           | 0.003687        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 40               | 8.66           | 0.003340        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 40620   | 25RB#0       | NV            | 50               | 4.16           | 0.001604        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | -30              | -3.52          | -0.001310       | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | -20              | 5.16           | 0.001920        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | -10              | -4.21          | -0.001567       | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 0                | 4.74           | 0.001764        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 10               | 9.54           | 0.003550        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 20               | 4.36           | 0.001622        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 30               | 5.55           | 0.002065        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 40               | 4.65           | 0.001730        | ±2.5        | PASS    |
| Band41      | 5MHz      | QPSK       | 41565   | 25RB#0       | NV            | 50               | -5.99          | -0.002229       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | -30              | -6.46          | -0.002583       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | -20              | -8.21          | -0.003283       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | -10              | -6.60          | -0.002639       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 0                | -5.67          | -0.002267       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 10               | -7.04          | -0.002815       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 20               | -6.31          | -0.002523       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 30               | -4.75          | -0.001899       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 40               | -6.05          | -0.002419       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 39700   | 50RB#0       | NV            | 50               | -3.07          | -0.001228       | ±2.5        | PASS    |
| Band41      | 10MHz     | QPSK       | 40620   | 50RB#0       | NV            | -30              | -2.52          | -0.000972       | ±2.5        | PASS    |



|        |       |      |       |        |    |     |       |           |      |      |
|--------|-------|------|-------|--------|----|-----|-------|-----------|------|------|
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | -20 | 3.17  | 0.001223  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | -10 | -7.06 | -0.002723 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 0   | -4.67 | -0.001801 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 10  | -3.90 | -0.001504 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 20  | -6.28 | -0.002422 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 30  | -3.54 | -0.001365 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 40  | 2.83  | 0.001091  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 40620 | 50RB#0 | NV | 50  | -4.84 | -0.001867 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | -30 | -3.41 | -0.001270 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | -20 | 4.94  | 0.001840  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | -10 | 5.65  | 0.002104  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 0   | 3.18  | 0.001184  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 10  | -4.81 | -0.001791 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 20  | -2.69 | -0.001002 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 30  | -5.91 | -0.002201 | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 40  | 4.33  | 0.001613  | ±2.5 | PASS |
| Band41 | 10MHz | QPSK | 41540 | 50RB#0 | NV | 50  | 8.59  | 0.003199  | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | -30 | -6.95 | -0.002776 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | -20 | -6.63 | -0.002648 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | -10 | -9.02 | -0.003603 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 0   | -3.79 | -0.001514 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 10  | -4.29 | -0.001714 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 20  | -5.88 | -0.002349 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 30  | -8.78 | -0.003507 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 40  | -9.48 | -0.003787 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 39725 | 75RB#0 | NV | 50  | 4.39  | 0.001754  | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | -30 | -5.49 | -0.002117 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | -20 | -4.35 | -0.001678 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | -10 | -2.91 | -0.001122 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 0   | -5.86 | -0.002260 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 10  | -4.32 | -0.001666 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 20  | -2.59 | -0.000999 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 30  | -6.83 | -0.002634 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 40  | 5.89  | 0.002272  | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 40620 | 75RB#0 | NV | 50  | 6.52  | 0.002514  | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | -30 | -3.57 | -0.001331 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | -20 | -3.69 | -0.001376 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | -10 | -3.54 | -0.001320 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | 0   | -5.53 | -0.002062 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | 10  | 4.48  | 0.001670  | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0 | NV | 20  | -3.73 | -0.001390 | ±2.5 | PASS |



|        |       |      |       |         |    |     |       |           |      |      |
|--------|-------|------|-------|---------|----|-----|-------|-----------|------|------|
| Band41 | 15MHz | QPSK | 41515 | 75RB#0  | NV | 30  | -2.52 | -0.000939 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0  | NV | 40  | -5.39 | -0.002009 | ±2.5 | PASS |
| Band41 | 15MHz | QPSK | 41515 | 75RB#0  | NV | 50  | -4.10 | -0.001528 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | -30 | 5.29  | 0.002111  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | -20 | -5.11 | -0.002039 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | -10 | -3.77 | -0.001504 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 0   | 2.12  | 0.000846  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 10  | 3.26  | 0.001301  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 20  | -2.46 | -0.000982 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 30  | -5.69 | -0.002271 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 40  | -7.04 | -0.002809 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 39750 | 100RB#0 | NV | 50  | -3.71 | -0.001480 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | -30 | 2.60  | 0.001003  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | -20 | 8.91  | 0.003436  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | -10 | 5.01  | 0.001932  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 0   | -3.72 | -0.001435 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 10  | -6.22 | -0.002399 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 20  | 4.86  | 0.001874  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 30  | 3.29  | 0.001269  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 40  | -6.77 | -0.002611 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 40620 | 100RB#0 | NV | 50  | -4.70 | -0.001813 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | -30 | 3.85  | 0.001437  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | -20 | 3.85  | 0.001437  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | -10 | 6.26  | 0.002336  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 0   | -3.50 | -0.001306 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 10  | 2.94  | 0.001097  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 20  | -4.24 | -0.001582 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 30  | 3.35  | 0.001250  | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 40  | -3.31 | -0.001235 | ±2.5 | PASS |
| Band41 | 20MHz | QPSK | 41490 | 100RB#0 | NV | 50  | 5.04  | 0.001881  | ±2.5 | PASS |

-----END-----