FCC LTE Band Test Data

FCC ID	**:**	**2BKHD-B625**
Company:	**:**	**Jingba Haqi(Shenzhen) Trading Co., Ltd.**
EUT	**:**	**Router modem**
Model Number	**:**	**B625**
Reviewed By	**:**	**Eric Wang**

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band38	5MHz	QPSK	37775	25RB#0	5.93	13	PASS
Band38	5MHz	QPSK	38000	25RB#0	5.89	13	PASS
Band38	5MHz	QPSK	38225	25RB#0	5.94	13	PASS
Band38	5MHz	16QAM	37775	25RB#0	6.60	13	PASS
Band38	5MHz	16QAM	38000	25RB#0	6.50	13	PASS
Band38	5MHz	16QAM	38225	25RB#0	6.62	13	PASS
Band38	10MHz	QPSK	37800	50RB#0	5.79	13	PASS
Band38	10MHz	QPSK	38000	50RB#0	5.84	13	PASS
Band38	10MHz	QPSK	38200	50RB#0	5.79	13	PASS
Band38	10MHz	16QAM	37800	50RB#0	6.54	13	PASS
Band38	10MHz	16QAM	38000	50RB#0	6.61	13	PASS
Band38	10MHz	16QAM	38200	50RB#0	6.56	13	PASS
Band38	15MHz	QPSK	37825	75RB#0	6.07	13	PASS
Band38	15MHz	QPSK	38000	75RB#0	6.09	13	PASS
Band38	15MHz	QPSK	38175	75RB#0	6.08	13	PASS
Band38	15MHz	16QAM	37825	75RB#0	6.62	13	PASS
Band38	15MHz	16QAM	38000	75RB#0	6.63	13	PASS
Band38	15MHz	16QAM	38175	75RB#0	6.62	13	PASS
Band38	20MHz	QPSK	37850	100RB#0	5.63	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	5.71	13	PASS
Band38	20MHz	QPSK	38150	100RB#0	5.62	13	PASS
Band38	20MHz	16QAM	37850	100RB#0	6.47	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	6.59	13	PASS
Band38	20MHz	16QAM	38150	100RB#0	6.46	13	PASS

Test Graphs



Band38-5MHz-QPSK-37775-25RB#0-PASS



Band38-5MHz-QPSK-38000-25RB#0-PASS



Band38-5MHz-QPSK-38225-25RB#0-PASS



Band38-5MHz-16QAM-37775-25RB#0-PASS



Band38-5MHz-16QAM-38000-25RB#0-PASS



Band38-5MHz-16QAM-38225-25RB#0-PASS



Band38-10MHz-QPSK-37800-50RB#0-PASS



Band38-10MHz-QPSK-38000-50RB#0-PASS



Band38-10MHz-QPSK-38200-50RB#0-PASS



Band38-10MHz-16QAM-37800-50RB#0-PASS



Band38-10MHz-16QAM-38000-50RB#0-PASS



Band38-10MHz-16QAM-38200-50RB#0-PASS



Band38-15MHz-QPSK-37825-75RB#0-PASS



Band38-15MHz-QPSK-38000-75RB#0-PASS



Band38-15MHz-QPSK-38175-75RB#0-PASS



Band38-15MHz-16QAM-37825-75RB#0-PASS



Band38-15MHz-16QAM-38000-75RB#0-PASS



Band38-15MHz-16QAM-38175-75RB#0-PASS



Band38-20MHz-QPSK-37850-100RB#0-PASS



Band38-20MHz-QPSK-38000-100RB#0-PASS



Band38-20MHz-QPSK-38150-100RB#0-PASS



Band38-20MHz-16QAM-37850-100RB#0-PASS



Band38-20MHz-16QAM-38000-100RB#0-PASS



Band38-20MHz-16QAM-38150-100RB#0-PASS

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band38	5MHz	QPSK	37775	25RB#0	4.4869	4.859	PASS
Band38	5MHz	QPSK	38000	25RB#0	4.4816	4.861	PASS
Band38	5MHz	QPSK	38225	25RB#0	4.4865	4.859	PASS
Band38	5MHz	16QAM	37775	25RB#0	4.4923	4.873	PASS
Band38	5MHz	16QAM	38000	25RB#0	4.4915	4.906	PASS
Band38	5MHz	16QAM	38225	25RB#0	4.4899	4.929	PASS
Band38	10MHz	QPSK	37800	50RB#0	8.9677	9.634	PASS
Band38	10MHz	QPSK	38000	50RB#0	8.9883	9.742	PASS
Band38	10MHz	QPSK	38200	50RB#0	8.9531	9.636	PASS
Band38	10MHz	16QAM	37800	50RB#0	8.9723	9.669	PASS
Band38	10MHz	16QAM	38000	50RB#0	8.9504	9.647	PASS
Band38	10MHz	16QAM	38200	50RB#0	8.9731	9.656	PASS
Band38	15MHz	QPSK	37825	75RB#0	13.455	14.44	PASS
Band38	15MHz	QPSK	38000	75RB#0	13.414	14.49	PASS
Band38	15MHz	QPSK	38175	75RB#0	13.460	14.47	PASS
Band38	15MHz	16QAM	37825	75RB#0	13.450	14.52	PASS
Band38	15MHz	16QAM	38000	75RB#0	13.475	14.62	PASS
Band38	15MHz	16QAM	38175	75RB#0	13.469	14.52	PASS
Band38	20MHz	QPSK	37850	100RB#0	17.944	19.39	PASS
Band38	20MHz	QPSK	38000	100RB#0	17.920	19.55	PASS
Band38	20MHz	QPSK	38150	100RB#0	17.932	19.43	PASS
Band38	20MHz	16QAM	37850	100RB#0	17.917	19.51	PASS
Band38	20MHz	16QAM	38000	100RB#0	17.897	19.44	PASS
Band38	20MHz	16QAM	38150	100RB#0	17.899	19.54	PASS

Test Graphs



Band38-5MHz-QPSK-37775-25RB#0-PASS



Band38-5MHz-QPSK-38000-25RB#0-PASS



Band38-5MHz-QPSK-38225-25RB#0-PASS



Band38-5MHz-16QAM-37775-25RB#0-PASS



Band38-5MHz-16QAM-38000-25RB#0-PASS



Band38-5MHz-16QAM-38225-25RB#0-PASS



Band38-10MHz-QPSK-37800-50RB#0-PASS



Band38-10MHz-QPSK-38000-50RB#0-PASS



Band38-10MHz-QPSK-38200-50RB#0-PASS



Band38-10MHz-16QAM-37800-50RB#0-PASS



Band38-10MHz-16QAM-38000-50RB#0-PASS



Band38-10MHz-16QAM-38200-50RB#0-PASS



Band38-15MHz-QPSK-37825-75RB#0-PASS



Band38-15MHz-QPSK-38000-75RB#0-PASS



Band38-15MHz-QPSK-38175-75RB#0-PASS



Band38-15MHz-16QAM-37825-75RB#0-PASS



Band38-15MHz-16QAM-38000-75RB#0-PASS



Band38-15MHz-16QAM-38175-75RB#0-PASS



Band38-20MHz-QPSK-37850-100RB#0-PASS



Band38-20MHz-QPSK-38000-100RB#0-PASS



Band38-20MHz-QPSK-38150-100RB#0-PASS



Band38-20MHz-16QAM-37850-100RB#0-PASS



Band38-20MHz-16QAM-38000-100RB#0-PASS



Band38-20MHz-16QAM-38150-100RB#0-PASS

Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band38	5MHz	QPSK	37775	25RB#0	-44.43	PASS
Band38	5MHz	QPSK	38225	25RB#0	-44.05	PASS
Band38	5MHz	16QAM	37775	25RB#0	-44.49	PASS
Band38	5MHz	16QAM	38225	25RB#0	-43.90	PASS
Band38	10MHz	QPSK	37800	50RB#0	-45.67	PASS
Band38	10MHz	QPSK	38200	50RB#0	-44.99	PASS
Band38	10MHz	16QAM	37800	50RB#0	-45.54	PASS
Band38	10MHz	16QAM	38200	50RB#0	-44.76	PASS
Band38	15MHz	QPSK	37825	75RB#0	-46.05	PASS
Band38	15MHz	QPSK	38175	75RB#0	-45.54	PASS
Band38	15MHz	16QAM	37825	75RB#0	-45.85	PASS
Band38	15MHz	16QAM	38175	75RB#0	-45.32	PASS
Band38	20MHz	QPSK	37850	100RB#0	-46.55	PASS
Band38	20MHz	QPSK	38150	100RB#0	-46.14	PASS
Band38	20MHz	16QAM	37850	100RB#0	-46.32	PASS
Band38	20MHz	16QAM	38150	100RB#0	-45.92	PASS

Test Graphs



Band38_5MHz_QPSK_37775_25RB#0



Band38_5MHz_QPSK_38225_25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563964000 GHz	-44.49 dBm	-19.49 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564947000 GHz	-43.35 dBm	-30.35 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568984000 GHz	-32.58 dBm	-22.58 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569995000 GHz	-39.05 dBm	-29.05 dB
5	5	2.5700 GHz	2.5750 GHz	510.0 kHz	2.573215000 GHz	5.046 dBm	-44.95 dB

Band38_5MHz_16QAM_37775_25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6150 GHz	2.6200 GHz	510.0 kHz	2.618215000 GHz	5.068 dBm	-44.93 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620004000 GHz	-38.97 dBm	-28.97 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621016000 GHz	-32.09 dBm	-22.09 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625028000 GHz	-42.84 dBm	-29.84 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626016000 GHz	-43.90 dBm	-18.90 dB

Band38_5MHz_16QAM_38225_25RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5550 GHz	2.5600 GHz	1.000 MHz	2.559675000 GHz	-45.67 dBm	-20.67 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564935000 GHz	-39.54 dBm	-26.54 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568996000 GHz	-35.30 dBm	-25.30 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569984000 GHz	-40.10 dBm	-30.10 dB
5	5	2.5700 GHz	2.5800 GHz	510.0 kHz	2.574250000 GHz	3.291 dBm	-46.71 dB

Band38_10MHz_QPSK_37800_50RB#0

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	510.0 kHz	2.614250000 GHz	3.373 dBm	-46.63 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620075000 GHz	-39.77 dBm	-29.77 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621048000 GHz	-35.02 dBm	-25.02 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.625015000 GHz	-38.83 dBm	-25.83 dB
5	5	2.6300 GHz	2.6350 GHz	1.000 MHz	2.630295000 GHz	-44.99 dBm	-19.99 dB

Band38_10MHz_QPSK_38200_50RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5550 GHz	2.5600 GHz	1.000 MHz	2.559940000 GHz	-45.54 dBm	-20.54 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564955000 GHz	-38.99 dBm	-25.99 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568992000 GHz	-35.13 dBm	-25.13 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569780000 GHz	-40.70 dBm	-30.70 dB
5	5	2.5700 GHz	2.5800 GHz	510.0 kHz	2.575650000 GHz	2.280 dBm	-47.72 dB

Band38_10MHz_16QAM_37800_50RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	510.0 kHz	2.615650000 GHz	2.355 dBm	-47.64 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620010000 GHz	-39.84 dBm	-29.84 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621028000 GHz	-34.66 dBm	-24.66 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.625015000 GHz	-38.18 dBm	-25.18 dB
5	5	2.6300 GHz	2.6350 GHz	1.000 MHz	2.630360000 GHz	-44.76 dBm	-19.76 dB

Band38_10MHz_16QAM_38200_50RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5500 GHz	2.5550 GHz	1.000 MHz	2.553325000 GHz	-46.05 dBm	-21.05 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.564200000 GHz	-40.31 dBm	-27.31 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568980000 GHz	-37.16 dBm	-27.16 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569755000 GHz	-41.64 dBm	-31.64 dB
5	5	2.5700 GHz	2.5850 GHz	510.0 kHz	2.573735000 GHz	1.594 dBm	-48.41 dB

Band38_15MHz_QPSK_37825_75RB#0

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6050 GHz	2.6200 GHz	510.0 kHz	2.608735000 GHz	1.827 dBm	-48.17 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620287000 GHz	-40.95 dBm	-30.95 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621012000 GHz	-36.34 dBm	-26.34 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.625790000 GHz	-40.11 dBm	-27.11 dB
5	5	2.6350 GHz	2.6400 GHz	1.000 MHz	2.635210000 GHz	-45.54 dBm	-20.54 dB

Band38_15MHz_QPSK_38175_75RB#0



Band38_15MHz_16QAM_37825_75RB#0



Band38_15MHz_16QAM_38175_75RB#0



Band38_20MHz_QPSK_37850_100RB#0



Band38_20MHz_QPSK_38150_100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.549980000 GHz	-46.32 dBm	-21.32 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.564970000 GHz	-40.41 dBm	-27.41 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568916000 GHz	-37.92 dBm	-27.92 dB
4	4	2.5690 GHz	2.5700 GHz	390.0 kHz	2.569985000 GHz	-40.77 dBm	-30.66 dB
5	5	2.5700 GHz	2.5900 GHz	510.0 kHz	2.582460000 GHz	-0.486 dBm	-50.49 dB

Band38_20MHz_16QAM_37850_100RB#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6000 GHz	2.6200 GHz	510.0 kHz	2.609580000 GHz	-0.384 dBm	-50.38 dB
2	2	2.6200 GHz	2.6210 GHz	390.0 kHz	2.620003000 GHz	-40.51 dBm	-30.40 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621016000 GHz	-37.65 dBm	-27.65 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625345000 GHz	-40.40 dBm	-27.40 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.641895000 GHz	-45.92 dBm	-20.92 dB

Band38_20MHz_16QAM_38150_100RB#0

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band38	5MHz	QPSK	37775	25RB#0	0.009~0.15	-70.26	PASS
Band38	5MHz	QPSK	37775	25RB#0	0.15~30	-63.20	PASS
Band38	5MHz	QPSK	37775	25RB#0	30~1000	-66.57	PASS
Band38	5MHz	QPSK	37775	25RB#0	1000~20000	-45.32	PASS
Band38	5MHz	QPSK	37775	25RB#0	20000~27000	-40.14	PASS
Band38	5MHz	QPSK	38000	25RB#0	0.009~0.15	-69.41	PASS
Band38	5MHz	QPSK	38000	25RB#0	0.15~30	-63.06	PASS
Band38	5MHz	QPSK	38000	25RB#0	30~1000	-66.54	PASS
Band38	5MHz	QPSK	38000	25RB#0	1000~20000	-45.71	PASS
Band38	5MHz	QPSK	38000	25RB#0	20000~27000	-40.19	PASS
Band38	5MHz	QPSK	38225	25RB#0	0.009~0.15	-70.43	PASS
Band38	5MHz	QPSK	38225	25RB#0	0.15~30	-66.03	PASS
Band38	5MHz	QPSK	38225	25RB#0	30~1000	-66.72	PASS
Band38	5MHz	QPSK	38225	25RB#0	1000~20000	-44.10	PASS
Band38	5MHz	QPSK	38225	25RB#0	20000~27000	-40.03	PASS
Band38	5MHz	16QAM	37775	25RB#0	0.009~0.15	-72.83	PASS
Band38	5MHz	16QAM	37775	25RB#0	0.15~30	-65.11	PASS
Band38	5MHz	16QAM	37775	25RB#0	30~1000	-66.53	PASS
Band38	5MHz	16QAM	37775	25RB#0	1000~20000	-46.02	PASS
Band38	5MHz	16QAM	37775	25RB#0	20000~27000	-40.37	PASS
Band38	5MHz	16QAM	38000	25RB#0	0.009~0.15	-68.21	PASS
Band38	5MHz	16QAM	38000	25RB#0	0.15~30	-63.42	PASS
Band38	5MHz	16QAM	38000	25RB#0	30~1000	-66.56	PASS
Band38	5MHz	16QAM	38000	25RB#0	1000~20000	-45.96	PASS
Band38	5MHz	16QAM	38000	25RB#0	20000~27000	-40.43	PASS
Band38	5MHz	16QAM	38225	25RB#0	0.009~0.15	-69.83	PASS
Band38	5MHz	16QAM	38225	25RB#0	0.15~30	-63.78	PASS
Band38	5MHz	16QAM	38225	25RB#0	30~1000	-66.63	PASS
Band38	5MHz	16QAM	38225	25RB#0	1000~20000	-45.52	PASS
Band38	5MHz	16QAM	38225	25RB#0	20000~27000	-40.08	PASS
Band38	10MHz	QPSK	37800	50RB#0	0.009~0.15	-69.80	PASS
Band38	10MHz	QPSK	37800	50RB#0	0.15~30	-63.48	PASS
Band38	10MHz	QPSK	37800	50RB#0	30~1000	-66.53	PASS
Band38	10MHz	QPSK	37800	50RB#0	1000~20000	-46.03	PASS
Band38	10MHz	QPSK	37800	50RB#0	20000~27000	-40.18	PASS
Band38	10MHz	QPSK	38000	50RB#0	0.009~0.15	-68.02	PASS

Band38	10MHz	QPSK	38000	50RB#0	0.15~30	-61.04	PASS
Band38	10MHz	QPSK	38000	50RB#0	30~1000	-66.35	PASS
Band38	10MHz	QPSK	38000	50RB#0	1000~20000	-46.04	PASS
Band38	10MHz	QPSK	38000	50RB#0	20000~27000	-40.15	PASS
Band38	10MHz	QPSK	38200	50RB#0	0.009~0.15	-66.72	PASS
Band38	10MHz	QPSK	38200	50RB#0	0.15~30	-62.59	PASS
Band38	10MHz	QPSK	38200	50RB#0	30~1000	-66.51	PASS
Band38	10MHz	QPSK	38200	50RB#0	1000~20000	-46.13	PASS
Band38	10MHz	QPSK	38200	50RB#0	20000~27000	-40.07	PASS
Band38	10MHz	16QAM	37800	50RB#0	0.009~0.15	-71.90	PASS
Band38	10MHz	16QAM	37800	50RB#0	0.15~30	-64.06	PASS
Band38	10MHz	16QAM	37800	50RB#0	30~1000	-66.38	PASS
Band38	10MHz	16QAM	37800	50RB#0	1000~20000	-45.94	PASS
Band38	10MHz	16QAM	37800	50RB#0	20000~27000	-40.41	PASS
Band38	10MHz	16QAM	38000	50RB#0	0.009~0.15	-70.59	PASS
Band38	10MHz	16QAM	38000	50RB#0	0.15~30	-64.34	PASS
Band38	10MHz	16QAM	38000	50RB#0	30~1000	-66.49	PASS
Band38	10MHz	16QAM	38000	50RB#0	1000~20000	-46.18	PASS
Band38	10MHz	16QAM	38000	50RB#0	20000~27000	-40.18	PASS
Band38	10MHz	16QAM	38200	50RB#0	0.009~0.15	-69.42	PASS
Band38	10MHz	16QAM	38200	50RB#0	0.15~30	-61.89	PASS
Band38	10MHz	16QAM	38200	50RB#0	30~1000	-66.52	PASS
Band38	10MHz	16QAM	38200	50RB#0	1000~20000	-45.75	PASS
Band38	10MHz	16QAM	38200	50RB#0	20000~27000	-40.15	PASS
Band38	15MHz	QPSK	37825	75RB#0	0.009~0.15	-68.78	PASS
Band38	15MHz	QPSK	37825	75RB#0	0.15~30	-65.95	PASS
Band38	15MHz	QPSK	37825	75RB#0	30~1000	-66.70	PASS
Band38	15MHz	QPSK	37825	75RB#0	1000~20000	-45.56	PASS
Band38	15MHz	QPSK	37825	75RB#0	20000~27000	-39.82	PASS
Band38	15MHz	QPSK	38000	75RB#0	0.009~0.15	-70.57	PASS
Band38	15MHz	QPSK	38000	75RB#0	0.15~30	-59.83	PASS
Band38	15MHz	QPSK	38000	75RB#0	30~1000	-66.64	PASS
Band38	15MHz	QPSK	38000	75RB#0	1000~20000	-45.68	PASS
Band38	15MHz	QPSK	38000	75RB#0	20000~27000	-40.16	PASS
Band38	15MHz	QPSK	38175	75RB#0	0.009~0.15	-71.92	PASS
Band38	15MHz	QPSK	38175	75RB#0	0.15~30	-64.13	PASS
Band38	15MHz	QPSK	38175	75RB#0	30~1000	-66.44	PASS
Band38	15MHz	QPSK	38175	75RB#0	1000~20000	-45.88	PASS
Band38	15MHz	QPSK	38175	75RB#0	20000~27000	-40.15	PASS
Band38	15MHz	16QAM	37825	75RB#0	0.009~0.15	-71.10	PASS
Band38	15MHz	16QAM	37825	75RB#0	0.15~30	-62.84	PASS
Band38	15MHz	16QAM	37825	75RB#0	30~1000	-67.01	PASS
Band38	15MHz	16QAM	37825	75RB#0	1000~20000	-45.47	PASS

Band38	15MHz	16QAM	37825	75RB#0	20000~27000	-40.17	PASS
Band38	15MHz	16QAM	38000	75RB#0	0.009~0.15	-68.14	PASS
Band38	15MHz	16QAM	38000	75RB#0	0.15~30	-62.78	PASS
Band38	15MHz	16QAM	38000	75RB#0	30~1000	-66.78	PASS
Band38	15MHz	16QAM	38000	75RB#0	1000~20000	-46.00	PASS
Band38	15MHz	16QAM	38000	75RB#0	20000~27000	-40.11	PASS
Band38	15MHz	16QAM	38175	75RB#0	0.009~0.15	-72.33	PASS
Band38	15MHz	16QAM	38175	75RB#0	0.15~30	-60.91	PASS
Band38	15MHz	16QAM	38175	75RB#0	30~1000	-66.79	PASS
Band38	15MHz	16QAM	38175	75RB#0	1000~20000	-45.92	PASS
Band38	15MHz	16QAM	38175	75RB#0	20000~27000	-40.28	PASS
Band38	20MHz	QPSK	37850	100RB#0	0.009~0.15	-72.27	PASS
Band38	20MHz	QPSK	37850	100RB#0	0.15~30	-66.08	PASS
Band38	20MHz	QPSK	37850	100RB#0	30~1000	-66.62	PASS
Band38	20MHz	QPSK	37850	100RB#0	1000~20000	-46.04	PASS
Band38	20MHz	QPSK	37850	100RB#0	20000~27000	-39.72	PASS
Band38	20MHz	QPSK	38000	100RB#0	0.009~0.15	-69.00	PASS
Band38	20MHz	QPSK	38000	100RB#0	0.15~30	-62.09	PASS
Band38	20MHz	QPSK	38000	100RB#0	30~1000	-66.27	PASS
Band38	20MHz	QPSK	38000	100RB#0	1000~20000	-45.66	PASS
Band38	20MHz	QPSK	38000	100RB#0	20000~27000	-40.09	PASS
Band38	20MHz	QPSK	38150	100RB#0	0.009~0.15	-70.63	PASS
Band38	20MHz	QPSK	38150	100RB#0	0.15~30	-62.32	PASS
Band38	20MHz	QPSK	38150	100RB#0	30~1000	-66.55	PASS
Band38	20MHz	QPSK	38150	100RB#0	1000~20000	-46.23	PASS
Band38	20MHz	QPSK	38150	100RB#0	20000~27000	-40.22	PASS
Band38	20MHz	16QAM	37850	100RB#0	0.009~0.15	-70.75	PASS
Band38	20MHz	16QAM	37850	100RB#0	0.15~30	-60.90	PASS
Band38	20MHz	16QAM	37850	100RB#0	30~1000	-66.41	PASS
Band38	20MHz	16QAM	37850	100RB#0	1000~20000	-46.19	PASS
Band38	20MHz	16QAM	37850	100RB#0	20000~27000	-40.30	PASS
Band38	20MHz	16QAM	38000	100RB#0	0.009~0.15	-71.01	PASS
Band38	20MHz	16QAM	38000	100RB#0	0.15~30	-62.18	PASS
Band38	20MHz	16QAM	38000	100RB#0	30~1000	-66.55	PASS
Band38	20MHz	16QAM	38000	100RB#0	1000~20000	-45.65	PASS
Band38	20MHz	16QAM	38000	100RB#0	20000~27000	-40.40	PASS
Band38	20MHz	16QAM	38150	100RB#0	0.009~0.15	-72.55	PASS
Band38	20MHz	16QAM	38150	100RB#0	0.15~30	-63.94	PASS
Band38	20MHz	16QAM	38150	100RB#0	30~1000	-66.44	PASS
Band38	20MHz	16QAM	38150	100RB#0	1000~20000	-45.78	PASS
Band38	20MHz	16QAM	38150	100RB#0	20000~27000	-40.21	PASS