

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.88	-1.51	21.37	<=33.01	Pass
			2	22.98	-1.51	21.47	<=33.01	Pass
			5	22.94	-1.51	21.43	<=33.01	Pass
		3	0	23.05	-1.51	21.54	<=33.01	Pass
			2	23.11	-1.51	21.60	<=33.01	Pass
			3	23.10	-1.51	21.59	<=33.01	Pass
		6	0	22.15	-1.51	20.64	<=33.01	Pass
	1882.5	1	0	23.41	-1.51	21.90	<=33.01	Pass
			2	23.47	-1.51	21.96	<=33.01	Pass
			5	23.49	-1.51	21.98	<=33.01	Pass
		3	0	23.35	-1.51	21.84	<=33.01	Pass
			2	23.45	-1.51	21.94	<=33.01	Pass
			3	23.54	-1.51	22.03	<=33.01	Pass
		6	0	22.69	-1.51	21.18	<=33.01	Pass
	1914.3	1	0	23.40	-1.51	21.89	<=33.01	Pass
			2	23.53	-1.51	22.02	<=33.01	Pass
			5	23.47	-1.51	21.96	<=33.01	Pass
		3	0	23.64	-1.51	22.13	<=33.01	Pass
			2	23.57	-1.51	22.06	<=33.01	Pass
			3	23.57	-1.51	22.06	<=33.01	Pass
		6	0	22.77	-1.51	21.26	<=33.01	Pass
16QAM	1850.7	1	0	21.80	-1.51	20.29	<=33.01	Pass
			2	21.91	-1.51	20.40	<=33.01	Pass
			5	21.98	-1.51	20.47	<=33.01	Pass
		3	0	21.90	-1.51	20.39	<=33.01	Pass
			2	22.00	-1.51	20.49	<=33.01	Pass
			3	21.98	-1.51	20.47	<=33.01	Pass
		6	0	21.07	-1.51	19.56	<=33.01	Pass
	1882.5	1	0	22.52	-1.51	21.01	<=33.01	Pass
			2	22.59	-1.51	21.08	<=33.01	Pass
			5	22.58	-1.51	21.07	<=33.01	Pass
		3	0	22.46	-1.51	20.95	<=33.01	Pass
			2	22.43	-1.51	20.92	<=33.01	Pass
			3	22.37	-1.51	20.86	<=33.01	Pass
		6	0	21.76	-1.51	20.25	<=33.01	Pass
	1914.3	1	0	22.79	-1.51	21.28	<=33.01	Pass
			2	22.77	-1.51	21.26	<=33.01	Pass
			5	22.62	-1.51	21.11	<=33.01	Pass
		3	0	22.62	-1.51	21.11	<=33.01	Pass
			2	22.27	-1.51	20.76	<=33.01	Pass
			3	22.49	-1.51	20.98	<=33.01	Pass
		6	0	21.84	-1.51	20.33	<=33.01	Pass
64QAM	1850.7	1	0	20.52	-1.51	19.01	<=33.01	Pass
			2	20.84	-1.51	19.33	<=33.01	Pass

		3	5	20.94	-1.51	19.43	<=33.01	Pass
			0	21.17	-1.51	19.66	<=33.01	Pass
			2	21.20	-1.51	19.69	<=33.01	Pass
		6	3	21.11	-1.51	19.60	<=33.01	Pass
			0	20.12	-1.51	18.61	<=33.01	Pass
			0	21.62	-1.51	20.11	<=33.01	Pass
	1882.5	1	2	21.69	-1.51	20.18	<=33.01	Pass
			5	21.59	-1.51	20.08	<=33.01	Pass
			0	21.65	-1.51	20.14	<=33.01	Pass
		3	2	21.67	-1.51	20.16	<=33.01	Pass
			3	21.69	-1.51	20.18	<=33.01	Pass
			0	20.65	-1.51	19.14	<=33.01	Pass
		6	0	21.70	-1.51	20.19	<=33.01	Pass
			2	21.83	-1.51	20.32	<=33.01	Pass
			5	21.71	-1.51	20.20	<=33.01	Pass
	1914.3	1	0	21.81	-1.51	20.30	<=33.01	Pass
			2	21.80	-1.51	20.29	<=33.01	Pass
			3	21.81	-1.51	20.30	<=33.01	Pass
		3	0	20.81	-1.51	19.30	<=33.01	Pass
			0	20.81	-1.51	19.30	<=33.01	Pass
			0	20.81	-1.51	19.30	<=33.01	Pass
		6	0	20.81	-1.51	19.30	<=33.01	Pass
			0	20.81	-1.51	19.30	<=33.01	Pass
			0	20.81	-1.51	19.30	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.81	-1.51	21.30	<=33.01	Pass
			7	23.03	-1.51	21.52	<=33.01	Pass
			14	22.96	-1.51	21.45	<=33.01	Pass
		8	0	22.05	-1.51	20.54	<=33.01	Pass
			4	22.16	-1.51	20.65	<=33.01	Pass
			7	22.19	-1.51	20.68	<=33.01	Pass
		15	0	22.19	-1.51	20.68	<=33.01	Pass
			0	23.39	-1.51	21.88	<=33.01	Pass
			7	23.50	-1.51	21.99	<=33.01	Pass
	1882.5	1	14	23.31	-1.51	21.80	<=33.01	Pass
			0	22.63	-1.51	21.12	<=33.01	Pass
			4	22.63	-1.51	21.12	<=33.01	Pass
		8	7	22.60	-1.51	21.09	<=33.01	Pass
			0	22.66	-1.51	21.15	<=33.01	Pass
			0	23.33	-1.51	21.82	<=33.01	Pass
		15	7	23.57	-1.51	22.06	<=33.01	Pass
			14	23.47	-1.51	21.96	<=33.01	Pass
			0	22.71	-1.51	21.20	<=33.01	Pass
	1913.5	1	4	22.75	-1.51	21.24	<=33.01	Pass
			7	22.59	-1.51	21.08	<=33.01	Pass
			0	22.74	-1.51	21.23	<=33.01	Pass
		8	0	21.83	-1.51	20.32	<=33.01	Pass
			7	22.03	-1.51	20.52	<=33.01	Pass
			14	21.94	-1.51	20.43	<=33.01	Pass
		15	0	21.08	-1.51	19.57	<=33.01	Pass
			4	21.20	-1.51	19.69	<=33.01	Pass
			7	21.20	-1.51	19.69	<=33.01	Pass

	1882.5	1	15	0	21.13	-1.51	19.62	<=33.01	Pass
			8	0	22.44	-1.51	20.93	<=33.01	Pass
				7	22.63	-1.51	21.12	<=33.01	Pass
				14	22.54	-1.51	21.03	<=33.01	Pass
		8	15	0	21.62	-1.51	20.11	<=33.01	Pass
				4	21.66	-1.51	20.15	<=33.01	Pass
				7	21.64	-1.51	20.13	<=33.01	Pass
		1913.5	1	0	21.54	-1.51	20.03	<=33.01	Pass
				0	22.43	-1.51	20.92	<=33.01	Pass
				7	22.82	-1.51	21.31	<=33.01	Pass
				14	22.37	-1.51	20.86	<=33.01	Pass
			8	0	21.68	-1.51	20.17	<=33.01	Pass
				4	21.81	-1.51	20.30	<=33.01	Pass
				7	21.77	-1.51	20.26	<=33.01	Pass
			15	0	21.68	-1.51	20.17	<=33.01	Pass
				0	20.85	-1.51	19.34	<=33.01	Pass
				7	20.72	-1.51	19.21	<=33.01	Pass
64QAM	1851.5	1	15	14	21.11	-1.51	19.60	<=33.01	Pass
				0	20.12	-1.51	18.61	<=33.01	Pass
				4	20.21	-1.51	18.70	<=33.01	Pass
		8	15	7	20.21	-1.51	18.70	<=33.01	Pass
				0	20.12	-1.51	18.61	<=33.01	Pass
				0	21.37	-1.51	19.86	<=33.01	Pass
		1	15	7	21.60	-1.51	20.09	<=33.01	Pass
				14	21.61	-1.51	20.10	<=33.01	Pass
				0	20.65	-1.51	19.14	<=33.01	Pass
		8	15	4	20.12	-1.51	18.61	<=33.01	Pass
				7	20.63	-1.51	19.12	<=33.01	Pass
				0	20.57	-1.51	19.06	<=33.01	Pass
	1913.5	1	15	0	21.57	-1.51	20.06	<=33.01	Pass
				7	21.87	-1.51	20.36	<=33.01	Pass
				14	21.43	-1.51	19.92	<=33.01	Pass
		8	15	0	20.82	-1.51	19.31	<=33.01	Pass
				4	20.83	-1.51	19.32	<=33.01	Pass
				7	20.76	-1.51	19.25	<=33.01	Pass
		15	15	0	20.70	-1.51	19.19	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.96	-1.51	21.45	<=33.01	Pass
			13	23.26	-1.51	21.75	<=33.01	Pass
			24	23.32	-1.51	21.81	<=33.01	Pass
		12	0	22.16	-1.51	20.65	<=33.01	Pass
			6	22.32	-1.51	20.81	<=33.01	Pass
			13	22.34	-1.51	20.83	<=33.01	Pass
		25	0	22.30	-1.51	20.79	<=33.01	Pass
			0	23.59	-1.51	22.08	<=33.01	Pass
			13	23.64	-1.51	22.13	<=33.01	Pass
	1882.5	1	24	23.54	-1.51	22.03	<=33.01	Pass

		12	0	22.70	-1.51	21.19	<=33.01	Pass
			6	22.74	-1.51	21.23	<=33.01	Pass
			13	22.69	-1.51	21.18	<=33.01	Pass
	1912.5	25	0	22.73	-1.51	21.22	<=33.01	Pass
		1	0	23.70	-1.51	22.19	<=33.01	Pass
			13	23.69	-1.51	22.18	<=33.01	Pass
			24	23.64	-1.51	22.13	<=33.01	Pass
		12	0	22.82	-1.51	21.31	<=33.01	Pass
			6	22.86	-1.51	21.35	<=33.01	Pass
			13	22.80	-1.51	21.29	<=33.01	Pass
		25	0	22.84	-1.51	21.33	<=33.01	Pass
16QAM	1852.5	1	0	22.18	-1.51	20.67	<=33.01	Pass
			13	22.28	-1.51	20.77	<=33.01	Pass
			24	22.35	-1.51	20.84	<=33.01	Pass
		12	0	21.07	-1.51	19.56	<=33.01	Pass
			6	21.23	-1.51	19.72	<=33.01	Pass
			13	21.23	-1.51	19.72	<=33.01	Pass
		25	0	21.25	-1.51	19.74	<=33.01	Pass
	1882.5	1	0	22.67	-1.51	21.16	<=33.01	Pass
			13	22.84	-1.51	21.33	<=33.01	Pass
			24	22.65	-1.51	21.14	<=33.01	Pass
		12	0	21.66	-1.51	20.15	<=33.01	Pass
			6	21.71	-1.51	20.20	<=33.01	Pass
			13	21.66	-1.51	20.15	<=33.01	Pass
		25	0	21.67	-1.51	20.16	<=33.01	Pass
	1912.5	1	0	22.82	-1.51	21.31	<=33.01	Pass
			13	22.93	-1.51	21.42	<=33.01	Pass
			24	22.83	-1.51	21.32	<=33.01	Pass
		12	0	21.80	-1.51	20.29	<=33.01	Pass
			6	21.88	-1.51	20.37	<=33.01	Pass
			13	21.81	-1.51	20.30	<=33.01	Pass
64QAM	1852.5	1	0	21.84	-1.51	20.33	<=33.01	Pass
			13	20.93	-1.51	19.42	<=33.01	Pass
			24	21.39	-1.51	19.88	<=33.01	Pass
		12	0	21.37	-1.51	19.86	<=33.01	Pass
			6	20.16	-1.51	18.65	<=33.01	Pass
			13	20.05	-1.51	18.54	<=33.01	Pass
	1882.5	1	0	20.33	-1.51	18.82	<=33.01	Pass
			13	20.25	-1.51	18.74	<=33.01	Pass
			24	20.61	-1.51	19.10	<=33.01	Pass
		12	0	21.65	-1.51	20.14	<=33.01	Pass
			13	21.84	-1.51	20.33	<=33.01	Pass
			24	21.75	-1.51	20.24	<=33.01	Pass
	1912.5	1	0	20.71	-1.51	19.20	<=33.01	Pass
			13	20.72	-1.51	19.21	<=33.01	Pass
			24	20.58	-1.51	19.07	<=33.01	Pass
		12	0	20.61	-1.51	19.10	<=33.01	Pass
			6	20.72	-1.51	19.21	<=33.01	Pass
			13	20.58	-1.51	19.07	<=33.01	Pass
	1912.5	1	0	20.71	-1.51	19.20	<=33.01	Pass
			13	21.94	-1.51	20.43	<=33.01	Pass
			24	22.01	-1.51	20.50	<=33.01	Pass
		12	0	21.70	-1.51	20.19	<=33.01	Pass
			6	20.88	-1.51	19.37	<=33.01	Pass
			13	20.95	-1.51	19.44	<=33.01	Pass
		25	0	20.78	-1.51	19.27	<=33.01	Pass
			6	20.87	-1.51	19.36	<=33.01	Pass
			13	20.87	-1.51	19.36	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.09	-1.51	21.58	<=33.01	Pass
			25	23.29	-1.51	21.78	<=33.01	Pass
			49	23.52	-1.51	22.01	<=33.01	Pass
		25	0	22.28	-1.51	20.77	<=33.01	Pass
			13	22.33	-1.51	20.82	<=33.01	Pass
			25	22.23	-1.51	20.72	<=33.01	Pass
		50	0	22.43	-1.51	20.92	<=33.01	Pass
	1882.5	1	0	23.44	-1.51	21.93	<=33.01	Pass
			25	23.51	-1.51	22.00	<=33.01	Pass
			49	23.53	-1.51	22.02	<=33.01	Pass
		25	0	22.77	-1.51	21.26	<=33.01	Pass
			13	22.79	-1.51	21.28	<=33.01	Pass
			25	22.72	-1.51	21.21	<=33.01	Pass
		50	0	22.78	-1.51	21.27	<=33.01	Pass
	1910	1	0	23.36	-1.51	21.85	<=33.01	Pass
			25	23.76	-1.51	22.25	<=33.01	Pass
			49	23.64	-1.51	22.13	<=33.01	Pass
		25	0	22.87	-1.51	21.36	<=33.01	Pass
			13	22.93	-1.51	21.42	<=33.01	Pass
			25	22.86	-1.51	21.35	<=33.01	Pass
		50	0	22.94	-1.51	21.43	<=33.01	Pass
16QAM	1855	1	0	22.14	-1.51	20.63	<=33.01	Pass
			25	22.54	-1.51	21.03	<=33.01	Pass
			49	22.33	-1.51	20.82	<=33.01	Pass
		25	0	21.20	-1.51	19.69	<=33.01	Pass
			13	21.44	-1.51	19.93	<=33.01	Pass
			25	21.51	-1.51	20.00	<=33.01	Pass
		50	0	21.29	-1.51	19.78	<=33.01	Pass
	1882.5	1	0	22.82	-1.51	21.31	<=33.01	Pass
			25	22.63	-1.51	21.12	<=33.01	Pass
			49	22.86	-1.51	21.35	<=33.01	Pass
		25	0	21.72	-1.51	20.21	<=33.01	Pass
			13	21.75	-1.51	20.24	<=33.01	Pass
			25	21.64	-1.51	20.13	<=33.01	Pass
		50	0	21.73	-1.51	20.22	<=33.01	Pass
	1910	1	0	22.79	-1.51	21.28	<=33.01	Pass
			25	22.69	-1.51	21.18	<=33.01	Pass
			49	22.86	-1.51	21.35	<=33.01	Pass
		25	0	21.87	-1.51	20.36	<=33.01	Pass
			13	21.91	-1.51	20.40	<=33.01	Pass
			25	21.58	-1.51	20.07	<=33.01	Pass
		50	0	21.87	-1.51	20.36	<=33.01	Pass
64QAM	1855	1	0	20.81	-1.51	19.30	<=33.01	Pass
			25	21.31	-1.51	19.80	<=33.01	Pass
			49	21.65	-1.51	20.14	<=33.01	Pass
		25	0	20.01	-1.51	18.50	<=33.01	Pass
			13	20.27	-1.51	18.76	<=33.01	Pass
			25	20.42	-1.51	18.91	<=33.01	Pass
		50	0	20.33	-1.51	18.82	<=33.01	Pass
	1882.5	1	0	21.53	-1.51	20.02	<=33.01	Pass

	1910	25	25	21.52	-1.51	20.01	<=33.01	Pass
			49	21.81	-1.51	20.30	<=33.01	Pass
			0	20.76	-1.51	19.25	<=33.01	Pass
			13	20.75	-1.51	19.24	<=33.01	Pass
			25	20.44	-1.51	18.93	<=33.01	Pass
		50	0	20.74	-1.51	19.23	<=33.01	Pass
			0	21.60	-1.51	20.09	<=33.01	Pass
			25	21.68	-1.51	20.17	<=33.01	Pass
		1	49	21.61	-1.51	20.10	<=33.01	Pass
			0	20.81	-1.51	19.30	<=33.01	Pass
			13	20.95	-1.51	19.44	<=33.01	Pass
			25	20.86	-1.51	19.35	<=33.01	Pass
			25	20.91	-1.51	19.40	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.06	-1.51	21.55	<=33.01	Pass
			38	23.61	-1.51	22.10	<=33.01	Pass
			74	23.68	-1.51	22.17	<=33.01	Pass
		36	0	22.40	-1.51	20.89	<=33.01	Pass
			18	22.57	-1.51	21.06	<=33.01	Pass
			39	22.70	-1.51	21.19	<=33.01	Pass
		75	0	22.59	-1.51	21.08	<=33.01	Pass
			0	23.37	-1.51	21.86	<=33.01	Pass
			38	23.48	-1.51	21.97	<=33.01	Pass
	1882.5	1	74	23.46	-1.51	21.95	<=33.01	Pass
			0	22.57	-1.51	21.06	<=33.01	Pass
			18	22.75	-1.51	21.24	<=33.01	Pass
		36	39	22.71	-1.51	21.20	<=33.01	Pass
			0	22.78	-1.51	21.27	<=33.01	Pass
			0	23.51	-1.51	22.00	<=33.01	Pass
		1	38	23.83	-1.51	22.32	<=33.01	Pass
			74	23.76	-1.51	22.25	<=33.01	Pass
			0	22.75	-1.51	21.24	<=33.01	Pass
	1907.5	36	18	22.90	-1.51	21.39	<=33.01	Pass
			39	22.85	-1.51	21.34	<=33.01	Pass
			0	22.87	-1.51	21.36	<=33.01	Pass
16QAM	1857.5	1	0	22.15	-1.51	20.64	<=33.01	Pass
			38	22.75	-1.51	21.24	<=33.01	Pass
			74	22.85	-1.51	21.34	<=33.01	Pass
		36	0	21.35	-1.51	19.84	<=33.01	Pass
			18	21.31	-1.51	19.80	<=33.01	Pass
			39	21.68	-1.51	20.17	<=33.01	Pass
		75	0	21.54	-1.51	20.03	<=33.01	Pass
			0	22.54	-1.51	21.03	<=33.01	Pass
			38	22.70	-1.51	21.19	<=33.01	Pass
	1882.5	1	74	22.70	-1.51	21.19	<=33.01	Pass
			0	21.55	-1.51	20.04	<=33.01	Pass
			18	21.72	-1.51	20.21	<=33.01	Pass

64QAM	1907.5	75	39	21.68	-1.51	20.17	<=33.01	Pass
			0	21.71	-1.51	20.20	<=33.01	Pass
			74	21.71	-1.51	20.20	<=33.01	Pass
		1	0	22.34	-1.51	20.83	<=33.01	Pass
			38	22.70	-1.51	21.19	<=33.01	Pass
			74	22.68	-1.51	21.17	<=33.01	Pass
		36	0	21.76	-1.51	20.25	<=33.01	Pass
			18	21.83	-1.51	20.32	<=33.01	Pass
			39	21.84	-1.51	20.33	<=33.01	Pass
		75	0	21.81	-1.51	20.30	<=33.01	Pass
	1857.5	1	0	21.16	-1.51	19.65	<=33.01	Pass
			38	21.77	-1.51	20.26	<=33.01	Pass
			74	21.83	-1.51	20.32	<=33.01	Pass
		36	0	20.41	-1.51	18.90	<=33.01	Pass
			18	20.56	-1.51	19.05	<=33.01	Pass
			39	20.69	-1.51	19.18	<=33.01	Pass
		75	0	20.53	-1.51	19.02	<=33.01	Pass
	1882.5	1	0	21.61	-1.51	20.10	<=33.01	Pass
			38	21.66	-1.51	20.15	<=33.01	Pass
			74	21.51	-1.51	20.00	<=33.01	Pass
		36	0	20.68	-1.51	19.17	<=33.01	Pass
			18	20.71	-1.51	19.20	<=33.01	Pass
			39	20.57	-1.51	19.06	<=33.01	Pass
		75	0	20.72	-1.51	19.21	<=33.01	Pass
	1907.5	1	0	21.65	-1.51	20.14	<=33.01	Pass
			38	21.83	-1.51	20.32	<=33.01	Pass
			74	21.64	-1.51	20.13	<=33.01	Pass
		36	0	20.80	-1.51	19.29	<=33.01	Pass
			18	20.65	-1.51	19.14	<=33.01	Pass
			39	20.87	-1.51	19.36	<=33.01	Pass
		75	0	20.83	-1.51	19.32	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.98	-1.51	21.47	<=33.01	Pass
			50	23.68	-1.51	22.17	<=33.01	Pass
			99	23.65	-1.51	22.14	<=33.01	Pass
		50	0	22.47	-1.51	20.96	<=33.01	Pass
			25	22.74	-1.51	21.23	<=33.01	Pass
			50	22.88	-1.51	21.37	<=33.01	Pass
		100	0	22.68	-1.51	21.17	<=33.01	Pass
	1882.5	1	0	22.97	-1.51	21.46	<=33.01	Pass
			50	23.56	-1.51	22.05	<=33.01	Pass
			99	23.45	-1.51	21.94	<=33.01	Pass
		50	0	22.83	-1.51	21.32	<=33.01	Pass
			25	22.84	-1.51	21.33	<=33.01	Pass
			50	22.80	-1.51	21.29	<=33.01	Pass
		100	0	22.78	-1.51	21.27	<=33.01	Pass
	1905	1	0	22.82	-1.51	21.31	<=33.01	Pass
			50	23.71	-1.51	22.20	<=33.01	Pass

			99	23.50	-1.51	21.99	<=33.01	Pass	
		50	0	22.77	-1.51	21.26	<=33.01	Pass	
			25	22.94	-1.51	21.43	<=33.01	Pass	
			50	22.90	-1.51	21.39	<=33.01	Pass	
		100	0	22.79	-1.51	21.28	<=33.01	Pass	
16QAM	1860	1	0	22.11	-1.51	20.60	<=33.01	Pass	
			50	22.94	-1.51	21.43	<=33.01	Pass	
			99	22.80	-1.51	21.29	<=33.01	Pass	
		50	0	21.42	-1.51	19.91	<=33.01	Pass	
			25	21.70	-1.51	20.19	<=33.01	Pass	
			50	21.85	-1.51	20.34	<=33.01	Pass	
		100	0	21.64	-1.51	20.13	<=33.01	Pass	
	1882.5	1	0	22.62	-1.51	21.11	<=33.01	Pass	
			50	22.71	-1.51	21.20	<=33.01	Pass	
			99	22.79	-1.51	21.28	<=33.01	Pass	
		50	0	21.49	-1.51	19.98	<=33.01	Pass	
			25	21.77	-1.51	20.26	<=33.01	Pass	
			50	21.73	-1.51	20.22	<=33.01	Pass	
		100	0	21.71	-1.51	20.20	<=33.01	Pass	
	1905	1	0	22.48	-1.51	20.97	<=33.01	Pass	
			50	22.92	-1.51	21.41	<=33.01	Pass	
			99	22.74	-1.51	21.23	<=33.01	Pass	
		50	0	21.71	-1.51	20.20	<=33.01	Pass	
			25	21.87	-1.51	20.36	<=33.01	Pass	
			50	21.81	-1.51	20.30	<=33.01	Pass	
		100	0	21.71	-1.51	20.20	<=33.01	Pass	
	64QAM	1860	1	0	21.05	-1.51	19.54	<=33.01	Pass
				50	21.28	-1.51	19.77	<=33.01	Pass
				99	21.77	-1.51	20.26	<=33.01	Pass
			50	0	20.42	-1.51	18.91	<=33.01	Pass
				25	20.71	-1.51	19.20	<=33.01	Pass
				50	20.86	-1.51	19.35	<=33.01	Pass
			100	0	20.66	-1.51	19.15	<=33.01	Pass
		1882.5	1	0	20.95	-1.51	19.44	<=33.01	Pass
				50	21.77	-1.51	20.26	<=33.01	Pass
				99	21.36	-1.51	19.85	<=33.01	Pass
			50	0	20.76	-1.51	19.25	<=33.01	Pass
				25	20.78	-1.51	19.27	<=33.01	Pass
				50	20.73	-1.51	19.22	<=33.01	Pass
			100	0	20.71	-1.51	19.20	<=33.01	Pass
		1905	1	0	20.95	-1.51	19.44	<=33.01	Pass
50				21.74	-1.51	20.23	<=33.01	Pass	
99				21.32	-1.51	19.81	<=33.01	Pass	
50			0	20.57	-1.51	19.06	<=33.01	Pass	
			25	20.88	-1.51	19.37	<=33.01	Pass	
			50	20.81	-1.51	19.30	<=33.01	Pass	
100			0	20.72	-1.51	19.21	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	LV	-4.300	-0.0023	-2.5 to 2.5	Pass
					NV	-2.300	-0.0012	-2.5 to 2.5	Pass
					HV	-4.700	-0.0025	-2.5 to 2.5	Pass
				-30	NV	-2.600	-0.0014	-2.5 to 2.5	Pass
				-20	NV	-1.600	-0.0008	-2.5 to 2.5	Pass
				-10	NV	-3.100	-0.0016	-2.5 to 2.5	Pass
				0	NV	-3.100	-0.0016	-2.5 to 2.5	Pass
				10	NV	-1.000	-0.0005	-2.5 to 2.5	Pass
				30	NV	-0.700	-0.0004	-2.5 to 2.5	Pass
				40	NV	1.100	0.0006	-2.5 to 2.5	Pass
				50	NV	-1.200	-0.0006	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.116	/	Pass
	16QAM	1882.5	6	0	1.120	/	Pass
	64QAM	1882.5	6	0	1.120	/	Pass
3	QPSK	1882.5	15	0	2.726	/	Pass
	16QAM	1882.5	15	0	2.710	/	Pass
	64QAM	1882.5	15	0	2.722	/	Pass
5	QPSK	1882.5	25	0	4.540	/	Pass
	16QAM	1882.5	25	0	4.536	/	Pass
	64QAM	1882.5	25	0	4.537	/	Pass
10	QPSK	1882.5	50	0	9.079	/	Pass
	16QAM	1882.5	50	0	9.045	/	Pass
	64QAM	1882.5	50	0	9.064	/	Pass
15	QPSK	1882.5	75	0	13.587	/	Pass
	16QAM	1882.5	75	0	13.613	/	Pass
	64QAM	1882.5	75	0	13.555	/	Pass
20	QPSK	1882.5	100	0	18.090	/	Pass
	16QAM	1882.5	100	0	18.086	/	Pass
	64QAM	1882.5	100	0	18.052	/	Pass

3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.342	/	Pass
	16QAM	1882.5	6	0	1.304	/	Pass
	64QAM	1882.5	6	0	1.308	/	Pass
3	QPSK	1882.5	15	0	3.053	/	Pass
	16QAM	1882.5	15	0	3.040	/	Pass
	64QAM	1882.5	15	0	3.000	/	Pass
5	QPSK	1882.5	25	0	5.005	/	Pass
	16QAM	1882.5	25	0	4.990	/	Pass
	64QAM	1882.5	25	0	5.013	/	Pass
10	QPSK	1882.5	50	0	9.851	/	Pass
	16QAM	1882.5	50	0	9.902	/	Pass
	64QAM	1882.5	50	0	9.877	/	Pass
15	QPSK	1882.5	75	0	14.893	/	Pass
	16QAM	1882.5	75	0	14.811	/	Pass
	64QAM	1882.5	75	0	14.850	/	Pass
20	QPSK	1882.5	100	0	19.627	/	Pass
	16QAM	1882.5	100	0	19.750	/	Pass
	64QAM	1882.5	100	0	19.677	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result


4.1.1 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.08	<=13	Pass
16QAM	1882.5	100	0	5.81	<=13	Pass
64QAM	1882.5	100	0	6.09	<=13	Pass

4.2 Test Graph

4.2.1 B25_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1914.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1851.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1913.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1912.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1910	1	0	Refer To Test Graph	
	49			Refer To Test Graph		Pass
	50		0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1905	1	0	Refer To Test Graph	
	99			Refer To Test Graph		Pass
	100		0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.45	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-29.68	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25 1.4MHz QPSK MCH_1882.5MHz_RB_1_0_NTNV




Band25 1.4MHz QPSK MCH_1882.5MHz_RB_1_0_NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB_1_0_NTNV



Band25 1.4MHz QPSK HCH 1914.3MHz RB_1_0_NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.015	-27.69	-13	Pass
1916	1918	1	CHP	2	1916.500	-37.71	-13	Pass

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.040	-31.32	-13	Pass
1916	1918	1	CHP	2	1916.500	-27.78	-13	Pass


5.2.2 B25_3MHz



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-19.81	-13	Pass
1849	1850	0.031	CHP	2	1849.970	-28.33	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.025	-26.01	-13	Pass
1916	1918	1	CHP	2	1916.500	-34.92	-13	Pass

Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-29.60	-13	Pass
1916	1918	1	CHP	2	1916.500	-20.86	-13	Pass


5.2.3 B25_5MHz



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-19.40	-13	Pass
1849	1850	0.05	CHP	2	1849.940	-28.56	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-35.64	-13	Pass
1916	1920	1	CHP	2	1916.586	-33.43	-13	Pass

Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.05	CHP	/	/	/	/	/
1915	1916	0.05	CHP	1	1915.570	-30.97	-13	Pass
1916	1920	1	CHP	2	1916.500	-20.24	-13	Pass


5.2.4 B25_10MHz



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-23.17	-13	Pass
1849	1850	0.099	CHP	2	1849.677	-31.12	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.010	-41.18	-13	Pass
1916	1925	1	CHP	2	1918.712	-33.73	-13	Pass

Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.099	CHP	/	/	/	/	/
1915	1916	0.099	CHP	1	1915.308	-26.60	-13	Pass
1916	1925	1	CHP	2	1916.508	-19.96	-13	Pass


5.2.5 B25_15MHz



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.410	-26.63	-13	Pass
1849	1850	0.149	CHP	2	1849.670	-33.87	-13	Pass
1850	1865	0.149	CHP	/	/	/	/	/


Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




5.2.6 B25_20MHz



Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.200	-28.87	-13	Pass
1849	1850	0.196	CHP	2	1849.760	-35.07	-13	Pass
1850	1870	0.196	CHP	/	/	/	/	/


Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.018	-47.81	-13	Pass
1916	1935	1	CHP	2	1916.500	-38.80	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.196	CHP	/	/	/	/	/
1915	1916	0.196	CHP	1	1915.120	-32.49	-13	Pass
1916	1935	1	CHP	2	1916.600	-26.50	-13	Pass

- End of the Appendix -