

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	20.20	-2.94	15.11	<=38.45	Pass
			2	20.23	-2.94	15.14	<=38.45	Pass
			5	20.12	-2.94	15.03	<=38.45	Pass
		3	0	20.27	-2.94	15.18	<=38.45	Pass
			2	20.26	-2.94	15.17	<=38.45	Pass
			3	20.23	-2.94	15.14	<=38.45	Pass
		6	0	19.30	-2.94	14.21	<=38.45	Pass
	836.5	1	0	20.49	-2.94	15.40	<=38.45	Pass
			2	20.60	-2.94	15.51	<=38.45	Pass
			5	20.48	-2.94	15.39	<=38.45	Pass
		3	0	20.61	-2.94	15.52	<=38.45	Pass
			2	20.59	-2.94	15.50	<=38.45	Pass
			3	20.64	-2.94	15.55	<=38.45	Pass
		6	0	19.71	-2.94	14.62	<=38.45	Pass
	848.3	1	0	20.30	-2.94	15.21	<=38.45	Pass
			2	20.40	-2.94	15.31	<=38.45	Pass
			5	20.39	-2.94	15.30	<=38.45	Pass
		3	0	20.41	-2.94	15.32	<=38.45	Pass
			2	20.41	-2.94	15.32	<=38.45	Pass
			3	20.49	-2.94	15.40	<=38.45	Pass
		6	0	19.51	-2.94	14.42	<=38.45	Pass
16QAM	824.7	1	0	19.48	-2.94	14.39	<=38.45	Pass
			2	19.60	-2.94	14.51	<=38.45	Pass
			5	19.41	-2.94	14.32	<=38.45	Pass
		3	0	19.25	-2.94	14.16	<=38.45	Pass
			2	19.30	-2.94	14.21	<=38.45	Pass
			3	19.29	-2.94	14.20	<=38.45	Pass
		6	0	18.36	-2.94	13.27	<=38.45	Pass
	836.5	1	0	19.67	-2.94	14.58	<=38.45	Pass
			2	19.73	-2.94	14.64	<=38.45	Pass
			5	19.57	-2.94	14.48	<=38.45	Pass
		3	0	19.59	-2.94	14.50	<=38.45	Pass
			2	19.68	-2.94	14.59	<=38.45	Pass
			3	19.66	-2.94	14.57	<=38.45	Pass
		6	0	18.81	-2.94	13.72	<=38.45	Pass
	848.3	1	0	19.57	-2.94	14.48	<=38.45	Pass
			2	19.73	-2.94	14.64	<=38.45	Pass
			5	19.74	-2.94	14.65	<=38.45	Pass
		3	0	19.38	-2.94	14.29	<=38.45	Pass
			2	19.35	-2.94	14.26	<=38.45	Pass
			3	19.47	-2.94	14.38	<=38.45	Pass
		6	0	18.63	-2.94	13.54	<=38.45	Pass
64QAM	824.7	1	0	18.46	-2.94	13.37	<=38.45	Pass
			2	18.46	-2.94	13.37	<=38.45	Pass
			5	18.39	-2.94	13.30	<=38.45	Pass
		3	0	18.44	-2.94	13.35	<=38.45	Pass

			2	18.44	-2.94	13.35	<=38.45	Pass
			3	18.41	-2.94	13.32	<=38.45	Pass
		6	0	17.33	-2.94	12.24	<=38.45	Pass
	836.5	1	0	18.77	-2.94	13.68	<=38.45	Pass
			2	18.91	-2.94	13.82	<=38.45	Pass
			5	18.58	-2.94	13.49	<=38.45	Pass
		3	0	18.84	-2.94	13.75	<=38.45	Pass
			2	18.79	-2.94	13.70	<=38.45	Pass
			3	18.84	-2.94	13.75	<=38.45	Pass
		6	0	17.72	-2.94	12.63	<=38.45	Pass
		848.3	1	0	18.57	-2.94	13.48	<=38.45
	2			18.55	-2.94	13.46	<=38.45	Pass
	5			18.59	-2.94	13.50	<=38.45	Pass
	3		0	18.64	-2.94	13.55	<=38.45	Pass
			2	18.57	-2.94	13.48	<=38.45	Pass
			3	18.66	-2.94	13.57	<=38.45	Pass
	6		0	17.51	-2.94	12.42	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	20.10	-2.94	15.01	<=38.45	Pass
			7	20.08	-2.94	14.99	<=38.45	Pass
			14	19.80	-2.94	14.71	<=38.45	Pass
		8	0	19.26	-2.94	14.17	<=38.45	Pass
			4	19.23	-2.94	14.14	<=38.45	Pass
			7	19.13	-2.94	14.04	<=38.45	Pass
		15	0	19.20	-2.94	14.11	<=38.45	Pass
	836.5	1	0	20.39	-2.94	15.30	<=38.45	Pass
			7	20.59	-2.94	15.50	<=38.45	Pass
			14	20.33	-2.94	15.24	<=38.45	Pass
		8	0	19.61	-2.94	14.52	<=38.45	Pass
			4	19.73	-2.94	14.64	<=38.45	Pass
			7	19.58	-2.94	14.49	<=38.45	Pass
		15	0	19.57	-2.94	14.48	<=38.45	Pass
	847.5	1	0	20.15	-2.94	15.06	<=38.45	Pass
			7	20.37	-2.94	15.28	<=38.45	Pass
			14	20.32	-2.94	15.23	<=38.45	Pass
		8	0	19.36	-2.94	14.27	<=38.45	Pass
			4	19.49	-2.94	14.40	<=38.45	Pass
			7	19.42	-2.94	14.33	<=38.45	Pass
		15	0	19.41	-2.94	14.32	<=38.45	Pass
16QAM	825.5	1	0	19.15	-2.94	14.06	<=38.45	Pass
			7	19.23	-2.94	14.14	<=38.45	Pass
			14	18.94	-2.94	13.85	<=38.45	Pass
		8	0	18.26	-2.94	13.17	<=38.45	Pass
			4	18.24	-2.94	13.15	<=38.45	Pass
			7	18.16	-2.94	13.07	<=38.45	Pass
		15	0	18.17	-2.94	13.08	<=38.45	Pass
	836.5	1	0	19.56	-2.94	14.47	<=38.45	Pass
			7	19.80	-2.94	14.71	<=38.45	Pass

64QAM	847.5	8	14	19.59	-2.94	14.50	<=38.45	Pass
			0	18.64	-2.94	13.55	<=38.45	Pass
			4	18.78	-2.94	13.69	<=38.45	Pass
			7	18.64	-2.94	13.55	<=38.45	Pass
		15	0	18.55	-2.94	13.46	<=38.45	Pass
		1	0	19.34	-2.94	14.25	<=38.45	Pass
			7	19.58	-2.94	14.49	<=38.45	Pass
			14	19.53	-2.94	14.44	<=38.45	Pass
		8	0	18.41	-2.94	13.32	<=38.45	Pass
			4	18.46	-2.94	13.37	<=38.45	Pass
			7	18.49	-2.94	13.40	<=38.45	Pass
		15	0	18.40	-2.94	13.31	<=38.45	Pass
64QAM	825.5	1	0	18.23	-2.94	13.14	<=38.45	Pass
			7	18.31	-2.94	13.22	<=38.45	Pass
			14	18.19	-2.94	13.10	<=38.45	Pass
		8	0	17.31	-2.94	12.22	<=38.45	Pass
			4	17.30	-2.94	12.21	<=38.45	Pass
			7	17.21	-2.94	12.12	<=38.45	Pass
		15	0	17.27	-2.94	12.18	<=38.45	Pass
	836.5	1	0	18.65	-2.94	13.56	<=38.45	Pass
			7	18.88	-2.94	13.79	<=38.45	Pass
			14	18.66	-2.94	13.57	<=38.45	Pass
		8	0	17.67	-2.94	12.58	<=38.45	Pass
			4	17.77	-2.94	12.68	<=38.45	Pass
			7	17.63	-2.94	12.54	<=38.45	Pass
		15	0	17.59	-2.94	12.50	<=38.45	Pass
	847.5	1	0	18.06	-2.94	12.97	<=38.45	Pass
			7	18.59	-2.94	13.50	<=38.45	Pass
			14	18.19	-2.94	13.10	<=38.45	Pass
		8	0	17.30	-2.94	12.21	<=38.45	Pass
			4	17.53	-2.94	12.44	<=38.45	Pass
			7	17.53	-2.94	12.44	<=38.45	Pass
		15	0	17.40	-2.94	12.31	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	20.36	-2.94	15.27	<=38.45	Pass
			13	20.26	-2.94	15.17	<=38.45	Pass
			24	20.12	-2.94	15.03	<=38.45	Pass
		12	0	19.37	-2.94	14.28	<=38.45	Pass
			6	19.24	-2.94	14.15	<=38.45	Pass
			13	19.12	-2.94	14.03	<=38.45	Pass
		25	0	19.27	-2.94	14.18	<=38.45	Pass
	836.5	1	0	20.59	-2.94	15.50	<=38.45	Pass
			13	20.80	-2.94	15.71	<=38.45	Pass
			24	20.59	-2.94	15.50	<=38.45	Pass
		12	0	19.56	-2.94	14.47	<=38.45	Pass
			6	19.73	-2.94	14.64	<=38.45	Pass
			13	19.71	-2.94	14.62	<=38.45	Pass
		25	0	19.64	-2.94	14.55	<=38.45	Pass

	846.5	1	0	20.29	-2.94	15.20	<=38.45	Pass
			13	20.45	-2.94	15.36	<=38.45	Pass
			24	20.55	-2.94	15.46	<=38.45	Pass
		12	0	19.35	-2.94	14.26	<=38.45	Pass
			6	19.44	-2.94	14.35	<=38.45	Pass
			13	19.62	-2.94	14.53	<=38.45	Pass
		25	0	19.29	-2.94	14.20	<=38.45	Pass
16QAM	826.5	1	0	19.59	-2.94	14.50	<=38.45	Pass
			13	19.48	-2.94	14.39	<=38.45	Pass
			24	19.25	-2.94	14.16	<=38.45	Pass
		12	0	18.32	-2.94	13.23	<=38.45	Pass
			6	18.23	-2.94	13.14	<=38.45	Pass
			13	18.11	-2.94	13.02	<=38.45	Pass
		25	0	18.12	-2.94	13.03	<=38.45	Pass
	836.5	1	0	19.78	-2.94	14.69	<=38.45	Pass
			13	20.11	-2.94	15.02	<=38.45	Pass
			24	19.80	-2.94	14.71	<=38.45	Pass
		12	0	18.58	-2.94	13.49	<=38.45	Pass
			6	18.74	-2.94	13.65	<=38.45	Pass
			13	18.69	-2.94	13.60	<=38.45	Pass
		25	0	18.64	-2.94	13.55	<=38.45	Pass
	846.5	1	0	19.50	-2.94	14.41	<=38.45	Pass
			13	19.77	-2.94	14.68	<=38.45	Pass
			24	19.59	-2.94	14.50	<=38.45	Pass
		12	0	18.34	-2.94	13.25	<=38.45	Pass
			6	18.43	-2.94	13.34	<=38.45	Pass
			13	18.63	-2.94	13.54	<=38.45	Pass
		25	0	18.41	-2.94	13.32	<=38.45	Pass
64QAM	826.5	1	0	18.41	-2.94	13.32	<=38.45	Pass
			13	18.41	-2.94	13.32	<=38.45	Pass
			24	18.13	-2.94	13.04	<=38.45	Pass
		12	0	17.42	-2.94	12.33	<=38.45	Pass
			6	17.35	-2.94	12.26	<=38.45	Pass
			13	17.25	-2.94	12.16	<=38.45	Pass
		25	0	17.33	-2.94	12.24	<=38.45	Pass
	836.5	1	0	18.75	-2.94	13.66	<=38.45	Pass
			13	18.56	-2.94	13.47	<=38.45	Pass
			24	18.66	-2.94	13.57	<=38.45	Pass
		12	0	17.58	-2.94	12.49	<=38.45	Pass
			6	17.77	-2.94	12.68	<=38.45	Pass
			13	17.80	-2.94	12.71	<=38.45	Pass
		25	0	17.67	-2.94	12.58	<=38.45	Pass
	846.5	1	0	18.01	-2.94	12.92	<=38.45	Pass
			13	18.64	-2.94	13.55	<=38.45	Pass
			24	18.48	-2.94	13.39	<=38.45	Pass
		12	0	17.35	-2.94	12.26	<=38.45	Pass
			6	17.48	-2.94	12.39	<=38.45	Pass
			13	17.64	-2.94	12.55	<=38.45	Pass
		25	0	17.49	-2.94	12.40	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	20.45	-2.94	15.36	<=38.45	Pass
			25	20.17	-2.94	15.08	<=38.45	Pass
			49	20.51	-2.94	15.42	<=38.45	Pass
		25	0	19.23	-2.94	14.14	<=38.45	Pass
			13	19.24	-2.94	14.15	<=38.45	Pass
			25	19.40	-2.94	14.31	<=38.45	Pass
		50	0	19.36	-2.94	14.27	<=38.45	Pass
	836.5	1	0	20.45	-2.94	15.36	<=38.45	Pass
			25	20.82	-2.94	15.73	<=38.45	Pass
			49	20.41	-2.94	15.32	<=38.45	Pass
		25	0	19.40	-2.94	14.31	<=38.45	Pass
			13	19.74	-2.94	14.65	<=38.45	Pass
			25	19.46	-2.94	14.37	<=38.45	Pass
		50	0	19.50	-2.94	14.41	<=38.45	Pass
	844	1	0	20.66	-2.94	15.57	<=38.45	Pass
			25	20.27	-2.94	15.18	<=38.45	Pass
			49	20.54	-2.94	15.45	<=38.45	Pass
		25	0	19.54	-2.94	14.45	<=38.45	Pass
			13	19.30	-2.94	14.21	<=38.45	Pass
			25	19.47	-2.94	14.38	<=38.45	Pass
		50	0	19.54	-2.94	14.45	<=38.45	Pass
16QAM	829	1	0	19.77	-2.94	14.68	<=38.45	Pass
			25	19.54	-2.94	14.45	<=38.45	Pass
			49	19.88	-2.94	14.79	<=38.45	Pass
		25	0	18.16	-2.94	13.07	<=38.45	Pass
			13	18.14	-2.94	13.05	<=38.45	Pass
			25	18.39	-2.94	13.30	<=38.45	Pass
		50	0	18.28	-2.94	13.19	<=38.45	Pass
	836.5	1	0	19.74	-2.94	14.65	<=38.45	Pass
			25	20.11	-2.94	15.02	<=38.45	Pass
			49	19.55	-2.94	14.46	<=38.45	Pass
		25	0	18.39	-2.94	13.30	<=38.45	Pass
			13	18.76	-2.94	13.67	<=38.45	Pass
			25	18.54	-2.94	13.45	<=38.45	Pass
		50	0	18.51	-2.94	13.42	<=38.45	Pass
	844	1	0	19.88	-2.94	14.79	<=38.45	Pass
			25	19.56	-2.94	14.47	<=38.45	Pass
			49	19.83	-2.94	14.74	<=38.45	Pass
		25	0	18.57	-2.94	13.48	<=38.45	Pass
			13	18.31	-2.94	13.22	<=38.45	Pass
			25	18.39	-2.94	13.30	<=38.45	Pass
		50	0	18.44	-2.94	13.35	<=38.45	Pass
64QAM	829	1	0	18.67	-2.94	13.58	<=38.45	Pass
			25	18.22	-2.94	13.13	<=38.45	Pass
			49	18.73	-2.94	13.64	<=38.45	Pass
		25	0	17.37	-2.94	12.28	<=38.45	Pass
			13	17.31	-2.94	12.22	<=38.45	Pass
			25	17.53	-2.94	12.44	<=38.45	Pass
		50	0	17.43	-2.94	12.34	<=38.45	Pass
	836.5	1	0	18.50	-2.94	13.41	<=38.45	Pass
			25	18.93	-2.94	13.84	<=38.45	Pass

			49	18.52	-2.94	13.43	<=38.45	Pass
		25	0	17.39	-2.94	12.30	<=38.45	Pass
			13	17.76	-2.94	12.67	<=38.45	Pass
			25	17.56	-2.94	12.47	<=38.45	Pass
	50	0	17.45	-2.94	12.36	<=38.45	Pass	
	844	1	0	18.52	-2.94	13.43	<=38.45	Pass
			25	18.21	-2.94	13.12	<=38.45	Pass
			49	18.64	-2.94	13.55	<=38.45	Pass
		25	0	17.58	-2.94	12.49	<=38.45	Pass
			13	17.39	-2.94	12.30	<=38.45	Pass
			25	17.46	-2.94	12.37	<=38.45	Pass
		50	0	17.51	-2.94	12.42	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	20.32	-2.94	15.23	<=38.45	Pass
			38	20.40	-2.94	15.31	<=38.45	Pass
			74	20.72	-2.94	15.63	<=38.45	Pass
		36	0	19.19	-2.94	14.10	<=38.45	Pass
			18	19.35	-2.94	14.26	<=38.45	Pass
			39	19.78	-2.94	14.69	<=38.45	Pass
		75	0	19.51	-2.94	14.42	<=38.45	Pass
	836.5	1	0	20.20	-2.94	15.11	<=38.45	Pass
			38	20.85	-2.94	15.76	<=38.45	Pass
			74	20.20	-2.94	15.11	<=38.45	Pass
		36	0	19.29	-2.94	14.20	<=38.45	Pass
			18	19.66	-2.94	14.57	<=38.45	Pass
			39	19.33	-2.94	14.24	<=38.45	Pass
		75	0	19.36	-2.94	14.27	<=38.45	Pass
	841.5	1	0	20.62	-2.94	15.53	<=38.45	Pass
			38	20.38	-2.94	15.29	<=38.45	Pass
			74	20.47	-2.94	15.38	<=38.45	Pass
		36	0	19.51	-2.94	14.42	<=38.45	Pass
			18	19.38	-2.94	14.29	<=38.45	Pass
			39	19.28	-2.94	14.19	<=38.45	Pass
		75	0	19.44	-2.94	14.35	<=38.45	Pass
16QAM	831.5	1	0	19.67	-2.94	14.58	<=38.45	Pass
			38	19.72	-2.94	14.63	<=38.45	Pass
			74	19.80	-2.94	14.71	<=38.45	Pass
		36	0	18.21	-2.94	13.12	<=38.45	Pass
			18	18.16	-2.94	13.07	<=38.45	Pass
			39	18.76	-2.94	13.67	<=38.45	Pass
		75	0	18.50	-2.94	13.41	<=38.45	Pass
	836.5	1	0	19.22	-2.94	14.13	<=38.45	Pass
			38	20.04	-2.94	14.95	<=38.45	Pass
			74	19.51	-2.94	14.42	<=38.45	Pass
		36	0	18.30	-2.94	13.21	<=38.45	Pass
			18	18.67	-2.94	13.58	<=38.45	Pass
			39	18.35	-2.94	13.26	<=38.45	Pass
		75	0	18.33	-2.94	13.24	<=38.45	Pass

64QAM	841.5	1	0	19.90	-2.94	14.81	<=38.45	Pass
			38	19.73	-2.94	14.64	<=38.45	Pass
			74	19.78	-2.94	14.69	<=38.45	Pass
		36	0	18.53	-2.94	13.44	<=38.45	Pass
			18	18.39	-2.94	13.30	<=38.45	Pass
			39	18.20	-2.94	13.11	<=38.45	Pass
		75	0	18.44	-2.94	13.35	<=38.45	Pass
	831.5	1	0	18.46	-2.94	13.37	<=38.45	Pass
			38	18.65	-2.94	13.56	<=38.45	Pass
			74	18.79	-2.94	13.70	<=38.45	Pass
		36	0	17.30	-2.94	12.21	<=38.45	Pass
			18	17.21	-2.94	12.12	<=38.45	Pass
			39	17.80	-2.94	12.71	<=38.45	Pass
		75	0	17.50	-2.94	12.41	<=38.45	Pass
	836.5	1	0	18.24	-2.94	13.15	<=38.45	Pass
			38	18.85	-2.94	13.76	<=38.45	Pass
			74	18.29	-2.94	13.20	<=38.45	Pass
		36	0	17.37	-2.94	12.28	<=38.45	Pass
			18	17.68	-2.94	12.59	<=38.45	Pass
			39	17.37	-2.94	12.28	<=38.45	Pass
		75	0	17.33	-2.94	12.24	<=38.45	Pass
	841.5	1	0	18.75	-2.94	13.66	<=38.45	Pass
			38	18.53	-2.94	13.44	<=38.45	Pass
			74	18.64	-2.94	13.55	<=38.45	Pass
		36	0	17.56	-2.94	12.47	<=38.45	Pass
			18	17.43	-2.94	12.34	<=38.45	Pass
			39	17.30	-2.94	12.21	<=38.45	Pass
		75	0	17.41	-2.94	12.32	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	-3.600	-0.0043	-2.5 to 2.5	Pass
					NV	-2.300	-0.0027	-2.5 to 2.5	Pass
					HV	-3.800	-0.0045	-2.5 to 2.5	Pass
				-30	NV	-3.000	-0.0036	-2.5 to 2.5	Pass
				-20	NV	1.400	0.0017	-2.5 to 2.5	Pass
				-10	NV	-3.800	-0.0045	-2.5 to 2.5	Pass
				0	NV	-3.900	-0.0047	-2.5 to 2.5	Pass
				10	NV	0.800	0.0010	-2.5 to 2.5	Pass
				30	NV	-2.100	-0.0025	-2.5 to 2.5	Pass
				40	NV	-1.400	-0.0017	-2.5 to 2.5	Pass
				50	NV	1.200	0.0014	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.113	/	Pass
	16QAM	836.5	6	0	1.113	/	Pass
	64QAM	836.5	6	0	1.114	/	Pass
3	QPSK	836.5	15	0	2.713	/	Pass
	16QAM	836.5	15	0	2.711	/	Pass
	64QAM	836.5	15	0	2.706	/	Pass
5	QPSK	836.5	25	0	4.520	/	Pass
	16QAM	836.5	25	0	4.534	/	Pass
	64QAM	836.5	25	0	4.535	/	Pass
10	QPSK	836.5	50	0	9.035	/	Pass
	16QAM	836.5	50	0	8.997	/	Pass
	64QAM	836.5	50	0	9.012	/	Pass
15	QPSK	836.5	75	0	13.444	/	Pass
	16QAM	836.5	75	0	13.501	/	Pass
	64QAM	836.5	75	0	13.486	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.309	/	Pass
	16QAM	836.5	6	0	1.308	/	Pass
	64QAM	836.5	6	0	1.296	/	Pass
3	QPSK	836.5	15	0	3.025	/	Pass
	16QAM	836.5	15	0	3.029	/	Pass
	64QAM	836.5	15	0	3.014	/	Pass
5	QPSK	836.5	25	0	4.998	/	Pass
	16QAM	836.5	25	0	4.997	/	Pass
	64QAM	836.5	25	0	4.990	/	Pass
10	QPSK	836.5	50	0	9.833	/	Pass
	16QAM	836.5	50	0	9.786	/	Pass
	64QAM	836.5	50	0	9.794	/	Pass
15	QPSK	836.5	75	0	14.739	/	Pass
	16QAM	836.5	75	0	14.724	/	Pass
	64QAM	836.5	75	0	14.795	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV







3.2.2 Band26b_XDB




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV







4. Peak-Average Ratio


4.1 Test Result


4.1.1 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	5.62	<=13	Pass
16QAM	836.5	75	0	6.36	<=13	Pass
64QAM	836.5	75	0	6.52	<=13	Pass

4.2 Test Graph

4.2.1 B26b_15MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		844	1	0	Refer To Test Graph	
	49			Refer To Test Graph		Pass
	50		0	Refer To Test Graph		Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-41.87	-13	Pass
850	852	0.1	CHP	2	850.052	-49.16	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-42.71	-13	Pass
850	852	0.1	CHP	2	850.055	-50.03	-13	Pass


5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-30.48	-13	Pass
850	852	0.1	CHP	2	850.052	-48.75	-13	Pass




5.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-40.03	-13	Pass
850	854	0.1	CHP	2	850.976	-48.94	-13	Pass




5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-45.79	-13	Pass
850	859	0.1	CHP	2	852.818	-52.05	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.098	CHP	/	/	/	/	/
849	850	0.098	CHP	1	849.008	-39.48	-13	Pass
850	859	0.1	CHP	2	850.643	-41.72	-13	Pass


5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-48.43	-13	Pass
850	864	0.1	CHP	2	850.053	-48.90	-13	Pass



- End of the Appendix -