

Test Data for E-UTRA Band 7

EUT: <u>LTE module</u> Test Model: <u>ZX800-VG</u>
Ambient Condition: <u>25</u> °C, <u>45</u> %RH, <u>101.325</u> kPa
Test Engineer: <u>Jack Zhou</u>

Contents

Appendix A: Effective (Isotropic) Radiated Power Output Data.....	3
Test Result.....	3
Appendix B: Peak-to-Average Ratio(CCDF).....	7
Test Result.....	7
Test Graphs	8
Appendix C: 26dB Bandwidth and Occupied Bandwidth	17
Test Result.....	17
Test Graphs	18
Appendix D: Band Edge	22
Test Result.....	22
Test Graphs	23
Appendix E: Conducted Spurious Emission.....	34
Test Result.....	34
Test Graphs	41
Appendix F: Frequency Stability.....	121
Test Result.....	121

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	20.89	23.24	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.65	23	PASS
Band7	5MHz	QPSK	20775	1RB#12	20.66	23.01	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.46	22.81	PASS
Band7	5MHz	QPSK	20775	1RB#24	20.61	22.96	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.44	22.79	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.52	22.87	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.26	22.61	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.51	22.86	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.26	22.61	PASS
Band7	5MHz	QPSK	20775	12RB#13	20.35	22.7	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.11	22.46	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.46	22.81	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.19	22.54	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.04	24.39	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.56	23.91	PASS
Band7	5MHz	QPSK	21100	1RB#12	21.91	24.26	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.44	23.79	PASS
Band7	5MHz	QPSK	21100	1RB#24	21.76	24.11	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.41	23.76	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.69	24.04	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.24	23.59	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.69	24.04	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.24	23.59	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.54	23.89	PASS
Band7	5MHz	16QAM	21100	12RB#13	21.11	23.46	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.60	23.95	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.19	23.54	PASS
Band7	5MHz	QPSK	21425	1RB#0	21.48	23.83	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.19	23.54	PASS
Band7	5MHz	QPSK	21425	1RB#12	21.32	23.67	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.01	23.36	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.18	23.53	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.88	23.23	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.19	23.54	PASS

Band7	5MHz	16QAM	21425	12RB#0	20.78	23.13	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.19	23.54	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.78	23.13	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.04	23.39	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.62	22.97	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.09	23.44	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.70	23.05	PASS
Band7	10MHz	QPSK	20800	1RB#0	20.61	22.96	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.27	22.62	PASS
Band7	10MHz	QPSK	20800	1RB#24	20.16	22.51	PASS
Band7	10MHz	16QAM	20800	1RB#24	19.81	22.16	PASS
Band7	10MHz	QPSK	20800	1RB#49	20.07	22.42	PASS
Band7	10MHz	16QAM	20800	1RB#49	19.81	22.16	PASS
Band7	10MHz	QPSK	20800	25RB#0	19.97	22.32	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.68	22.03	PASS
Band7	10MHz	QPSK	20800	25RB#12	19.93	22.28	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.65	22	PASS
Band7	10MHz	QPSK	20800	25RB#25	19.67	22.02	PASS
Band7	10MHz	16QAM	20800	25RB#25	19.41	21.76	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.76	24.11	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.22	23.57	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.50	23.85	PASS
Band7	10MHz	16QAM	21100	1RB#24	20.97	23.32	PASS
Band7	10MHz	QPSK	21100	1RB#49	21.27	23.62	PASS
Band7	10MHz	16QAM	21100	1RB#49	20.91	23.26	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.25	23.6	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.83	23.18	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.24	23.59	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.84	23.19	PASS
Band7	10MHz	QPSK	21100	25RB#25	20.98	23.33	PASS
Band7	10MHz	16QAM	21100	25RB#25	20.60	22.95	PASS
Band7	10MHz	QPSK	21400	1RB#0	20.65	23	PASS
Band7	10MHz	16QAM	21400	1RB#0	20.37	22.72	PASS
Band7	10MHz	QPSK	21400	1RB#24	20.91	23.26	PASS
Band7	10MHz	16QAM	21400	1RB#24	20.46	22.81	PASS
Band7	10MHz	QPSK	21400	1RB#49	20.81	23.16	PASS
Band7	10MHz	16QAM	21400	1RB#49	20.46	22.81	PASS
Band7	10MHz	QPSK	21400	25RB#0	20.47	22.82	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.15	22.5	PASS
Band7	10MHz	QPSK	21400	25RB#12	20.47	22.82	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.14	22.49	PASS
Band7	10MHz	QPSK	21400	25RB#25	20.56	22.91	PASS
Band7	10MHz	16QAM	21400	25RB#25	20.20	22.55	PASS

Band7	10MHz	QPSK	20800	50RB#0	19.77	22.12	PASS
Band7	10MHz	QPSK	21100	50RB#0	19.88	22.23	PASS
Band7	10MHz	QPSK	21400	50RB#0	20.47	22.82	PASS
Band7	15MHz	QPSK	20825	1RB#0	20.43	22.78	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.17	22.52	PASS
Band7	15MHz	QPSK	20825	1RB#38	19.93	22.28	PASS
Band7	15MHz	16QAM	20825	1RB#38	19.72	22.07	PASS
Band7	15MHz	QPSK	20825	1RB#74	19.98	22.33	PASS
Band7	15MHz	16QAM	20825	1RB#74	19.90	22.25	PASS
Band7	15MHz	QPSK	20825	38RB#0	20.09	22.44	PASS
Band7	15MHz	16QAM	20825	38RB#0	20.06	22.41	PASS
Band7	15MHz	QPSK	20825	38RB#18	19.69	22.04	PASS
Band7	15MHz	16QAM	20825	38RB#18	19.69	22.04	PASS
Band7	15MHz	QPSK	20825	38RB#37	19.92	22.27	PASS
Band7	15MHz	16QAM	20825	38RB#37	19.91	22.26	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.46	23.81	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.00	23.35	PASS
Band7	15MHz	QPSK	21100	1RB#38	21.39	23.74	PASS
Band7	15MHz	16QAM	21100	1RB#38	20.87	23.22	PASS
Band7	15MHz	QPSK	21100	1RB#74	20.83	23.18	PASS
Band7	15MHz	16QAM	21100	1RB#74	20.47	22.82	PASS
Band7	15MHz	QPSK	21100	38RB#0	21.02	23.37	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.03	23.38	PASS
Band7	15MHz	QPSK	21100	38RB#18	20.90	23.25	PASS
Band7	15MHz	16QAM	21100	38RB#18	20.88	23.23	PASS
Band7	15MHz	QPSK	21100	38RB#37	20.46	22.81	PASS
Band7	15MHz	16QAM	21100	38RB#37	20.47	22.82	PASS
Band7	15MHz	QPSK	21375	1RB#0	20.16	22.51	PASS
Band7	15MHz	16QAM	21375	1RB#0	19.98	22.33	PASS
Band7	15MHz	QPSK	21375	1RB#38	20.71	23.06	PASS
Band7	15MHz	16QAM	21375	1RB#38	20.53	22.88	PASS
Band7	15MHz	QPSK	21375	1RB#74	20.64	22.99	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.40	22.75	PASS
Band7	15MHz	QPSK	21375	38RB#0	20.02	22.37	PASS
Band7	15MHz	16QAM	21375	38RB#0	20.02	22.37	PASS
Band7	15MHz	QPSK	21375	38RB#18	20.53	22.88	PASS
Band7	15MHz	16QAM	21375	38RB#18	20.53	22.88	PASS
Band7	15MHz	QPSK	21375	38RB#37	20.39	22.74	PASS
Band7	15MHz	16QAM	21375	38RB#37	20.39	22.74	PASS
Band7	15MHz	QPSK	20825	75RB#0	19.72	22.07	PASS
Band7	15MHz	QPSK	21100	75RB#0	19.43	21.78	PASS
Band7	15MHz	QPSK	21375	75RB#0	20.30	22.65	PASS
Band7	20MHz	QPSK	20850	1RB#0	19.86	22.21	PASS


Band7	20MHz	16QAM	20850	1RB#0	19.71	22.06	PASS
Band7	20MHz	QPSK	20850	1RB#49	19.43	21.78	PASS
Band7	20MHz	16QAM	20850	1RB#49	19.38	21.73	PASS
Band7	20MHz	QPSK	20850	1RB#99	20.28	22.63	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.05	22.4	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.07	23.42	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.63	22.98	PASS
Band7	20MHz	QPSK	21100	1RB#49	21.03	23.38	PASS
Band7	20MHz	16QAM	21100	1RB#49	20.63	22.98	PASS
Band7	20MHz	QPSK	21100	1RB#99	20.16	22.51	PASS
Band7	20MHz	16QAM	21100	1RB#99	19.81	22.16	PASS
Band7	20MHz	QPSK	21350	1RB#0	19.61	21.96	PASS
Band7	20MHz	16QAM	21350	1RB#0	19.42	21.77	PASS
Band7	20MHz	QPSK	21350	1RB#49	20.05	22.4	PASS
Band7	20MHz	16QAM	21350	1RB#49	19.86	22.21	PASS
Band7	20MHz	QPSK	21350	1RB#99	20.24	22.59	PASS
Band7	20MHz	16QAM	21350	1RB#99	19.98	22.33	PASS
Band7	20MHz	QPSK	20850	50RB#0	19.18	21.53	PASS
Band7	20MHz	QPSK	20850	50RB#25	19.17	21.52	PASS
Band7	20MHz	QPSK	20850	50RB#50	19.50	21.85	PASS
Band7	20MHz	QPSK	20850	100RB#0	19.44	21.79	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.83	23.18	PASS
Band7	20MHz	QPSK	21100	50RB#25	20.83	23.18	PASS
Band7	20MHz	QPSK	21100	50RB#50	20.31	22.66	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.55	22.9	PASS
Band7	20MHz	QPSK	21350	50RB#0	19.40	21.75	PASS
Band7	20MHz	QPSK	21350	50RB#25	19.43	21.78	PASS
Band7	20MHz	QPSK	21350	50RB#50	20.05	22.4	PASS
Band7	20MHz	QPSK	21350	100RB#0	19.77	22.12	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	4.25	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	4.62	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.31	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.73	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	2.77	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	3.15	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	3.99	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.44	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	3.35	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	3.77	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.26	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.69	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.21	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	4.76	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	2.54	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	3.09	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.42	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	4.72	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.47	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	4.16	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	4.70	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	4.64	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	5.17	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	2.73	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	3.26	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	5.29	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	5.82	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.36	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	4.53	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.06	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.76	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	2.71	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	5.61	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.30	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	4.32	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.19	13	PASS


Test Graphs






















Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.5142	4.983	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5147	4.976	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5183	6.074	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5576	7.491	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5271	5.379	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5391	6.059	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9966	9.762	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9915	10.94	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9820	9.864	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.506	14.64	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.529	17.83	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.485	14.64	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.956	19.19	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.969	19.26	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.895	19.18	PASS

Test Graphs










Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	15MHz	QPSK	20825	75RB#0	-25.47	PASS
Band7	15MHz	QPSK	21375	75RB#0	-22.61	PASS
Band7	5MHz	16QAM	20775	1RB#0	-14.22	PASS
Band7	5MHz	16QAM	20775	1RB#24	-23.22	PASS
Band7	5MHz	16QAM	20775	25RB#0	-23.15	PASS
Band7	5MHz	16QAM	21425	1RB#0	-26.96	PASS
Band7	5MHz	QPSK	20775	1RB#0	-16.82	PASS
Band7	5MHz	QPSK	20775	25RB#0	-30.27	PASS
Band7	5MHz	QPSK	21425	1RB#0	-27.16	PASS
Band7	5MHz	QPSK	20775	1RB#24	-25.61	PASS
Band7	5MHz	QPSK	21425	1RB#24	-36.86	PASS
Band7	5MHz	16QAM	21425	1RB#24	-35.98	PASS
Band7	5MHz	16QAM	21425	25RB#0	-21.29	PASS
Band7	10MHz	QPSK	20800	50RB#0	-24.88	PASS
Band7	10MHz	QPSK	21400	50RB#0	-20.54	PASS
Band7	15MHz	QPSK	20825	1RB#0	-35.44	PASS
Band7	15MHz	16QAM	20825	1RB#0	-34.29	PASS
Band7	5MHz	QPSK	21425	25RB#0	-24.73	PASS
Band7	15MHz	QPSK	20825	1RB#74	-26.61	PASS
Band7	15MHz	16QAM	20825	1RB#74	-26.79	PASS
Band7	15MHz	QPSK	21375	1RB#0	-27.11	PASS
Band7	15MHz	16QAM	21375	1RB#0	-27.83	PASS
Band7	15MHz	QPSK	21375	1RB#74	-32.96	PASS
Band7	15MHz	16QAM	21375	1RB#74	-33.12	PASS
Band7	10MHz	QPSK	20800	1RB#0	-20.64	PASS
Band7	10MHz	16QAM	20800	1RB#0	-21.30	PASS
Band7	10MHz	QPSK	20800	1RB#49	-23.33	PASS
Band7	10MHz	16QAM	20800	1RB#49	-24.54	PASS
Band7	10MHz	QPSK	21400	1RB#0	-26.17	PASS
Band7	10MHz	16QAM	21400	1RB#0	-26.96	PASS
Band7	10MHz	QPSK	21400	1RB#49	-29.47	PASS
Band7	10MHz	16QAM	21400	1RB#49	-30.34	PASS
Band7	20MHz	QPSK	20850	100RB#0	-24.06	PASS
Band7	20MHz	QPSK	21350	100RB#0	-26.69	PASS
Band7	20MHz	QPSK	20850	1RB#0	-35.90	PASS
Band7	20MHz	16QAM	20850	1RB#0	-36.23	PASS
Band7	20MHz	QPSK	20850	1RB#99	-29.05	PASS


Band7	20MHz	16QAM	20850	1RB#99	-29.91	PASS
Band7	20MHz	QPSK	21350	1RB#0	-31.07	PASS
Band7	20MHz	16QAM	21350	1RB#0	-31.95	PASS
Band7	20MHz	QPSK	21350	1RB#99	-36.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	-37.27	PASS


Test Graphs





























Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	0.009~0.15	-77.24	PASS
Band7	5MHz	QPSK	20775	1RB#0	0.15~30	-67.41	PASS
Band7	5MHz	16QAM	20775	1RB#0	20000~27000	-28.06	PASS
Band7	5MHz	QPSK	20775	1RB#24	0.009~0.15	-75.63	PASS
Band7	5MHz	QPSK	20775	1RB#24	0.15~30	-67.02	PASS
Band7	5MHz	QPSK	20775	1RB#24	30~1000	-63.46	PASS
Band7	5MHz	QPSK	20775	1RB#24	1000~20000	-33.84	PASS
Band7	5MHz	QPSK	20775	1RB#24	20000~27000	-28.03	PASS
Band7	5MHz	16QAM	20775	1RB#24	0.009~0.15	-77.40	PASS
Band7	5MHz	16QAM	20775	1RB#24	0.15~30	-69.69	PASS
Band7	5MHz	16QAM	20775	1RB#24	30~1000	-63.39	PASS
Band7	5MHz	16QAM	20775	1RB#24	1000~20000	-28.69	PASS
Band7	5MHz	16QAM	20775	1RB#24	20000~27000	-27.99	PASS
Band7	5MHz	QPSK	20775	25RB#0	0.009~0.15	-77.28	PASS
Band7	5MHz	QPSK	20775	25RB#0	0.15~30	-68.93	PASS
Band7	5MHz	QPSK	20775	25RB#0	30~1000	-63.75	PASS
Band7	5MHz	QPSK	20775	25RB#0	1000~20000	-29.12	PASS
Band7	5MHz	QPSK	20775	25RB#0	20000~27000	-28.23	PASS
Band7	5MHz	16QAM	20775	25RB#0	0.009~0.15	-77.00	PASS
Band7	5MHz	16QAM	20775	25RB#0	0.15~30	-68.53	PASS
Band7	5MHz	16QAM	20775	25RB#0	30~1000	-63.87	PASS
Band7	5MHz	16QAM	20775	25RB#0	1000~20000	-30.94	PASS
Band7	5MHz	16QAM	20775	25RB#0	20000~27000	-28.12	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.009~0.15	-77.57	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.15~30	-67.74	PASS
Band7	5MHz	QPSK	21100	1RB#0	30~1000	-63.78	PASS
Band7	5MHz	QPSK	21100	1RB#0	1000~20000	-26.93	PASS
Band7	5MHz	QPSK	21100	1RB#0	20000~27000	-27.94	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.009~0.15	-77.43	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.15~30	-65.71	PASS
Band7	5MHz	16QAM	21100	1RB#0	30~1000	-63.55	PASS
Band7	5MHz	16QAM	21100	1RB#0	1000~20000	-28.29	PASS
Band7	5MHz	16QAM	21100	1RB#0	20000~27000	-27.75	PASS
Band7	5MHz	QPSK	21100	1RB#24	0.009~0.15	-74.35	PASS
Band7	5MHz	QPSK	21100	1RB#24	0.15~30	-68.14	PASS
Band7	5MHz	QPSK	21100	1RB#24	30~1000	-63.76	PASS

Band7	5MHz	QPSK	21100	1RB#24	1000~20000	-26.99	PASS
Band7	5MHz	QPSK	21100	1RB#24	20000~27000	-28.04	PASS
Band7	5MHz	16QAM	21100	1RB#24	0.009~0.15	-76.26	PASS
Band7	5MHz	16QAM	21100	1RB#24	0.15~30	-67.91	PASS
Band7	5MHz	16QAM	21100	1RB#24	30~1000	-63.90	PASS
Band7	5MHz	16QAM	21100	1RB#24	1000~20000	-29.50	PASS
Band7	5MHz	16QAM	21100	1RB#24	20000~27000	-28.14	PASS
Band7	5MHz	QPSK	21100	25RB#0	0.009~0.15	-77.57	PASS
Band7	5MHz	QPSK	21100	25RB#0	0.15~30	-68.82	PASS
Band7	5MHz	QPSK	21100	25RB#0	30~1000	-63.86	PASS
Band7	5MHz	QPSK	21100	25RB#0	1000~20000	-27.49	PASS
Band7	5MHz	QPSK	21100	25RB#0	20000~27000	-27.55	PASS
Band7	5MHz	16QAM	21100	25RB#0	0.009~0.15	-76.81	PASS
Band7	5MHz	16QAM	21100	25RB#0	0.15~30	-66.89	PASS
Band7	5MHz	16QAM	21100	25RB#0	30~1000	-63.79	PASS
Band7	5MHz	16QAM	21100	25RB#0	1000~20000	-27.43	PASS
Band7	5MHz	16QAM	21100	25RB#0	20000~27000	-27.78	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.009~0.15	-75.65	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.15~30	-66.40	PASS
Band7	5MHz	QPSK	21425	1RB#0	30~1000	-63.73	PASS
Band7	5MHz	QPSK	21425	1RB#0	1000~20000	-28.20	PASS
Band7	5MHz	QPSK	21425	1RB#0	20000~27000	-28.33	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.009~0.15	-76.87	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.15~30	-67.44	PASS
Band7	5MHz	16QAM	21425	1RB#0	30~1000	-63.80	PASS
Band7	5MHz	16QAM	21425	1RB#0	1000~20000	-27.15	PASS
Band7	5MHz	16QAM	21425	1RB#0	20000~27000	-28.09	PASS
Band7	5MHz	QPSK	21425	1RB#24	0.009~0.15	-76.96	PASS
Band7	5MHz	QPSK	21425	1RB#24	0.15~30	-68.34	PASS
Band7	5MHz	QPSK	21425	1RB#24	30~1000	-63.15	PASS
Band7	5MHz	QPSK	21425	1RB#24	1000~20000	-29.51	PASS
Band7	5MHz	QPSK	21425	1RB#24	20000~27000	-28.09	PASS
Band7	5MHz	16QAM	21425	1RB#24	0.009~0.15	-77.89	PASS
Band7	5MHz	16QAM	21425	1RB#24	0.15~30	-65.77	PASS
Band7	5MHz	16QAM	21425	1RB#24	30~1000	-63.68	PASS
Band7	5MHz	16QAM	21425	1RB#24	1000~20000	-29.99	PASS
Band7	5MHz	16QAM	21425	1RB#24	20000~27000	-28.01	PASS
Band7	5MHz	QPSK	21425	25RB#0	0.009~0.15	-78.17	PASS
Band7	5MHz	QPSK	21425	25RB#0	0.15~30	-67.91	PASS
Band7	5MHz	QPSK	21425	25RB#0	30~1000	-63.41	PASS
Band7	5MHz	QPSK	21425	25RB#0	1000~20000	-29.52	PASS
Band7	5MHz	QPSK	21425	25RB#0	20000~27000	-27.70	PASS
Band7	5MHz	16QAM	21425	25RB#0	0.009~0.15	-75.90	PASS

Band7	5MHz	16QAM	21425	25RB#0	0.15~30	-67.44	PASS
Band7	5MHz	16QAM	21425	25RB#0	30~1000	-63.64	PASS
Band7	5MHz	16QAM	21425	25RB#0	1000~20000	-30.34	PASS
Band7	5MHz	16QAM	21425	25RB#0	20000~27000	-28.10	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.009~0.15	-76.14	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.15~30	-66.98	PASS
Band7	10MHz	QPSK	20800	1RB#0	30~1000	-63.91	PASS
Band7	10MHz	QPSK	20800	1RB#0	1000~20000	-34.21	PASS
Band7	10MHz	QPSK	20800	1RB#0	20000~27000	-28.21	PASS
Band7	10MHz	16QAM	20800	1RB#0	0.009~0.15	-76.86	PASS
Band7	10MHz	16QAM	20800	1RB#0	0.15~30	-66.83	PASS
Band7	10MHz	16QAM	20800	1RB#0	30~1000	-63.82	PASS
Band7	10MHz	16QAM	20800	1RB#0	1000~20000	-34.39	PASS
Band7	10MHz	16QAM	20800	1RB#0	20000~27000	-28.33	PASS
Band7	10MHz	QPSK	20800	1RB#49	0.009~0.15	-76.95	PASS
Band7	10MHz	QPSK	20800	1RB#49	0.15~30	-68.59	PASS
Band7	10MHz	QPSK	20800	1RB#49	30~1000	-63.74	PASS
Band7	10MHz	QPSK	20800	1RB#49	1000~20000	-32.65	PASS
Band7	10MHz	QPSK	20800	1RB#49	20000~27000	-28.09	PASS
Band7	10MHz	16QAM	20800	1RB#49	0.009~0.15	-76.17	PASS
Band7	10MHz	16QAM	20800	1RB#49	0.15~30	-68.52	PASS
Band7	10MHz	16QAM	20800	1RB#49	30~1000	-63.91	PASS
Band7	10MHz	16QAM	20800	1RB#49	1000~20000	-33.05	PASS
Band7	10MHz	16QAM	20800	1RB#49	20000~27000	-28.03	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.009~0.15	-75.94	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.15~30	-69.49	PASS
Band7	10MHz	QPSK	21100	1RB#0	30~1000	-63.92	PASS
Band7	10MHz	QPSK	21100	1RB#0	1000~20000	-32.47	PASS
Band7	10MHz	QPSK	21100	1RB#0	20000~27000	-28.14	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.009~0.15	-76.82	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.15~30	-67.07	PASS
Band7	10MHz	16QAM	21100	1RB#0	30~1000	-63.42	PASS
Band7	10MHz	16QAM	21100	1RB#0	1000~20000	-30.27	PASS
Band7	10MHz	16QAM	21100	1RB#0	20000~27000	-28.01	PASS
Band7	10MHz	QPSK	21100	1RB#49	0.009~0.15	-76.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	0.15~30	-67.61	PASS
Band7	10MHz	QPSK	21100	1RB#49	30~1000	-63.60	PASS
Band7	10MHz	QPSK	21100	1RB#49	1000~20000	-29.63	PASS
Band7	10MHz	QPSK	21100	1RB#49	20000~27000	-28.35	PASS
Band7	10MHz	16QAM	21100	1RB#49	0.009~0.15	-75.72	PASS
Band7	10MHz	16QAM	21100	1RB#49	0.15~30	-67.07	PASS
Band7	10MHz	16QAM	21100	1RB#49	30~1000	-63.63	PASS
Band7	10MHz	16QAM	21100	1RB#49	1000~20000	-30.41	PASS

Band7	10MHz	16QAM	21100	1RB#49	20000~27000	-28.14	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.009~0.15	-76.67	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.15~30	-66.43	PASS
Band7	10MHz	QPSK	21400	1RB#0	30~1000	-63.47	PASS
Band7	10MHz	QPSK	21400	1RB#0	1000~20000	-29.98	PASS
Band7	10MHz	QPSK	21400	1RB#0	20000~27000	-28.01	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.009~0.15	-77.26	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.15~30	-66.90	PASS
Band7	10MHz	16QAM	21400	1RB#0	30~1000	-63.88	PASS
Band7	10MHz	16QAM	21400	1RB#0	1000~20000	-30.34	PASS
Band7	10MHz	16QAM	21400	1RB#0	20000~27000	-28.43	PASS
Band7	10MHz	QPSK	21400	1RB#49	0.009~0.15	-78.01	PASS
Band7	10MHz	QPSK	21400	1RB#49	0.15~30	-67.98	PASS
Band7	10MHz	QPSK	21400	1RB#49	30~1000	-63.70	PASS
Band7	10MHz	QPSK	21400	1RB#49	1000~20000	-33.97	PASS
Band7	10MHz	QPSK	21400	1RB#49	20000~27000	-28.30	PASS
Band7	10MHz	16QAM	21400	1RB#49	0.009~0.15	-77.11	PASS
Band7	10MHz	16QAM	21400	1RB#49	0.15~30	-68.83	PASS
Band7	10MHz	16QAM	21400	1RB#49	30~1000	-64.01	PASS
Band7	10MHz	16QAM	21400	1RB#49	1000~20000	-34.09	PASS
Band7	10MHz	16QAM	21400	1RB#49	20000~27000	-28.23	PASS
Band7	10MHz	QPSK	20800	50RB#0	0.009~0.15	-76.89	PASS
Band7	10MHz	QPSK	20800	50RB#0	0.15~30	-67.23	PASS
Band7	10MHz	QPSK	20800	50RB#0	30~1000	-63.35	PASS
Band7	10MHz	QPSK	20800	50RB#0	1000~20000	-29.97	PASS
Band7	10MHz	QPSK	20800	50RB#0	20000~27000	-28.08	PASS
Band7	10MHz	QPSK	21100	50RB#0	0.009~0.15	-77.74	PASS
Band7	10MHz	QPSK	21100	50RB#0	0.15~30	-65.33	PASS
Band7	10MHz	QPSK	21100	50RB#0	30~1000	-64.02	PASS
Band7	10MHz	QPSK	21100	50RB#0	1000~20000	-28.67	PASS
Band7	10MHz	QPSK	21100	50RB#0	20000~27000	-28.32	PASS
Band7	10MHz	QPSK	21400	50RB#0	0.009~0.15	-76.23	PASS
Band7	10MHz	QPSK	21400	50RB#0	0.15~30	-68.85	PASS
Band7	10MHz	QPSK	21400	50RB#0	30~1000	-63.79	PASS
Band7	10MHz	QPSK	21400	50RB#0	1000~20000	-31.82	PASS
Band7	10MHz	QPSK	21400	50RB#0	20000~27000	-28.27	PASS
Band7	15MHz	QPSK	20825	1RB#0	0.009~0.15	-75.80	PASS
Band7	15MHz	QPSK	20825	1RB#0	0.15~30	-67.34	PASS
Band7	15MHz	QPSK	20825	1RB#0	30~1000	-63.72	PASS
Band7	15MHz	QPSK	20825	1RB#0	1000~20000	-33.48	PASS
Band7	15MHz	QPSK	20825	1RB#0	20000~27000	-28.24	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.009~0.15	-76.36	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.15~30	-66.03	PASS

Band7	15MHz	16QAM	20825	1RB#0	30~1000	-63.65	PASS
Band7	15MHz	16QAM	20825	1RB#0	1000~20000	-34.23	PASS
Band7	15MHz	16QAM	20825	1RB#0	20000~27000	-28.27	PASS
Band7	15MHz	QPSK	20825	1RB#74	0.009~0.15	-78.36	PASS
Band7	15MHz	QPSK	20825	1RB#74	0.15~30	-67.03	PASS
Band7	15MHz	QPSK	20825	1RB#74	30~1000	-63.77	PASS
Band7	15MHz	QPSK	20825	1RB#74	1000~20000	-34.12	PASS
Band7	15MHz	QPSK	20825	1RB#74	20000~27000	-28.35	PASS
Band7	15MHz	16QAM	20825	1RB#74	0.009~0.15	-76.58	PASS
Band7	15MHz	16QAM	20825	1RB#74	0.15~30	-66.96	PASS
Band7	15MHz	16QAM	20825	1RB#74	30~1000	-63.90	PASS
Band7	15MHz	16QAM	20825	1RB#74	1000~20000	-34.36	PASS
Band7	15MHz	16QAM	20825	1RB#74	20000~27000	-28.35	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.009~0.15	-75.22	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.15~30	-68.58	PASS
Band7	15MHz	QPSK	21100	1RB#0	30~1000	-64.05	PASS
Band7	15MHz	QPSK	21100	1RB#0	1000~20000	-34.37	PASS
Band7	15MHz	QPSK	21100	1RB#0	20000~27000	-27.98	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.009~0.15	-78.21	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.15~30	-68.09	PASS
Band7	15MHz	16QAM	21100	1RB#0	30~1000	-63.91	PASS
Band7	15MHz	16QAM	21100	1RB#0	1000~20000	-33.99	PASS
Band7	15MHz	16QAM	21100	1RB#0	20000~27000	-28.11	PASS
Band7	15MHz	QPSK	21100	1RB#74	0.009~0.15	-76.67	PASS
Band7	15MHz	QPSK	21100	1RB#74	0.15~30	-68.72	PASS
Band7	15MHz	QPSK	21100	1RB#74	30~1000	-63.42	PASS
Band7	15MHz	QPSK	21100	1RB#74	1000~20000	-34.40	PASS
Band7	15MHz	QPSK	21100	1RB#74	20000~27000	-28.26	PASS
Band7	15MHz	16QAM	21100	1RB#74	0.009~0.15	-77.13	PASS
Band7	15MHz	16QAM	21100	1RB#74	0.15~30	-68.13	PASS
Band7	15MHz	16QAM	21100	1RB#74	30~1000	-63.64	PASS
Band7	15MHz	16QAM	21100	1RB#74	1000~20000	-33.81	PASS
Band7	15MHz	16QAM	21100	1RB#74	20000~27000	-28.14	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.009~0.15	-76.97	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.15~30	-67.01	PASS
Band7	15MHz	QPSK	21375	1RB#0	30~1000	-63.89	PASS
Band7	15MHz	QPSK	21375	1RB#0	1000~20000	-34.28	PASS
Band7	15MHz	QPSK	21375	1RB#0	20000~27000	-28.19	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.009~0.15	-76.42	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.15~30	-67.69	PASS
Band7	15MHz	16QAM	21375	1RB#0	30~1000	-63.70	PASS
Band7	15MHz	16QAM	21375	1RB#0	1000~20000	-34.43	PASS
Band7	15MHz	16QAM	21375	1RB#0	20000~27000	-28.29	PASS

Band7	15MHz	QPSK	21375	1RB#74	0.009~0.15	-74.87	PASS
Band7	15MHz	QPSK	21375	1RB#74	0.15~30	-68.48	PASS
Band7	15MHz	QPSK	21375	1RB#74	30~1000	-63.89	PASS
Band7	15MHz	QPSK	21375	1RB#74	1000~20000	-33.99	PASS
Band7	15MHz	QPSK	21375	1RB#74	20000~27000	-28.01	PASS
Band7	15MHz	16QAM	21375	1RB#74	0.009~0.15	-76.29	PASS
Band7	15MHz	16QAM	21375	1RB#74	0.15~30	-68.51	PASS
Band7	15MHz	16QAM	21375	1RB#74	30~1000	-63.91	PASS
Band7	15MHz	16QAM	21375	1RB#74	1000~20000	-33.98	PASS
Band7	15MHz	16QAM	21375	1RB#74	20000~27000	-28.19	PASS
Band7	15MHz	QPSK	20825	75RB#0	0.009~0.15	-77.55	PASS
Band7	15MHz	QPSK	20825	75RB#0	0.15~30	-67.32	PASS
Band7	15MHz	QPSK	20825	75RB#0	30~1000	-63.93	PASS
Band7	15MHz	QPSK	20825	75RB#0	1000~20000	-26.32	PASS
Band7	15MHz	QPSK	20825	75RB#0	20000~27000	-28.11	PASS
Band7	15MHz	QPSK	21100	75RB#0	0.009~0.15	-76.79	PASS
Band7	15MHz	QPSK	21100	75RB#0	0.15~30	-68.81	PASS
Band7	15MHz	QPSK	21100	75RB#0	30~1000	-63.93	PASS
Band7	15MHz	QPSK	21100	75RB#0	1000~20000	-31.22	PASS
Band7	15MHz	QPSK	21100	75RB#0	20000~27000	-28.23	PASS
Band7	15MHz	QPSK	21375	75RB#0	0.009~0.15	-77.74	PASS
Band7	15MHz	QPSK	21375	75RB#0	0.15~30	-66.46	PASS
Band7	15MHz	QPSK	21375	75RB#0	30~1000	-63.83	PASS
Band7	15MHz	QPSK	21375	75RB#0	1000~20000	-29.84	PASS
Band7	15MHz	QPSK	21375	75RB#0	20000~27000	-28.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.009~0.15	-76.32	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.15~30	-68.58	PASS
Band7	20MHz	QPSK	20850	1RB#0	30~1000	-63.69	PASS
Band7	20MHz	QPSK	20850	1RB#0	1000~20000	-34.17	PASS
Band7	20MHz	QPSK	20850	1RB#0	20000~27000	-27.92	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.009~0.15	-74.48	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.15~30	-65.36	PASS
Band7	20MHz	16QAM	20850	1RB#0	30~1000	-63.79	PASS
Band7	20MHz	16QAM	20850	1RB#0	1000~20000	-34.29	PASS
Band7	20MHz	16QAM	20850	1RB#0	20000~27000	-28.14	PASS
Band7	20MHz	QPSK	20850	1RB#99	0.009~0.15	-77.92	PASS
Band7	20MHz	QPSK	20850	1RB#99	0.15~30	-68.23	PASS
Band7	20MHz	QPSK	20850	1RB#99	30~1000	-63.88	PASS
Band7	20MHz	QPSK	20850	1RB#99	1000~20000	-34.06	PASS
Band7	20MHz	QPSK	20850	1RB#99	20000~27000	-28.09	PASS
Band7	20MHz	16QAM	20850	1RB#99	0.009~0.15	-76.97	PASS
Band7	20MHz	16QAM	20850	1RB#99	0.15~30	-67.77	PASS
Band7	20MHz	16QAM	20850	1RB#99	30~1000	-63.82	PASS

Band7	20MHz	16QAM	20850	1RB#99	1000~20000	-33.89	PASS
Band7	20MHz	16QAM	20850	1RB#99	20000~27000	-28.17	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.009~0.15	-76.56	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.15~30	-68.90	PASS
Band7	20MHz	QPSK	21100	1RB#0	30~1000	-63.77	PASS
Band7	20MHz	QPSK	21100	1RB#0	1000~20000	-33.95	PASS
Band7	20MHz	QPSK	21100	1RB#0	20000~27000	-27.95	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.009~0.15	-76.24	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.15~30	-67.18	PASS
Band7	20MHz	16QAM	21100	1RB#0	30~1000	-63.60	PASS
Band7	20MHz	16QAM	21100	1RB#0	1000~20000	-34.25	PASS
Band7	20MHz	16QAM	21100	1RB#0	20000~27000	-28.24	PASS
Band7	20MHz	QPSK	21100	1RB#99	0.009~0.15	-77.24	PASS
Band7	20MHz	QPSK	21100	1RB#99	0.15~30	-67.79	PASS
Band7	20MHz	QPSK	21100	1RB#99	30~1000	-64.03	PASS
Band7	20MHz	QPSK	21100	1RB#99	1000~20000	-33.98	PASS
Band7	20MHz	QPSK	21100	1RB#99	20000~27000	-28.08	PASS
Band7	20MHz	16QAM	21100	1RB#99	0.009~0.15	-76.17	PASS
Band7	20MHz	16QAM	21100	1RB#99	0.15~30	-67.04	PASS
Band7	20MHz	16QAM	21100	1RB#99	30~1000	-63.80	PASS
Band7	20MHz	16QAM	21100	1RB#99	1000~20000	-33.52	PASS
Band7	20MHz	16QAM	21100	1RB#99	20000~27000	-28.36	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.009~0.15	-78.35	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.15~30	-68.48	PASS
Band7	20MHz	QPSK	21350	1RB#0	30~1000	-64.07	PASS
Band7	20MHz	QPSK	21350	1RB#0	1000~20000	-34.65	PASS
Band7	20MHz	QPSK	21350	1RB#0	20000~27000	-28.23	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.009~0.15	-76.48	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.15~30	-67.49	PASS
Band7	20MHz	16QAM	21350	1RB#0	30~1000	-63.78	PASS
Band7	20MHz	16QAM	21350	1RB#0	1000~20000	-34.37	PASS
Band7	20MHz	16QAM	21350	1RB#0	20000~27000	-28.06	PASS
Band7	20MHz	QPSK	21350	1RB#99	0.009~0.15	-76.42	PASS
Band7	20MHz	QPSK	21350	1RB#99	0.15~30	-69.07	PASS
Band7	20MHz	QPSK	21350	1RB#99	30~1000	-63.84	PASS
Band7	20MHz	QPSK	21350	1RB#99	1000~20000	-34.29	PASS
Band7	20MHz	QPSK	21350	1RB#99	20000~27000	-27.95	PASS
Band7	20MHz	16QAM	21350	1RB#99	0.009~0.15	-76.79	PASS
Band7	20MHz	16QAM	21350	1RB#99	0.15~30	-68.38	PASS
Band7	20MHz	16QAM	21350	1RB#99	30~1000	-63.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	1000~20000	-34.08	PASS
Band7	20MHz	16QAM	21350	1RB#99	20000~27000	-28.31	PASS
Band7	20MHz	QPSK	20850	100RB#0	0.009~0.15	-76.88	PASS