

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| and   | Bandwidth | Modulation | Channel | RB Configuration | Conducted Power (dBm) | ERP/EIRP (dBm) | ERP/EIRP Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------------|----------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 22.28                 | 19.72          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 22.48                 | 19.92          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 22.31                 | 19.75          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#0            | 22.36                 | 19.8           | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#1            | 22.38                 | 19.82          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 3RB#2            | 22.39                 | 19.83          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 21.42                 | 18.86          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 22.96                 | 20.4           | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 23.14                 | 20.58          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 22.91                 | 20.35          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#0            | 23.00                 | 20.44          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#1            | 22.98                 | 20.42          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 3RB#2            | 23.02                 | 20.46          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 21.89                 | 19.33          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 23.00                 | 20.44          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 22.54                 | 19.98          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 22.44                 | 19.88          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#0            | 22.45                 | 19.89          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#1            | 22.46                 | 19.9           | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 3RB#2            | 22.47                 | 19.91          | 33.01                | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 21.62                 | 19.06          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 21.37                 | 18.81          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 21.57                 | 19.01          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 21.42                 | 18.86          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#0            | 21.32                 | 18.76          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#1            | 21.34                 | 18.78          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 3RB#2            | 21.32                 | 18.76          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 20.44                 | 17.88          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 22.06                 | 19.5           | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 22.25                 | 19.69          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#5            | 22.06                 | 19.5           | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#0            | 21.95                 | 19.39          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#1            | 21.97                 | 19.41          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 3RB#2            | 21.96                 | 19.4           | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 21.05                 | 18.49          | 33.01                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | 21.50                 | 18.94          | 33.01                | PASS    |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#2  | 21.68 | 19.12 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 1RB#5  | 21.51 | 18.95 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#0  | 21.37 | 18.81 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#1  | 21.39 | 18.83 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 3RB#2  | 21.39 | 18.83 | 33.01 | PASS |
| Band2 | 1.4MHz | 16QAM | 19193 | 6RB#0  | 20.43 | 17.87 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#0  | 22.27 | 19.71 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#7  | 21.73 | 19.17 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 1RB#14 | 21.79 | 19.23 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#0  | 20.84 | 18.28 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#4  | 20.89 | 18.33 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 8RB#7  | 20.85 | 18.29 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18615 | 15RB#0 | 20.86 | 18.3  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#0  | 22.37 | 19.81 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#7  | 22.36 | 19.8  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 1RB#14 | 22.41 | 19.85 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#0  | 21.45 | 18.89 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#4  | 21.41 | 18.85 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 8RB#7  | 21.44 | 18.88 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 18900 | 15RB#0 | 21.41 | 18.85 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#0  | 22.46 | 19.9  | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#7  | 22.49 | 19.93 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 1RB#14 | 22.53 | 19.97 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#0  | 21.55 | 18.99 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#4  | 21.54 | 18.98 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 8RB#7  | 21.59 | 19.03 | 33.01 | PASS |
| Band2 | 3MHz   | QPSK  | 19185 | 15RB#0 | 21.51 | 18.95 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#0  | 20.98 | 18.42 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#7  | 20.99 | 18.43 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 1RB#14 | 20.97 | 18.41 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#0  | 19.83 | 17.27 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#4  | 19.90 | 17.34 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 8RB#7  | 19.87 | 17.31 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18615 | 15RB#0 | 19.90 | 17.34 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#0  | 21.59 | 19.03 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#7  | 21.63 | 19.07 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 1RB#14 | 21.64 | 19.08 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#0  | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#4  | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 8RB#7  | 20.48 | 17.92 | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 18900 | 15RB#0 | 20.46 | 17.9  | 33.01 | PASS |
| Band2 | 3MHz   | 16QAM | 19185 | 1RB#0  | 21.73 | 19.17 | 33.01 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 3MHz | 16QAM | 19185 | 1RB#7   | 21.57 | 19.01 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 1RB#14  | 21.53 | 18.97 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#0   | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#4   | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 8RB#7   | 20.47 | 17.91 | 33.01 | PASS |
| Band2 | 3MHz | 16QAM | 19185 | 15RB#0  | 20.39 | 17.83 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#0   | 22.22 | 19.66 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#12  | 22.35 | 19.79 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 1RB#24  | 21.74 | 19.18 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#0  | 20.79 | 18.23 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#6  | 20.81 | 18.25 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 12RB#11 | 20.79 | 18.23 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18625 | 25RB#0  | 20.86 | 18.3  | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#0   | 22.36 | 19.8  | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#12  | 22.49 | 19.93 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 1RB#24  | 22.35 | 19.79 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#0  | 21.42 | 18.86 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#6  | 21.40 | 18.84 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 12RB#11 | 21.43 | 18.87 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 18900 | 25RB#0  | 21.43 | 18.87 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#0   | 22.42 | 19.86 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#12  | 22.54 | 19.98 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 1RB#24  | 22.39 | 19.83 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#0  | 21.44 | 18.88 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#6  | 21.46 | 18.9  | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 12RB#11 | 21.45 | 18.89 | 33.01 | PASS |
| Band2 | 5MHz | QPSK  | 19175 | 25RB#0  | 21.48 | 18.92 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#0   | 21.44 | 18.88 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#12  | 21.11 | 18.55 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 1RB#24  | 20.92 | 18.36 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#0  | 19.87 | 17.31 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#6  | 19.88 | 17.32 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 12RB#11 | 19.89 | 17.33 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18625 | 25RB#0  | 19.81 | 17.25 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#0   | 21.36 | 18.8  | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#12  | 21.56 | 19    | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 1RB#24  | 21.40 | 18.84 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#0  | 20.41 | 17.85 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#6  | 20.44 | 17.88 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 12RB#11 | 20.46 | 17.9  | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 18900 | 25RB#0  | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 5MHz | 16QAM | 19175 | 1RB#0   | 21.68 | 19.12 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12  | 21.73 | 19.17 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24  | 21.50 | 18.94 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#0  | 20.55 | 17.99 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#6  | 20.53 | 17.97 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 12RB#11 | 20.47 | 17.91 | 33.01 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0  | 20.46 | 17.9  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0   | 21.87 | 19.31 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24  | 21.88 | 19.32 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49  | 21.79 | 19.23 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#0  | 20.93 | 18.37 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#12 | 20.93 | 18.37 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 25RB#24 | 20.90 | 18.34 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0  | 20.90 | 18.34 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0   | 22.40 | 19.84 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24  | 22.56 | 20    | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49  | 22.41 | 19.85 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#0  | 21.52 | 18.96 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#12 | 21.50 | 18.94 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 25RB#24 | 21.49 | 18.93 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0  | 21.57 | 19.01 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0   | 22.49 | 19.93 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24  | 22.67 | 20.11 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49  | 22.45 | 19.89 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#0  | 21.66 | 19.1  | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#12 | 21.67 | 19.11 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 25RB#24 | 21.65 | 19.09 | 33.01 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0  | 21.67 | 19.11 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0   | 21.01 | 18.45 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24  | 21.06 | 18.5  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49  | 20.96 | 18.4  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#0  | 19.90 | 17.34 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#12 | 19.91 | 17.35 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 25RB#24 | 19.92 | 17.36 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0  | 19.90 | 17.34 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0   | 21.63 | 19.07 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24  | 21.67 | 19.11 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49  | 21.59 | 19.03 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#0  | 20.46 | 17.9  | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#12 | 20.48 | 17.92 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 25RB#24 | 20.43 | 17.87 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0  | 20.53 | 17.97 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0   | 21.70 | 19.14 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24  | 21.87 | 19.31 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49  | 21.58 | 19.02 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#0  | 20.71 | 18.15 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#12 | 20.70 | 18.14 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 25RB#24 | 20.69 | 18.13 | 33.01 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0  | 20.72 | 18.16 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0   | 21.76 | 19.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#37  | 21.83 | 19.27 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74  | 21.76 | 19.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#0  | 20.93 | 18.37 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#16 | 20.89 | 18.33 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 36RB#35 | 20.89 | 18.33 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0  | 20.90 | 18.34 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0   | 22.42 | 19.86 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#37  | 22.42 | 19.86 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74  | 22.39 | 19.83 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#0  | 21.47 | 18.91 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#16 | 21.49 | 18.93 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 36RB#35 | 21.49 | 18.93 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0  | 21.53 | 18.97 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0   | 22.43 | 19.87 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#37  | 22.56 | 20    | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74  | 22.49 | 19.93 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#0  | 21.76 | 19.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#16 | 21.76 | 19.2  | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 36RB#35 | 21.74 | 19.18 | 33.01 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0  | 21.79 | 19.23 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0   | 21.10 | 18.54 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#37  | 21.09 | 18.53 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74  | 21.08 | 18.52 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#0  | 19.96 | 17.4  | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#16 | 19.96 | 17.4  | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 36RB#35 | 19.95 | 17.39 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0  | 19.83 | 17.27 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0   | 21.59 | 19.03 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#37  | 21.66 | 19.1  | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74  | 21.55 | 18.99 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#0  | 20.49 | 17.93 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#16 | 20.45 | 17.89 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 36RB#35 | 20.46 | 17.9  | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0  | 20.48 | 17.92 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0   | 21.73 | 19.17 | 33.01 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 15MHz | 16QAM | 19125 | 1RB#37  | 21.89 | 19.33 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 21.68 | 19.12 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#0  | 20.80 | 18.24 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#16 | 20.80 | 18.24 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 36RB#35 | 20.78 | 18.22 | 33.01 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 20.76 | 18.2  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 22.11 | 19.55 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 21.89 | 19.33 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 21.58 | 19.02 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#0  | 20.82 | 18.26 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#24 | 20.87 | 18.31 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 50RB#49 | 20.86 | 18.3  | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 20.77 | 18.21 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 22.33 | 19.77 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 22.60 | 20.04 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 22.33 | 19.77 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#0  | 21.43 | 18.87 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#24 | 21.41 | 18.85 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 50RB#49 | 21.42 | 18.86 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 21.47 | 18.91 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 22.34 | 19.78 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 22.74 | 20.18 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 22.39 | 19.83 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#0  | 21.89 | 19.33 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#24 | 21.88 | 19.32 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 50RB#49 | 21.82 | 19.26 | 33.01 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 21.83 | 19.27 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 20.80 | 18.24 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 21.14 | 18.58 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 20.82 | 18.26 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#0  | 19.85 | 17.29 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#24 | 19.87 | 17.31 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 50RB#49 | 19.88 | 17.32 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 19.78 | 17.22 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 21.34 | 18.78 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 21.75 | 19.19 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 21.39 | 18.83 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#0  | 20.38 | 17.82 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#24 | 20.40 | 17.84 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 50RB#49 | 20.40 | 17.84 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 20.50 | 17.94 | 33.01 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 21.51 | 18.95 | 33.01 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band2 | 20MHz  | 16QAM | 19100 | 1RB#49  | 21.88 | 19.32 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 1RB#99  | 21.41 | 18.85 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#0  | 20.87 | 18.31 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#24 | 20.86 | 18.3  | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 50RB#49 | 20.82 | 18.26 | 33.01 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | 20.74 | 18.18 | 33.01 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#0   | 21.70 | 19.31 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#2   | 21.92 | 19.53 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#5   | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#0   | 21.80 | 19.41 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#1   | 21.80 | 19.41 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 3RB#2   | 21.80 | 19.41 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | 20.78 | 18.39 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#0   | 21.67 | 19.28 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#2   | 21.92 | 19.53 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#5   | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#0   | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#1   | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 3RB#2   | 21.74 | 19.35 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#0   | 21.74 | 19.35 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#2   | 21.86 | 19.47 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#5   | 21.70 | 19.31 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#0   | 21.77 | 19.38 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#1   | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 3RB#2   | 21.77 | 19.38 | 30.00 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0   | 20.88 | 18.49 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#2   | 21.07 | 18.68 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5   | 20.86 | 18.47 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#0   | 20.76 | 18.37 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#1   | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 3RB#2   | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0   | 19.84 | 17.45 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0   | 20.86 | 18.47 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#2   | 21.12 | 18.73 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5   | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#0   | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#1   | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 3RB#2   | 20.70 | 18.31 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0   | 19.66 | 17.27 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0   | 20.62 | 18.23 | 30.00 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#2  | 20.83 | 18.44 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5  | 20.58 | 18.19 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#0  | 20.67 | 18.28 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#1  | 20.67 | 18.28 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 3RB#2  | 20.66 | 18.27 | 30.00 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 19.73 | 17.34 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 22.18 | 19.79 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#7  | 21.70 | 19.31 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 21.69 | 19.3  | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#0  | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#4  | 20.76 | 18.37 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 8RB#7  | 20.75 | 18.36 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 21.72 | 19.33 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#7  | 21.74 | 19.35 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 21.76 | 19.37 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#0  | 20.79 | 18.4  | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#4  | 20.78 | 18.39 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 8RB#7  | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#7  | 21.75 | 19.36 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#14 | 21.73 | 19.34 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#0  | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#4  | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 8RB#7  | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#0  | 20.95 | 18.56 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#7  | 20.86 | 18.47 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#14 | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#0  | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#4  | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 8RB#7  | 19.76 | 17.37 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | 19.67 | 17.28 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#0  | 20.63 | 18.24 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#7  | 20.66 | 18.27 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#14 | 20.69 | 18.3  | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#0  | 19.74 | 17.35 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#4  | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 8RB#7  | 19.73 | 17.34 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | 19.68 | 17.29 | 30.00 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 1RB#0  | 20.95 | 18.56 | 30.00 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 3MHz | 16QAM | 20385 | 1RB#7   | 20.89 | 18.5  | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14  | 20.94 | 18.55 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#0   | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#4   | 19.78 | 17.39 | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 8RB#7   | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0  | 19.72 | 17.33 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0   | 22.16 | 19.77 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#12  | 22.26 | 19.87 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24  | 21.62 | 19.23 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#0  | 20.68 | 18.29 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#6  | 20.71 | 18.32 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 12RB#11 | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0  | 20.80 | 18.41 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0   | 21.60 | 19.21 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#12  | 21.81 | 19.42 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24  | 21.70 | 19.31 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#0  | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#6  | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 12RB#11 | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0  | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0   | 21.72 | 19.33 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#12  | 21.83 | 19.44 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24  | 21.71 | 19.32 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#0  | 20.72 | 18.33 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#6  | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 12RB#11 | 20.72 | 18.33 | 30.00 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0  | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0   | 21.19 | 18.8  | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#12  | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24  | 20.70 | 18.31 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#0  | 19.72 | 17.33 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#6  | 19.76 | 17.37 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 12RB#11 | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0   | 20.83 | 18.44 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#12  | 21.05 | 18.66 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24  | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#0  | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#6  | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 12RB#11 | 19.76 | 17.37 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0  | 19.74 | 17.35 | 30.00 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0   | 20.72 | 18.33 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#12  | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24  | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#6  | 19.73 | 17.34 | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 12RB#11 | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0  | 19.84 | 17.45 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0   | 22.18 | 19.79 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#24  | 21.78 | 19.39 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49  | 21.59 | 19.2  | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#0  | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#12 | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 25RB#24 | 20.80 | 18.41 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0  | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0   | 21.61 | 19.22 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#24  | 21.78 | 19.39 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49  | 21.71 | 19.32 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#0  | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#12 | 20.77 | 18.38 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 25RB#24 | 20.80 | 18.41 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0  | 20.82 | 18.43 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0   | 21.77 | 19.38 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#24  | 21.85 | 19.46 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49  | 21.75 | 19.36 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#0  | 20.87 | 18.48 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#12 | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 25RB#24 | 20.85 | 18.46 | 30.00 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0  | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0   | 20.88 | 18.49 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#24  | 20.85 | 18.46 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49  | 20.81 | 18.42 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#0  | 19.78 | 17.39 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#12 | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 25RB#24 | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 50RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0   | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#24  | 21.02 | 18.63 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49  | 20.97 | 18.58 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#0  | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#12 | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 25RB#24 | 19.78 | 17.39 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 50RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0   | 20.75 | 18.36 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 10MHz | 16QAM | 20350 | 1RB#24  | 20.79 | 18.4  | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49  | 20.67 | 18.28 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#0  | 19.92 | 17.53 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#12 | 19.91 | 17.52 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 25RB#24 | 19.91 | 17.52 | 30.00 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 50RB#0  | 19.81 | 17.42 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0   | 21.66 | 19.27 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#37  | 21.70 | 19.31 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74  | 21.56 | 19.17 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#0  | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#16 | 20.76 | 18.37 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 36RB#35 | 20.73 | 18.34 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0  | 20.80 | 18.41 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0   | 21.63 | 19.24 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#37  | 21.81 | 19.42 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74  | 21.79 | 19.4  | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#0  | 20.86 | 18.47 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#16 | 20.80 | 18.41 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 36RB#35 | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0  | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0   | 21.67 | 19.28 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#37  | 21.81 | 19.42 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74  | 21.64 | 19.25 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#0  | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#16 | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 36RB#35 | 20.88 | 18.49 | 30.00 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0  | 20.88 | 18.49 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 20.96 | 18.57 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#37  | 20.99 | 18.6  | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 20.84 | 18.45 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#0  | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#16 | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 36RB#35 | 19.76 | 17.37 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 75RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 20.51 | 18.12 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#37  | 20.75 | 18.36 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 20.72 | 18.33 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#0  | 19.74 | 17.35 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#16 | 19.78 | 17.39 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 36RB#35 | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 75RB#0  | 19.82 | 17.43 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 20.90 | 18.51 | 30.00 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 15MHz | 16QAM | 20325 | 1RB#37  | 21.01 | 18.62 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 20.92 | 18.53 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#0  | 19.86 | 17.47 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#16 | 19.88 | 17.49 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 36RB#35 | 19.86 | 17.47 | 30.00 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 75RB#0  | 19.79 | 17.4  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 21.90 | 19.51 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#49  | 21.72 | 19.33 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 21.44 | 19.05 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#0  | 20.66 | 18.27 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#24 | 20.63 | 18.24 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 50RB#49 | 20.60 | 18.21 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 20.67 | 18.28 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 21.29 | 18.9  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#49  | 21.72 | 19.33 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 21.47 | 19.08 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#0  | 20.76 | 18.37 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#24 | 20.75 | 18.36 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 50RB#49 | 20.74 | 18.35 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 20.75 | 18.36 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 21.58 | 19.19 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#49  | 21.94 | 19.55 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 21.55 | 19.16 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#0  | 20.85 | 18.46 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#24 | 20.90 | 18.51 | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 50RB#49 | 20.89 | 18.5  | 30.00 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 20.85 | 18.46 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 20.71 | 18.32 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#49  | 20.99 | 18.6  | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 20.61 | 18.22 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#0  | 19.60 | 17.21 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#24 | 19.58 | 17.19 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 50RB#49 | 19.64 | 17.25 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 100RB#0 | 19.64 | 17.25 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 20.43 | 18.04 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#49  | 20.82 | 18.43 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99  | 20.59 | 18.2  | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#0  | 19.81 | 17.42 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#24 | 19.75 | 17.36 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 50RB#49 | 19.77 | 17.38 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 100RB#0 | 19.72 | 17.33 | 30.00 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0   | 20.60 | 18.21 | 30.00 | PASS |

|       |        |       |       |         |       |       |       |      |
|-------|--------|-------|-------|---------|-------|-------|-------|------|
| Band4 | 20MHz  | 16QAM | 20300 | 1RB#49  | 20.96 | 18.57 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 1RB#99  | 20.57 | 18.18 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#0  | 19.85 | 17.46 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#24 | 19.90 | 17.51 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 50RB#49 | 19.85 | 17.46 | 30.00 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 100RB#0 | 19.77 | 17.38 | 30.00 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#0   | 22.29 | 17    | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#2   | 22.35 | 17.06 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#5   | 22.27 | 16.98 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#0   | 22.37 | 17.08 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#1   | 22.34 | 17.05 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 3RB#2   | 22.35 | 17.06 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 6RB#0   | 21.32 | 16.03 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#0   | 22.36 | 17.07 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#2   | 22.46 | 17.17 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#5   | 22.30 | 17.01 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#0   | 22.42 | 17.13 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#1   | 22.41 | 17.12 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 3RB#2   | 22.39 | 17.1  | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 6RB#0   | 21.39 | 16.1  | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#0   | 22.34 | 17.05 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#2   | 22.41 | 17.12 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#5   | 22.34 | 17.05 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#0   | 22.41 | 17.12 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#1   | 22.37 | 17.08 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 3RB#2   | 22.37 | 17.08 | 38.45 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 6RB#0   | 21.38 | 16.09 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0   | 21.39 | 16.1  | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#2   | 21.58 | 16.29 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#5   | 21.46 | 16.17 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#0   | 21.29 | 16    | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#1   | 21.29 | 16    | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 3RB#2   | 21.31 | 16.02 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0   | 20.41 | 15.12 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0   | 21.48 | 16.19 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#2   | 21.65 | 16.36 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#5   | 21.50 | 16.21 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#0   | 21.32 | 16.03 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#1   | 21.34 | 16.05 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 3RB#2   | 21.31 | 16.02 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0   | 20.27 | 14.98 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0   | 21.25 | 15.96 | 38.45 | PASS |

|       |        |       |       |        |       |       |       |      |
|-------|--------|-------|-------|--------|-------|-------|-------|------|
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#2  | 21.38 | 16.09 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#5  | 21.18 | 15.89 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#0  | 21.23 | 15.94 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#1  | 21.25 | 15.96 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 3RB#2  | 21.25 | 15.96 | 38.45 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0  | 20.39 | 15.1  | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#0  | 22.79 | 17.5  | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#7  | 22.74 | 17.45 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#14 | 22.38 | 17.09 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#0  | 21.29 | 16    | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#4  | 21.33 | 16.04 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 8RB#7  | 21.30 | 16.01 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 15RB#0 | 21.24 | 15.95 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#0  | 22.41 | 17.12 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#7  | 22.42 | 17.13 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#14 | 22.42 | 17.13 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#0  | 21.41 | 16.12 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#4  | 21.38 | 16.09 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 8RB#7  | 21.39 | 16.1  | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 15RB#0 | 21.37 | 16.08 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#0  | 22.32 | 17.03 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#7  | 22.36 | 17.07 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#14 | 22.31 | 17.02 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#0  | 21.40 | 16.11 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#4  | 21.42 | 16.13 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 8RB#7  | 21.34 | 16.05 | 38.45 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 15RB#0 | 21.35 | 16.06 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#0  | 21.98 | 16.69 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#7  | 21.43 | 16.14 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 1RB#14 | 21.51 | 16.22 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#0  | 20.37 | 15.08 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#4  | 20.38 | 15.09 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 8RB#7  | 20.35 | 15.06 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20415 | 15RB#0 | 20.24 | 14.95 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#0  | 21.28 | 15.99 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#7  | 21.30 | 16.01 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 1RB#14 | 21.32 | 16.03 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#0  | 20.43 | 15.14 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#4  | 20.42 | 15.13 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 8RB#7  | 20.46 | 15.17 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20525 | 15RB#0 | 20.33 | 15.04 | 38.45 | PASS |
| Band5 | 3MHz   | 16QAM | 20635 | 1RB#0  | 21.51 | 16.22 | 38.45 | PASS |

|       |      |       |       |         |       |       |       |      |
|-------|------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 3MHz | 16QAM | 20635 | 1RB#7   | 21.47 | 16.18 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 1RB#14  | 21.47 | 16.18 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#0   | 20.46 | 15.17 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#4   | 20.45 | 15.16 | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 8RB#7   | 20.39 | 15.1  | 38.45 | PASS |
| Band5 | 3MHz | 16QAM | 20635 | 15RB#0  | 20.37 | 15.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#0   | 22.79 | 17.5  | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#12  | 22.77 | 17.48 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 1RB#24  | 22.33 | 17.04 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#0  | 21.26 | 15.97 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#6  | 21.26 | 15.97 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 12RB#11 | 21.30 | 16.01 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20425 | 25RB#0  | 21.36 | 16.07 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#0   | 22.37 | 17.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#12  | 22.49 | 17.2  | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 1RB#24  | 22.42 | 17.13 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#0  | 21.47 | 16.18 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#6  | 21.45 | 16.16 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 12RB#11 | 21.44 | 16.15 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20525 | 25RB#0  | 21.45 | 16.16 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#0   | 22.40 | 17.11 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#12  | 22.50 | 17.21 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 1RB#24  | 22.30 | 17.01 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#0  | 21.36 | 16.07 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#6  | 21.38 | 16.09 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 12RB#11 | 21.37 | 16.08 | 38.45 | PASS |
| Band5 | 5MHz | QPSK  | 20625 | 25RB#0  | 21.37 | 16.08 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#0   | 21.93 | 16.64 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#12  | 21.60 | 16.31 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 1RB#24  | 21.52 | 16.23 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#0  | 20.37 | 15.08 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#6  | 20.40 | 15.11 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 12RB#11 | 20.38 | 15.09 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20425 | 25RB#0  | 20.36 | 15.07 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#0   | 21.34 | 16.05 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#12  | 21.44 | 16.15 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 1RB#24  | 21.40 | 16.11 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#0  | 20.56 | 15.27 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#6  | 20.54 | 15.25 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 12RB#11 | 20.47 | 15.18 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20525 | 25RB#0  | 20.53 | 15.24 | 38.45 | PASS |
| Band5 | 5MHz | 16QAM | 20625 | 1RB#0   | 21.34 | 16.05 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#12  | 21.43 | 16.14 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#24  | 21.26 | 15.97 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#0  | 20.43 | 15.14 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#6  | 20.45 | 15.16 | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 12RB#11 | 20.39 | 15.1  | 38.45 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 25RB#0  | 20.38 | 15.09 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#0   | 22.76 | 17.47 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#24  | 23.00 | 17.71 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#49  | 22.39 | 17.1  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#0  | 21.33 | 16.04 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#12 | 21.34 | 16.05 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 25RB#24 | 21.34 | 16.05 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 50RB#0  | 21.42 | 16.13 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#0   | 22.39 | 17.1  | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#24  | 22.50 | 17.21 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#49  | 22.44 | 17.15 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#0  | 21.47 | 16.18 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#12 | 21.48 | 16.19 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 25RB#24 | 21.51 | 16.22 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 50RB#0  | 21.43 | 16.14 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#0   | 22.36 | 17.07 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#24  | 22.47 | 17.18 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#49  | 22.37 | 17.08 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#0  | 21.45 | 16.16 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#12 | 21.43 | 16.14 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 25RB#24 | 21.44 | 16.15 | 38.45 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 50RB#0  | 21.40 | 16.11 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0   | 21.93 | 16.64 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#24  | 21.60 | 16.31 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#49  | 21.49 | 16.2  | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#0  | 20.35 | 15.06 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#12 | 20.41 | 15.12 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 25RB#24 | 20.37 | 15.08 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0  | 20.43 | 15.14 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0   | 21.28 | 15.99 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#24  | 21.46 | 16.17 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#49  | 21.37 | 16.08 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#0  | 20.55 | 15.26 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#12 | 20.54 | 15.25 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 25RB#24 | 20.57 | 15.28 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0  | 20.53 | 15.24 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0   | 21.51 | 16.22 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band5 | 10MHz | 16QAM | 20600 | 1RB#24  | 21.65 | 16.36 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#49  | 21.51 | 16.22 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#0  | 20.44 | 15.15 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#12 | 20.48 | 15.19 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 25RB#24 | 20.47 | 15.18 | 38.45 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0  | 20.40 | 15.11 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#0   | 22.55 | 19.62 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#12  | 22.76 | 19.83 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#24  | 22.60 | 19.67 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#0  | 21.55 | 18.62 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#6  | 21.54 | 18.61 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 12RB#11 | 21.62 | 18.69 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0  | 21.63 | 18.7  | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#0   | 21.98 | 19.05 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#12  | 22.24 | 19.31 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#24  | 22.02 | 19.09 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#0  | 21.06 | 18.13 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#6  | 21.04 | 18.11 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 12RB#11 | 21.08 | 18.15 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0  | 21.09 | 18.16 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#0   | 21.96 | 19.03 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#12  | 22.13 | 19.2  | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#24  | 22.00 | 19.07 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#0  | 20.98 | 18.05 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#6  | 20.97 | 18.04 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#11 | 20.98 | 18.05 | 38.45 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | 21.06 | 18.13 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#0   | 21.52 | 18.59 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#12  | 21.68 | 18.75 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#24  | 21.55 | 18.62 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#0  | 20.56 | 17.63 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#6  | 20.54 | 17.61 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 12RB#11 | 20.60 | 17.67 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0  | 20.64 | 17.71 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#0   | 20.97 | 18.04 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#12  | 21.17 | 18.24 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#24  | 21.01 | 18.08 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#0  | 20.07 | 17.14 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#6  | 20.05 | 17.12 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 12RB#11 | 19.98 | 17.05 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0  | 20.09 | 17.16 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#0   | 21.16 | 18.23 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#12  | 21.28 | 18.35 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#24  | 21.12 | 18.19 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#0  | 20.05 | 17.12 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#6  | 20.04 | 17.11 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#11 | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 19.99 | 17.06 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#0   | 22.59 | 19.66 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#24  | 22.69 | 19.76 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#49  | 22.50 | 19.57 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#0  | 21.55 | 18.62 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#12 | 21.55 | 18.62 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#24 | 21.57 | 18.64 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 21.61 | 18.68 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#0   | 22.02 | 19.09 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#24  | 22.27 | 19.34 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#49  | 22.08 | 19.15 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#0  | 21.11 | 18.18 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#12 | 21.13 | 18.2  | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#24 | 21.12 | 18.19 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 21.09 | 18.16 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#0   | 21.99 | 19.06 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#24  | 22.08 | 19.15 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#49  | 21.94 | 19.01 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#0  | 21.09 | 18.16 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#12 | 21.05 | 18.12 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#24 | 21.06 | 18.13 | 38.45 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 21.01 | 18.08 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#0   | 21.64 | 18.71 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#24  | 21.77 | 18.84 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#49  | 21.65 | 18.72 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#0  | 20.55 | 17.62 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#12 | 20.54 | 17.61 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#24 | 20.49 | 17.56 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 20.55 | 17.62 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#0   | 21.17 | 18.24 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#24  | 21.27 | 18.34 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#49  | 21.22 | 18.29 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#0  | 20.07 | 17.14 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#12 | 20.02 | 17.09 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#24 | 20.06 | 17.13 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 20.07 | 17.14 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#0   | 21.10 | 18.17 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 10MHz | 16QAM | 21400 | 1RB#24  | 21.27 | 18.34 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#49  | 21.10 | 18.17 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#0  | 20.08 | 17.15 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#12 | 20.03 | 17.1  | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#24 | 20.08 | 17.15 | 38.45 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 19.99 | 17.06 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#0   | 22.51 | 19.58 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#37  | 22.60 | 19.67 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#74  | 22.49 | 19.56 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#0  | 21.55 | 18.62 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#16 | 21.57 | 18.64 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 36RB#35 | 21.54 | 18.61 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 21.66 | 18.73 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#0   | 21.92 | 18.99 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#37  | 22.10 | 19.17 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#74  | 22.01 | 19.08 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#0  | 21.07 | 18.14 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#16 | 21.08 | 18.15 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 36RB#35 | 21.07 | 18.14 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 21.12 | 18.19 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#0   | 21.96 | 19.03 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#37  | 22.02 | 19.09 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#74  | 21.91 | 18.98 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#0  | 21.09 | 18.16 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#16 | 21.13 | 18.2  | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 36RB#35 | 21.10 | 18.17 | 38.45 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 21.06 | 18.13 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#0   | 21.75 | 18.82 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#37  | 21.81 | 18.88 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#74  | 21.73 | 18.8  | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#0  | 20.61 | 17.68 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#16 | 20.60 | 17.67 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 36RB#35 | 20.60 | 17.67 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 20.58 | 17.65 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#0   | 21.07 | 18.14 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#37  | 21.16 | 18.23 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#74  | 21.16 | 18.23 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#0  | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#16 | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 36RB#35 | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#0   | 21.16 | 18.23 | 38.45 | PASS |

|       |       |       |       |         |       |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|-------|------|
| Band7 | 15MHz | 16QAM | 21375 | 1RB#37  | 21.23 | 18.3  | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#74  | 21.14 | 18.21 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#0  | 20.08 | 17.15 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#16 | 20.12 | 17.19 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 36RB#35 | 20.08 | 17.15 | 38.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 20.03 | 17.1  | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#0   | 22.36 | 19.43 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#49  | 22.71 | 19.78 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#99  | 22.42 | 19.49 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#0  | 21.47 | 18.54 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#24 | 21.48 | 18.55 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#49 | 21.42 | 18.49 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 21.54 | 18.61 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 21.90 | 18.97 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#49  | 22.29 | 19.36 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#99  | 21.92 | 18.99 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#0  | 21.03 | 18.1  | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#24 | 21.02 | 18.09 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#49 | 21.05 | 18.12 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 21.10 | 18.17 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 21.85 | 18.92 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#49  | 22.25 | 19.32 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#99  | 21.81 | 18.88 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#0  | 21.04 | 18.11 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#24 | 21.01 | 18.08 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#49 | 21.04 | 18.11 | 38.45 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 20.94 | 18.01 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 21.35 | 18.42 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#49  | 21.64 | 18.71 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#99  | 21.34 | 18.41 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#0  | 20.41 | 17.48 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#24 | 20.44 | 17.51 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#49 | 20.43 | 17.5  | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 20.52 | 17.59 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 20.83 | 17.9  | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#49  | 21.22 | 18.29 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#99  | 20.84 | 17.91 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#0  | 19.98 | 17.05 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#24 | 20.01 | 17.08 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#49 | 19.97 | 17.04 | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 20.03 | 17.1  | 38.45 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 20.97 | 18.04 | 38.45 | PASS |

|        |        |       |       |         |       |       |       |      |
|--------|--------|-------|-------|---------|-------|-------|-------|------|
| Band7  | 20MHz  | 16QAM | 21350 | 1RB#49  | 21.22 | 18.29 | 38.45 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 1RB#99  | 20.98 | 18.05 | 38.45 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 50RB#0  | 19.97 | 17.04 | 38.45 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 50RB#24 | 20.01 | 17.08 | 38.45 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 50RB#49 | 20.00 | 17.07 | 38.45 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 100RB#0 | 19.89 | 16.96 | 38.45 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#0   | 22.25 | 16.83 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#2   | 22.24 | 16.82 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#5   | 22.33 | 16.91 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#0   | 22.39 | 16.97 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#1   | 22.41 | 16.99 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 3RB#2   | 22.42 | 17    | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 6RB#0   | 21.32 | 15.9  | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#0   | 22.27 | 16.85 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#2   | 22.40 | 16.98 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#5   | 22.30 | 16.88 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#0   | 22.38 | 16.96 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#1   | 22.35 | 16.93 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 3RB#2   | 22.38 | 16.96 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 6RB#0   | 21.29 | 15.87 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#0   | 22.22 | 16.8  | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#2   | 22.30 | 16.88 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#5   | 22.16 | 16.74 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#0   | 22.31 | 16.89 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#1   | 22.34 | 16.92 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 3RB#2   | 22.33 | 16.91 | 34.77 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 6RB#0   | 21.31 | 15.89 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#0   | 21.46 | 16.04 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#2   | 21.60 | 16.18 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#5   | 21.46 | 16.04 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#0   | 21.33 | 15.91 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#1   | 21.37 | 15.95 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 3RB#2   | 21.34 | 15.92 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 6RB#0   | 20.22 | 14.8  | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#0   | 21.26 | 15.84 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#2   | 21.36 | 15.94 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#5   | 21.20 | 15.78 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#0   | 21.30 | 15.88 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#1   | 21.28 | 15.86 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 3RB#2   | 21.29 | 15.87 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 6RB#0   | 20.30 | 14.88 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#0   | 21.20 | 15.78 | 34.77 | PASS |

|        |        |       |       |        |       |       |       |      |
|--------|--------|-------|-------|--------|-------|-------|-------|------|
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#2  | 21.33 | 15.91 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#5  | 21.10 | 15.68 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#0  | 21.23 | 15.81 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#1  | 21.21 | 15.79 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 3RB#2  | 21.24 | 15.82 | 34.77 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 6RB#0  | 20.31 | 14.89 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#0  | 22.40 | 16.98 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#7  | 22.37 | 16.95 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#14 | 22.32 | 16.9  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#0  | 21.41 | 15.99 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#4  | 21.41 | 15.99 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 8RB#7  | 21.40 | 15.98 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 15RB#0 | 21.37 | 15.95 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#0  | 22.35 | 16.93 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#7  | 22.39 | 16.97 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#14 | 22.31 | 16.89 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#0  | 21.40 | 15.98 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#4  | 21.40 | 15.98 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 8RB#7  | 21.37 | 15.95 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 15RB#0 | 21.32 | 15.9  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 1RB#0  | 22.22 | 16.8  | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 1RB#7  | 22.26 | 16.84 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 1RB#14 | 22.19 | 16.77 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 8RB#0  | 21.33 | 15.91 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 8RB#4  | 21.30 | 15.88 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 8RB#7  | 21.27 | 15.85 | 34.77 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 15RB#0 | 21.30 | 15.88 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 1RB#0  | 21.56 | 16.14 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 1RB#7  | 21.60 | 16.18 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 1RB#14 | 21.59 | 16.17 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 8RB#0  | 20.38 | 14.96 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 8RB#4  | 20.40 | 14.98 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 8RB#7  | 20.41 | 14.99 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 15RB#0 | 20.38 | 14.96 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 1RB#0  | 21.27 | 15.85 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 1RB#7  | 21.25 | 15.83 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 1RB#14 | 21.28 | 15.86 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 8RB#0  | 20.40 | 14.98 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 8RB#4  | 20.40 | 14.98 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 8RB#7  | 20.40 | 14.98 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 15RB#0 | 20.29 | 14.87 | 34.77 | PASS |
| Band12 | 3MHz   | 16QAM | 23165 | 1RB#0  | 21.49 | 16.07 | 34.77 | PASS |

|        |      |       |       |         |       |       |       |      |
|--------|------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 3MHz | 16QAM | 23165 | 1RB#7   | 21.44 | 16.02 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 1RB#14  | 21.40 | 15.98 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#0   | 20.37 | 14.95 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#4   | 20.38 | 14.96 | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 8RB#7   | 20.32 | 14.9  | 34.77 | PASS |
| Band12 | 3MHz | 16QAM | 23165 | 15RB#0  | 20.36 | 14.94 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#0   | 22.34 | 16.92 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#12  | 22.47 | 17.05 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 1RB#24  | 22.31 | 16.89 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#0  | 21.39 | 15.97 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#6  | 21.39 | 15.97 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 12RB#11 | 21.38 | 15.96 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23035 | 25RB#0  | 21.44 | 16.02 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#0   | 22.29 | 16.87 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#12  | 22.41 | 16.99 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 1RB#24  | 22.34 | 16.92 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#0  | 21.36 | 15.94 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#6  | 21.38 | 15.96 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 12RB#11 | 21.38 | 15.96 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23095 | 25RB#0  | 21.41 | 15.99 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#0   | 22.24 | 16.82 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#12  | 22.35 | 16.93 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 1RB#24  | 22.21 | 16.79 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#0  | 21.34 | 15.92 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#6  | 21.36 | 15.94 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 12RB#11 | 21.33 | 15.91 | 34.77 | PASS |
| Band12 | 5MHz | QPSK  | 23155 | 25RB#0  | 21.35 | 15.93 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#0   | 21.57 | 16.15 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#12  | 21.66 | 16.24 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 1RB#24  | 21.56 | 16.14 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#0  | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#6  | 20.49 | 15.07 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 12RB#11 | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23035 | 25RB#0  | 20.43 | 15.01 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#0   | 21.27 | 15.85 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#12  | 21.36 | 15.94 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 1RB#24  | 21.42 | 16    | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#0  | 20.41 | 14.99 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#6  | 20.49 | 15.07 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 12RB#11 | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23095 | 25RB#0  | 20.49 | 15.07 | 34.77 | PASS |
| Band12 | 5MHz | 16QAM | 23155 | 1RB#0   | 21.26 | 15.84 | 34.77 | PASS |

|        |       |       |       |         |       |       |       |      |
|--------|-------|-------|-------|---------|-------|-------|-------|------|
| Band12 | 5MHz  | 16QAM | 23155 | 1RB#12  | 21.36 | 15.94 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 1RB#24  | 21.27 | 15.85 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#0  | 20.39 | 14.97 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#6  | 20.44 | 15.02 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 12RB#11 | 20.39 | 14.97 | 34.77 | PASS |
| Band12 | 5MHz  | 16QAM | 23155 | 25RB#0  | 20.43 | 15.01 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#0   | 22.30 | 16.88 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#24  | 22.52 | 17.1  | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 1RB#49  | 22.38 | 16.96 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#0  | 21.43 | 16.01 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#12 | 21.46 | 16.04 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 25RB#24 | 21.47 | 16.05 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23060 | 50RB#0  | 21.50 | 16.08 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#0   | 22.22 | 16.8  | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#24  | 22.42 | 17    | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 1RB#49  | 22.25 | 16.83 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#0  | 21.37 | 15.95 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#12 | 21.45 | 16.03 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 25RB#24 | 21.48 | 16.06 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23095 | 50RB#0  | 21.45 | 16.03 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 1RB#0   | 22.25 | 16.83 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 1RB#24  | 22.33 | 16.91 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 1RB#49  | 22.24 | 16.82 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#0  | 21.46 | 16.04 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#12 | 21.43 | 16.01 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 25RB#24 | 21.49 | 16.07 | 34.77 | PASS |
| Band12 | 10MHz | QPSK  | 23130 | 50RB#0  | 21.45 | 16.03 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#0   | 21.23 | 15.81 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#24  | 21.43 | 16.01 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 1RB#49  | 21.35 | 15.93 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#0  | 20.49 | 15.07 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#12 | 20.52 | 15.1  | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 25RB#24 | 20.49 | 15.07 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23060 | 50RB#0  | 20.42 | 15    | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#0   | 21.48 | 16.06 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#24  | 21.67 | 16.25 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 1RB#49  | 21.55 | 16.13 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#0  | 20.47 | 15.05 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#12 | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 25RB#24 | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23095 | 50RB#0  | 20.42 | 15    | 34.77 | PASS |
| Band12 | 10MHz | 16QAM | 23130 | 1RB#0   | 21.50 | 16.08 | 34.77 | PASS |

|        |        |       |        |         |       |       |       |      |
|--------|--------|-------|--------|---------|-------|-------|-------|------|
| Band12 | 10MHz  | 16QAM | 23130  | 1RB#24  | 21.59 | 16.17 | 34.77 | PASS |
| Band12 | 10MHz  | 16QAM | 23130  | 1RB#49  | 21.45 | 16.03 | 34.77 | PASS |
| Band12 | 10MHz  | 16QAM | 23130  | 25RB#0  | 20.46 | 15.04 | 34.77 | PASS |
| Band12 | 10MHz  | 16QAM | 23130  | 25RB#12 | 20.50 | 15.08 | 34.77 | PASS |
| Band12 | 10MHz  | 16QAM | 23130  | 25RB#24 | 20.48 | 15.06 | 34.77 | PASS |
| Band12 | 10MHz  | 16QAM | 23130  | 50RB#0  | 20.48 | 15.06 | 34.77 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#0   | 21.81 | 18.4  | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#2   | 22.07 | 18.66 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#5   | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#0   | 21.91 | 18.5  | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#1   | 21.90 | 18.49 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 3RB#2   | 21.93 | 18.52 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 6RB#0   | 20.93 | 17.52 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#0   | 21.78 | 18.37 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#2   | 21.90 | 18.49 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#5   | 21.80 | 18.39 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#0   | 21.88 | 18.47 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#1   | 21.88 | 18.47 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 3RB#2   | 21.86 | 18.45 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 6RB#0   | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#0   | 21.86 | 18.45 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#2   | 21.99 | 18.58 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#5   | 21.93 | 18.52 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#0   | 21.94 | 18.53 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#1   | 21.94 | 18.53 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 3RB#2   | 21.94 | 18.53 | 38.45 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 6RB#0   | 20.96 | 17.55 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#0   | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#2   | 21.16 | 17.75 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#5   | 20.96 | 17.55 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#0   | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#1   | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 3RB#2   | 20.88 | 17.47 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 6RB#0   | 19.97 | 16.56 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#0   | 21.00 | 17.59 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#2   | 21.16 | 17.75 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#5   | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#0   | 20.83 | 17.42 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#1   | 20.84 | 17.43 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 3RB#2   | 20.85 | 17.44 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 6RB#0   | 19.80 | 16.39 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#0   | 20.79 | 17.38 | 38.45 | PASS |

|        |        |       |        |        |       |       |       |      |
|--------|--------|-------|--------|--------|-------|-------|-------|------|
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#2  | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#5  | 20.79 | 17.38 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#0  | 20.82 | 17.41 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#1  | 20.84 | 17.43 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 3RB#2  | 20.84 | 17.43 | 38.45 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#0  | 21.80 | 18.39 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#7  | 21.82 | 18.41 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#14 | 21.84 | 18.43 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#0  | 20.91 | 17.5  | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#4  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 8RB#7  | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0 | 20.91 | 17.5  | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#0  | 21.82 | 18.41 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#7  | 21.86 | 18.45 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#14 | 21.78 | 18.37 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#0  | 20.85 | 17.44 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#4  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 8RB#7  | 20.87 | 17.46 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0 | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#0  | 21.91 | 18.5  | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#7  | 21.93 | 18.52 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#14 | 21.92 | 18.51 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#0  | 20.99 | 17.58 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#4  | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 8RB#7  | 20.95 | 17.54 | 38.45 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0 | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#0  | 21.05 | 17.64 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#7  | 21.08 | 17.67 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#14 | 20.96 | 17.55 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#0  | 19.95 | 16.54 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#4  | 19.95 | 16.54 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 8RB#7  | 19.92 | 16.51 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0 | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#0  | 21.09 | 17.68 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#7  | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#14 | 21.00 | 17.59 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#0  | 19.88 | 16.47 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#4  | 19.87 | 16.46 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 8RB#7  | 19.88 | 16.47 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 15RB#0 | 19.83 | 16.42 | 38.45 | PASS |
| Band66 | 3MHz   | 16QAM | 132657 | 1RB#0  | 20.81 | 17.4  | 38.45 | PASS |

|        |      |       |        |         |       |       |       |      |
|--------|------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 3MHz | 16QAM | 132657 | 1RB#7   | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 1RB#14  | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#0   | 19.93 | 16.52 | 38.45 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#4   | 19.93 | 16.52 | 38.45 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 8RB#7   | 19.89 | 16.48 | 38.45 | PASS |
| Band66 | 3MHz | 16QAM | 132657 | 15RB#0  | 19.87 | 16.46 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#0   | 21.80 | 18.39 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#12  | 21.93 | 18.52 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 1RB#24  | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#0  | 20.91 | 17.5  | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#6  | 20.88 | 17.47 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 12RB#11 | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 131997 | 25RB#0  | 20.96 | 17.55 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#0   | 21.83 | 18.42 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#12  | 21.98 | 18.57 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 1RB#24  | 21.89 | 18.48 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#0  | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#6  | 20.85 | 17.44 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 12RB#11 | 20.92 | 17.51 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132322 | 25RB#0  | 20.93 | 17.52 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#0   | 21.76 | 18.35 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#12  | 22.00 | 18.59 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 1RB#24  | 21.85 | 18.44 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#0  | 20.85 | 17.44 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#6  | 20.91 | 17.5  | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 12RB#11 | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 5MHz | QPSK  | 132647 | 25RB#0  | 20.92 | 17.51 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#0   | 21.03 | 17.62 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#12  | 21.10 | 17.69 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 1RB#24  | 21.04 | 17.63 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#0  | 19.92 | 16.51 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#6  | 19.96 | 16.55 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 12RB#11 | 19.95 | 16.54 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 131997 | 25RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#0   | 20.84 | 17.43 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#12  | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 1RB#24  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#0  | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#6  | 19.97 | 16.56 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 12RB#11 | 19.96 | 16.55 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132322 | 25RB#0  | 19.93 | 16.52 | 38.45 | PASS |
| Band66 | 5MHz | 16QAM | 132647 | 1RB#0   | 20.76 | 17.35 | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#12  | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 1RB#24  | 20.93 | 17.52 | 38.45 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#6  | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 12RB#11 | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 5MHz  | 16QAM | 132647 | 25RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#0   | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#24  | 21.94 | 18.53 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 1RB#49  | 21.72 | 18.31 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#0  | 20.92 | 17.51 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#12 | 20.88 | 17.47 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 25RB#24 | 20.94 | 17.53 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132022 | 50RB#0  | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#0   | 21.89 | 18.48 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#24  | 22.02 | 18.61 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 1RB#49  | 21.91 | 18.5  | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#0  | 21.02 | 17.61 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#12 | 21.00 | 17.59 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 25RB#24 | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132322 | 50RB#0  | 20.95 | 17.54 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#0   | 21.72 | 18.31 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#24  | 21.98 | 18.57 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 1RB#49  | 21.89 | 18.48 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#0  | 20.94 | 17.53 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#12 | 20.95 | 17.54 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 25RB#24 | 20.93 | 17.52 | 38.45 | PASS |
| Band66 | 10MHz | QPSK  | 132622 | 50RB#0  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 21.03 | 17.62 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#24  | 21.07 | 17.66 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 1RB#49  | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#0  | 19.94 | 16.53 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#12 | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 25RB#24 | 19.95 | 16.54 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 19.92 | 16.51 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 20.80 | 17.39 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#24  | 20.99 | 17.58 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#49  | 20.85 | 17.44 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#0  | 20.05 | 16.64 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#12 | 20.03 | 16.62 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 25RB#24 | 20.02 | 16.61 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 19.96 | 16.55 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 20.89 | 17.48 | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 10MHz | 16QAM | 132622 | 1RB#24  | 21.04 | 17.63 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#49  | 21.10 | 17.69 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#0  | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#12 | 19.93 | 16.52 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 25RB#24 | 19.93 | 16.52 | 38.45 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 19.86 | 16.45 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 21.77 | 18.36 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#37  | 21.76 | 18.35 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#74  | 21.63 | 18.22 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#0  | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#16 | 20.90 | 17.49 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 36RB#35 | 20.87 | 17.46 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#37  | 21.92 | 18.51 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#74  | 21.82 | 18.41 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#0  | 20.95 | 17.54 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#16 | 20.98 | 17.57 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 36RB#35 | 20.96 | 17.55 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 20.94 | 17.53 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 21.57 | 18.16 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#37  | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#74  | 21.79 | 18.38 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#0  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#16 | 20.87 | 17.46 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 36RB#35 | 20.88 | 17.47 | 38.45 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 21.10 | 17.69 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#37  | 21.07 | 17.66 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#74  | 20.89 | 17.48 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#16 | 19.87 | 16.46 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 36RB#35 | 19.92 | 16.51 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 19.87 | 16.46 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 20.73 | 17.32 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#37  | 20.86 | 17.45 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#74  | 20.75 | 17.34 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#0  | 19.89 | 16.48 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#16 | 19.92 | 16.51 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 36RB#35 | 19.90 | 16.49 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 19.91 | 16.5  | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 20.81 | 17.4  | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 15MHz | 16QAM | 132597 | 1RB#37  | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#74  | 21.06 | 17.65 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#0  | 19.81 | 16.4  | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#16 | 19.83 | 16.42 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 36RB#35 | 19.87 | 16.46 | 38.45 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 19.81 | 16.4  | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | 21.63 | 18.22 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#49  | 21.78 | 18.37 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#99  | 21.55 | 18.14 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#0  | 20.73 | 17.32 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#24 | 20.71 | 17.3  | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 50RB#49 | 20.72 | 17.31 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 20.75 | 17.34 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | 21.43 | 18.02 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#49  | 21.83 | 18.42 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#99  | 21.44 | 18.03 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#0  | 20.98 | 17.57 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#24 | 20.97 | 17.56 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 50RB#49 | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 20.95 | 17.54 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 21.48 | 18.07 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#49  | 21.92 | 18.51 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#99  | 21.74 | 18.33 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#0  | 20.77 | 17.36 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#24 | 20.82 | 17.41 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 50RB#49 | 20.79 | 17.38 | 38.45 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 20.72 | 17.31 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 20.79 | 17.38 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#49  | 21.10 | 17.69 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#99  | 20.71 | 17.3  | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#0  | 19.72 | 16.31 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#24 | 19.68 | 16.27 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 50RB#49 | 19.69 | 16.28 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 19.70 | 16.29 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | 20.55 | 17.14 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#49  | 21.01 | 17.6  | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#99  | 20.57 | 17.16 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#0  | 19.98 | 16.57 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#24 | 19.99 | 16.58 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 50RB#49 | 20.01 | 16.6  | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 19.94 | 16.53 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 20.52 | 17.11 | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band66 | 20MHz | 16QAM | 132572 | 1RB#49  | 20.92 | 17.51 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#99  | 20.75 | 17.34 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#0  | 19.80 | 16.39 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#24 | 19.78 | 16.37 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 50RB#49 | 19.77 | 16.36 | 38.45 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 19.70 | 16.29 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 1RB#0   | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 1RB#12  | 22.43 | 16.87 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 1RB#24  | 22.39 | 16.83 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 12RB#0  | 21.31 | 15.75 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 12RB#6  | 21.31 | 15.75 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 12RB#11 | 21.33 | 15.77 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 25RB#0  | 21.40 | 15.84 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 1RB#0   | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 1RB#12  | 22.46 | 16.9  | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 1RB#24  | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 12RB#0  | 21.31 | 15.75 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 12RB#6  | 21.32 | 15.76 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 12RB#11 | 21.32 | 15.76 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 25RB#0  | 21.35 | 15.79 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 1RB#0   | 22.31 | 16.75 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 1RB#12  | 22.46 | 16.9  | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 1RB#24  | 22.33 | 16.77 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 12RB#0  | 21.38 | 15.82 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 12RB#6  | 21.33 | 15.77 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 12RB#11 | 21.37 | 15.81 | 38.45 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 25RB#0  | 21.41 | 15.85 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 1RB#0   | 21.52 | 15.96 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 1RB#12  | 21.66 | 16.1  | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 1RB#24  | 21.55 | 15.99 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 12RB#0  | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 12RB#6  | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 12RB#11 | 20.39 | 14.83 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 25RB#0  | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 1RB#0   | 21.26 | 15.7  | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 1RB#12  | 21.42 | 15.86 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 1RB#24  | 21.27 | 15.71 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 12RB#0  | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 12RB#6  | 20.34 | 14.78 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 12RB#11 | 20.37 | 14.81 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 25RB#0  | 20.39 | 14.83 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 1RB#0   | 21.30 | 15.74 | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band71 | 5MHz  | 16QAM | 133447 | 1RB#12  | 21.52 | 15.96 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 1RB#24  | 21.41 | 15.85 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 12RB#0  | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 12RB#6  | 20.37 | 14.81 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 12RB#11 | 20.42 | 14.86 | 38.45 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 25RB#0  | 20.45 | 14.89 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 1RB#0   | 22.63 | 17.07 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 1RB#24  | 22.46 | 16.9  | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 1RB#49  | 22.36 | 16.8  | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 25RB#0  | 21.41 | 15.85 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 25RB#12 | 21.42 | 15.86 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 25RB#24 | 21.40 | 15.84 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 50RB#0  | 21.40 | 15.84 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 1RB#0   | 22.37 | 16.81 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 1RB#24  | 22.40 | 16.84 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 1RB#49  | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 25RB#0  | 21.43 | 15.87 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 25RB#12 | 21.46 | 15.9  | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 25RB#24 | 21.46 | 15.9  | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 50RB#0  | 21.46 | 15.9  | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 1RB#0   | 22.42 | 16.86 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 1RB#24  | 22.44 | 16.88 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 1RB#49  | 22.45 | 16.89 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 25RB#0  | 21.44 | 15.88 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 25RB#12 | 21.47 | 15.91 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 25RB#24 | 21.44 | 15.88 | 38.45 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 50RB#0  | 21.44 | 15.88 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 1RB#0   | 21.55 | 15.99 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 1RB#24  | 21.81 | 16.25 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 1RB#49  | 21.60 | 16.04 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 25RB#0  | 20.42 | 14.86 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 25RB#12 | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 25RB#24 | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 50RB#0  | 20.38 | 14.82 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 1RB#0   | 21.50 | 15.94 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 1RB#24  | 21.57 | 16.01 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 1RB#49  | 21.54 | 15.98 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 25RB#0  | 20.46 | 14.9  | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 25RB#12 | 20.49 | 14.93 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 25RB#24 | 20.45 | 14.89 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 50RB#0  | 20.47 | 14.91 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 1RB#0   | 21.26 | 15.7  | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band71 | 10MHz | 16QAM | 133422 | 1RB#24  | 21.52 | 15.96 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 1RB#49  | 21.36 | 15.8  | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 25RB#0  | 20.50 | 14.94 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 25RB#12 | 20.51 | 14.95 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 25RB#24 | 20.50 | 14.94 | 38.45 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 50RB#0  | 20.46 | 14.9  | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 1RB#0   | 22.22 | 16.66 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 1RB#37  | 22.45 | 16.89 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 1RB#74  | 22.29 | 16.73 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 36RB#0  | 21.30 | 15.74 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 36RB#16 | 21.37 | 15.81 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 36RB#35 | 21.34 | 15.78 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 75RB#0  | 21.38 | 15.82 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 1RB#0   | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 1RB#37  | 22.39 | 16.83 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 1RB#74  | 22.35 | 16.79 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 36RB#0  | 21.40 | 15.84 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 36RB#16 | 21.43 | 15.87 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 36RB#35 | 21.42 | 15.86 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 75RB#0  | 21.47 | 15.91 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 1RB#0   | 22.17 | 16.61 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 1RB#37  | 22.38 | 16.82 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 1RB#74  | 22.32 | 16.76 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 36RB#0  | 21.43 | 15.87 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 36RB#16 | 21.41 | 15.85 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 36RB#35 | 21.43 | 15.87 | 38.45 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 75RB#0  | 21.44 | 15.88 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 1RB#0   | 21.56 | 16    | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 1RB#37  | 21.74 | 16.18 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 1RB#74  | 21.58 | 16.02 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 36RB#0  | 20.43 | 14.87 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 36RB#16 | 20.41 | 14.85 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 36RB#35 | 20.39 | 14.83 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 75RB#0  | 20.34 | 14.78 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 1RB#0   | 21.18 | 15.62 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 1RB#37  | 21.24 | 15.68 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 1RB#74  | 21.28 | 15.72 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 36RB#0  | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 36RB#16 | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 36RB#35 | 20.39 | 14.83 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 75RB#0  | 20.40 | 14.84 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 1RB#0   | 21.26 | 15.7  | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band71 | 15MHz | 16QAM | 133397 | 1RB#37  | 21.55 | 15.99 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 1RB#74  | 21.59 | 16.03 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 36RB#0  | 20.40 | 14.84 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 36RB#16 | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 36RB#35 | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 75RB#0  | 20.40 | 14.84 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 1RB#0   | 22.13 | 16.57 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 1RB#49  | 22.55 | 16.99 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 1RB#99  | 22.25 | 16.69 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 50RB#0  | 21.37 | 15.81 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 50RB#24 | 21.35 | 15.79 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 50RB#49 | 21.30 | 15.74 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 100RB#0 | 21.37 | 15.81 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 1RB#0   | 22.04 | 16.48 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 1RB#49  | 22.31 | 16.75 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 1RB#99  | 22.10 | 16.54 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 50RB#0  | 21.37 | 15.81 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 50RB#24 | 21.41 | 15.85 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 50RB#49 | 21.36 | 15.8  | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 100RB#0 | 21.40 | 15.84 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 1RB#0   | 22.13 | 16.57 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 1RB#49  | 22.53 | 16.97 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 1RB#99  | 22.37 | 16.81 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 50RB#0  | 21.35 | 15.79 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 50RB#24 | 21.38 | 15.82 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 50RB#49 | 21.34 | 15.78 | 38.45 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 100RB#0 | 21.35 | 15.79 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 1RB#0   | 21.32 | 15.76 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 1RB#49  | 21.87 | 16.31 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 1RB#99  | 21.32 | 15.76 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 50RB#0  | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 50RB#24 | 20.35 | 14.79 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 50RB#49 | 20.34 | 14.78 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 100RB#0 | 20.34 | 14.78 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 1RB#0   | 21.13 | 15.57 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 1RB#49  | 21.43 | 15.87 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 1RB#99  | 21.17 | 15.61 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 50RB#0  | 20.43 | 14.87 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 50RB#24 | 20.42 | 14.86 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 50RB#49 | 20.44 | 14.88 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 100RB#0 | 20.37 | 14.81 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 1RB#0   | 21.13 | 15.57 | 38.45 | PASS |

|        |       |       |        |         |       |       |       |      |
|--------|-------|-------|--------|---------|-------|-------|-------|------|
| Band71 | 20MHz | 16QAM | 133372 | 1RB#49  | 21.52 | 15.96 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 1RB#99  | 21.34 | 15.78 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 50RB#0  | 20.36 | 14.8  | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 50RB#24 | 20.33 | 14.77 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 50RB#49 | 20.39 | 14.83 | 38.45 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 100RB#0 | 20.35 | 14.79 | 38.45 | PASS |

## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 7.36       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 7.20       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 7.34       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 7.34       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 7.76       | 13        | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 7.58       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 7.60       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 7.44       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 7.52       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 7.58       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | 7.92       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 7.78       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 7.42       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 7.20       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#0            | 7.44       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 7.26       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | 7.72       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 7.50       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 1RB#0            | 7.64       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18615   | 15RB#0           | 7.52       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 1RB#0            | 7.54       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 7.52       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 1RB#0            | 7.82       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 19185   | 15RB#0           | 7.70       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#0            | 7.44       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | 7.16       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 1RB#0            | 7.42       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 7.18       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#0            | 7.68       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | 7.54       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 1RB#0            | 7.60       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18625   | 25RB#0           | 7.46       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 1RB#0            | 7.54       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 7.50       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 1RB#0            | 7.80       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 19175   | 25RB#0           | 7.74       | 13        | PASS    |

|       |        |       |       |         |      |    |      |
|-------|--------|-------|-------|---------|------|----|------|
| Band2 | 10MHz  | QPSK  | 18650 | 1RB#0   | 7.48 | 13 | PASS |
| Band2 | 10MHz  | QPSK  | 18650 | 50RB#0  | 7.36 | 13 | PASS |
| Band2 | 10MHz  | QPSK  | 18900 | 1RB#0   | 7.32 | 13 | PASS |
| Band2 | 10MHz  | QPSK  | 18900 | 50RB#0  | 7.16 | 13 | PASS |
| Band2 | 10MHz  | QPSK  | 19150 | 1RB#0   | 7.58 | 13 | PASS |
| Band2 | 10MHz  | QPSK  | 19150 | 50RB#0  | 7.56 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 18650 | 1RB#0   | 7.68 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 18650 | 50RB#0  | 7.56 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 18900 | 1RB#0   | 7.52 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 18900 | 50RB#0  | 7.48 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 19150 | 1RB#0   | 7.82 | 13 | PASS |
| Band2 | 10MHz  | 16QAM | 19150 | 50RB#0  | 7.78 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 18675 | 1RB#0   | 7.50 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 18675 | 75RB#0  | 7.30 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 18900 | 1RB#0   | 7.38 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 18900 | 75RB#0  | 7.30 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 19125 | 1RB#0   | 7.72 | 13 | PASS |
| Band2 | 15MHz  | QPSK  | 19125 | 75RB#0  | 7.64 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 18675 | 1RB#0   | 7.68 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 18675 | 75RB#0  | 7.54 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 18900 | 1RB#0   | 7.56 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 18900 | 75RB#0  | 7.54 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 19125 | 1RB#0   | 7.82 | 13 | PASS |
| Band2 | 15MHz  | 16QAM | 19125 | 75RB#0  | 7.82 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 18700 | 1RB#0   | 7.40 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 18700 | 100RB#0 | 7.30 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 18900 | 1RB#0   | 7.38 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 18900 | 100RB#0 | 7.34 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 19100 | 1RB#0   | 7.64 | 13 | PASS |
| Band2 | 20MHz  | QPSK  | 19100 | 100RB#0 | 7.52 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 18700 | 1RB#0   | 7.46 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 18700 | 100RB#0 | 7.58 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 1RB#0   | 7.66 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 18900 | 100RB#0 | 7.62 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 1RB#0   | 7.68 | 13 | PASS |
| Band2 | 20MHz  | 16QAM | 19100 | 100RB#0 | 7.74 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 1RB#0   | 7.52 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 19957 | 6RB#0   | 7.36 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 1RB#0   | 7.50 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 20175 | 6RB#0   | 7.36 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#0   | 7.52 | 13 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0   | 7.34 | 13 | PASS |

|       |        |       |       |        |      |    |      |
|-------|--------|-------|-------|--------|------|----|------|
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0  | 7.72 | 13 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0  | 7.54 | 13 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0  | 7.66 | 13 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0  | 7.60 | 13 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0  | 7.68 | 13 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 7.54 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 7.48 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 7.36 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 7.42 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 7.18 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 7.50 | 13 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 15RB#0 | 7.20 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 1RB#0  | 7.72 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 19965 | 15RB#0 | 7.62 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 1RB#0  | 7.66 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 20175 | 15RB#0 | 7.46 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 1RB#0  | 7.72 | 13 | PASS |
| Band4 | 3MHz   | 16QAM | 20385 | 15RB#0 | 7.50 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 1RB#0  | 7.50 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 19975 | 25RB#0 | 7.28 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 1RB#0  | 7.46 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 20175 | 25RB#0 | 7.28 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 1RB#0  | 7.46 | 13 | PASS |
| Band4 | 5MHz   | QPSK  | 20375 | 25RB#0 | 7.32 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 1RB#0  | 7.66 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 19975 | 25RB#0 | 7.56 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 1RB#0  | 7.60 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 20175 | 25RB#0 | 7.54 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 1RB#0  | 7.62 | 13 | PASS |
| Band4 | 5MHz   | 16QAM | 20375 | 25RB#0 | 7.56 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20000 | 1RB#0  | 7.40 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20000 | 50RB#0 | 7.30 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20175 | 1RB#0  | 7.34 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20175 | 50RB#0 | 7.30 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20350 | 1RB#0  | 7.42 | 13 | PASS |
| Band4 | 10MHz  | QPSK  | 20350 | 50RB#0 | 7.32 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20000 | 1RB#0  | 7.64 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20000 | 50RB#0 | 7.56 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20175 | 1RB#0  | 7.56 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20175 | 50RB#0 | 7.60 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20350 | 1RB#0  | 7.68 | 13 | PASS |
| Band4 | 10MHz  | 16QAM | 20350 | 50RB#0 | 7.58 | 13 | PASS |

|       |        |       |       |         |      |    |      |
|-------|--------|-------|-------|---------|------|----|------|
| Band4 | 15MHz  | QPSK  | 20025 | 1RB#0   | 7.54 | 13 | PASS |
| Band4 | 15MHz  | QPSK  | 20025 | 75RB#0  | 7.28 | 13 | PASS |
| Band4 | 15MHz  | QPSK  | 20175 | 1RB#0   | 7.34 | 13 | PASS |
| Band4 | 15MHz  | QPSK  | 20175 | 75RB#0  | 7.28 | 13 | PASS |
| Band4 | 15MHz  | QPSK  | 20325 | 1RB#0   | 7.46 | 13 | PASS |
| Band4 | 15MHz  | QPSK  | 20325 | 75RB#0  | 7.28 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20025 | 1RB#0   | 7.66 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20025 | 75RB#0  | 7.54 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20175 | 1RB#0   | 7.62 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20175 | 75RB#0  | 7.52 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20325 | 1RB#0   | 7.56 | 13 | PASS |
| Band4 | 15MHz  | 16QAM | 20325 | 75RB#0  | 7.52 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20050 | 1RB#0   | 7.32 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20050 | 100RB#0 | 7.30 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20175 | 1RB#0   | 7.52 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20175 | 100RB#0 | 7.32 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20300 | 1RB#0   | 7.40 | 13 | PASS |
| Band4 | 20MHz  | QPSK  | 20300 | 100RB#0 | 7.34 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20050 | 1RB#0   | 7.56 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20050 | 100RB#0 | 7.56 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20175 | 1RB#0   | 7.72 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20175 | 100RB#0 | 7.56 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 1RB#0   | 7.42 | 13 | PASS |
| Band4 | 20MHz  | 16QAM | 20300 | 100RB#0 | 7.58 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 1RB#0   | 7.22 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20407 | 6RB#0   | 7.06 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 1RB#0   | 7.16 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20525 | 6RB#0   | 7.06 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 1RB#0   | 7.20 | 13 | PASS |
| Band5 | 1.4MHz | QPSK  | 20643 | 6RB#0   | 7.04 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 1RB#0   | 7.38 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20407 | 6RB#0   | 7.32 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 1RB#0   | 7.36 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20525 | 6RB#0   | 7.38 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 1RB#0   | 7.50 | 13 | PASS |
| Band5 | 1.4MHz | 16QAM | 20643 | 6RB#0   | 7.32 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 1RB#0   | 7.18 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20415 | 15RB#0  | 7.02 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 1RB#0   | 7.10 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20525 | 15RB#0  | 7.00 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 1RB#0   | 7.12 | 13 | PASS |
| Band5 | 3MHz   | QPSK  | 20635 | 15RB#0  | 6.94 | 13 | PASS |

|       |       |       |       |        |      |    |      |
|-------|-------|-------|-------|--------|------|----|------|
| Band5 | 3MHz  | 16QAM | 20415 | 1RB#0  | 7.44 | 13 | PASS |
| Band5 | 3MHz  | 16QAM | 20415 | 15RB#0 | 7.32 | 13 | PASS |
| Band5 | 3MHz  | 16QAM | 20525 | 1RB#0  | 7.30 | 13 | PASS |
| Band5 | 3MHz  | 16QAM | 20525 | 15RB#0 | 7.34 | 13 | PASS |
| Band5 | 3MHz  | 16QAM | 20635 | 1RB#0  | 7.38 | 13 | PASS |
| Band5 | 3MHz  | 16QAM | 20635 | 15RB#0 | 7.34 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20425 | 1RB#0  | 7.20 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20425 | 25RB#0 | 6.94 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20525 | 1RB#0  | 7.16 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20525 | 25RB#0 | 6.92 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20625 | 1RB#0  | 7.14 | 13 | PASS |
| Band5 | 5MHz  | QPSK  | 20625 | 25RB#0 | 6.92 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20425 | 1RB#0  | 7.30 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20425 | 25RB#0 | 7.24 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20525 | 1RB#0  | 7.34 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20525 | 25RB#0 | 7.26 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 1RB#0  | 7.22 | 13 | PASS |
| Band5 | 5MHz  | 16QAM | 20625 | 25RB#0 | 7.26 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 1RB#0  | 7.16 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20450 | 50RB#0 | 6.92 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 1RB#0  | 7.00 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20525 | 50RB#0 | 6.90 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 1RB#0  | 7.14 | 13 | PASS |
| Band5 | 10MHz | QPSK  | 20600 | 50RB#0 | 6.94 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 1RB#0  | 7.38 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20450 | 50RB#0 | 7.26 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 1RB#0  | 7.36 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20525 | 50RB#0 | 7.20 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 1RB#0  | 7.40 | 13 | PASS |
| Band5 | 10MHz | 16QAM | 20600 | 50RB#0 | 7.26 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 1RB#0  | 7.72 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 20775 | 25RB#0 | 7.54 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 1RB#0  | 7.88 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 21100 | 25RB#0 | 7.74 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 1RB#0  | 7.68 | 13 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0 | 7.54 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 1RB#0  | 7.86 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 20775 | 25RB#0 | 7.72 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 1RB#0  | 7.98 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 21100 | 25RB#0 | 7.88 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 1RB#0  | 7.80 | 13 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0 | 7.74 | 13 | PASS |

|        |        |       |       |         |      |    |      |
|--------|--------|-------|-------|---------|------|----|------|
| Band7  | 10MHz  | QPSK  | 20800 | 1RB#0   | 7.80 | 13 | PASS |
| Band7  | 10MHz  | QPSK  | 20800 | 50RB#0  | 7.58 | 13 | PASS |
| Band7  | 10MHz  | QPSK  | 21100 | 1RB#0   | 7.84 | 13 | PASS |
| Band7  | 10MHz  | QPSK  | 21100 | 50RB#0  | 7.72 | 13 | PASS |
| Band7  | 10MHz  | QPSK  | 21400 | 1RB#0   | 7.70 | 13 | PASS |
| Band7  | 10MHz  | QPSK  | 21400 | 50RB#0  | 7.52 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 20800 | 1RB#0   | 7.88 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 20800 | 50RB#0  | 7.76 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 21100 | 1RB#0   | 7.98 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 21100 | 50RB#0  | 7.88 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 21400 | 1RB#0   | 7.86 | 13 | PASS |
| Band7  | 10MHz  | 16QAM | 21400 | 50RB#0  | 7.72 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 20825 | 1RB#0   | 7.84 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 20825 | 75RB#0  | 7.64 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 21100 | 1RB#0   | 7.84 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 21100 | 75RB#0  | 7.76 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 21375 | 1RB#0   | 7.84 | 13 | PASS |
| Band7  | 15MHz  | QPSK  | 21375 | 75RB#0  | 7.64 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 20825 | 1RB#0   | 7.88 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 20825 | 75RB#0  | 7.82 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 21100 | 1RB#0   | 7.94 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 21100 | 75RB#0  | 7.96 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 21375 | 1RB#0   | 7.88 | 13 | PASS |
| Band7  | 15MHz  | 16QAM | 21375 | 75RB#0  | 7.82 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 20850 | 1RB#0   | 7.60 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 20850 | 100RB#0 | 7.58 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 21100 | 1RB#0   | 7.86 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 21100 | 100RB#0 | 7.74 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 21350 | 1RB#0   | 7.82 | 13 | PASS |
| Band7  | 20MHz  | QPSK  | 21350 | 100RB#0 | 7.52 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 20850 | 1RB#0   | 7.82 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 20850 | 100RB#0 | 7.80 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 21100 | 1RB#0   | 7.98 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 21100 | 100RB#0 | 7.88 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 1RB#0   | 7.86 | 13 | PASS |
| Band7  | 20MHz  | 16QAM | 21350 | 100RB#0 | 7.74 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 1RB#0   | 6.98 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23017 | 6RB#0   | 6.82 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 1RB#0   | 7.12 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23095 | 6RB#0   | 6.94 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 1RB#0   | 7.08 | 13 | PASS |
| Band12 | 1.4MHz | QPSK  | 23173 | 6RB#0   | 6.96 | 13 | PASS |

|        |        |       |       |        |      |    |      |
|--------|--------|-------|-------|--------|------|----|------|
| Band12 | 1.4MHz | 16QAM | 23017 | 1RB#0  | 7.30 | 13 | PASS |
| Band12 | 1.4MHz | 16QAM | 23017 | 6RB#0  | 7.10 | 13 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 1RB#0  | 7.40 | 13 | PASS |
| Band12 | 1.4MHz | 16QAM | 23095 | 6RB#0  | 7.24 | 13 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 1RB#0  | 7.34 | 13 | PASS |
| Band12 | 1.4MHz | 16QAM | 23173 | 6RB#0  | 7.30 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 1RB#0  | 7.12 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23025 | 15RB#0 | 6.92 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 1RB#0  | 7.04 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23095 | 15RB#0 | 6.88 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 1RB#0  | 7.12 | 13 | PASS |
| Band12 | 3MHz   | QPSK  | 23165 | 15RB#0 | 6.94 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 1RB#0  | 7.38 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23025 | 15RB#0 | 7.28 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 1RB#0  | 7.26 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23095 | 15RB#0 | 7.22 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23165 | 1RB#0  | 7.40 | 13 | PASS |
| Band12 | 3MHz   | 16QAM | 23165 | 15RB#0 | 7.30 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23035 | 1RB#0  | 7.34 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23035 | 25RB#0 | 7.02 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23095 | 1RB#0  | 7.28 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23095 | 25RB#0 | 6.96 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23155 | 1RB#0  | 7.06 | 13 | PASS |
| Band12 | 5MHz   | QPSK  | 23155 | 25RB#0 | 7.00 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23035 | 1RB#0  | 7.42 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23035 | 25RB#0 | 7.32 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23095 | 1RB#0  | 7.32 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23095 | 25RB#0 | 7.32 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23155 | 1RB#0  | 7.38 | 13 | PASS |
| Band12 | 5MHz   | 16QAM | 23155 | 25RB#0 | 7.30 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23060 | 1RB#0  | 7.22 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23060 | 50RB#0 | 7.00 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23095 | 1RB#0  | 7.16 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23095 | 50RB#0 | 7.02 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23130 | 1RB#0  | 7.18 | 13 | PASS |
| Band12 | 10MHz  | QPSK  | 23130 | 50RB#0 | 6.88 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23060 | 1RB#0  | 7.46 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23060 | 50RB#0 | 7.34 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23095 | 1RB#0  | 7.36 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23095 | 50RB#0 | 7.36 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23130 | 1RB#0  | 7.38 | 13 | PASS |
| Band12 | 10MHz  | 16QAM | 23130 | 50RB#0 | 7.36 | 13 | PASS |


|        |        |       |        |        |      |    |      |
|--------|--------|-------|--------|--------|------|----|------|
| Band66 | 1.4MHz | QPSK  | 131979 | 1RB#0  | 7.46 | 13 | PASS |
| Band66 | 1.4MHz | QPSK  | 131979 | 6RB#0  | 7.28 | 13 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 1RB#0  | 7.44 | 13 | PASS |
| Band66 | 1.4MHz | QPSK  | 132322 | 6RB#0  | 7.34 | 13 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 1RB#0  | 7.50 | 13 | PASS |
| Band66 | 1.4MHz | QPSK  | 132665 | 6RB#0  | 7.48 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 1RB#0  | 7.70 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 131979 | 6RB#0  | 7.50 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 1RB#0  | 7.60 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 132322 | 6RB#0  | 7.60 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 1RB#0  | 7.68 | 13 | PASS |
| Band66 | 1.4MHz | 16QAM | 132665 | 6RB#0  | 7.68 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 1RB#0  | 7.38 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 131987 | 15RB#0 | 7.34 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 1RB#0  | 7.44 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 132322 | 15RB#0 | 7.16 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 1RB#0  | 7.62 | 13 | PASS |
| Band66 | 3MHz   | QPSK  | 132657 | 15RB#0 | 7.32 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 1RB#0  | 7.70 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 131987 | 15RB#0 | 7.58 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 1RB#0  | 7.48 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 132322 | 15RB#0 | 7.44 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 132657 | 1RB#0  | 7.78 | 13 | PASS |
| Band66 | 3MHz   | 16QAM | 132657 | 15RB#0 | 7.60 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 131997 | 1RB#0  | 7.48 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 131997 | 25RB#0 | 7.30 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 132322 | 1RB#0  | 7.48 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 132322 | 25RB#0 | 7.28 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 132647 | 1RB#0  | 7.62 | 13 | PASS |
| Band66 | 5MHz   | QPSK  | 132647 | 25RB#0 | 7.32 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 131997 | 1RB#0  | 7.64 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 131997 | 25RB#0 | 7.54 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 132322 | 1RB#0  | 7.60 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 132322 | 25RB#0 | 7.56 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 132647 | 1RB#0  | 7.62 | 13 | PASS |
| Band66 | 5MHz   | 16QAM | 132647 | 25RB#0 | 7.54 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132022 | 1RB#0  | 7.34 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132022 | 50RB#0 | 7.30 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132322 | 1RB#0  | 7.36 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132322 | 50RB#0 | 7.28 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132622 | 1RB#0  | 7.50 | 13 | PASS |
| Band66 | 10MHz  | QPSK  | 132622 | 50RB#0 | 7.30 | 13 | PASS |

|        |       |       |        |         |      |    |      |
|--------|-------|-------|--------|---------|------|----|------|
| Band66 | 10MHz | 16QAM | 132022 | 1RB#0   | 7.66 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132022 | 50RB#0  | 7.54 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 1RB#0   | 7.58 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132322 | 50RB#0  | 7.54 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 1RB#0   | 7.76 | 13 | PASS |
| Band66 | 10MHz | 16QAM | 132622 | 50RB#0  | 7.54 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 1RB#0   | 7.52 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132047 | 75RB#0  | 7.28 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 1RB#0   | 7.36 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132322 | 75RB#0  | 7.26 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 1RB#0   | 7.52 | 13 | PASS |
| Band66 | 15MHz | QPSK  | 132597 | 75RB#0  | 7.40 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 1RB#0   | 7.64 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132047 | 75RB#0  | 7.52 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 1RB#0   | 7.50 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132322 | 75RB#0  | 7.50 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 1RB#0   | 7.66 | 13 | PASS |
| Band66 | 15MHz | 16QAM | 132597 | 75RB#0  | 7.64 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 1RB#0   | 7.28 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132072 | 100RB#0 | 7.30 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 1RB#0   | 7.32 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132322 | 100RB#0 | 7.32 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 1RB#0   | 7.46 | 13 | PASS |
| Band66 | 20MHz | QPSK  | 132572 | 100RB#0 | 7.30 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 1RB#0   | 7.52 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132072 | 100RB#0 | 7.54 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 1RB#0   | 7.60 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132322 | 100RB#0 | 7.56 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 1RB#0   | 7.58 | 13 | PASS |
| Band66 | 20MHz | 16QAM | 132572 | 100RB#0 | 7.58 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 1RB#0   | 6.98 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133147 | 25RB#0  | 6.80 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 1RB#0   | 6.92 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133297 | 25RB#0  | 6.80 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 1RB#0   | 6.88 | 13 | PASS |
| Band71 | 5MHz  | QPSK  | 133447 | 25RB#0  | 6.80 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 1RB#0   | 7.20 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133147 | 25RB#0  | 7.14 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 1RB#0   | 7.06 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133297 | 25RB#0  | 7.14 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 1RB#0   | 7.02 | 13 | PASS |
| Band71 | 5MHz  | 16QAM | 133447 | 25RB#0  | 7.12 | 13 | PASS |


|        |       |       |        |         |      |    |      |
|--------|-------|-------|--------|---------|------|----|------|
| Band71 | 10MHz | QPSK  | 133172 | 1RB#0   | 6.88 | 13 | PASS |
| Band71 | 10MHz | QPSK  | 133172 | 50RB#0  | 6.66 | 13 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 1RB#0   | 6.78 | 13 | PASS |
| Band71 | 10MHz | QPSK  | 133297 | 50RB#0  | 6.76 | 13 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 1RB#0   | 6.82 | 13 | PASS |
| Band71 | 10MHz | QPSK  | 133422 | 50RB#0  | 6.80 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 1RB#0   | 7.24 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133172 | 50RB#0  | 7.04 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 1RB#0   | 7.04 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133297 | 50RB#0  | 7.10 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 1RB#0   | 7.08 | 13 | PASS |
| Band71 | 10MHz | 16QAM | 133422 | 50RB#0  | 7.14 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 1RB#0   | 6.94 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133197 | 75RB#0  | 6.84 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 1RB#0   | 6.82 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133297 | 75RB#0  | 6.80 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 1RB#0   | 6.84 | 13 | PASS |
| Band71 | 15MHz | QPSK  | 133397 | 75RB#0  | 6.88 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 1RB#0   | 7.12 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133197 | 75RB#0  | 7.26 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 1RB#0   | 7.16 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133297 | 75RB#0  | 7.14 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 1RB#0   | 7.16 | 13 | PASS |
| Band71 | 15MHz | 16QAM | 133397 | 75RB#0  | 7.14 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 1RB#0   | 6.94 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133222 | 100RB#0 | 6.90 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 1RB#0   | 6.80 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133322 | 100RB#0 | 6.80 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 1RB#0   | 6.94 | 13 | PASS |
| Band71 | 20MHz | QPSK  | 133372 | 100RB#0 | 6.82 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 1RB#0   | 7.44 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133222 | 100RB#0 | 7.20 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 1RB#0   | 7.12 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133322 | 100RB#0 | 7.16 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 1RB#0   | 7.08 | 13 | PASS |
| Band71 | 20MHz | 16QAM | 133372 | 100RB#0 | 7.18 | 13 | PASS |

## Test Graphs


Band2-1.4MHz-QPSK-18607-1RB#0




Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-1RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-1RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-1RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-1RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-1RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-1RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-1RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-1RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-1RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-1RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-1RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-1RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-1RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-1RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-1RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-1RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-1RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-1RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-1RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-1RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-1RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-1RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-1RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-1RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-1RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-1RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-1RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-1RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-1RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-1RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-1RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-1RB#0




Band2-20MHz-16QAM-18700-100RB#0




Band2-20MHz-16QAM-18900-1RB#0




Band2-20MHz-16QAM-18900-100RB#0




Band2-20MHz-16QAM-19100-1RB#0




Band2-20MHz-16QAM-19100-100RB#0




Band4-1.4MHz-QPSK-19957-1RB#0




Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20175-1RB#0




Band4-1.4MHz-QPSK-20175-6RB#0




Band4-1.4MHz-QPSK-20393-1RB#0




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-1RB#0




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20175-1RB#0




Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-1RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-1RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20175-1RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-1RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-1RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-1RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-1RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-1RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20175-1RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-1RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-1RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-1RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-1RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-1RB#0




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20175-1RB#0




Band4-10MHz-QPSK-20175-50RB#0




Band4-10MHz-QPSK-20350-1RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-1RB#0




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20175-1RB#0




Band4-10MHz-16QAM-20175-50RB#0




Band4-10MHz-16QAM-20350-1RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-1RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20175-1RB#0




Band4-15MHz-QPSK-20175-75RB#0




Band4-15MHz-QPSK-20325-1RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-1RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20175-1RB#0




Band4-15MHz-16QAM-20175-75RB#0




Band4-15MHz-16QAM-20325-1RB#0




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-1RB#0




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20175-1RB#0




Band4-20MHz-QPSK-20175-100RB#0




Band4-20MHz-QPSK-20300-1RB#0




Band4-20MHz-QPSK-20300-100RB#0




Band4-20MHz-16QAM-20050-1RB#0




Band4-20MHz-16QAM-20050-100RB#0




Band4-20MHz-16QAM-20175-1RB#0




Band4-20MHz-16QAM-20175-100RB#0




Band4-20MHz-16QAM-20300-1RB#0




Band4-20MHz-16QAM-20300-100RB#0




Band5-1.4MHz-QPSK-20407-1RB#0




Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-1RB#0




Band5-1.4MHz-QPSK-20525-6RB#0




Band5-1.4MHz-QPSK-20643-1RB#0




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-1RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-1RB#0




Band5-1.4MHz-16QAM-20525-6RB#0




Band5-1.4MHz-16QAM-20643-1RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-1RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-1RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-1RB#0




Band5-3MHz-QPSK-20635-15RB#0



Band5-3MHz-16QAM-20415-1RB#0



Band5-3MHz-16QAM-20415-15RB#0



Band5-3MHz-16QAM-20525-1RB#0