

01 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.44	PASS
Band5	1.4	20407	1	#Mid	QPSK	23.52	PASS
Band5	1.4	20407	1	#Max	QPSK	23.43	PASS
Band5	1.4	20407	3	#0	QPSK	23.73	PASS
Band5	1.4	20407	3	#Mid	QPSK	23.72	PASS
Band5	1.4	20407	3	#Max	QPSK	23.76	PASS
Band5	1.4	20407	6	#0	QPSK	22.16	PASS
Band5	1.4	20407	1	#0	16QAM	23.19	PASS
Band5	1.4	20407	1	#Mid	16QAM	22.97	PASS
Band5	1.4	20407	1	#Max	16QAM	23.00	PASS
Band5	1.4	20407	3	#0	16QAM	22.84	PASS
Band5	1.4	20407	3	#Mid	16QAM	22.99	PASS
Band5	1.4	20407	3	#Max	16QAM	22.86	PASS
Band5	1.4	20407	6	#0	16QAM	21.00	PASS
Band5	1.4	20525	1	#0	QPSK	23.82	PASS
Band5	1.4	20525	1	#Mid	QPSK	23.75	PASS
Band5	1.4	20525	1	#Max	QPSK	23.75	PASS
Band5	1.4	20525	3	#0	QPSK	23.68	PASS
Band5	1.4	20525	3	#Mid	QPSK	23.74	PASS
Band5	1.4	20525	3	#Max	QPSK	23.62	PASS
Band5	1.4	20525	6	#0	QPSK	22.04	PASS
Band5	1.4	20525	1	#0	16QAM	22.60	PASS
Band5	1.4	20525	1	#Mid	16QAM	22.43	PASS
Band5	1.4	20525	1	#Max	16QAM	22.55	PASS
Band5	1.4	20525	3	#0	16QAM	22.76	PASS
Band5	1.4	20525	3	#Mid	16QAM	22.53	PASS
Band5	1.4	20525	3	#Max	16QAM	22.79	PASS
Band5	1.4	20525	6	#0	16QAM	20.94	PASS
Band5	1.4	20643	1	#0	QPSK	23.70	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.70	PASS
Band5	1.4	20643	1	#Max	QPSK	23.70	PASS
Band5	1.4	20643	3	#0	QPSK	23.63	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.63	PASS
Band5	1.4	20643	3	#Max	QPSK	23.55	PASS
Band5	1.4	20643	6	#0	QPSK	22.02	PASS
Band5	1.4	20643	1	#0	16QAM	22.63	PASS
Band5	1.4	20643	1	#Mid	16QAM	22.71	PASS
Band5	1.4	20643	1	#Max	16QAM	22.65	PASS
Band5	1.4	20643	3	#0	16QAM	22.79	PASS
Band5	1.4	20643	3	#Mid	16QAM	22.77	PASS
Band5	1.4	20643	3	#Max	16QAM	22.77	PASS

Band5	1.4	20643	6	#0	16QAM	21.01	PASS
Band5	3	20415	1	#0	QPSK	23.96	PASS
Band5	3	20415	1	#Mid	QPSK	23.93	PASS
Band5	3	20415	1	#Max	QPSK	23.96	PASS
Band5	3	20415	8	#0	QPSK	22.66	PASS
Band5	3	20415	8	#Mid	QPSK	22.66	PASS
Band5	3	20415	8	#Max	QPSK	22.73	PASS
Band5	3	20415	15	#0	QPSK	22.10	PASS
Band5	3	20415	1	#0	16QAM	22.53	PASS
Band5	3	20415	1	#Mid	16QAM	22.78	PASS
Band5	3	20415	1	#Max	16QAM	22.45	PASS
Band5	3	20415	8	#0	16QAM	21.82	PASS
Band5	3	20415	8	#Mid	16QAM	21.81	PASS
Band5	3	20415	8	#Max	16QAM	21.82	PASS
Band5	3	20415	15	#0	16QAM	21.38	PASS
Band5	3	20525	1	#0	QPSK	23.60	PASS
Band5	3	20525	1	#Mid	QPSK	23.57	PASS
Band5	3	20525	1	#Max	QPSK	23.56	PASS
Band5	3	20525	8	#0	QPSK	22.63	PASS
Band5	3	20525	8	#Mid	QPSK	22.54	PASS
Band5	3	20525	8	#Max	QPSK	22.57	PASS
Band5	3	20525	15	#0	QPSK	22.00	PASS
Band5	3	20525	1	#0	16QAM	23.11	PASS
Band5	3	20525	1	#Mid	16QAM	23.08	PASS
Band5	3	20525	1	#Max	16QAM	22.97	PASS
Band5	3	20525	8	#0	16QAM	21.63	PASS
Band5	3	20525	8	#Mid	16QAM	21.64	PASS
Band5	3	20525	8	#Max	16QAM	21.67	PASS
Band5	3	20525	15	#0	16QAM	21.16	PASS
Band5	3	20635	1	#0	QPSK	23.51	PASS
Band5	3	20635	1	#Mid	QPSK	23.47	PASS
Band5	3	20635	1	#Max	QPSK	23.47	PASS
Band5	3	20635	8	#0	QPSK	22.39	PASS
Band5	3	20635	8	#Mid	QPSK	22.52	PASS
Band5	3	20635	8	#Max	QPSK	22.43	PASS
Band5	3	20635	15	#0	QPSK	21.88	PASS
Band5	3	20635	1	#0	16QAM	23.02	PASS
Band5	3	20635	1	#Mid	16QAM	22.86	PASS
Band5	3	20635	1	#Max	16QAM	22.89	PASS
Band5	3	20635	8	#0	16QAM	21.71	PASS
Band5	3	20635	8	#Mid	16QAM	21.70	PASS
Band5	3	20635	8	#Max	16QAM	21.72	PASS
Band5	3	20635	15	#0	16QAM	21.13	PASS
Band5	5	20425	1	#0	QPSK	23.92	PASS

Band5	5	20425	1	#Mid	QPSK	23.76	PASS
Band5	5	20425	1	#Max	QPSK	23.89	PASS
Band5	5	20425	12	#0	QPSK	22.56	PASS
Band5	5	20425	12	#Mid	QPSK	22.61	PASS
Band5	5	20425	12	#Max	QPSK	22.59	PASS
Band5	5	20425	25	#0	QPSK	22.15	PASS
Band5	5	20425	1	#0	16QAM	22.64	PASS
Band5	5	20425	1	#Mid	16QAM	22.42	PASS
Band5	5	20425	1	#Max	16QAM	22.51	PASS
Band5	5	20425	12	#0	16QAM	21.67	PASS
Band5	5	20425	12	#Mid	16QAM	21.66	PASS
Band5	5	20425	12	#Max	16QAM	21.62	PASS
Band5	5	20425	25	#0	16QAM	21.41	PASS
Band5	5	20525	1	#0	QPSK	23.76	PASS
Band5	5	20525	1	#Mid	QPSK	23.84	PASS
Band5	5	20525	1	#Max	QPSK	23.82	PASS
Band5	5	20525	12	#0	QPSK	22.59	PASS
Band5	5	20525	12	#Mid	QPSK	22.54	PASS
Band5	5	20525	12	#Max	QPSK	22.46	PASS
Band5	5	20525	25	#0	QPSK	21.98	PASS
Band5	5	20525	1	#0	16QAM	22.63	PASS
Band5	5	20525	1	#Mid	16QAM	22.59	PASS
Band5	5	20525	1	#Max	16QAM	22.46	PASS
Band5	5	20525	12	#0	16QAM	21.56	PASS
Band5	5	20525	12	#Mid	16QAM	21.49	PASS
Band5	5	20525	12	#Max	16QAM	21.45	PASS
Band5	5	20525	25	#0	16QAM	21.21	PASS
Band5	5	20625	1	#0	QPSK	23.81	PASS
Band5	5	20625	1	#Mid	QPSK	23.89	PASS
Band5	5	20625	1	#Max	QPSK	23.80	PASS
Band5	5	20625	12	#0	QPSK	22.72	PASS
Band5	5	20625	12	#Mid	QPSK	22.56	PASS
Band5	5	20625	12	#Max	QPSK	22.47	PASS
Band5	5	20625	25	#0	QPSK	21.98	PASS
Band5	5	20625	1	#0	16QAM	22.49	PASS
Band5	5	20625	1	#Mid	16QAM	22.49	PASS
Band5	5	20625	1	#Max	16QAM	22.44	PASS
Band5	5	20625	12	#0	16QAM	21.57	PASS
Band5	5	20625	12	#Mid	16QAM	21.47	PASS
Band5	5	20625	12	#Max	16QAM	21.47	PASS
Band5	5	20625	25	#0	16QAM	21.28	PASS
Band5	10	20450	1	#0	QPSK	23.93	PASS
Band5	10	20450	1	#Mid	QPSK	23.90	PASS
Band5	10	20450	1	#Max	QPSK	23.79	PASS

Band5	10	20450	25	#0	QPSK	22.69	PASS
Band5	10	20450	25	#Mid	QPSK	22.60	PASS
Band5	10	20450	25	#Max	QPSK	22.61	PASS
Band5	10	20450	50	#0	QPSK	22.10	PASS
Band5	10	20450	1	#0	16QAM	22.61	PASS
Band5	10	20450	1	#Mid	16QAM	22.65	PASS
Band5	10	20450	1	#Max	16QAM	22.46	PASS
Band5	10	20450	25	#0	16QAM	21.77	PASS
Band5	10	20450	25	#Mid	16QAM	21.78	PASS
Band5	10	20450	25	#Max	16QAM	21.72	PASS
Band5	10	20450	50	#0	16QAM	21.37	PASS
Band5	10	20525	1	#0	QPSK	23.59	PASS
Band5	10	20525	1	#Mid	QPSK	23.57	PASS
Band5	10	20525	1	#Max	QPSK	23.46	PASS
Band5	10	20525	25	#0	QPSK	22.52	PASS
Band5	10	20525	25	#Mid	QPSK	22.52	PASS
Band5	10	20525	25	#Max	QPSK	22.47	PASS
Band5	10	20525	50	#0	QPSK	22.12	PASS
Band5	10	20525	1	#0	16QAM	23.05	PASS
Band5	10	20525	1	#Mid	16QAM	22.85	PASS
Band5	10	20525	1	#Max	16QAM	23.00	PASS
Band5	10	20525	25	#0	16QAM	21.50	PASS
Band5	10	20525	25	#Mid	16QAM	21.47	PASS
Band5	10	20525	25	#Max	16QAM	21.57	PASS
Band5	10	20525	50	#0	16QAM	21.01	PASS
Band5	10	20600	1	#0	QPSK	23.60	PASS
Band5	10	20600	1	#Mid	QPSK	23.49	PASS
Band5	10	20600	1	#Max	QPSK	23.51	PASS
Band5	10	20600	25	#0	QPSK	22.52	PASS
Band5	10	20600	25	#Mid	QPSK	22.60	PASS
Band5	10	20600	25	#Max	QPSK	22.45	PASS
Band5	10	20600	50	#0	QPSK	21.99	PASS
Band5	10	20600	1	#0	16QAM	23.00	PASS
Band5	10	20600	1	#Mid	16QAM	22.81	PASS
Band5	10	20600	1	#Max	16QAM	22.81	PASS
Band5	10	20600	25	#0	16QAM	21.54	PASS
Band5	10	20600	25	#Mid	16QAM	21.60	PASS
Band5	10	20600	25	#Max	16QAM	21.42	PASS
Band5	10	20600	50	#0	16QAM	21.08	PASS
Band7	5	20775	1	#0	QPSK	21.93	PASS
Band7	5	20775	1	#Mid	QPSK	23.26	PASS
Band7	5	20775	1	#Max	QPSK	23.24	PASS
Band7	5	20775	12	#0	QPSK	22.33	PASS
Band7	5	20775	12	#Mid	QPSK	22.39	PASS

Band7	5	20775	12	#Max	QPSK	22.42	PASS
Band7	5	20775	25	#0	QPSK	22.25	PASS
Band7	5	20775	1	#0	16QAM	22.65	PASS
Band7	5	20775	1	#Mid	16QAM	22.72	PASS
Band7	5	20775	1	#Max	16QAM	22.67	PASS
Band7	5	20775	12	#0	16QAM	21.53	PASS
Band7	5	20775	12	#Mid	16QAM	21.46	PASS
Band7	5	20775	12	#Max	16QAM	21.51	PASS
Band7	5	20775	25	#0	16QAM	21.61	PASS
Band7	5	21100	1	#0	QPSK	23.62	PASS
Band7	5	21100	1	#Mid	QPSK	23.6	PASS
Band7	5	21100	1	#Max	QPSK	23.48	PASS
Band7	5	21100	12	#0	QPSK	22.41	PASS
Band7	5	21100	12	#Mid	QPSK	22.48	PASS
Band7	5	21100	12	#Max	QPSK	22.3	PASS
Band7	5	21100	25	#0	QPSK	22.26	PASS
Band7	5	21100	1	#0	16QAM	22.74	PASS
Band7	5	21100	1	#Mid	16QAM	22.68	PASS
Band7	5	21100	1	#Max	16QAM	22.71	PASS
Band7	5	21100	12	#0	16QAM	21.47	PASS
Band7	5	21100	12	#Mid	16QAM	21.57	PASS
Band7	5	21100	12	#Max	16QAM	21.47	PASS
Band7	5	21100	25	#0	16QAM	21.66	PASS
Band7	5	21425	1	#0	QPSK	23.19	PASS
Band7	5	21425	1	#Mid	QPSK	23.46	PASS
Band7	5	21425	1	#Max	QPSK	23.53	PASS
Band7	5	21425	12	#0	QPSK	22.2	PASS
Band7	5	21425	12	#Mid	QPSK	22.15	PASS
Band7	5	21425	12	#Max	QPSK	22.26	PASS
Band7	5	21425	25	#0	QPSK	22.18	PASS
Band7	5	21425	1	#0	16QAM	22.47	PASS
Band7	5	21425	1	#Mid	16QAM	22.51	PASS
Band7	5	21425	1	#Max	16QAM	22.58	PASS
Band7	5	21425	12	#0	16QAM	21.32	PASS
Band7	5	21425	12	#Mid	16QAM	21.34	PASS
Band7	5	21425	12	#Max	16QAM	21.43	PASS
Band7	5	21425	25	#0	16QAM	21.44	PASS
Band7	10	20800	1	#0	QPSK	23.43	PASS
Band7	10	20800	1	#Mid	QPSK	23.41	PASS
Band7	10	20800	1	#Max	QPSK	23.35	PASS
Band7	10	20800	25	#0	QPSK	22.28	PASS
Band7	10	20800	25	#Mid	QPSK	22.34	PASS
Band7	10	20800	25	#Max	QPSK	22.34	PASS
Band7	10	20800	50	#0	QPSK	22.41	PASS

Band7	10	20800	1	#0	16QAM	23.03	PASS
Band7	10	20800	1	#Mid	16QAM	23	PASS
Band7	10	20800	1	#Max	16QAM	22.85	PASS
Band7	10	20800	25	#0	16QAM	21.45	PASS
Band7	10	20800	25	#Mid	16QAM	21.45	PASS
Band7	10	20800	25	#Max	16QAM	21.38	PASS
Band7	10	20800	50	#0	16QAM	21.37	PASS
Band7	10	21100	1	#0	QPSK	23.46	PASS
Band7	10	21100	1	#Mid	QPSK	23.42	PASS
Band7	10	21100	1	#Max	QPSK	23.36	PASS
Band7	10	21100	25	#0	QPSK	22.45	PASS
Band7	10	21100	25	#Mid	QPSK	22.4	PASS
Band7	10	21100	25	#Max	QPSK	22.17	PASS
Band7	10	21100	50	#0	QPSK	22.28	PASS
Band7	10	21100	1	#0	16QAM	22.97	PASS
Band7	10	21100	1	#Mid	16QAM	22.8	PASS
Band7	10	21100	1	#Max	16QAM	22.99	PASS
Band7	10	21100	25	#0	16QAM	21.48	PASS
Band7	10	21100	25	#Mid	16QAM	21.51	PASS
Band7	10	21100	25	#Max	16QAM	21.37	PASS
Band7	10	21100	50	#0	16QAM	21.43	PASS
Band7	10	21400	1	#0	QPSK	23.16	PASS
Band7	10	21400	1	#Mid	QPSK	23.07	PASS
Band7	10	21400	1	#Max	QPSK	23.34	PASS
Band7	10	21400	25	#0	QPSK	22.24	PASS
Band7	10	21400	25	#Mid	QPSK	22.18	PASS
Band7	10	21400	25	#Max	QPSK	22.12	PASS
Band7	10	21400	50	#0	QPSK	22.3	PASS
Band7	10	21400	1	#0	16QAM	22.81	PASS
Band7	10	21400	1	#Mid	16QAM	22.85	PASS
Band7	10	21400	1	#Max	16QAM	22.98	PASS
Band7	10	21400	25	#0	16QAM	21.27	PASS
Band7	10	21400	25	#Mid	16QAM	21.25	PASS
Band7	10	21400	25	#Max	16QAM	21.3	PASS
Band7	10	21400	50	#0	16QAM	21.34	PASS
Band7	15	20825	1	#0	QPSK	23.54	PASS
Band7	15	20825	1	#Mid	QPSK	23.47	PASS
Band7	15	20825	1	#Max	QPSK	23.59	PASS
Band7	15	20825	36	#0	QPSK	22.37	PASS
Band7	15	20825	36	#Mid	QPSK	22.35	PASS
Band7	15	20825	36	#Max	QPSK	22.21	PASS
Band7	15	20825	75	#0	QPSK	22.24	PASS
Band7	15	20825	1	#0	16QAM	22.69	PASS
Band7	15	20825	1	#Mid	16QAM	22.65	PASS

Band7	15	20825	1	#Max	16QAM	22.52	PASS
Band7	15	20825	36	#0	16QAM	21.51	PASS
Band7	15	20825	36	#Mid	16QAM	21.44	PASS
Band7	15	20825	36	#Max	16QAM	21.45	PASS
Band7	15	20825	75	#0	16QAM	21.4	PASS
Band7	15	21100	1	#0	QPSK	23.45	PASS
Band7	15	21100	1	#Mid	QPSK	23.39	PASS
Band7	15	21100	1	#Max	QPSK	23.32	PASS
Band7	15	21100	36	#0	QPSK	22.37	PASS
Band7	15	21100	36	#Mid	QPSK	22.29	PASS
Band7	15	21100	36	#Max	QPSK	22.26	PASS
Band7	15	21100	75	#0	QPSK	22.35	PASS
Band7	15	21100	1	#0	16QAM	23.18	PASS
Band7	15	21100	1	#Mid	16QAM	23.05	PASS
Band7	15	21100	1	#Max	16QAM	22.95	PASS
Band7	15	21100	36	#0	16QAM	21.45	PASS
Band7	15	21100	36	#Mid	16QAM	21.35	PASS
Band7	15	21100	36	#Max	16QAM	21.36	PASS
Band7	15	21100	75	#0	16QAM	21.52	PASS
Band7	15	21375	1	#0	QPSK	23.45	PASS
Band7	15	21375	1	#Mid	QPSK	23.39	PASS
Band7	15	21375	1	#Max	QPSK	23.42	PASS
Band7	15	21375	36	#0	QPSK	22.3	PASS
Band7	15	21375	36	#Mid	QPSK	22.38	PASS
Band7	15	21375	36	#Max	QPSK	22.04	PASS
Band7	15	21375	75	#0	QPSK	22.29	PASS
Band7	15	21375	1	#0	16QAM	22.59	PASS
Band7	15	21375	1	#Mid	16QAM	22.48	PASS
Band7	15	21375	1	#Max	16QAM	22.4	PASS
Band7	15	21375	36	#0	16QAM	21.42	PASS
Band7	15	21375	36	#Mid	16QAM	21.31	PASS
Band7	15	21375	36	#Max	16QAM	21.28	PASS
Band7	15	21375	75	#0	16QAM	21.32	PASS
Band7	20	20850	1	#0	QPSK	23.42	PASS
Band7	20	20850	1	#Mid	QPSK	23.37	PASS
Band7	20	20850	1	#Max	QPSK	23.31	PASS
Band7	20	20850	50	#0	QPSK	22.3	PASS
Band7	20	20850	50	#Mid	QPSK	22.32	PASS
Band7	20	20850	50	#Max	QPSK	22.29	PASS
Band7	20	20850	100	#0	QPSK	22.13	PASS
Band7	20	20850	1	#0	16QAM	22.6	PASS
Band7	20	20850	1	#Mid	16QAM	22.5	PASS
Band7	20	20850	1	#Max	16QAM	22.45	PASS
Band7	20	20850	50	#0	16QAM	21.4	PASS

Band7	20	20850	50	#Mid	16QAM	21.43	PASS
Band7	20	20850	50	#Max	16QAM	21.3	PASS
Band7	20	20850	100	#0	16QAM	21.28	PASS
Band7	20	21100	1	#0	QPSK	23.65	PASS
Band7	20	21100	1	#Mid	QPSK	23.58	PASS
Band7	20	21100	1	#Max	QPSK	23.41	PASS
Band7	20	21100	50	#0	QPSK	22.48	PASS
Band7	20	21100	50	#Mid	QPSK	22.4	PASS
Band7	20	21100	50	#Max	QPSK	22.36	PASS
Band7	20	21100	100	#0	QPSK	22.42	PASS
Band7	20	21100	1	#0	16QAM	22.71	PASS
Band7	20	21100	1	#Mid	16QAM	22.58	PASS
Band7	20	21100	1	#Max	16QAM	22.59	PASS
Band7	20	21100	50	#0	16QAM	21.43	PASS
Band7	20	21100	50	#Mid	16QAM	21.51	PASS
Band7	20	21100	50	#Max	16QAM	21.44	PASS
Band7	20	21100	100	#0	16QAM	21.43	PASS
Band7	20	21350	1	#0	QPSK	23.28	PASS
Band7	20	21350	1	#Mid	QPSK	23.23	PASS
Band7	20	21350	1	#Max	QPSK	23.38	PASS
Band7	20	21350	50	#0	QPSK	22.33	PASS
Band7	20	21350	50	#Mid	QPSK	22.1	PASS
Band7	20	21350	50	#Max	QPSK	22.15	PASS
Band7	20	21350	100	#0	QPSK	22.3	PASS
Band7	20	21350	1	#0	16QAM	22.5	PASS
Band7	20	21350	1	#Mid	16QAM	22.36	PASS
Band7	20	21350	1	#Max	16QAM	22.44	PASS
Band7	20	21350	50	#0	16QAM	21.35	PASS
Band7	20	21350	50	#Mid	16QAM	21.32	PASS
Band7	20	21350	50	#Max	16QAM	21.23	PASS
Band7	20	21350	100	#0	16QAM	21.45	PASS

02 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band5	10	20525	50	#0	QPSK	-8.30	-0.010	-2.5	2.5	PASS
Band5	10	20525	50	#0	16QAM	-8.90	-0.011	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-7.50	-0.003	-2.5	2.5	PASS
Band7	20	21100	100	#0	16QAM	-7.10	-0.003	-2.5	2.5	PASS

03 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	4.47	13	PASS
Band5	1.4	20525	1	#0	16QAM	5.33	13	PASS

Band5	3	20525	1	#0	QPSK	4.56	13	PASS
Band5	3	20525	1	#0	16QAM	5.80	13	PASS
Band5	5	20525	1	#0	QPSK	4.65	13	PASS
Band5	5	20525	1	#0	16QAM	6.03	13	PASS
Band5	10	20525	1	#0	QPSK	5.06	13	PASS
Band5	10	20525	1	#0	16QAM	6.03	13	PASS
Band7	5	21100	1	#0	QPSK	3.52	13	PASS
Band7	5	21100	1	#0	16QAM	4.43	13	PASS
Band7	10	21100	1	#0	QPSK	3.33	13	PASS
Band7	10	21100	1	#0	16QAM	4.23	13	PASS
Band7	15	21100	1	#0	QPSK	3.36	13	PASS
Band7	15	21100	1	#0	16QAM	3.85	13	PASS
Band7	20	21100	1	#0	QPSK	3.20	13	PASS
Band7	20	21100	1	#0	16QAM	4.15	13	PASS


Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0





Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0







Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=1 Position=#0




04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band5	1.4	20525	6	#0	QPSK	1.097	1.281	PASS
Band5	1.4	20525	6	#0	16QAM	1.096	1.283	PASS
Band5	3	20525	15	#0	QPSK	2.705	3.064	PASS
Band5	3	20525	15	#0	16QAM	2.709	3.099	PASS
Band5	5	20525	25	#0	QPSK	4.499	5.195	PASS
Band5	5	20525	25	#0	16QAM	4.507	5.353	PASS
Band5	10	20525	50	#0	QPSK	9.019	9.988	PASS
Band5	10	20525	50	#0	16QAM	8.986	9.883	PASS
Band7	5	21100	25	#0	QPSK	4.508	5.035	PASS
Band7	5	21100	25	#0	16QAM	4.484	4.988	PASS
Band7	10	21100	50	#0	QPSK	9.033	10.047	PASS
Band7	10	21100	50	#0	16QAM	8.990	9.935	PASS
Band7	15	21100	75	#0	QPSK	13.494	14.834	PASS
Band7	15	21100	75	#0	16QAM	13.489	14.757	PASS
Band7	20	21100	100	#0	QPSK	17.967	20.226	PASS
Band7	20	21100	100	#0	16QAM	18.027	20.209	PASS


Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	823.98	-26.62	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	823.91	-37.80	-13	PASS
Band5	1.4	20407	6	#0	QPSK	823.96	-34.69	-13	PASS
Band5	1.4	20407	1	#0	16QAM	824.00	-24.16	-13	PASS
Band5	1.4	20407	1	#Max	16QAM	823.87	-39.47	-13	PASS
Band5	1.4	20407	6	#0	16QAM	823.97	-36.65	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.04	-37.01	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-22.63	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.04	-32.84	-13	PASS
Band5	1.4	20643	1	#0	16QAM	849.02	-37.48	-13	PASS
Band5	1.4	20643	1	#Max	16QAM	849.00	-24.91	-13	PASS
Band5	1.4	20643	6	#0	16QAM	849.00	-34.41	-13	PASS
Band5	3	20415	1	#0	QPSK	824.00	-13.60	-13	PASS
Band5	3	20415	1	#Max	QPSK	824.00	-27.51	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-26.61	-13	PASS
Band5	3	20415	1	#0	16QAM	824.00	-15.98	-13	PASS
Band5	3	20415	1	#Max	16QAM	823.99	-28.59	-13	PASS
Band5	3	20415	15	#0	16QAM	824.00	-25.97	-13	PASS
Band5	3	20635	1	#0	QPSK	849.00	-27.91	-13	PASS
Band5	3	20635	1	#Max	QPSK	849.00	-14.67	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-25.39	-13	PASS
Band5	3	20635	1	#0	16QAM	849.00	-27.86	-13	PASS
Band5	3	20635	1	#Max	16QAM	849.00	-13.69	-13	PASS
Band5	3	20635	15	#0	16QAM	849.00	-24.57	-13	PASS
Band5	5	20425	1	#0	QPSK	824.00	-18.63	-13	PASS
Band5	5	20425	1	#Max	QPSK	823.98	-33.91	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-29.59	-13	PASS
Band5	5	20425	1	#0	16QAM	824.00	-20.14	-13	PASS
Band5	5	20425	1	#Max	16QAM	823.86	-38.30	-13	PASS
Band5	5	20425	25	#0	16QAM	824.00	-32.78	-13	PASS
Band5	5	20625	1	#0	QPSK	849.00	-33.42	-13	PASS
Band5	5	20625	1	#Max	QPSK	849.00	-17.97	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-30.23	-13	PASS
Band5	5	20625	1	#0	16QAM	849.00	-35.17	-13	PASS
Band5	5	20625	1	#Max	16QAM	849.00	-19.30	-13	PASS
Band5	5	20625	25	#0	16QAM	849.00	-29.57	-13	PASS
Band5	10	20450	1	#0	QPSK	824.00	-21.60	-13	PASS
Band5	10	20450	1	#Max	QPSK	823.90	-34.25	-13	PASS
Band5	10	20450	50	#0	QPSK	823.98	-30.84	-13	PASS
Band5	10	20450	1	#0	16QAM	824.00	-24.78	-13	PASS
Band5	10	20450	1	#Max	16QAM	823.40	-38.19	-13	PASS
Band5	10	20450	50	#0	16QAM	824.00	-34.82	-13	PASS


Band5	10	20600	1	#0	QPSK	849.08	-37.21	-13	PASS
Band5	10	20600	1	#Max	QPSK	849.00	-20.14	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-32.88	-13	PASS
Band5	10	20600	1	#0	16QAM	849.24	-39.60	-13	PASS
Band5	10	20600	1	#Max	16QAM	849.00	-19.57	-13	PASS
Band5	10	20600	50	#0	16QAM	849.00	-32.76	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-10.48	-10	PASS
Band7	5	20775	1	#Max	QPSK	2493.81	-40.41	-25	PASS
Band7	5	20775	25	#0	QPSK	2498.99	-23.86	-10	PASS
Band7	5	20775	1	#0	16QAM	2499.00	-11.37	-10	PASS
Band7	5	20775	1	#Max	16QAM	2491.95	-40.71	-25	PASS
Band7	5	20775	25	#0	16QAM	2493.64	-39.92	-25	PASS
Band7	5	21425	1	#0	QPSK	2577.58	-40.50	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.00	-10.76	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-22.59	-10	PASS
Band7	5	21425	1	#0	16QAM	2577.33	-40.73	-25	PASS
Band7	5	21425	1	#Max	16QAM	2571.00	-11.69	-10	PASS
Band7	5	21425	25	#0	16QAM	2571.04	-24.09	-10	PASS
Band7	10	20800	1	#0	QPSK	2499.00	-21.62	-10	PASS
Band7	10	20800	1	#Max	QPSK	2483.19	-40.88	-25	PASS
Band7	10	20800	50	#0	QPSK	2489.79	-40.96	-25	PASS
Band7	10	20800	1	#0	16QAM	2499.00	-22.11	-10	PASS
Band7	10	20800	1	#Max	16QAM	2487.42	-41.08	-25	PASS
Band7	10	20800	50	#0	16QAM	2489.18	-40.82	-25	PASS
Band7	10	21400	1	#0	QPSK	2581.86	-41.11	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.01	-21.75	-10	PASS
Band7	10	21400	50	#0	QPSK	2580.11	-38.78	-25	PASS
Band7	10	21400	1	#0	16QAM	2591.36	-40.99	-25	PASS
Band7	10	21400	1	#Max	16QAM	2571.00	-22.14	-10	PASS
Band7	10	21400	50	#0	16QAM	2580.48	-39.08	-25	PASS
Band7	15	20825	1	#0	QPSK	2480.89	-40.79	-25	PASS
Band7	15	20825	1	#Max	QPSK	2482.46	-41.07	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.89	-41.00	-25	PASS
Band7	15	20825	1	#0	16QAM	2499.99	-25.25	-10	PASS
Band7	15	20825	1	#Max	16QAM	2475.68	-41.07	-25	PASS
Band7	15	20825	75	#0	16QAM	2484.56	-41.05	-25	PASS
Band7	15	21375	1	#0	QPSK	2592.39	-41.03	-25	PASS
Band7	15	21375	1	#Max	QPSK	2570.03	-23.79	-10	PASS
Band7	15	21375	75	#0	QPSK	2585.16	-39.68	-25	PASS
Band7	15	21375	1	#0	16QAM	2594.55	-40.96	-25	PASS
Band7	15	21375	1	#Max	16QAM	2570.03	-25.48	-10	PASS
Band7	15	21375	75	#0	16QAM	2585.21	-40.18	-25	PASS
Band7	20	20850	1	#0	QPSK	2499.92	-26.13	-10	PASS
Band7	20	20850	1	#Max	QPSK	2477.73	-41.02	-25	PASS

Band7	20	20850	100	#0	QPSK	2477.35	-41.29	-25	PASS
Band7	20	20850	1	#0	16QAM	2499.97	-25.90	-10	PASS
Band7	20	20850	1	#Max	16QAM	2479.05	-41.11	-25	PASS
Band7	20	20850	100	#0	16QAM	2476.23	-41.06	-25	PASS
Band7	20	21350	1	#0	QPSK	2593.50	-40.98	-25	PASS
Band7	20	21350	1	#Max	QPSK	2570.04	-24.91	-10	PASS
Band7	20	21350	100	#0	QPSK	2590.06	-40.60	-25	PASS
Band7	20	21350	1	#0	16QAM	2591.24	-41.11	-25	PASS
Band7	20	21350	1	#Max	16QAM	2591.44	-40.88	-25	PASS
Band7	20	21350	100	#0	16QAM	2594.38	-40.75	-25	PASS


Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#Max




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#Max




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.033	-39.77	-10
2	2571	2575	1000	2571.08	-31.9	-10
3	2575	2576	1000	2575.326	-37.95	-13
4	2576	2595	1000	2577.33	-40.73	-25

Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.009	-24.61	-10
2	2571	2575	1000	2571.004	-11.69	-10
3	2575	2576	1000	2575.339	-38	-13
4	2576	2595	1000	2576.779	-40.68	-25

Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.052	-33.39	-10
2	2571	2575	1000	2571.04	-24.09	-10
3	2575	2576	1000	2575.056	-37.21	-13
4	2576	2595	1000	2576.285	-39.78	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2488.725	-41.18	-25
2	2490	2496	1000	2495.784	-37.59	-13
3	2496	2499	1000	2499	-21.62	-10
4	2499	2500	200	2499.999	-27.02	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2483.19	-40.88	-25
2	2490	2496	1000	2495.436	-39.36	-13
3	2496	2499	1000	2498.856	-34.17	-10
4	2499	2500	200	2499.988	-40.06	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2489.79	-40.96	-25
2	2490	2496	1000	2495.574	-38.25	-13
3	2496	2499	1000	2498.919	-34.34	-10
4	2499	2500	200	2499.957	-36.83	-10

Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2488.11	-41.06	-25
2	2490	2496	1000	2495.544	-38.89	-13
3	2496	2499	1000	2499	-22.11	-10
4	2499	2500	200	2499.992	-25.55	-10

Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2487.42	-41.08	-25
2	2490	2496	1000	2495.976	-38.65	-13
3	2496	2499	1000	2498.208	-34.98	-10
4	2499	2500	200	2499.923	-40.56	-10

Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2489.175	-40.82	-25
2	2490	2496	1000	2495.628	-38.12	-13
3	2496	2499	1000	2498.988	-34.25	-10
4	2499	2500	200	2499.977	-37.88	-10

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.169	-41.56	-10
2	2571	2575	1000	2571.38	-34.93	-10
3	2575	2580	1000	2575.425	-39.39	-13
4	2580	2595	1000	2581.86	-41.11	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max