

Appendix Test Data

Report No:	1812C50616312505-05	Test Sample NO:	1-2-2
Start Test Date:	2025-11-21	Finish Test Date:	2026-3-4
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	22.4°C	Relative Humidity:	50%
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	24.35	PASS
Band13	5MHz	QPSK	23205	1RB#12	24.17	PASS
Band13	5MHz	QPSK	23205	1RB#24	24.60	PASS
Band13	5MHz	QPSK	23205	12RB#0	23.19	PASS
Band13	5MHz	QPSK	23205	12RB#6	23.48	PASS
Band13	5MHz	QPSK	23205	12RB#13	23.68	PASS
Band13	5MHz	QPSK	23205	25RB#0	23.68	PASS
Band13	5MHz	16QAM	23205	1RB#0	23.53	PASS
Band13	5MHz	16QAM	23205	1RB#12	23.45	PASS
Band13	5MHz	16QAM	23205	1RB#24	23.76	PASS
Band13	5MHz	16QAM	23205	12RB#0	22.16	PASS
Band13	5MHz	16QAM	23205	12RB#6	22.39	PASS
Band13	5MHz	16QAM	23205	12RB#13	22.43	PASS
Band13	5MHz	16QAM	23205	25RB#0	22.15	PASS
Band13	5MHz	QPSK	23230	1RB#0	24.66	PASS
Band13	5MHz	QPSK	23230	1RB#12	24.60	PASS
Band13	5MHz	QPSK	23230	1RB#24	24.17	PASS
Band13	5MHz	QPSK	23230	12RB#0	23.18	PASS
Band13	5MHz	QPSK	23230	12RB#6	23.09	PASS
Band13	5MHz	QPSK	23230	12RB#13	23.16	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.83	PASS
Band13	5MHz	16QAM	23230	1RB#0	23.25	PASS
Band13	5MHz	16QAM	23230	1RB#12	23.11	PASS
Band13	5MHz	16QAM	23230	1RB#24	23.06	PASS
Band13	5MHz	16QAM	23230	12RB#0	22.15	PASS
Band13	5MHz	16QAM	23230	12RB#6	22.06	PASS
Band13	5MHz	16QAM	23230	12RB#13	21.96	PASS

Band13	5MHz	16QAM	23230	25RB#0	21.82	PASS
Band13	5MHz	QPSK	23255	1RB#0	24.13	PASS
Band13	5MHz	QPSK	23255	1RB#12	24.05	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.88	PASS
Band13	5MHz	QPSK	23255	12RB#0	22.89	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.70	PASS
Band13	5MHz	QPSK	23255	12RB#13	22.62	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.71	PASS
Band13	5MHz	16QAM	23255	1RB#0	22.70	PASS
Band13	5MHz	16QAM	23255	1RB#12	23.44	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.52	PASS
Band13	5MHz	16QAM	23255	12RB#0	22.09	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.89	PASS
Band13	5MHz	16QAM	23255	12RB#13	21.78	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.67	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.40	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.87	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.26	PASS
Band13	10MHz	QPSK	23230	25RB#0	22.64	PASS
Band13	10MHz	QPSK	23230	25RB#12	22.68	PASS
Band13	10MHz	QPSK	23230	25RB#25	22.57	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.65	PASS
Band13	10MHz	16QAM	23230	1RB#0	22.49	PASS
Band13	10MHz	16QAM	23230	1RB#24	23.24	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.32	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.35	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.67	PASS
Band13	10MHz	16QAM	23230	25RB#25	21.62	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.62	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	4.39	13	PASS
Band13	5MHz	QPSK	23205	25RB#0	5.16	13	PASS
Band13	5MHz	16QAM	23205	1RB#0	5.51	13	PASS
Band13	5MHz	16QAM	23205	25RB#0	6.02	13	PASS
Band13	5MHz	QPSK	23230	1RB#0	4.40	13	PASS
Band13	5MHz	QPSK	23230	25RB#0	5.38	13	PASS
Band13	5MHz	16QAM	23230	1RB#0	5.31	13	PASS
Band13	5MHz	16QAM	23230	25RB#0	6.20	13	PASS
Band13	5MHz	QPSK	23255	1RB#0	4.66	13	PASS
Band13	5MHz	QPSK	23255	25RB#0	5.35	13	PASS
Band13	5MHz	16QAM	23255	1RB#0	5.57	13	PASS
Band13	5MHz	16QAM	23255	25RB#0	6.19	13	PASS
Band13	10MHz	QPSK	23230	1RB#0	4.41	13	PASS
Band13	10MHz	QPSK	23230	50RB#0	5.12	13	PASS
Band13	10MHz	16QAM	23230	1RB#0	5.30	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.02	13	PASS

Test Graphs







Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	4.5062	5.027	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.4908	4.971	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.4961	4.976	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.5087	4.999	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.5106	5.009	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.5091	4.969	PASS
Band13	10MHz	QPSK	23230	50RB#0	8.9503	9.871	PASS
Band13	10MHz	16QAM	23230	50RB#0	8.9703	9.820	PASS

Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com



Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	-58.90	23.90	PASS
Band13	5MHz	QPSK	23205	1RB#24	-53.93	18.93	PASS
Band13	5MHz	QPSK	23205	25RB#0	-49.24	14.24	PASS
Band13	5MHz	16QAM	23205	1RB#0	-59.82	24.82	PASS
Band13	5MHz	16QAM	23205	1RB#24	-54.66	19.66	PASS
Band13	5MHz	16QAM	23205	25RB#0	-50.05	15.05	PASS
Band13	5MHz	QPSK	23255	1RB#0	-59.56	24.56	PASS
Band13	5MHz	QPSK	23255	1RB#24	-60.00	25.00	PASS
Band13	5MHz	QPSK	23255	25RB#0	-56.85	21.85	PASS
Band13	5MHz	16QAM	23255	1RB#0	-60.63	25.63	PASS
Band13	5MHz	16QAM	23255	1RB#24	-60.77	25.77	PASS
Band13	5MHz	16QAM	23255	25RB#0	-58.54	23.54	PASS
Band13	10MHz	QPSK	23230	1RB#0	-60.48	25.48	PASS
Band13	10MHz	QPSK	23230	1RB#49	-60.78	25.78	PASS
Band13	10MHz	QPSK	23230	50RB#0	-50.02	15.02	PASS
Band13	10MHz	16QAM	23230	1RB#0	-60.65	25.65	PASS
Band13	10MHz	16QAM	23230	1RB#49	-60.18	25.18	PASS
Band13	10MHz	16QAM	23230	50RB#0	-50.95	15.95	PASS


Test Graphs







Band13-5MHz-QPSK-23255-1RB#0-PASS

Band13-5MHz-QPSK-23255-1RB#24-PASS




Band13-5MHz-QPSK-23255-25RB#0-PASS

Band13-5MHz-16QAM-23255-1RB#0-PASS




Band13-5MHz-16QAM-23255-1RB#24-PASS

Band13-5MHz-16QAM-23255-25RB#0-PASS



Band13-10MHz-QPSK-23230-1RB#0-PASS

Band13-10MHz-QPSK-23230-1RB#49-PASS



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	0.009~0.15	-47.55	-33.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	0.15~30	-53.33	-23.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	30~1000	-56.62	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	1000~3000	-47.40	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	3000~10000	-44.04	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	0.009~0.15	-47.75	-33.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	0.15~30	-55.02	-23.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	30~1000	-56.33	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	1000~3000	-47.33	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	3000~10000	-44.15	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	0.009~0.15	-46.42	-33.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	0.15~30	-56.43	-23.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	30~1000	-56.43	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	1000~3000	-47.48	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	3000~10000	-43.68	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	0.009~0.15	-46.22	-33.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	0.15~30	-54.60	-23.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	30~1000	-57.31	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	1000~3000	-47.28	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	3000~10000	-43.44	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	0.009~0.15	-45.87	-33.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	0.15~30	-54.49	-23.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	30~1000	-56.56	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	1000~3000	-47.23	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	3000~10000	-43.72	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	0.009~0.15	-47.41	-33.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	0.15~30	-54.14	-23.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	30~1000	-56.54	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	1000~3000	-42.64	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	3000~10000	-43.90	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	0.009~0.15	-47.79	-33.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	0.15~30	-58.30	-23.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	30~1000	-57.01	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	1000~3000	-47.36	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	3000~10000	-43.92	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	0.009~0.15	-46.67	-33.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	0.15~30	-55.37	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band13	5MHz	QPSK	23230	1RB#24	30~1000	-56.57	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	1000~3000	-47.38	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	3000~10000	-43.73	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	0.009~0.15	-47.62	-33.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	0.15~30	-55.29	-23.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	30~1000	-57.06	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	1000~3000	-38.71	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	3000~10000	-43.95	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	0.009~0.15	-46.40	-33.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	0.15~30	-53.38	-23.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	30~1000	-56.86	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	1000~3000	-39.49	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	3000~10000	-43.49	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	0.009~0.15	-48.25	-33.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	0.15~30	-55.61	-23.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	30~1000	-56.70	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	1000~3000	-47.31	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	3000~10000	-43.81	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	0.009~0.15	-47.49	-33.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	0.15~30	-55.29	-23.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	30~1000	-56.61	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	1000~3000	-47.14	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	3000~10000	-43.65	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	0.009~0.15	-47.16	-33.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	0.15~30	-56.90	-23.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	30~1000	-56.54	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	1000~3000	-47.26	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	3000~10000	-43.99	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	0.009~0.15	-48.44	-33.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	0.15~30	-53.98	-23.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	30~1000	-56.48	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	1000~3000	-47.30	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	3000~10000	-43.84	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	0.009~0.15	-46.52	-33.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	0.15~30	-54.32	-23.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	30~1000	-56.31	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	1000~3000	-47.19	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	3000~10000	-43.55	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	0.009~0.15	-49.07	-33.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	0.15~30	-56.29	-23.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	30~1000	-56.53	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	1000~3000	-46.98	-13.0	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com







Band13	5MHz	16QAM	23255	1RB#0	3000~10000	-43.46	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	0.009~0.15	-48.02	-33.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	0.15~30	-54.45	-23.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	30~1000	-56.68	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	1000~3000	-46.99	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	3000~10000	-43.69	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	0.009~0.15	-48.52	-33.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	0.15~30	-54.08	-23.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	30~1000	-56.60	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	1000~3000	-44.25	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	3000~10000	-43.16	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	0.009~0.15	-47.22	-33.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	0.15~30	-55.36	-23.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	30~1000	-56.58	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	1000~3000	-47.03	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	3000~10000	-43.30	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	0.009~0.15	-47.98	-33.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	0.15~30	-55.83	-23.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	30~1000	-56.67	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	1000~3000	-46.98	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	3000~10000	-43.30	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	0.009~0.15	-47.06	-33.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	0.15~30	-55.28	-23.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	30~1000	-57.10	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	1000~3000	-47.11	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	3000~10000	-43.24	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	0.009~0.15	-46.74	-33.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	0.15~30	-54.58	-23.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	30~1000	-56.77	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	1000~3000	-47.09	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	3000~10000	-43.31	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	0.009~0.15	-47.93	-33.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	0.15~30	-56.49	-23.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	30~1000	-56.40	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	1000~3000	-47.06	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	3000~10000	-42.90	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	0.009~0.15	-45.22	-33.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	0.15~30	-55.84	-23.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	30~1000	-56.58	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	1000~3000	-47.20	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	3000~10000	-43.32	-13.0	PASS


Test Graphs











	
Band13-5MHz-16QAM-23205-1RB#0-1000~300 0-PASS	Band13-5MHz-16QAM-23205-1RB#0-3000~100 00-PASS
	
Band13-5MHz-16QAM-23205-1RB#24-0.009~0. 15-PASS	Band13-5MHz-16QAM-23205-1RB#24-0.15~30- PASS
	
Band13-5MHz-16QAM-23205-1RB#24-30~1000- PASS	Band13-5MHz-16QAM-23205-1RB#24-1000~30 00-PASS












































Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage		FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band13	5MHz	QPSK	23205	25RB#0	VN	NT	777.26333	781.73203	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	VL	NT	777.26874	781.73294	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	VH	NT	777.2689	781.7341	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	VN	NT	777.26937	781.73317	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	VL	NT	777.26616	781.73316	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	VH	NT	777.26556	781.73096	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	VN	NT	779.7628	784.2318	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	VL	NT	779.76202	784.23112	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	VH	NT	779.76564	784.23034	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	VN	NT	779.76101	784.23321	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	VL	NT	779.75772	784.23352	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	VH	NT	779.75972	784.23472	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	VN	NT	782.25135	786.72895	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	VL	NT	782.25864	786.73054	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	VH	NT	782.26129	786.73189	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	VN	NT	782.26046	786.73176	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	VL	NT	782.25746	786.73156	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	VH	NT	782.258	786.742	777-787	PASS

							54	64		
Band13	10MHz	QPSK	23230	50RB#0	VN	NT	777.538 13	786.455 03	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	VL	NT	777.535 82	786.460 22	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	VH	NT	777.535 36	786.462 26	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	VN	NT	777.547 29	786.460 69	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	VL	NT	777.548 23	786.456 33	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	VH	NT	777.542 33	786.458 43	777-787	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	NV	-30	777.267 31	781.734 01	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	-20	777.261 98	781.735 28	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	-10	777.268 64	781.734 94	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	0	777.262 73	781.736 73	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	10	777.272 6	781.732 5	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	20	777.264 17	781.730 77	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	30	777.267 67	781.729 17	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	40	777.265 25	781.732 95	777-787	PASS
Band13	5MHz	QPSK	23205	25RB#0	NV	50	777.269 71	781.730 41	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	-30	777.268 75	781.734 55	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	-20	777.270 72	781.730 62	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	-10	777.269 07	781.733 37	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	0	777.267	781.735	777-787	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

							6			
Band13	5MHz	16QAM	23205	25RB#0	NV	10	777.267 98	781.728 98	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	20	777.269 24	781.730 74	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	30	777.266 58	781.732 58	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	40	777.268 7	781.729 6	777-787	PASS
Band13	5MHz	16QAM	23205	25RB#0	NV	50	777.267 02	781.731 42	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	-30	779.763 78	784.229 38	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	-20	779.766 34	784.232 04	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	-10	779.766 41	784.231 41	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	0	779.763 94	784.225 24	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	10	779.762 17	784.235 47	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	20	779.764 65	784.225 35	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	30	779.766 5	784.231 5	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	40	779.763 31	784.231 81	777-787	PASS
Band13	5MHz	QPSK	23230	25RB#0	NV	50	779.765 93	784.225 33	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	-30	779.762 28	784.231 78	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	-20	779.760 24	784.231 24	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	-10	779.760 74	784.235 14	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	0	779.763 75	784.229 55	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	10	779.760 17	784.233 67	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	20	779.761 05	784.231 65	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	30	779.758	784.232	777-787	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

							35	45		
Band13	5MHz	16QAM	23230	25RB#0	NV	40	779.758 79	784.232 69	777-787	PASS
Band13	5MHz	16QAM	23230	25RB#0	NV	50	779.760 34	784.233 84	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	-30	782.251 11	786.739 51	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	-20	782.252 69	786.730 69	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	-10	782.251 8	786.736 9	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	0	782.259 77	786.735 27	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	10	782.264 09	786.734 49	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	20	782.258 37	786.732 07	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	30	782.252 21	786.735 01	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	40	782.254 62	786.726 82	777-787	PASS
Band13	5MHz	QPSK	23255	25RB#0	NV	50	782.257	786.731 7	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	-30	782.260 74	786.734 64	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	-20	782.260 33	786.729 33	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	-10	782.257 6	786.734 4	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	0	782.257 11	786.738 31	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	10	782.255 22	786.737 12	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	20	782.259 35	786.738 35	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	30	782.257 38	786.738 08	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	40	782.255 8	786.733	777-787	PASS
Band13	5MHz	16QAM	23255	25RB#0	NV	50	782.257 96	786.744 26	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-30	777.534	786.460	777-787	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.





Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

							21	61		
Band13	10MHz	QPSK	23230	50RB#0	NV	-20	777.537 16	786.456 46	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-10	777.535 86	786.454 96	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	0	777.532 66	786.458 56	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	10	777.537 36	786.457 76	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	20	777.533 78	786.462 88	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	30	777.532 83	786.457 63	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	40	777.543 74	786.452 64	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	50	777.533 86	786.459 36	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	-30	777.537 55	786.452 75	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	-20	777.538 27	786.447 47	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	-10	777.546 83	786.458 83	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	0	777.543 58	786.458 28	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	10	777.545 22	786.453 72	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	20	777.542 39	786.450 49	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	30	777.542 94	786.449 04	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	40	777.539 74	786.454 24	777-787	PASS
Band13	10MHz	16QAM	23230	50RB#0	NV	50	777.542 11	786.457 41	777-787	PASS

Test Graphs












Band13-10MHz-QPSK-23230-50RB#0-PASS


Band13-10MHz-16QAM-23230-50RB#0-PASS

























Band13-10MHz-QPSK-23230-50RB#0-PASS





---END---