

1.1.1 B66_1.4MHz_EIRP

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	21.84	3.00	24.84	<=30	Pass		
			7	22.11	3.00	25.11	<=30	Pass		
			14	21.92	3.00	24.92	<=30	Pass		
		8	0	21.02	3.00	24.02	<=30	Pass		
			4	20.99	3.00	23.99	<=30	Pass		
			7	21.00	3.00	24.00	<=30	Pass		
		15	0	21.08	3.00	24.08	<=30	Pass		
		1745	1	0	21.97	3.00	24.97	<=30	Pass	
				7	22.09	3.00	25.09	<=30	Pass	
	14			22.13	3.00	25.13	<=30	Pass		
	8		0	21.08	3.00	24.08	<=30	Pass		
			4	21.06	3.00	24.06	<=30	Pass		
			7	21.03	3.00	24.03	<=30	Pass		
	15	0	21.04	3.00	24.04	<=30	Pass			
	1778.5	1	0	21.86	3.00	24.86	<=30	Pass		
			7	21.97	3.00	24.97	<=30	Pass		
			14	21.87	3.00	24.87	<=30	Pass		
		8	0	20.88	3.00	23.88	<=30	Pass		
			4	20.92	3.00	23.92	<=30	Pass		
			7	20.82	3.00	23.82	<=30	Pass		
		15	0	20.89	3.00	23.89	<=30	Pass		
		16QAM	1711.5	1	0	20.92	3.00	23.92	<=30	Pass
					7	21.18	3.00	24.18	<=30	Pass
	14				21.00	3.00	24.00	<=30	Pass	
	8			0	19.70	3.00	22.70	<=30	Pass	
				4	19.68	3.00	22.68	<=30	Pass	
				7	19.99	3.00	22.99	<=30	Pass	
15	0			19.82	3.00	22.82	<=30	Pass		
1745	1			0	21.52	3.00	24.52	<=30	Pass	
				7	21.43	3.00	24.43	<=30	Pass	
			14	21.21	3.00	24.21	<=30	Pass		
	8		0	20.34	3.00	23.34	<=30	Pass		
			4	20.23	3.00	23.23	<=30	Pass		
			7	20.28	3.00	23.28	<=30	Pass		
15	0		20.05	3.00	23.05	<=30	Pass			
1778.5	1		0	20.76	3.00	23.76	<=30	Pass		
			7	20.78	3.00	23.78	<=30	Pass		
			14	20.46	3.00	23.46	<=30	Pass		
	8		0	19.61	3.00	22.61	<=30	Pass		
			4	19.87	3.00	22.87	<=30	Pass		
			7	19.86	3.00	22.86	<=30	Pass		
15	0		19.71	3.00	22.71	<=30	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1712.5	1	0	21.79	3.00	24.79	<=30	Pass		
			13	21.82	3.00	24.82	<=30	Pass		
			24	21.91	3.00	24.91	<=30	Pass		
		12	0	20.93	3.00	23.93	<=30	Pass		
			6	20.95	3.00	23.95	<=30	Pass		
			13	21.04	3.00	24.04	<=30	Pass		
		25	0	20.94	3.00	23.94	<=30	Pass		
		1745	1	0	21.87	3.00	24.87	<=30	Pass	
				13	21.87	3.00	24.87	<=30	Pass	
	24			21.68	3.00	24.68	<=30	Pass		
	12		0	21.09	3.00	24.09	<=30	Pass		
			6	21.07	3.00	24.07	<=30	Pass		
			13	21.02	3.00	24.02	<=30	Pass		
	25	0	21.04	3.00	24.04	<=30	Pass			
	1777.5	1	0	21.39	3.00	24.39	<=30	Pass		
			13	21.46	3.00	24.46	<=30	Pass		
			24	21.38	3.00	24.38	<=30	Pass		
		12	0	20.85	3.00	23.85	<=30	Pass		
			6	20.82	3.00	23.82	<=30	Pass		
			13	20.82	3.00	23.82	<=30	Pass		
		25	0	20.89	3.00	23.89	<=30	Pass		
		16QAM	1712.5	1	0	20.47	3.00	23.47	<=30	Pass
					13	21.42	3.00	24.42	<=30	Pass
	24				21.40	3.00	24.40	<=30	Pass	
	12			0	19.79	3.00	22.79	<=30	Pass	
				6	19.92	3.00	22.92	<=30	Pass	
				13	19.89	3.00	22.89	<=30	Pass	
25	0			19.81	3.00	22.81	<=30	Pass		
1745	1		0	21.23	3.00	24.23	<=30	Pass		
			13	21.33	3.00	24.33	<=30	Pass		
			24	21.48	3.00	24.48	<=30	Pass		
	12		0	19.99	3.00	22.99	<=30	Pass		
			6	19.98	3.00	22.98	<=30	Pass		
			13	19.92	3.00	22.92	<=30	Pass		
25	0		20.10	3.00	23.10	<=30	Pass			
1777.5	1		0	20.69	3.00	23.69	<=30	Pass		
			13	20.75	3.00	23.75	<=30	Pass		
			24	20.78	3.00	23.78	<=30	Pass		
	12		0	19.90	3.00	22.90	<=30	Pass		
		6	19.88	3.00	22.88	<=30	Pass			
		13	19.68	3.00	22.68	<=30	Pass			
	25	0	19.75	3.00	22.75	<=30	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1715	1	0	21.95	3.00	24.95	<=30	Pass		
			25	22.12	3.00	25.12	<=30	Pass		
			49	21.96	3.00	24.96	<=30	Pass		
		25	0	21.01	3.00	24.01	<=30	Pass		
			13	21.04	3.00	24.04	<=30	Pass		
			25	21.02	3.00	24.02	<=30	Pass		
		50	0	21.00	3.00	24.00	<=30	Pass		
		1745	1	0	22.09	3.00	25.09	<=30	Pass	
				25	22.16	3.00	25.16	<=30	Pass	
	49			21.94	3.00	24.94	<=30	Pass		
	25		0	21.16	3.00	24.16	<=30	Pass		
			13	21.15	3.00	24.15	<=30	Pass		
			25	21.00	3.00	24.00	<=30	Pass		
	50	0	21.03	3.00	24.03	<=30	Pass			
	1775	1	0	21.77	3.00	24.77	<=30	Pass		
			25	22.01	3.00	25.01	<=30	Pass		
			49	21.67	3.00	24.67	<=30	Pass		
		25	0	20.84	3.00	23.84	<=30	Pass		
			13	20.79	3.00	23.79	<=30	Pass		
			25	20.74	3.00	23.74	<=30	Pass		
		50	0	20.86	3.00	23.86	<=30	Pass		
		16QAM	1715	1	0	21.13	3.00	24.13	<=30	Pass
					25	21.82	3.00	24.82	<=30	Pass
	49				20.84	3.00	23.84	<=30	Pass	
	25			0	19.91	3.00	22.91	<=30	Pass	
				13	19.96	3.00	22.96	<=30	Pass	
				25	20.05	3.00	23.05	<=30	Pass	
50	0			19.88	3.00	22.88	<=30	Pass		
1745	1			0	21.63	3.00	24.63	<=30	Pass	
				25	22.33	3.00	25.33	<=30	Pass	
			49	21.59	3.00	24.59	<=30	Pass		
	25		0	20.25	3.00	23.25	<=30	Pass		
			13	20.23	3.00	23.23	<=30	Pass		
			25	20.08	3.00	23.08	<=30	Pass		
50	0		20.19	3.00	23.19	<=30	Pass			
1775	1		0	20.49	3.00	23.49	<=30	Pass		
			25	20.60	3.00	23.60	<=30	Pass		
			49	20.41	3.00	23.41	<=30	Pass		
	25		0	19.91	3.00	22.91	<=30	Pass		
			13	19.79	3.00	22.79	<=30	Pass		
			25	19.76	3.00	22.76	<=30	Pass		
	50		0	19.86	3.00	22.86	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	21.92	3.00	24.92	<=30	Pass		
			38	22.17	3.00	25.17	<=30	Pass		
			74	21.95	3.00	24.95	<=30	Pass		
		36	0	20.99	3.00	23.99	<=30	Pass		
			18	21.19	3.00	24.19	<=30	Pass		
			39	21.23	3.00	24.23	<=30	Pass		
		75	0	21.00	3.00	24.00	<=30	Pass		
		1745	1	0	21.92	3.00	24.92	<=30	Pass	
				38	21.95	3.00	24.95	<=30	Pass	
	74			21.92	3.00	24.92	<=30	Pass		
	36		0	21.14	3.00	24.14	<=30	Pass		
			18	21.16	3.00	24.16	<=30	Pass		
			39	20.98	3.00	23.98	<=30	Pass		
	75	0	21.01	3.00	24.01	<=30	Pass			
	1772.5	1	0	21.65	3.00	24.65	<=30	Pass		
			38	21.74	3.00	24.74	<=30	Pass		
			74	21.56	3.00	24.56	<=30	Pass		
		36	0	20.84	3.00	23.84	<=30	Pass		
			18	20.84	3.00	23.84	<=30	Pass		
			39	20.77	3.00	23.77	<=30	Pass		
		75	0	20.87	3.00	23.87	<=30	Pass		
		16QAM	1717.5	1	0	21.18	3.00	24.18	<=30	Pass
					38	21.10	3.00	24.10	<=30	Pass
	74				21.15	3.00	24.15	<=30	Pass	
36	0			19.86	3.00	22.86	<=30	Pass		
	18			20.18	3.00	23.18	<=30	Pass		
	39			20.10	3.00	23.10	<=30	Pass		
75	0			20.01	3.00	23.01	<=30	Pass		
1745	1			0	20.69	3.00	23.69	<=30	Pass	
				38	21.30	3.00	24.30	<=30	Pass	
			74	21.68	3.00	24.68	<=30	Pass		
	36		0	20.01	3.00	23.01	<=30	Pass		
			18	19.95	3.00	22.95	<=30	Pass		
			39	19.85	3.00	22.85	<=30	Pass		
75	0		19.87	3.00	22.87	<=30	Pass			
1772.5	1		0	20.50	3.00	23.50	<=30	Pass		
			38	20.74	3.00	23.74	<=30	Pass		
			74	20.08	3.00	23.08	<=30	Pass		
	36		0	19.64	3.00	22.64	<=30	Pass		
			18	19.78	3.00	22.78	<=30	Pass		
			39	19.62	3.00	22.62	<=30	Pass		
	75		0	19.80	3.00	22.80	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	21.80	3.00	24.80	<=30	Pass		
			50	22.23	3.00	25.23	<=30	Pass		
			99	21.58	3.00	24.58	<=30	Pass		
		50	0	21.00	3.00	24.00	<=30	Pass		
			25	21.25	3.00	24.25	<=30	Pass		
			50	21.06	3.00	24.06	<=30	Pass		
		100	0	21.16	3.00	24.16	<=30	Pass		
		1745	1	0	22.22	3.00	25.22	<=30	Pass	
				50	22.30	3.00	25.30	<=30	Pass	
	99			22.09	3.00	25.09	<=30	Pass		
	50		0	21.13	3.00	24.13	<=30	Pass		
			25	21.15	3.00	24.15	<=30	Pass		
			50	21.06	3.00	24.06	<=30	Pass		
	100		0	21.07	3.00	24.07	<=30	Pass		
	1770		1	0	21.86	3.00	24.86	<=30	Pass	
				50	22.05	3.00	25.05	<=30	Pass	
		99		21.62	3.00	24.62	<=30	Pass		
		50	0	20.87	3.00	23.87	<=30	Pass		
			25	20.81	3.00	23.81	<=30	Pass		
			50	20.74	3.00	23.74	<=30	Pass		
		100	0	20.90	3.00	23.90	<=30	Pass		
		16QAM	1720	1	0	20.82	3.00	23.82	<=30	Pass
					50	21.84	3.00	24.84	<=30	Pass
	99				20.52	3.00	23.52	<=30	Pass	
	50			0	19.99	3.00	22.99	<=30	Pass	
				25	20.11	3.00	23.11	<=30	Pass	
				50	20.06	3.00	23.06	<=30	Pass	
100	0			20.14	3.00	23.14	<=30	Pass		
1745	1			0	20.88	3.00	23.88	<=30	Pass	
				50	20.85	3.00	23.85	<=30	Pass	
			99	20.09	3.00	23.09	<=30	Pass		
	50		0	20.18	3.00	23.18	<=30	Pass		
			25	20.10	3.00	23.10	<=30	Pass		
			50	19.90	3.00	22.90	<=30	Pass		
	100		0	20.08	3.00	23.08	<=30	Pass		
	1770		1	0	21.09	3.00	24.09	<=30	Pass	
				50	21.01	3.00	24.01	<=30	Pass	
99				21.05	3.00	24.05	<=30	Pass		
50			0	19.86	3.00	22.86	<=30	Pass		
			25	19.82	3.00	22.82	<=30	Pass		
			50	19.57	3.00	22.57	<=30	Pass		
100			0	19.90	3.00	22.90	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	3.27	-2.214	-0.0013	-2.5 to 2.5	Pass
					3.85	-2.597	-0.0015	-2.5 to 2.5	Pass
					4.43	-2.714	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-2.861	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-2.978	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-2.688	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-1.843	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-3.142	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-3.473	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-1.999	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-2.220	-0.0013	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.117	/	Pass
	16QAM	1745	6	0	1.111	/	Pass
3	QPSK	1745	15	0	2.736	/	Pass
	16QAM	1745	15	0	2.756	/	Pass
5	QPSK	1745	25	0	4.547	/	Pass
	16QAM	1745	25	0	4.560	/	Pass
10	QPSK	1745	50	0	9.035	/	Pass
	16QAM	1745	50	0	9.012	/	Pass
15	QPSK	1745	75	0	13.567	/	Pass
	16QAM	1745	75	0	13.546	/	Pass
20	QPSK	1745	100	0	18.004	/	Pass
	16QAM	1745	100	0	18.062	/	Pass

3.1.2 Band66_XDB


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.335	/	Pass
	16QAM	1745	6	0	1.305	/	Pass
3	QPSK	1745	15	0	3.072	/	Pass
	16QAM	1745	15	0	3.020	/	Pass
5	QPSK	1745	25	0	5.124	/	Pass
	16QAM	1745	25	0	5.078	/	Pass
10	QPSK	1745	50	0	10.181	/	Pass
	16QAM	1745	50	0	10.011	/	Pass
15	QPSK	1745	75	0	14.962	/	Pass
	16QAM	1745	75	0	15.054	/	Pass
20	QPSK	1745	100	0	19.662	/	Pass
	16QAM	1745	100	0	19.728	/	Pass

3.2 Test Graph


3.2.1 Band66_OBW




Band66 3MHz QPSK MCH 1745MHz RB 15 0 NTNV




Band66 3MHz 16QAM MCH 1745MHz RB 15 0 NTNV




Band66 5MHz QPSK MCH 1745MHz RB 25 0 NTNV




Band66 5MHz 16QAM MCH 1745MHz RB 25 0 NTNV




Band66 10MHz QPSK MCH 1745MHz RB 50 0 NTNV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTNV




Band66 15MHz QPSK MCH 1745MHz RB 75 0 NTNV




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV




Band66 20MHz 16QAM MCH 1745MHz RB 100 0 NTNV




3.2.2 Band66_XDB




Band66 3MHz QPSK MCH 1745MHz RB 15 0 NTNV




Band66 3MHz 16QAM MCH 1745MHz RB 15 0 NTNV




Band66 5MHz QPSK MCH 1745MHz RB 25 0 NTNV




Band66 5MHz 16QAM MCH 1745MHz RB 25 0 NTNV




Band66 10MHz QPSK MCH 1745MHz RB 50 0 NTNV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTNV




Band66 15MHz QPSK MCH 1745MHz RB 75 0 NTNV




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTNV



Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV



Band66 20MHz 16QAM MCH 1745MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.25	<=13	Pass
16QAM	1745	100	0	6.10	<=13	Pass

4.2 Test Graph

4.2.1 B66_20MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B66_1.4MHz



Band66 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTNV




Band66 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-31.56	-13	Pass
1709	1710	0.013	CHP	2	1709.995	-34.89	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band66 1.4MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 1.4MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTV



Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.020	-33.83	-13	Pass
1781	1783	1	CHP	2	1781.500	-36.81	-13	Pass

Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.013	CHP	/	/	/	/	/
1780	1781	0.013	CHP	1	1780.025	-34.17	-13	Pass
1781	1783	1	CHP	2	1781.500	-30.76	-13	Pass


5.2.2 B66_3MHz



Band66 3MHz QPSK LCH 1711.5MHz RB 1 0 NTNV




Band66 3MHz QPSK LCH 1711.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-30.35	-13	Pass
1709	1710	0.03	/	2	1709.994	-31.61	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK HCH 1778.5MHz RB 1 0 NTV



Band66 3MHz QPSK HCH 1778.5MHz RB 1 0 NTV




Band66 3MHz QPSK HCH 1778.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-33.58	-13	Pass
1781	1783	1	CHP	2	1782.014	-33.77	-13	Pass

Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.012	-30.78	-13	Pass
1781	1783	1	CHP	2	1781.500	-26.91	-13	Pass


5.2.3 B66_5MHz



Band66 5MHz QPSK LCH 1712.5MHz RB 1 0 NTNV




Band66 5MHz QPSK LCH 1712.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-30.51	-13	Pass
1709	1710	0.051	CHP	2	1709.990	-33.09	-13	Pass
1710	1715	0.051	CHP	/	/	/	/	/


Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 5MHz QPSK HCH 1777.5MHz RB 1 0 NTV



Band66 5MHz QPSK HCH 1777.5MHz RB 1 0 NTV




Band66 5MHz QPSK HCH 1777.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.012	-37.59	-13	Pass
1781	1785	1	CHP	2	1781.500	-37.87	-13	Pass

Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.051	CHP	/	/	/	/	/
1780	1781	0.051	CHP	1	1780.010	-32.24	-13	Pass
1781	1785	1	CHP	2	1781.500	-27.92	-13	Pass


5.2.4 B66_10MHz



Band66 10MHz QPSK LCH 1715MHz RB 1 0 NTNV




Band66 10MHz QPSK LCH 1715MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.460	-32.97	-13	Pass
1709	1710	0.102	CHP	2	1709.980	-37.77	-13	Pass
1710	1720	0.102	CHP	/	/	/	/	/


Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTN



Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTN




Band66 10MHz QPSK HCH 1775MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.004	-52.04	-13	Pass
1781	1790	1	CHP	2	1781.501	-39.42	-13	Pass

Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.102	CHP	/	/	/	/	/
1780	1781	0.102	CHP	1	1780.020	-36.69	-13	Pass
1781	1790	1	CHP	2	1781.500	-32.25	-13	Pass


5.2.5 B66_15MHz



Band66 15MHz QPSK LCH 1717.5MHz RB 1 0 NTV




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.500	-33.62	-13	Pass
1709	1710	0.15	CHP	2	1709.970	-39.78	-13	Pass
1710	1725	0.15	CHP	/	/	/	/	/


Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 1 0 NTNV



Band66 15MHz QPSK HCH 1772.5MHz RB 1 0 NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.003	-49.72	-13	Pass
1781	1795	1	CHP	2	1781.500	-39.78	-13	Pass

Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.151	CHP	/	/	/	/	/
1780	1781	0.151	CHP	1	1780.240	-37.46	-13	Pass
1781	1795	1	CHP	2	1784.980	-34.34	-13	Pass


5.2.6 B66_20MHz



Band66 20MHz QPSK LCH 1720MHz RB 1 0 NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-33.97	-13	Pass
1709	1710	0.197	CHP	2	1709.960	-39.53	-13	Pass
1710	1730	0.197	CHP	/	/	/	/	/


Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTNV




Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTN



Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTN




Band66 20MHz QPSK HCH 1770MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-53.63	-13	Pass
1781	1800	1	CHP	2	1781.500	-40.21	-13	Pass

Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.197	CHP	/	/	/	/	/
1780	1781	0.197	CHP	1	1780.040	-39.57	-13	Pass
1781	1800	1	CHP	2	1781.520	-35.67	-13	Pass