







Band66-10MHz-16QAM-132622-1RB#49-PASS




Band66-10MHz-16QAM-132622-50RB#0-PASS




Band66-15MHz-QPSK-132047-1RB#0-PASS




Band66-15MHz-QPSK-132047-1RB#74-PASS




Band66-15MHz-QPSK-132047-75RB#0-PASS




Band66-15MHz-16QAM-132047-1RB#0-PASS




Band66-15MHz-16QAM-132047-1RB#74-PASS




Band66-15MHz-16QAM-132047-75RB#0-PASS




Band66-15MHz-QPSK-132597-1RB#0-PASS




Band66-15MHz-QPSK-132597-1RB#74-PASS




Band66-15MHz-QPSK-132597-75RB#0-PASS




Band66-15MHz-16QAM-132597-1RB#0-PASS




Band66-15MHz-16QAM-132597-1RB#74-PASS




Band66-15MHz-16QAM-132597-75RB#0-PASS




Band66-20MHz-QPSK-132072-1RB#0-PASS




Band66-20MHz-QPSK-132072-1RB#99-PASS




Band66-20MHz-QPSK-132072-100RB#0-PASS




Band66-20MHz-16QAM-132072-1RB#0-PASS




Band66-20MHz-16QAM-132072-1RB#99-PASS




Band66-20MHz-16QAM-132072-100RB#0-PASS




Band66-20MHz-QPSK-132572-1RB#0-PASS




Band66-20MHz-QPSK-132572-1RB#99-PASS



Band66-20MHz-QPSK-132572-100RB#0-PASS



Band66-20MHz-16QAM-132572-1RB#0-PASS



Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	0.009~0.15	-46.53	-43.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	0.15~30	-54.98	-33.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	30~1000	-56.43	-23.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	1000~3000	-27.69	-13.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	3000~20000	-38.68	-13.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	0.009~0.15	-47.05	-43.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	0.15~30	-54.18	-33.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	30~1000	-56.06	-23.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	1000~3000	-40.69	-13.0	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	3000~20000	-38.58	-13.0	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	0.009~0.15	-46.69	-43.0	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	0.15~30	-56.77	-33.0	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	30~1000	-56.68	-23.0	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1000~3000	-27.93	-13.0	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	3000~20000	-38.75	-13.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	0.009~0.15	-46.63	-43.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	0.15~30	-54.30	-33.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	30~1000	-56.04	-23.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	1000~3000	-27.88	-13.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	3000~20000	-38.61	-13.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	0.009~0.15	-48.36	-43.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	0.15~30	-53.33	-33.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	30~1000	-56.45	-23.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	1000~3000	-41.35	-13.0	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	3000~20000	-38.53	-13.0	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	0.009~0.15	-46.80	-43.0	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	0.15~30	-53.83	-33.0	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	30~1000	-56.63	-23.0	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1000~3000	-30.68	-13.0	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	3000~20000	-38.48	-13.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	0.009~0.15	-45.53	-43.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	0.15~30	-53.08	-33.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	30~1000	-56.30	-23.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	1000~3000	-46.48	-13.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	3000~20000	-38.33	-13.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	0.009~0.15	-47.64	-43.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	0.15~30	-53.48	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	1.4MHz	QPSK	132322	1RB#5	30~1000	-56.14	-23.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	1000~3000	-47.12	-13.0	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	3000~20000	-38.54	-13.0	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	0.009~0.15	-48.59	-43.0	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	0.15~30	-55.92	-33.0	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	30~1000	-56.64	-23.0	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1000~3000	-47.01	-13.0	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	3000~20000	-38.62	-13.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	0.009~0.15	-48.02	-43.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	0.15~30	-56.46	-33.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	30~1000	-56.00	-23.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	1000~3000	-47.21	-13.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	3000~20000	-38.57	-13.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	0.009~0.15	-48.19	-43.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	0.15~30	-54.36	-33.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	30~1000	-56.96	-23.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	1000~3000	-47.20	-13.0	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	3000~20000	-37.98	-13.0	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	0.009~0.15	-47.69	-43.0	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	0.15~30	-55.23	-33.0	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	30~1000	-56.78	-23.0	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1000~3000	-46.86	-13.0	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	3000~20000	-38.65	-13.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	0.009~0.15	-48.18	-43.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	0.15~30	-56.25	-33.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	30~1000	-56.03	-23.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	1000~3000	-39.07	-13.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	3000~20000	-38.55	-13.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	0.009~0.15	-47.98	-43.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	0.15~30	-53.89	-33.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	30~1000	-56.47	-23.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	1000~3000	-29.19	-13.0	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	3000~20000	-38.51	-13.0	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	0.009~0.15	-47.17	-43.0	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	0.15~30	-55.81	-33.0	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	30~1000	-57.06	-23.0	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1000~3000	-29.54	-13.0	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	3000~20000	-38.32	-13.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	0.009~0.15	-48.31	-43.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	0.15~30	-55.13	-33.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	30~1000	-56.20	-23.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	1000~3000	-40.57	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	1.4MHz	16QAM	132665	1RB#0	3000~20000	-38.78	-13.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	0.009~0.15	-48.36	-43.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	0.15~30	-52.74	-33.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	30~1000	-55.83	-23.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	1000~3000	-27.02	-13.0	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	3000~20000	-38.56	-13.0	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	0.009~0.15	-48.80	-43.0	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	0.15~30	-54.95	-33.0	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	30~1000	-56.74	-23.0	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1000~3000	-29.33	-13.0	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	3000~20000	-38.69	-13.0	PASS
Band66	3MHz	QPSK	131987	1RB#0	0.009~0.15	-48.95	-43.0	PASS
Band66	3MHz	QPSK	131987	1RB#0	0.15~30	-54.07	-33.0	PASS
Band66	3MHz	QPSK	131987	1RB#0	30~1000	-56.60	-23.0	PASS
Band66	3MHz	QPSK	131987	1RB#0	1000~3000	-26.66	-13.0	PASS
Band66	3MHz	QPSK	131987	1RB#0	3000~20000	-38.67	-13.0	PASS
Band66	3MHz	QPSK	131987	1RB#14	0.009~0.15	-46.17	-43.0	PASS
Band66	3MHz	QPSK	131987	1RB#14	0.15~30	-52.72	-33.0	PASS
Band66	3MHz	QPSK	131987	1RB#14	30~1000	-56.64	-23.0	PASS
Band66	3MHz	QPSK	131987	1RB#14	1000~3000	-37.63	-13.0	PASS
Band66	3MHz	QPSK	131987	1RB#14	3000~20000	-38.45	-13.0	PASS
Band66	3MHz	QPSK	131987	15RB#0	0.009~0.15	-47.06	-43.0	PASS
Band66	3MHz	QPSK	131987	15RB#0	0.15~30	-54.95	-33.0	PASS
Band66	3MHz	QPSK	131987	15RB#0	30~1000	-57.08	-23.0	PASS
Band66	3MHz	QPSK	131987	15RB#0	1000~3000	-24.78	-13.0	PASS
Band66	3MHz	QPSK	131987	15RB#0	3000~20000	-38.49	-13.0	PASS
Band66	3MHz	16QAM	131987	1RB#0	0.009~0.15	-47.66	-43.0	PASS
Band66	3MHz	16QAM	131987	1RB#0	0.15~30	-52.02	-33.0	PASS
Band66	3MHz	16QAM	131987	1RB#0	30~1000	-56.31	-23.0	PASS
Band66	3MHz	16QAM	131987	1RB#0	1000~3000	-26.18	-13.0	PASS
Band66	3MHz	16QAM	131987	1RB#0	3000~20000	-38.68	-13.0	PASS
Band66	3MHz	16QAM	131987	1RB#14	0.009~0.15	-48.07	-43.0	PASS
Band66	3MHz	16QAM	131987	1RB#14	0.15~30	-53.95	-33.0	PASS
Band66	3MHz	16QAM	131987	1RB#14	30~1000	-56.88	-23.0	PASS
Band66	3MHz	16QAM	131987	1RB#14	1000~3000	-39.79	-13.0	PASS
Band66	3MHz	16QAM	131987	1RB#14	3000~20000	-38.79	-13.0	PASS
Band66	3MHz	16QAM	131987	15RB#0	0.009~0.15	-47.98	-43.0	PASS
Band66	3MHz	16QAM	131987	15RB#0	0.15~30	-55.89	-33.0	PASS
Band66	3MHz	16QAM	131987	15RB#0	30~1000	-56.98	-23.0	PASS
Band66	3MHz	16QAM	131987	15RB#0	1000~3000	-25.83	-13.0	PASS
Band66	3MHz	16QAM	131987	15RB#0	3000~20000	-38.29	-13.0	PASS
Band66	3MHz	QPSK	132322	1RB#0	0.009~0.15	-47.37	-43.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	3MHz	QPSK	132322	1RB#0	0.15~30	-55.49	-33.0	PASS
Band66	3MHz	QPSK	132322	1RB#0	30~1000	-50.48	-23.0	PASS
Band66	3MHz	QPSK	132322	1RB#0	1000~3000	-47.10	-13.0	PASS
Band66	3MHz	QPSK	132322	1RB#0	3000~20000	-38.84	-13.0	PASS
Band66	3MHz	QPSK	132322	1RB#14	0.009~0.15	-48.12	-43.0	PASS
Band66	3MHz	QPSK	132322	1RB#14	0.15~30	-54.42	-33.0	PASS
Band66	3MHz	QPSK	132322	1RB#14	30~1000	-56.39	-23.0	PASS
Band66	3MHz	QPSK	132322	1RB#14	1000~3000	-47.04	-13.0	PASS
Band66	3MHz	QPSK	132322	1RB#14	3000~20000	-38.17	-13.0	PASS
Band66	3MHz	QPSK	132322	15RB#0	0.009~0.15	-46.74	-43.0	PASS
Band66	3MHz	QPSK	132322	15RB#0	0.15~30	-53.82	-33.0	PASS
Band66	3MHz	QPSK	132322	15RB#0	30~1000	-56.75	-23.0	PASS
Band66	3MHz	QPSK	132322	15RB#0	1000~3000	-47.26	-13.0	PASS
Band66	3MHz	QPSK	132322	15RB#0	3000~20000	-38.42	-13.0	PASS
Band66	3MHz	16QAM	132322	1RB#0	0.009~0.15	-46.34	-43.0	PASS
Band66	3MHz	16QAM	132322	1RB#0	0.15~30	-55.75	-33.0	PASS
Band66	3MHz	16QAM	132322	1RB#0	30~1000	-56.52	-23.0	PASS
Band66	3MHz	16QAM	132322	1RB#0	1000~3000	-47.25	-13.0	PASS
Band66	3MHz	16QAM	132322	1RB#0	3000~20000	-38.55	-13.0	PASS
Band66	3MHz	16QAM	132322	1RB#14	0.009~0.15	-48.28	-43.0	PASS
Band66	3MHz	16QAM	132322	1RB#14	0.15~30	-54.41	-33.0	PASS
Band66	3MHz	16QAM	132322	1RB#14	30~1000	-56.11	-23.0	PASS
Band66	3MHz	16QAM	132322	1RB#14	1000~3000	-46.98	-13.0	PASS
Band66	3MHz	16QAM	132322	1RB#14	3000~20000	-38.73	-13.0	PASS
Band66	3MHz	16QAM	132322	15RB#0	0.009~0.15	-46.35	-43.0	PASS
Band66	3MHz	16QAM	132322	15RB#0	0.15~30	-54.77	-33.0	PASS
Band66	3MHz	16QAM	132322	15RB#0	30~1000	-56.37	-23.0	PASS
Band66	3MHz	16QAM	132322	15RB#0	1000~3000	-47.28	-13.0	PASS
Band66	3MHz	16QAM	132322	15RB#0	3000~20000	-38.66	-13.0	PASS
Band66	3MHz	QPSK	132657	1RB#0	0.009~0.15	-48.42	-43.0	PASS
Band66	3MHz	QPSK	132657	1RB#0	0.15~30	-56.11	-33.0	PASS
Band66	3MHz	QPSK	132657	1RB#0	30~1000	-55.86	-23.0	PASS
Band66	3MHz	QPSK	132657	1RB#0	1000~3000	-34.75	-13.0	PASS
Band66	3MHz	QPSK	132657	1RB#0	3000~20000	-38.68	-13.0	PASS
Band66	3MHz	QPSK	132657	1RB#14	0.009~0.15	-47.65	-43.0	PASS
Band66	3MHz	QPSK	132657	1RB#14	0.15~30	-54.99	-33.0	PASS
Band66	3MHz	QPSK	132657	1RB#14	30~1000	-56.28	-23.0	PASS
Band66	3MHz	QPSK	132657	1RB#14	1000~3000	-28.13	-13.0	PASS
Band66	3MHz	QPSK	132657	1RB#14	3000~20000	-38.57	-13.0	PASS
Band66	3MHz	QPSK	132657	15RB#0	0.009~0.15	-47.30	-43.0	PASS
Band66	3MHz	QPSK	132657	15RB#0	0.15~30	-54.15	-33.0	PASS
Band66	3MHz	QPSK	132657	15RB#0	30~1000	-56.82	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	3MHz	QPSK	132657	15RB#0	1000~3000	-23.11	-13.0	PASS
Band66	3MHz	QPSK	132657	15RB#0	3000~20000	-38.68	-13.0	PASS
Band66	3MHz	16QAM	132657	1RB#0	0.009~0.15	-48.40	-43.0	PASS
Band66	3MHz	16QAM	132657	1RB#0	0.15~30	-54.27	-33.0	PASS
Band66	3MHz	16QAM	132657	1RB#0	30~1000	-56.93	-23.0	PASS
Band66	3MHz	16QAM	132657	1RB#0	1000~3000	-35.14	-13.0	PASS
Band66	3MHz	16QAM	132657	1RB#0	3000~20000	-38.95	-13.0	PASS
Band66	3MHz	16QAM	132657	1RB#14	0.009~0.15	-47.40	-43.0	PASS
Band66	3MHz	16QAM	132657	1RB#14	0.15~30	-53.39	-33.0	PASS
Band66	3MHz	16QAM	132657	1RB#14	30~1000	-57.16	-23.0	PASS
Band66	3MHz	16QAM	132657	1RB#14	1000~3000	-27.33	-13.0	PASS
Band66	3MHz	16QAM	132657	1RB#14	3000~20000	-38.55	-13.0	PASS
Band66	3MHz	16QAM	132657	15RB#0	0.009~0.15	-48.48	-43.0	PASS
Band66	3MHz	16QAM	132657	15RB#0	0.15~30	-55.33	-33.0	PASS
Band66	3MHz	16QAM	132657	15RB#0	30~1000	-56.11	-23.0	PASS
Band66	3MHz	16QAM	132657	15RB#0	1000~3000	-24.89	-13.0	PASS
Band66	3MHz	16QAM	132657	15RB#0	3000~20000	-38.82	-13.0	PASS
Band66	5MHz	QPSK	131997	1RB#0	0.009~0.15	-46.93	-43.0	PASS
Band66	5MHz	QPSK	131997	1RB#0	0.15~30	-55.31	-33.0	PASS
Band66	5MHz	QPSK	131997	1RB#0	30~1000	-56.59	-23.0	PASS
Band66	5MHz	QPSK	131997	1RB#0	1000~3000	-32.34	-13.0	PASS
Band66	5MHz	QPSK	131997	1RB#0	3000~20000	-38.81	-13.0	PASS
Band66	5MHz	QPSK	131997	1RB#24	0.009~0.15	-45.68	-43.0	PASS
Band66	5MHz	QPSK	131997	1RB#24	0.15~30	-54.15	-33.0	PASS
Band66	5MHz	QPSK	131997	1RB#24	30~1000	-56.89	-23.0	PASS
Band66	5MHz	QPSK	131997	1RB#24	1000~3000	-36.41	-13.0	PASS
Band66	5MHz	QPSK	131997	1RB#24	3000~20000	-38.51	-13.0	PASS
Band66	5MHz	QPSK	131997	25RB#0	0.009~0.15	-47.49	-43.0	PASS
Band66	5MHz	QPSK	131997	25RB#0	0.15~30	-53.53	-33.0	PASS
Band66	5MHz	QPSK	131997	25RB#0	30~1000	-56.74	-23.0	PASS
Band66	5MHz	QPSK	131997	25RB#0	1000~3000	-25.29	-13.0	PASS
Band66	5MHz	QPSK	131997	25RB#0	3000~20000	-38.28	-13.0	PASS
Band66	5MHz	16QAM	131997	1RB#0	0.009~0.15	-47.61	-43.0	PASS
Band66	5MHz	16QAM	131997	1RB#0	0.15~30	-57.21	-33.0	PASS
Band66	5MHz	16QAM	131997	1RB#0	30~1000	-56.67	-23.0	PASS
Band66	5MHz	16QAM	131997	1RB#0	1000~3000	-33.28	-13.0	PASS
Band66	5MHz	16QAM	131997	1RB#0	3000~20000	-38.90	-13.0	PASS
Band66	5MHz	16QAM	131997	1RB#24	0.009~0.15	-48.59	-43.0	PASS
Band66	5MHz	16QAM	131997	1RB#24	0.15~30	-57.65	-33.0	PASS
Band66	5MHz	16QAM	131997	1RB#24	30~1000	-56.61	-23.0	PASS
Band66	5MHz	16QAM	131997	1RB#24	1000~3000	-37.88	-13.0	PASS
Band66	5MHz	16QAM	131997	1RB#24	3000~20000	-38.86	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	5MHz	16QAM	131997	25RB#0	0.009~0.15	-48.03	-43.0	PASS
Band66	5MHz	16QAM	131997	25RB#0	0.15~30	-55.28	-33.0	PASS
Band66	5MHz	16QAM	131997	25RB#0	30~1000	-56.05	-23.0	PASS
Band66	5MHz	16QAM	131997	25RB#0	1000~3000	-25.63	-13.0	PASS
Band66	5MHz	16QAM	131997	25RB#0	3000~20000	-38.72	-13.0	PASS
Band66	5MHz	QPSK	132322	1RB#0	0.009~0.15	-45.68	-43.0	PASS
Band66	5MHz	QPSK	132322	1RB#0	0.15~30	-55.88	-33.0	PASS
Band66	5MHz	QPSK	132322	1RB#0	30~1000	-56.24	-23.0	PASS
Band66	5MHz	QPSK	132322	1RB#0	1000~3000	-47.11	-13.0	PASS
Band66	5MHz	QPSK	132322	1RB#0	3000~20000	-38.53	-13.0	PASS
Band66	5MHz	QPSK	132322	1RB#24	0.009~0.15	-47.43	-43.0	PASS
Band66	5MHz	QPSK	132322	1RB#24	0.15~30	-54.74	-33.0	PASS
Band66	5MHz	QPSK	132322	1RB#24	30~1000	-56.55	-23.0	PASS
Band66	5MHz	QPSK	132322	1RB#24	1000~3000	-47.16	-13.0	PASS
Band66	5MHz	QPSK	132322	1RB#24	3000~20000	-38.37	-13.0	PASS
Band66	5MHz	QPSK	132322	25RB#0	0.009~0.15	-46.65	-43.0	PASS
Band66	5MHz	QPSK	132322	25RB#0	0.15~30	-54.20	-33.0	PASS
Band66	5MHz	QPSK	132322	25RB#0	30~1000	-56.49	-23.0	PASS
Band66	5MHz	QPSK	132322	25RB#0	1000~3000	-47.20	-13.0	PASS
Band66	5MHz	QPSK	132322	25RB#0	3000~20000	-38.77	-13.0	PASS
Band66	5MHz	16QAM	132322	1RB#0	0.009~0.15	-48.14	-43.0	PASS
Band66	5MHz	16QAM	132322	1RB#0	0.15~30	-56.21	-33.0	PASS
Band66	5MHz	16QAM	132322	1RB#0	30~1000	-56.90	-23.0	PASS
Band66	5MHz	16QAM	132322	1RB#0	1000~3000	-47.20	-13.0	PASS
Band66	5MHz	16QAM	132322	1RB#0	3000~20000	-38.34	-13.0	PASS
Band66	5MHz	16QAM	132322	1RB#24	0.009~0.15	-48.24	-43.0	PASS
Band66	5MHz	16QAM	132322	1RB#24	0.15~30	-56.21	-33.0	PASS
Band66	5MHz	16QAM	132322	1RB#24	30~1000	-56.71	-23.0	PASS
Band66	5MHz	16QAM	132322	1RB#24	1000~3000	-47.25	-13.0	PASS
Band66	5MHz	16QAM	132322	1RB#24	3000~20000	-38.85	-13.0	PASS
Band66	5MHz	16QAM	132322	25RB#0	0.009~0.15	-47.57	-43.0	PASS
Band66	5MHz	16QAM	132322	25RB#0	0.15~30	-54.15	-33.0	PASS
Band66	5MHz	16QAM	132322	25RB#0	30~1000	-56.33	-23.0	PASS
Band66	5MHz	16QAM	132322	25RB#0	1000~3000	-47.24	-13.0	PASS
Band66	5MHz	16QAM	132322	25RB#0	3000~20000	-38.71	-13.0	PASS
Band66	5MHz	QPSK	132647	1RB#0	0.009~0.15	-45.18	-43.0	PASS
Band66	5MHz	QPSK	132647	1RB#0	0.15~30	-55.40	-33.0	PASS
Band66	5MHz	QPSK	132647	1RB#0	30~1000	-56.56	-23.0	PASS
Band66	5MHz	QPSK	132647	1RB#0	1000~3000	-34.65	-13.0	PASS
Band66	5MHz	QPSK	132647	1RB#0	3000~20000	-39.01	-13.0	PASS
Band66	5MHz	QPSK	132647	1RB#24	0.009~0.15	-45.84	-43.0	PASS
Band66	5MHz	QPSK	132647	1RB#24	0.15~30	-55.22	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	5MHz	QPSK	132647	1RB#24	30~1000	-56.80	-23.0	PASS
Band66	5MHz	QPSK	132647	1RB#24	1000~3000	-33.27	-13.0	PASS
Band66	5MHz	QPSK	132647	1RB#24	3000~20000	-38.83	-13.0	PASS
Band66	5MHz	QPSK	132647	25RB#0	0.009~0.15	-46.78	-43.0	PASS
Band66	5MHz	QPSK	132647	25RB#0	0.15~30	-51.63	-33.0	PASS
Band66	5MHz	QPSK	132647	25RB#0	30~1000	-56.50	-23.0	PASS
Band66	5MHz	QPSK	132647	25RB#0	1000~3000	-24.88	-13.0	PASS
Band66	5MHz	QPSK	132647	25RB#0	3000~20000	-38.73	-13.0	PASS
Band66	5MHz	16QAM	132647	1RB#0	0.009~0.15	-48.96	-43.0	PASS
Band66	5MHz	16QAM	132647	1RB#0	0.15~30	-54.93	-33.0	PASS
Band66	5MHz	16QAM	132647	1RB#0	30~1000	-56.51	-23.0	PASS
Band66	5MHz	16QAM	132647	1RB#0	1000~3000	-36.45	-13.0	PASS
Band66	5MHz	16QAM	132647	1RB#0	3000~20000	-38.65	-13.0	PASS
Band66	5MHz	16QAM	132647	1RB#24	0.009~0.15	-45.88	-43.0	PASS
Band66	5MHz	16QAM	132647	1RB#24	0.15~30	-53.84	-33.0	PASS
Band66	5MHz	16QAM	132647	1RB#24	30~1000	-55.33	-23.0	PASS
Band66	5MHz	16QAM	132647	1RB#24	1000~3000	-32.18	-13.0	PASS
Band66	5MHz	16QAM	132647	1RB#24	3000~20000	-38.61	-13.0	PASS
Band66	5MHz	16QAM	132647	25RB#0	0.009~0.15	-47.99	-43.0	PASS
Band66	5MHz	16QAM	132647	25RB#0	0.15~30	-54.37	-33.0	PASS
Band66	5MHz	16QAM	132647	25RB#0	30~1000	-55.95	-23.0	PASS
Band66	5MHz	16QAM	132647	25RB#0	1000~3000	-25.02	-13.0	PASS
Band66	5MHz	16QAM	132647	25RB#0	3000~20000	-38.63	-13.0	PASS
Band66	10MHz	QPSK	132022	1RB#0	0.009~0.15	-47.38	-43.0	PASS
Band66	10MHz	QPSK	132022	1RB#0	0.15~30	-56.05	-33.0	PASS
Band66	10MHz	QPSK	132022	1RB#0	30~1000	-56.93	-23.0	PASS
Band66	10MHz	QPSK	132022	1RB#0	1000~3000	-37.64	-13.0	PASS
Band66	10MHz	QPSK	132022	1RB#0	3000~20000	-38.50	-13.0	PASS
Band66	10MHz	QPSK	132022	1RB#49	0.009~0.15	-49.35	-43.0	PASS
Band66	10MHz	QPSK	132022	1RB#49	0.15~30	-53.73	-33.0	PASS
Band66	10MHz	QPSK	132022	1RB#49	30~1000	-56.77	-23.0	PASS
Band66	10MHz	QPSK	132022	1RB#49	1000~3000	-38.05	-13.0	PASS
Band66	10MHz	QPSK	132022	1RB#49	3000~20000	-38.54	-13.0	PASS
Band66	10MHz	QPSK	132022	50RB#0	0.009~0.15	-47.13	-43.0	PASS
Band66	10MHz	QPSK	132022	50RB#0	0.15~30	-55.46	-33.0	PASS
Band66	10MHz	QPSK	132022	50RB#0	30~1000	-56.62	-23.0	PASS
Band66	10MHz	QPSK	132022	50RB#0	1000~3000	-29.06	-13.0	PASS
Band66	10MHz	QPSK	132022	50RB#0	3000~20000	-39.01	-13.0	PASS
Band66	10MHz	16QAM	132022	1RB#0	0.009~0.15	-47.16	-43.0	PASS
Band66	10MHz	16QAM	132022	1RB#0	0.15~30	-55.91	-33.0	PASS
Band66	10MHz	16QAM	132022	1RB#0	30~1000	-56.87	-23.0	PASS
Band66	10MHz	16QAM	132022	1RB#0	1000~3000	-39.41	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	10MHz	16QAM	132022	1RB#0	3000~20000	-38.38	-13.0	PASS
Band66	10MHz	16QAM	132022	1RB#49	0.009~0.15	-48.91	-43.0	PASS
Band66	10MHz	16QAM	132022	1RB#49	0.15~30	-54.48	-33.0	PASS
Band66	10MHz	16QAM	132022	1RB#49	30~1000	-56.76	-23.0	PASS
Band66	10MHz	16QAM	132022	1RB#49	1000~3000	-40.86	-13.0	PASS
Band66	10MHz	16QAM	132022	1RB#49	3000~20000	-38.75	-13.0	PASS
Band66	10MHz	16QAM	132022	50RB#0	0.009~0.15	-47.88	-43.0	PASS
Band66	10MHz	16QAM	132022	50RB#0	0.15~30	-56.30	-33.0	PASS
Band66	10MHz	16QAM	132022	50RB#0	30~1000	-56.11	-23.0	PASS
Band66	10MHz	16QAM	132022	50RB#0	1000~3000	-28.35	-13.0	PASS
Band66	10MHz	16QAM	132022	50RB#0	3000~20000	-38.88	-13.0	PASS
Band66	10MHz	QPSK	132322	1RB#0	0.009~0.15	-46.80	-43.0	PASS
Band66	10MHz	QPSK	132322	1RB#0	0.15~30	-55.61	-33.0	PASS
Band66	10MHz	QPSK	132322	1RB#0	30~1000	-56.67	-23.0	PASS
Band66	10MHz	QPSK	132322	1RB#0	1000~3000	-47.26	-13.0	PASS
Band66	10MHz	QPSK	132322	1RB#0	3000~20000	-38.61	-13.0	PASS
Band66	10MHz	QPSK	132322	1RB#49	0.009~0.15	-47.93	-43.0	PASS
Band66	10MHz	QPSK	132322	1RB#49	0.15~30	-55.71	-33.0	PASS
Band66	10MHz	QPSK	132322	1RB#49	30~1000	-56.26	-23.0	PASS
Band66	10MHz	QPSK	132322	1RB#49	1000~3000	-47.13	-13.0	PASS
Band66	10MHz	QPSK	132322	1RB#49	3000~20000	-38.82	-13.0	PASS
Band66	10MHz	QPSK	132322	50RB#0	0.009~0.15	-46.41	-43.0	PASS
Band66	10MHz	QPSK	132322	50RB#0	0.15~30	-56.45	-33.0	PASS
Band66	10MHz	QPSK	132322	50RB#0	30~1000	-56.08	-23.0	PASS
Band66	10MHz	QPSK	132322	50RB#0	1000~3000	-47.09	-13.0	PASS
Band66	10MHz	QPSK	132322	50RB#0	3000~20000	-38.25	-13.0	PASS
Band66	10MHz	16QAM	132322	1RB#0	0.009~0.15	-45.27	-43.0	PASS
Band66	10MHz	16QAM	132322	1RB#0	0.15~30	-54.40	-33.0	PASS
Band66	10MHz	16QAM	132322	1RB#0	30~1000	-56.35	-23.0	PASS
Band66	10MHz	16QAM	132322	1RB#0	1000~3000	-47.26	-13.0	PASS
Band66	10MHz	16QAM	132322	1RB#0	3000~20000	-38.80	-13.0	PASS
Band66	10MHz	16QAM	132322	1RB#49	0.009~0.15	-48.40	-43.0	PASS
Band66	10MHz	16QAM	132322	1RB#49	0.15~30	-56.21	-33.0	PASS
Band66	10MHz	16QAM	132322	1RB#49	30~1000	-56.59	-23.0	PASS
Band66	10MHz	16QAM	132322	1RB#49	1000~3000	-47.19	-13.0	PASS
Band66	10MHz	16QAM	132322	1RB#49	3000~20000	-38.73	-13.0	PASS
Band66	10MHz	16QAM	132322	50RB#0	0.009~0.15	-46.89	-43.0	PASS
Band66	10MHz	16QAM	132322	50RB#0	0.15~30	-57.03	-33.0	PASS
Band66	10MHz	16QAM	132322	50RB#0	30~1000	-56.56	-23.0	PASS
Band66	10MHz	16QAM	132322	50RB#0	1000~3000	-47.35	-13.0	PASS
Band66	10MHz	16QAM	132322	50RB#0	3000~20000	-38.60	-13.0	PASS
Band66	10MHz	QPSK	132622	1RB#0	0.009~0.15	-47.15	-43.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	10MHz	QPSK	132622	1RB#0	0.15~30	-54.54	-33.0	PASS
Band66	10MHz	QPSK	132622	1RB#0	30~1000	-56.78	-23.0	PASS
Band66	10MHz	QPSK	132622	1RB#0	1000~3000	-41.26	-13.0	PASS
Band66	10MHz	QPSK	132622	1RB#0	3000~20000	-38.67	-13.0	PASS
Band66	10MHz	QPSK	132622	1RB#49	0.009~0.15	-48.34	-43.0	PASS
Band66	10MHz	QPSK	132622	1RB#49	0.15~30	-55.97	-33.0	PASS
Band66	10MHz	QPSK	132622	1RB#49	30~1000	-56.93	-23.0	PASS
Band66	10MHz	QPSK	132622	1RB#49	1000~3000	-38.92	-13.0	PASS
Band66	10MHz	QPSK	132622	1RB#49	3000~20000	-38.83	-13.0	PASS
Band66	10MHz	QPSK	132622	50RB#0	0.009~0.15	-47.53	-43.0	PASS
Band66	10MHz	QPSK	132622	50RB#0	0.15~30	-56.36	-33.0	PASS
Band66	10MHz	QPSK	132622	50RB#0	30~1000	-56.16	-23.0	PASS
Band66	10MHz	QPSK	132622	50RB#0	1000~3000	-27.01	-13.0	PASS
Band66	10MHz	QPSK	132622	50RB#0	3000~20000	-38.75	-13.0	PASS
Band66	10MHz	16QAM	132622	1RB#0	0.009~0.15	-48.06	-43.0	PASS
Band66	10MHz	16QAM	132622	1RB#0	0.15~30	-53.95	-33.0	PASS
Band66	10MHz	16QAM	132622	1RB#0	30~1000	-56.83	-23.0	PASS
Band66	10MHz	16QAM	132622	1RB#0	1000~3000	-39.38	-13.0	PASS
Band66	10MHz	16QAM	132622	1RB#0	3000~20000	-38.90	-13.0	PASS
Band66	10MHz	16QAM	132622	1RB#49	0.009~0.15	-47.72	-43.0	PASS
Band66	10MHz	16QAM	132622	1RB#49	0.15~30	-53.95	-33.0	PASS
Band66	10MHz	16QAM	132622	1RB#49	30~1000	-56.35	-23.0	PASS
Band66	10MHz	16QAM	132622	1RB#49	1000~3000	-40.85	-13.0	PASS
Band66	10MHz	16QAM	132622	1RB#49	3000~20000	-38.65	-13.0	PASS
Band66	10MHz	16QAM	132622	50RB#0	0.009~0.15	-47.10	-43.0	PASS
Band66	10MHz	16QAM	132622	50RB#0	0.15~30	-55.19	-33.0	PASS
Band66	10MHz	16QAM	132622	50RB#0	30~1000	-56.76	-23.0	PASS
Band66	10MHz	16QAM	132622	50RB#0	1000~3000	-27.79	-13.0	PASS
Band66	10MHz	16QAM	132622	50RB#0	3000~20000	-38.83	-13.0	PASS
Band66	15MHz	QPSK	132047	1RB#0	0.009~0.15	-46.27	-43.0	PASS
Band66	15MHz	QPSK	132047	1RB#0	0.15~30	-54.50	-33.0	PASS
Band66	15MHz	QPSK	132047	1RB#0	30~1000	-56.80	-23.0	PASS
Band66	15MHz	QPSK	132047	1RB#0	1000~3000	-40.07	-13.0	PASS
Band66	15MHz	QPSK	132047	1RB#0	3000~20000	-38.80	-13.0	PASS
Band66	15MHz	QPSK	132047	1RB#74	0.009~0.15	-47.17	-43.0	PASS
Band66	15MHz	QPSK	132047	1RB#74	0.15~30	-54.28	-33.0	PASS
Band66	15MHz	QPSK	132047	1RB#74	30~1000	-56.10	-23.0	PASS
Band66	15MHz	QPSK	132047	1RB#74	1000~3000	-38.55	-13.0	PASS
Band66	15MHz	QPSK	132047	1RB#74	3000~20000	-38.78	-13.0	PASS
Band66	15MHz	QPSK	132047	75RB#0	0.009~0.15	-48.84	-43.0	PASS
Band66	15MHz	QPSK	132047	75RB#0	0.15~30	-56.82	-33.0	PASS
Band66	15MHz	QPSK	132047	75RB#0	30~1000	-56.60	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	15MHz	QPSK	132047	75RB#0	1000~3000	-29.81	-13.0	PASS
Band66	15MHz	QPSK	132047	75RB#0	3000~20000	-38.45	-13.0	PASS
Band66	15MHz	16QAM	132047	1RB#0	0.009~0.15	-46.54	-43.0	PASS
Band66	15MHz	16QAM	132047	1RB#0	0.15~30	-54.58	-33.0	PASS
Band66	15MHz	16QAM	132047	1RB#0	30~1000	-56.97	-23.0	PASS
Band66	15MHz	16QAM	132047	1RB#0	1000~3000	-41.12	-13.0	PASS
Band66	15MHz	16QAM	132047	1RB#0	3000~20000	-38.61	-13.0	PASS
Band66	15MHz	16QAM	132047	1RB#74	0.009~0.15	-47.51	-43.0	PASS
Band66	15MHz	16QAM	132047	1RB#74	0.15~30	-55.28	-33.0	PASS
Band66	15MHz	16QAM	132047	1RB#74	30~1000	-55.94	-23.0	PASS
Band66	15MHz	16QAM	132047	1RB#74	1000~3000	-39.42	-13.0	PASS
Band66	15MHz	16QAM	132047	1RB#74	3000~20000	-38.73	-13.0	PASS
Band66	15MHz	16QAM	132047	75RB#0	0.009~0.15	-46.53	-43.0	PASS
Band66	15MHz	16QAM	132047	75RB#0	0.15~30	-55.91	-33.0	PASS
Band66	15MHz	16QAM	132047	75RB#0	30~1000	-56.88	-23.0	PASS
Band66	15MHz	16QAM	132047	75RB#0	1000~3000	-29.72	-13.0	PASS
Band66	15MHz	16QAM	132047	75RB#0	3000~20000	-38.69	-13.0	PASS
Band66	15MHz	QPSK	132322	1RB#0	0.009~0.15	-46.30	-43.0	PASS
Band66	15MHz	QPSK	132322	1RB#0	0.15~30	-56.90	-33.0	PASS
Band66	15MHz	QPSK	132322	1RB#0	30~1000	-57.00	-23.0	PASS
Band66	15MHz	QPSK	132322	1RB#0	1000~3000	-45.38	-13.0	PASS
Band66	15MHz	QPSK	132322	1RB#0	3000~20000	-38.70	-13.0	PASS
Band66	15MHz	QPSK	132322	1RB#74	0.009~0.15	-47.71	-43.0	PASS
Band66	15MHz	QPSK	132322	1RB#74	0.15~30	-54.07	-33.0	PASS
Band66	15MHz	QPSK	132322	1RB#74	30~1000	-56.69	-23.0	PASS
Band66	15MHz	QPSK	132322	1RB#74	1000~3000	-47.11	-13.0	PASS
Band66	15MHz	QPSK	132322	1RB#74	3000~20000	-38.68	-13.0	PASS
Band66	15MHz	QPSK	132322	75RB#0	0.009~0.15	-46.27	-43.0	PASS
Band66	15MHz	QPSK	132322	75RB#0	0.15~30	-56.57	-33.0	PASS
Band66	15MHz	QPSK	132322	75RB#0	30~1000	-57.36	-23.0	PASS
Band66	15MHz	QPSK	132322	75RB#0	1000~3000	-46.35	-13.0	PASS
Band66	15MHz	QPSK	132322	75RB#0	3000~20000	-38.65	-13.0	PASS
Band66	15MHz	16QAM	132322	1RB#0	0.009~0.15	-47.26	-43.0	PASS
Band66	15MHz	16QAM	132322	1RB#0	0.15~30	-53.32	-33.0	PASS
Band66	15MHz	16QAM	132322	1RB#0	30~1000	-56.77	-23.0	PASS
Band66	15MHz	16QAM	132322	1RB#0	1000~3000	-47.23	-13.0	PASS
Band66	15MHz	16QAM	132322	1RB#0	3000~20000	-38.84	-13.0	PASS
Band66	15MHz	16QAM	132322	1RB#74	0.009~0.15	-46.12	-43.0	PASS
Band66	15MHz	16QAM	132322	1RB#74	0.15~30	-53.96	-33.0	PASS
Band66	15MHz	16QAM	132322	1RB#74	30~1000	-56.46	-23.0	PASS
Band66	15MHz	16QAM	132322	1RB#74	1000~3000	-47.26	-13.0	PASS
Band66	15MHz	16QAM	132322	1RB#74	3000~20000	-38.87	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	15MHz	16QAM	132322	75RB#0	0.009~0.15	-46.62	-43.0	PASS
Band66	15MHz	16QAM	132322	75RB#0	0.15~30	-56.50	-33.0	PASS
Band66	15MHz	16QAM	132322	75RB#0	30~1000	-56.28	-23.0	PASS
Band66	15MHz	16QAM	132322	75RB#0	1000~3000	-47.08	-13.0	PASS
Band66	15MHz	16QAM	132322	75RB#0	3000~20000	-38.66	-13.0	PASS
Band66	15MHz	QPSK	132597	1RB#0	0.009~0.15	-47.76	-43.0	PASS
Band66	15MHz	QPSK	132597	1RB#0	0.15~30	-53.42	-33.0	PASS
Band66	15MHz	QPSK	132597	1RB#0	30~1000	-56.50	-23.0	PASS
Band66	15MHz	QPSK	132597	1RB#0	1000~3000	-45.35	-13.0	PASS
Band66	15MHz	QPSK	132597	1RB#0	3000~20000	-38.61	-13.0	PASS
Band66	15MHz	QPSK	132597	1RB#74	0.009~0.15	-46.93	-43.0	PASS
Band66	15MHz	QPSK	132597	1RB#74	0.15~30	-54.60	-33.0	PASS
Band66	15MHz	QPSK	132597	1RB#74	30~1000	-56.67	-23.0	PASS
Band66	15MHz	QPSK	132597	1RB#74	1000~3000	-40.57	-13.0	PASS
Band66	15MHz	QPSK	132597	1RB#74	3000~20000	-38.78	-13.0	PASS
Band66	15MHz	QPSK	132597	75RB#0	0.009~0.15	-47.39	-43.0	PASS
Band66	15MHz	QPSK	132597	75RB#0	0.15~30	-54.52	-33.0	PASS
Band66	15MHz	QPSK	132597	75RB#0	30~1000	-56.80	-23.0	PASS
Band66	15MHz	QPSK	132597	75RB#0	1000~3000	-25.34	-13.0	PASS
Band66	15MHz	QPSK	132597	75RB#0	3000~20000	-38.90	-13.0	PASS
Band66	15MHz	16QAM	132597	1RB#0	0.009~0.15	-47.86	-43.0	PASS
Band66	15MHz	16QAM	132597	1RB#0	0.15~30	-54.95	-33.0	PASS
Band66	15MHz	16QAM	132597	1RB#0	30~1000	-56.42	-23.0	PASS
Band66	15MHz	16QAM	132597	1RB#0	1000~3000	-44.33	-13.0	PASS
Band66	15MHz	16QAM	132597	1RB#0	3000~20000	-38.66	-13.0	PASS
Band66	15MHz	16QAM	132597	1RB#74	0.009~0.15	-48.40	-43.0	PASS
Band66	15MHz	16QAM	132597	1RB#74	0.15~30	-54.07	-33.0	PASS
Band66	15MHz	16QAM	132597	1RB#74	30~1000	-57.00	-23.0	PASS
Band66	15MHz	16QAM	132597	1RB#74	1000~3000	-39.14	-13.0	PASS
Band66	15MHz	16QAM	132597	1RB#74	3000~20000	-38.89	-13.0	PASS
Band66	15MHz	16QAM	132597	75RB#0	0.009~0.15	-48.09	-43.0	PASS
Band66	15MHz	16QAM	132597	75RB#0	0.15~30	-54.93	-33.0	PASS
Band66	15MHz	16QAM	132597	75RB#0	30~1000	-57.01	-23.0	PASS
Band66	15MHz	16QAM	132597	75RB#0	1000~3000	-27.07	-13.0	PASS
Band66	15MHz	16QAM	132597	75RB#0	3000~20000	-38.50	-13.0	PASS
Band66	20MHz	QPSK	132072	1RB#0	0.009~0.15	-46.62	-43.0	PASS
Band66	20MHz	QPSK	132072	1RB#0	0.15~30	-55.49	-33.0	PASS
Band66	20MHz	QPSK	132072	1RB#0	30~1000	-56.50	-23.0	PASS
Band66	20MHz	QPSK	132072	1RB#0	1000~3000	-40.09	-13.0	PASS
Band66	20MHz	QPSK	132072	1RB#0	3000~20000	-38.75	-13.0	PASS
Band66	20MHz	QPSK	132072	1RB#99	0.009~0.15	-47.73	-43.0	PASS
Band66	20MHz	QPSK	132072	1RB#99	0.15~30	-54.76	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band66	20MHz	QPSK	132072	1RB#99	30~1000	-56.94	-23.0	PASS
Band66	20MHz	QPSK	132072	1RB#99	1000~3000	-47.01	-13.0	PASS
Band66	20MHz	QPSK	132072	1RB#99	3000~20000	-38.42	-13.0	PASS
Band66	20MHz	QPSK	132072	100RB#0	0.009~0.15	-47.43	-43.0	PASS
Band66	20MHz	QPSK	132072	100RB#0	0.15~30	-56.86	-33.0	PASS
Band66	20MHz	QPSK	132072	100RB#0	30~1000	-56.68	-23.0	PASS
Band66	20MHz	QPSK	132072	100RB#0	1000~3000	-34.44	-13.0	PASS
Band66	20MHz	QPSK	132072	100RB#0	3000~20000	-38.86	-13.0	PASS
Band66	20MHz	16QAM	132072	1RB#0	0.009~0.15	-47.30	-43.0	PASS
Band66	20MHz	16QAM	132072	1RB#0	0.15~30	-55.14	-33.0	PASS
Band66	20MHz	16QAM	132072	1RB#0	30~1000	-56.85	-23.0	PASS
Band66	20MHz	16QAM	132072	1RB#0	1000~3000	-40.16	-13.0	PASS
Band66	20MHz	16QAM	132072	1RB#0	3000~20000	-38.14	-13.0	PASS
Band66	20MHz	16QAM	132072	1RB#99	0.009~0.15	-48.51	-43.0	PASS
Band66	20MHz	16QAM	132072	1RB#99	0.15~30	-55.37	-33.0	PASS
Band66	20MHz	16QAM	132072	1RB#99	30~1000	-56.82	-23.0	PASS
Band66	20MHz	16QAM	132072	1RB#99	1000~3000	-47.14	-13.0	PASS
Band66	20MHz	16QAM	132072	1RB#99	3000~20000	-38.44	-13.0	PASS
Band66	20MHz	16QAM	132072	100RB#0	0.009~0.15	-46.74	-43.0	PASS
Band66	20MHz	16QAM	132072	100RB#0	0.15~30	-57.05	-33.0	PASS
Band66	20MHz	16QAM	132072	100RB#0	30~1000	-56.24	-23.0	PASS
Band66	20MHz	16QAM	132072	100RB#0	1000~3000	-32.09	-13.0	PASS
Band66	20MHz	16QAM	132072	100RB#0	3000~20000	-38.80	-13.0	PASS
Band66	20MHz	QPSK	132322	1RB#0	0.009~0.15	-49.72	-43.0	PASS
Band66	20MHz	QPSK	132322	1RB#0	0.15~30	-54.34	-33.0	PASS
Band66	20MHz	QPSK	132322	1RB#0	30~1000	-56.30	-23.0	PASS
Band66	20MHz	QPSK	132322	1RB#0	1000~3000	-46.95	-13.0	PASS
Band66	20MHz	QPSK	132322	1RB#0	3000~20000	-38.85	-13.0	PASS
Band66	20MHz	QPSK	132322	1RB#99	0.009~0.15	-48.91	-43.0	PASS
Band66	20MHz	QPSK	132322	1RB#99	0.15~30	-55.31	-33.0	PASS
Band66	20MHz	QPSK	132322	1RB#99	30~1000	-56.33	-23.0	PASS
Band66	20MHz	QPSK	132322	1RB#99	1000~3000	-47.17	-13.0	PASS
Band66	20MHz	QPSK	132322	1RB#99	3000~20000	-38.75	-13.0	PASS
Band66	20MHz	QPSK	132322	100RB#0	0.009~0.15	-47.79	-43.0	PASS
Band66	20MHz	QPSK	132322	100RB#0	0.15~30	-54.90	-33.0	PASS
Band66	20MHz	QPSK	132322	100RB#0	30~1000	-56.52	-23.0	PASS
Band66	20MHz	QPSK	132322	100RB#0	1000~3000	-41.06	-13.0	PASS
Band66	20MHz	QPSK	132322	100RB#0	3000~20000	-38.79	-13.0	PASS
Band66	20MHz	16QAM	132322	1RB#0	0.009~0.15	-47.64	-43.0	PASS
Band66	20MHz	16QAM	132322	1RB#0	0.15~30	-53.73	-33.0	PASS
Band66	20MHz	16QAM	132322	1RB#0	30~1000	-56.91	-23.0	PASS
Band66	20MHz	16QAM	132322	1RB#0	1000~3000	-47.28	-13.0	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.






Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com







Band66	20MHz	16QAM	132322	1RB#0	3000~20000	-38.85	-13.0	PASS
Band66	20MHz	16QAM	132322	1RB#99	0.009~0.15	-48.48	-43.0	PASS
Band66	20MHz	16QAM	132322	1RB#99	0.15~30	-55.40	-33.0	PASS
Band66	20MHz	16QAM	132322	1RB#99	30~1000	-56.76	-23.0	PASS
Band66	20MHz	16QAM	132322	1RB#99	1000~3000	-47.22	-13.0	PASS
Band66	20MHz	16QAM	132322	1RB#99	3000~20000	-38.58	-13.0	PASS
Band66	20MHz	16QAM	132322	100RB#0	0.009~0.15	-47.48	-43.0	PASS
Band66	20MHz	16QAM	132322	100RB#0	0.15~30	-56.62	-33.0	PASS
Band66	20MHz	16QAM	132322	100RB#0	30~1000	-56.15	-23.0	PASS
Band66	20MHz	16QAM	132322	100RB#0	1000~3000	-42.11	-13.0	PASS
Band66	20MHz	16QAM	132322	100RB#0	3000~20000	-38.46	-13.0	PASS
Band66	20MHz	QPSK	132572	1RB#0	0.009~0.15	-47.09	-43.0	PASS
Band66	20MHz	QPSK	132572	1RB#0	0.15~30	-53.45	-33.0	PASS
Band66	20MHz	QPSK	132572	1RB#0	30~1000	-56.99	-23.0	PASS
Band66	20MHz	QPSK	132572	1RB#0	1000~3000	-47.12	-13.0	PASS
Band66	20MHz	QPSK	132572	1RB#0	3000~20000	-38.83	-13.0	PASS
Band66	20MHz	QPSK	132572	1RB#99	0.009~0.15	-47.86	-43.0	PASS
Band66	20MHz	QPSK	132572	1RB#99	0.15~30	-55.76	-33.0	PASS
Band66	20MHz	QPSK	132572	1RB#99	30~1000	-56.98	-23.0	PASS
Band66	20MHz	QPSK	132572	1RB#99	1000~3000	-38.80	-13.0	PASS
Band66	20MHz	QPSK	132572	1RB#99	3000~20000	-38.77	-13.0	PASS
Band66	20MHz	QPSK	132572	100RB#0	0.009~0.15	-47.53	-43.0	PASS
Band66	20MHz	QPSK	132572	100RB#0	0.15~30	-54.46	-33.0	PASS
Band66	20MHz	QPSK	132572	100RB#0	30~1000	-56.82	-23.0	PASS
Band66	20MHz	QPSK	132572	100RB#0	1000~3000	-30.19	-13.0	PASS
Band66	20MHz	QPSK	132572	100RB#0	3000~20000	-38.31	-13.0	PASS
Band66	20MHz	16QAM	132572	1RB#0	0.009~0.15	-47.44	-43.0	PASS
Band66	20MHz	16QAM	132572	1RB#0	0.15~30	-53.53	-33.0	PASS
Band66	20MHz	16QAM	132572	1RB#0	30~1000	-56.59	-23.0	PASS
Band66	20MHz	16QAM	132572	1RB#0	1000~3000	-47.14	-13.0	PASS
Band66	20MHz	16QAM	132572	1RB#0	3000~20000	-38.88	-13.0	PASS
Band66	20MHz	16QAM	132572	1RB#99	0.009~0.15	-47.43	-43.0	PASS
Band66	20MHz	16QAM	132572	1RB#99	0.15~30	-56.28	-33.0	PASS
Band66	20MHz	16QAM	132572	1RB#99	30~1000	-56.85	-23.0	PASS
Band66	20MHz	16QAM	132572	1RB#99	1000~3000	-39.95	-13.0	PASS
Band66	20MHz	16QAM	132572	1RB#99	3000~20000	-38.58	-13.0	PASS
Band66	20MHz	16QAM	132572	100RB#0	0.009~0.15	-47.27	-43.0	PASS
Band66	20MHz	16QAM	132572	100RB#0	0.15~30	-55.58	-33.0	PASS
Band66	20MHz	16QAM	132572	100RB#0	30~1000	-56.46	-23.0	PASS
Band66	20MHz	16QAM	132572	100RB#0	1000~3000	-30.49	-13.0	PASS
Band66	20MHz	16QAM	132572	100RB#0	3000~20000	-38.64	-13.0	PASS






Test Graphs




















	
Band66-1.4MHz-QPSK-131979-6RB#0-30~1000-PAS S	Band66-1.4MHz-QPSK-131979-6RB#0-1000~3000-P ASS
	
Band66-1.4MHz-QPSK-131979-6RB#0-3000~20000- PASS	Band66-1.4MHz-16QAM-131979-1RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-131979-1RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-131979-1RB#0-30~1000-PA SS







	
Band66-1.4MHz-16QAM-131979-1RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-131979-1RB#0-3000~20000 -PASS
	
Band66-1.4MHz-16QAM-131979-1RB#5-0.009~0.15- PASS	Band66-1.4MHz-16QAM-131979-1RB#5-0.15~30-PA SS
	
Band66-1.4MHz-16QAM-131979-1RB#5-30~1000-PA SS	Band66-1.4MHz-16QAM-131979-1RB#5-1000~3000- PASS





	
Band66-1.4MHz-16QAM-131979-1RB#5-3000~20000 -PASS	Band66-1.4MHz-16QAM-131979-6RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-131979-6RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-131979-6RB#0-30~1000-PA SS
	
Band66-1.4MHz-16QAM-131979-6RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-131979-6RB#0-3000~20000 -PASS

	
Band66-1.4MHz-QPSK-132322-1RB#0-0.009~0.15-P ASS	Band66-1.4MHz-QPSK-132322-1RB#0-0.15~30-PAS S
	
Band66-1.4MHz-QPSK-132322-1RB#0-30~1000-PAS S	Band66-1.4MHz-QPSK-132322-1RB#0-1000~3000-P ASS
	
Band66-1.4MHz-QPSK-132322-1RB#0-3000~20000- PASS	Band66-1.4MHz-QPSK-132322-1RB#5-0.009~0.15-P ASS







	
Band66-1.4MHz-QPSK-132322-1RB#5-0.15~30-PAS S	Band66-1.4MHz-QPSK-132322-1RB#5-30~1000-PAS S
	
Band66-1.4MHz-QPSK-132322-1RB#5-1000~3000-P ASS	Band66-1.4MHz-QPSK-132322-1RB#5-3000~20000- PASS
	
Band66-1.4MHz-QPSK-132322-6RB#0-0.009~0.15-P ASS	Band66-1.4MHz-QPSK-132322-6RB#0-0.15~30-PAS S







	
Band66-1.4MHz-QPSK-132322-6RB#0-30~1000-PAS S	Band66-1.4MHz-QPSK-132322-6RB#0-1000~3000-P ASS
	
Band66-1.4MHz-QPSK-132322-6RB#0-3000~20000- PASS	Band66-1.4MHz-16QAM-132322-1RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-132322-1RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-132322-1RB#0-30~1000-PA SS







	
Band66-1.4MHz-16QAM-132322-1RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-132322-1RB#0-3000~20000- -PASS
	
Band66-1.4MHz-16QAM-132322-1RB#5-0.009~0.15- PASS	Band66-1.4MHz-16QAM-132322-1RB#5-0.15~30-PA SS
	
Band66-1.4MHz-16QAM-132322-1RB#5-30~1000-PA SS	Band66-1.4MHz-16QAM-132322-1RB#5-1000~3000- PASS







	
Band66-1.4MHz-16QAM-132322-1RB#5-3000~20000 -PASS	Band66-1.4MHz-16QAM-132322-6RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-132322-6RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-132322-6RB#0-30~1000-PA SS
	
Band66-1.4MHz-16QAM-132322-6RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-132322-6RB#0-3000~20000 -PASS







Band66-1.4MHz-QPSK-132665-1RB#0-0.009~0.15-P ASS	Band66-1.4MHz-QPSK-132665-1RB#0-0.15~30-PAS S
Band66-1.4MHz-QPSK-132665-1RB#0-30~1000-PAS S	Band66-1.4MHz-QPSK-132665-1RB#0-1000~3000-P ASS
Band66-1.4MHz-QPSK-132665-1RB#0-3000~20000- PASS	Band66-1.4MHz-QPSK-132665-1RB#5-0.009~0.15-P ASS

	
Band66-1.4MHz-QPSK-132665-1RB#5-0.15~30-PAS S	Band66-1.4MHz-QPSK-132665-1RB#5-30~1000-PAS S
	
Band66-1.4MHz-QPSK-132665-1RB#5-1000~3000-P ASS	Band66-1.4MHz-QPSK-132665-1RB#5-3000~20000-PASS PASS
	
Band66-1.4MHz-QPSK-132665-6RB#0-0.009~0.15-P ASS	Band66-1.4MHz-QPSK-132665-6RB#0-0.15~30-PAS S

	
Band66-1.4MHz-QPSK-132665-6RB#0-30~1000-PAS S	Band66-1.4MHz-QPSK-132665-6RB#0-1000~3000-P ASS
	
Band66-1.4MHz-QPSK-132665-6RB#0-3000~20000- PASS	Band66-1.4MHz-16QAM-132665-1RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-132665-1RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-132665-1RB#0-30~1000-PA SS

	
Band66-1.4MHz-16QAM-132665-1RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-132665-1RB#0-3000~20000- -PASS
	
Band66-1.4MHz-16QAM-132665-1RB#5-0.009~0.15- PASS	Band66-1.4MHz-16QAM-132665-1RB#5-0.15~30-PA SS
	
Band66-1.4MHz-16QAM-132665-1RB#5-30~1000-PA SS	Band66-1.4MHz-16QAM-132665-1RB#5-1000~3000- PASS

	
Band66-1.4MHz-16QAM-132665-1RB#5-3000~20000 -PASS	Band66-1.4MHz-16QAM-132665-6RB#0-0.009~0.15- PASS
	
Band66-1.4MHz-16QAM-132665-6RB#0-0.15~30-PA SS	Band66-1.4MHz-16QAM-132665-6RB#0-30~1000-PA SS
	
Band66-1.4MHz-16QAM-132665-6RB#0-1000~3000- PASS	Band66-1.4MHz-16QAM-132665-6RB#0-3000~20000 -PASS

	
Band66-3MHz-QPSK-131987-1RB#0-0.009~0.15-PA SS	Band66-3MHz-QPSK-131987-1RB#0-0.15~30-PASS
	
Band66-3MHz-QPSK-131987-1RB#0-30~1000-PASS	Band66-3MHz-QPSK-131987-1RB#0-1000~3000-PA SS
	
Band66-3MHz-QPSK-131987-1RB#0-3000~20000-PA SS	Band66-3MHz-QPSK-131987-1RB#14-0.009~0.15-PA SS