



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	23
3. Maximum Conducted Output Power	34
4. Power Spectral Density	35
5. Frequency Stability	46


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	17.96	16.21
NVNT	ANT1	802.11a	5200.00	17.91	16.19
NVNT	ANT1	802.11a	5240.00	17.97	16.21
NVNT	ANT1	802.11n(HT20)	5180.00	18.87	17.34
NVNT	ANT1	802.11n(HT20)	5200.00	19.01	17.31
NVNT	ANT1	802.11n(HT20)	5240.00	18.91	17.33
NVNT	ANT1	802.11ac(VHT20)	5180.00	18.94	17.34
NVNT	ANT1	802.11ac(VHT20)	5200.00	18.90	17.31
NVNT	ANT1	802.11ac(VHT20)	5240.00	18.84	17.34
NVNT	ANT1	802.11ax(HE20)	5180.00	20.07	18.71
NVNT	ANT1	802.11ax(HE20)	5200.00	20.03	18.70
NVNT	ANT1	802.11ax(HE20)	5240.00	20.13	18.72
NVNT	ANT1	802.11n(HT40)	5190.00	38.59	35.72
NVNT	ANT1	802.11n(HT40)	5230.00	38.75	35.76
NVNT	ANT1	802.11ac(VHT40)	5190.00	38.41	35.74
NVNT	ANT1	802.11ac(VHT40)	5230.00	38.57	35.77
NVNT	ANT1	802.11ax(HE40)	5190.00	39.54	37.34
NVNT	ANT1	802.11ax(HE40)	5230.00	39.53	37.42
NVNT	ANT1	802.11ac(VHT80)	5210.00	79.05	74.75
NVNT	ANT1	802.11ax(HE80)	5210.00	79.89	76.22







99% OCB NVNT ANT1 802 11a 5200




-26BW_NVNT_ANT1_802_11a_5200




99% OCB NVNT ANT1 802 11a 5240




-26BW_NVNT_ANT1_802_11a_5240




99% OCB NVNT ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180




99% OCB NVNT ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200




99% OCB NVNT ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240




99% OCB NVNT ANT1 802 11ac(VHT20) 5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99% OCB NVNT ANT1 802 11ac(VHT20) 5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB NVNT ANT1 802 11ac(VHT20) 5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240




99% OCB NVNT ANT1 802_11ax(HE20) 5180




-26BW_NVNT_ANT1_802_11ax(HE20)_5180




99% OCB NVNT ANT1_802_11ax(HE20)_5200




-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99% OCB NVNT ANT1 802_11ax(HE20) 5240




-26BW_NVNT_ANT1_802_11ax(HE20)_5240




99% OCB NVNT ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190




99% OCB NVNT ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230




99% OCB NVNT ANT1 802 11ac(VHT40) 5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190




99% OCB NVNT ANT1 802 11ac(VHT40) 5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230




99% OCB NVNT ANT1 802_11ax(HE40) 5190




-26BW_NVNT_ANT1_802_11ax(HE40)_5190




99% OCB NVNT ANT1_802_11ax(HE40)_5230




-26BW_NVNT_ANT1_802_11ax(HE40)_5230




99% OCB NVNT ANT1 802 11ac(VHT80) 5210




-26BW_NVNT_ANT1_802_11ac(VHT80)_5210



99% OCB NVNT ANT1_802_11ax(HE80)_5210




-26BW_NVNT_ANT1_802_11ax(HE80)_5210




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	73.12	1.36
NVNT	ANT1	802.11a	5200.00	72.34	1.41
NVNT	ANT1	802.11a	5240.00	73.12	1.36
NVNT	ANT1	802.11n(HT20)	5180.00	70.79	1.50
NVNT	ANT1	802.11n(HT20)	5200.00	71.91	1.43
NVNT	ANT1	802.11n(HT20)	5240.00	71.91	1.43
NVNT	ANT1	802.11ac(VHT20)	5180.00	71.59	1.45
NVNT	ANT1	802.11ac(VHT20)	5200.00	71.91	1.43
NVNT	ANT1	802.11ac(VHT20)	5240.00	71.91	1.43
NVNT	ANT1	802.11ax(HE20)	5180.00	69.05	1.61
NVNT	ANT1	802.11ax(HE20)	5200.00	70.24	1.53
NVNT	ANT1	802.11ax(HE20)	5240.00	70.24	1.53
NVNT	ANT1	802.11n(HT40)	5190.00	56.14	2.51
NVNT	ANT1	802.11n(HT40)	5230.00	56.14	2.51
NVNT	ANT1	802.11ac(VHT40)	5190.00	56.14	2.51
NVNT	ANT1	802.11ac(VHT40)	5230.00	56.14	2.51
NVNT	ANT1	802.11ax(HE40)	5190.00	55.36	2.57
NVNT	ANT1	802.11ax(HE40)	5230.00	53.57	2.71
NVNT	ANT1	802.11ac(VHT80)	5210.00	39.02	4.09
NVNT	ANT1	802.11ax(HE80)	5210.00	40.48	3.93




Duty Cycle NVNT_ANT1_802_11a_5200




Duty Cycle NVNT ANT1 802_11a 5240




Duty Cycle NVNT ANT1 802_11n(HT20)_5180




Duty Cycle NVNT ANT1_802_11n(HT20)_5200




Duty Cycle NVNT ANT1_802_11n(HT20)_5240




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5180




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5200




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5240




Duty Cycle NVNT ANT1 802_11ax(HE20) 5180




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5240




Duty Cycle NVNT ANT1 802 11n(HT40) 5190




Duty Cycle NVNT ANT1 802 11n(HT40) 5230




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5190




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5230




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5190




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5230



Duty Cycle NVNT ANT1 802_11ac(VHT80) 5210



Duty Cycle NVNT ANT1 802_11ax(HE80) 5210



3. Maximum Conducted Output Power

FCC

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power (dBm)	Conducted Power limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	16.01	23.95	Pass
NVNT	ANT1	802.11a	5200.00	15.94	23.95	Pass
NVNT	ANT1	802.11a	5240.00	15.98	23.95	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	16.07	23.95	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	16.15	23.95	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	16.20	23.95	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	16.08	23.95	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	16.03	23.95	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	16.09	23.95	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	16.20	23.95	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	16.09	23.95	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	16.37	23.95	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	15.47	23.95	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	15.46	23.95	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	15.29	23.95	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	15.24	23.95	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	15.30	23.95	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	15.35	23.95	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	14.53	23.95	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	14.25	23.95	Pass

Antenna Gain=6.05dBi > 6dB, Limit=24-(6.05-6)=23.95dBm

IC

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power (dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	16.01	22.06	22.10	Pass
NVNT	ANT1	802.11a	5200.00	15.94	21.99	22.09	Pass
NVNT	ANT1	802.11a	5240.00	15.98	22.03	22.10	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	16.07	22.12	22.39	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	16.15	22.20	22.38	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	16.20	22.25	22.39	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	16.08	22.13	22.39	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	16.03	22.08	22.38	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	16.09	22.14	22.39	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	16.20	22.25	22.72	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	16.09	22.14	22.72	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	16.37	22.42	22.72	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	15.47	21.52	23.01	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	15.46	21.51	23.01	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	15.29	21.34	23.01	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	15.24	21.29	23.01	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	15.30	21.35	23.01	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	15.35	21.40	23.01	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	14.53	20.58	23.01	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	14.25	20.30	23.01	Pass

Note 1: EIRP= Output Power+Antenna Gain, Antenna Gain=6.05dBi

Note 2 : The maximum e.i.r.p. shall not exceed 200 mW or 10 + 10 log10B, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.


4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Duty factor (dB)	Total PSD (dBm/MHz)	E.I.R.P PSD (dBm/MHz)	Conducted limit(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-13.47	1.36	-12.11	-6.06	10.95	10	Pass
NVNT	ANT1	802.11a	5200.00	-7.07	1.41	-5.66	0.39	10.95	10	Pass
NVNT	ANT1	802.11a	5240.00	-7.99	1.36	-6.63	-0.58	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-11.74	1.50	-10.24	-4.19	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-10.84	1.43	-9.41	-3.36	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-8.02	1.43	-6.59	-0.54	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-11.00	1.45	-9.55	-3.50	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-11.40	1.43	-9.97	-3.92	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-12.89	1.43	-11.46	-5.41	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-12.93	1.61	-11.32	-5.27	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-11.17	1.61	-9.56	-3.51	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-12.17	1.53	-10.64	-4.59	10.95	10	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-22.46	2.57	-19.89	-13.84	10.95	10	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-22.55	2.51	-20.05	-14.00	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-25.62	2.51	-23.11	-17.06	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-21.47	2.51	-18.96	-12.91	10.95	10	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-24.93	2.57	-22.36	-16.31	10.95	10	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-21.42	2.71	-18.71	-12.66	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-30.56	4.09	-26.47	-20.42	10.95	10	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	-34.38	3.93	-30.45	-24.40	10.95	10	Pass


Antenna Gain=6.05dBi > 6dB, Conducted Limit=11-(6.05-6)=10.95dBm




Power_Spectral_Density_NVNT_ANT1_802_11a_5200




Power_Spectral_Density_NVNT_ANT1_802_11a_5240




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180




Power Spectral Density NVNT ANT1 802_11n(HT20)_5200




Power Spectral Density NVNT ANT1 802_11n(HT20)_5240




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5180




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5200




Power Spectral Density NVNT ANT1_802_11ax(HE20) 5180




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5200




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5240




Power Spectral Density NVNT ANT1 802_11n(HT40)_5190




Power Spectral Density NVNT ANT1 802_11n(HT40)_5230




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5190




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5230




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5190



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5230



Power Spectral Density NVNT ANT1_802_11ac(VHT80)_5210



Power Spectral Density NVNT ANT1_802_11ax(HE80)_5210



5. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.30V	ANT1	802.11a	5180.00	5180.026	5171.764	5188.288	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11a	5180.00	5180.034	5171.916	5188.152	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11a	5180.00	5180.032	5172.016	5188.048	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11a	5180.00	5180.036	5172.112	5187.960	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11a	5180.00	5180.036	5172.196	5187.876	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11a	5180.00	5180.024	5172.268	5187.780	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11a	5180.00	5180.030	5172.352	5187.708	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11a	5180.00	5180.044	5172.440	5187.648	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11a	5180.00	5180.038	5172.496	5187.580	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11a	5180.00	5180.040	5172.552	5187.528	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11a	5180.00	5180.026	5172.608	5187.444	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11a	5200.00	5200.038	5191.776	5208.300	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11a	5200.00	5200.032	5191.920	5208.144	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11a	5200.00	5200.036	5192.020	5208.052	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11a	5200.00	5200.030	5192.112	5207.948	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11a	5200.00	5200.030	5192.200	5207.860	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11a	5200.00	5200.034	5192.280	5207.788	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11a	5200.00	5200.024	5192.344	5207.704	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11a	5200.00	5200.036	5192.412	5207.660	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11a	5200.00	5200.032	5192.476	5207.588	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11a	5200.00	5200.036	5192.532	5207.540	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11a	5200.00	5200.016	5192.592	5207.440	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11a	5240.00	5240.046	5231.768	5248.324	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11a	5240.00	5240.028	5231.904	5248.152	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11a	5240.00	5240.028	5232.000	5248.056	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11a	5240.00	5240.024	5232.088	5247.960	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11a	5240.00	5240.022	5232.184	5247.860	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11a	5240.00	5240.026	5232.268	5247.784	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11a	5240.00	5240.036	5232.356	5247.716	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11a	5240.00	5240.030	5232.428	5247.632	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11a	5240.00	5240.032	5232.496	5247.568	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11a	5240.00	5240.034	5232.556	5247.512	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11a	5240.00	5240.046	5232.628	5247.464	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.024	5171.200	5188.848	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.344	5188.716	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.032	5171.456	5188.608	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.544	5188.516	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.040	5171.640	5188.440	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.036	5171.724	5188.348	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.042	5171.796	5188.288	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.884	5188.224	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5180.00	5180.034	5171.972	5188.096	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5180.00	5180.046	5172.048	5188.044	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5180.00	5180.024	5172.124	5187.924	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.208	5208.840	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.032	5191.356	5208.708	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.026	5191.464	5208.588	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.024	5191.556	5208.492	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.030	5191.660	5208.400	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.054	5191.744	5208.364	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.050	5191.828	5208.272	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.046	5191.912	5208.180	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5200.00	5200.044	5191.992	5208.096	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5200.00	5200.062	5192.084	5208.040	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5200.00	5200.056	5192.156	5207.956	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.204	5248.836	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.328	5248.692	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.014	5231.436	5248.592	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.012	5231.536	5248.488	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.014	5231.624	5248.404	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.028	5231.712	5248.344	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.032	5231.792	5248.272	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.872	5248.144	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5240.00	5240.004	5231.944	5248.064	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5240.00	5240.002	5232.004	5248.000	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5240.00	5240.006	5232.088	5247.924	5150~5250	Pass

50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.220	5188.848	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.364	5188.704	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.468	5188.600	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.564	5188.516	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.652	5188.428	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.728	5188.352	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.808	5188.256	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.888	5188.176	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5171.972	5188.084	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5172.056	5188.012	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5180.00	5180.026	5172.136	5187.916	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.026	5191.216	5208.836	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.036	5191.360	5208.712	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.468	5208.592	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.036	5191.560	5208.512	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.644	5208.416	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.048	5191.732	5208.364	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.020	5191.804	5208.236	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.040	5191.880	5208.200	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5200.00	5200.034	5191.968	5208.100	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5200.00	5200.042	5192.064	5208.020	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5200.00	5200.028	5192.136	5207.920	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.018	5231.192	5248.844	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.012	5231.328	5248.696	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.008	5231.432	5248.584	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.008	5231.532	5248.484	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.616	5248.388	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.014	5231.708	5248.320	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.784	5248.236	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.860	5248.144	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.944	5248.068	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5240.00	5239.998	5232.028	5247.968	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5240.00	5240.000	5232.116	5247.884	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.032	5170.548	5189.516	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.050	5170.688	5189.412	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.042	5170.796	5189.288	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.044	5170.920	5189.168	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.070	5171.036	5189.104	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.048	5171.132	5188.964	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.062	5171.232	5188.892	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.026	5171.328	5188.724	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5180.00	5180.026	5171.432	5188.620	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5180.00	5180.076	5171.520	5188.632	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5180.00	5180.058	5171.584	5188.532	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.036	5190.560	5209.512	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.038	5190.696	5209.380	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.050	5190.796	5209.304	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.028	5190.900	5209.156	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.034	5191.000	5209.068	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.032	5191.088	5208.976	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.026	5191.188	5208.864	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.044	5191.300	5208.788	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5200.00	5200.042	5191.412	5208.672	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5200.00	5200.076	5191.496	5208.656	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5200.00	5200.038	5191.576	5208.500	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5240.034	5230.544	5249.524	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5240.014	5230.656	5249.372	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5240.030	5230.756	5249.304	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5240.016	5230.840	5249.192	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5240.004	5230.924	5249.084	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5239.976	5231.000	5248.952	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5239.956	5231.096	5248.816	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5239.982	5231.196	5248.768	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5240.00	5240.012	5231.300	5248.724	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5240.00	5239.996	5231.408	5248.584	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5240.00	5239.950	5231.492	5248.408	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.052	5171.968	5208.136	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.048	5172.168	5207.928	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.028	5172.320	5207.736	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.032	5172.472	5207.592	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.048	5172.656	5207.440	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.044	5172.832	5207.256	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.020	5172.976	5207.064	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5189.972	5173.112	5206.832	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5190.00	5190.016	5173.256	5206.776	5150~5250	Pass

25degrees C&&3.30V	ANT1	802.11n(HT40)	5190.00	5190.036	5173.416	5206.656	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5190.00	5190.064	5173.560	5206.568	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.056	5211.976	5248.136	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.032	5212.184	5247.880	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.012	5212.368	5247.656	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.520	5247.536	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.032	5212.664	5247.400	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.020	5212.816	5247.224	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.004	5213.016	5246.992	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.012	5213.152	5246.872	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5230.00	5229.972	5213.304	5246.640	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11n(HT40)	5230.00	5230.008	5213.440	5246.576	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5230.00	5230.012	5213.584	5246.440	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.060	5171.976	5208.144	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5172.168	5207.920	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.024	5172.320	5207.728	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.020	5172.488	5207.552	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.024	5172.608	5207.440	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5189.972	5172.760	5207.184	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5190.016	5172.912	5207.120	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5189.996	5173.072	5206.920	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5190.00	5189.984	5173.208	5206.760	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5190.00	5189.952	5173.344	5206.560	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5190.00	5189.976	5173.512	5206.440	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5230.044	5211.960	5248.128	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5230.008	5212.144	5247.872	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.320	5247.680	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.984	5212.448	5247.520	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.968	5212.568	5247.368	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.944	5212.688	5247.200	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.908	5212.832	5246.984	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.860	5212.944	5246.776	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5230.00	5229.836	5213.088	5246.584	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5230.00	5229.840	5213.216	5246.464	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5230.00	5229.884	5213.352	5246.416	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.080	5171.192	5208.968	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.092	5171.448	5208.736	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.092	5171.664	5208.520	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.108	5171.848	5208.368	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.068	5171.984	5208.152	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5189.992	5172.112	5207.872	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.024	5172.304	5207.744	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.056	5172.408	5207.704	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5190.00	5190.044	5172.560	5207.528	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5190.00	5190.020	5172.712	5207.328	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5190.00	5189.956	5172.840	5207.072	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5230.072	5211.144	5249.000	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5230.060	5211.376	5248.744	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5230.096	5211.552	5248.640	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5230.016	5211.696	5248.336	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5229.988	5211.848	5248.128	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5229.996	5212.016	5247.976	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5229.948	5212.208	5247.688	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5230.004	5212.392	5247.616	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5230.00	5229.992	5212.560	5247.424	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5230.00	5229.948	5212.672	5247.224	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5230.00	5230.024	5212.824	5247.224	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.090	5172.332	5247.848	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.066	5172.668	5247.464	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.078	5173.088	5247.068	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.090	5173.460	5246.720	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.072	5173.820	5246.324	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.066	5174.168	5245.964	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.024	5174.540	5245.508	5150~5250	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5210.114	5174.924	5245.304	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT80)	5210.00	5210.024	5175.188	5244.860	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT80)	5210.00	5209.964	5175.476	5244.452	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT80)	5210.00	5209.910	5175.848	5243.972	5150~5250	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5210.048	5171.396	5248.700	5150~5250	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5210.018	5171.792	5248.244	5150~5250	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.964	5172.248	5247.680	5150~5250	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.886	5172.512	5247.260	5150~5250	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.886	5172.896	5246.876	5150~5250	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.844	5173.196	5246.492	5150~5250	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.940	5173.628	5246.252	5150~5250	Pass

-20degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.970	5173.964	5245.976	5150~5250	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE80)	5210.00	5209.988	5174.300	5245.676	5150~5250	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE80)	5210.00	5209.892	5174.600	5245.184	5150~5250	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE80)	5210.00	5209.874	5174.936	5244.812	5150~5250	Pass